

CAPP/USA'S Siemens-Powers Product Page

CAPP/USA • 201 Marple Ave. Clifton Heights, Pa 19018

Call CAPP/USA Today for Pricing and Availability! 1-800-356-8000

Visit us on the web at www.cappusa.com

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
10599	M3P..F (65 THRU 100) MANUAL KN	(800)356-8000
10928	M3P..F (65 THRU 100) JUNCT.BX	(800)356-8000
11904	M3P..G (08 THRU 50) JUNCT. BX	(800)356-8000
11905	M3P.. MANUAL KNOB KIT	(800)356-8000
12123	M3P32G MANUAL KNOB KIT	(800)356-8000
12124	M3P25G MANUAL KNOB KIT	(800)356-8000
12395	STEM SEAL FOR 2V..AND3V..	(800)356-8000
13027	M3P..G (08 THRU 50) 'O' RING	(800)356-8000
13226	SPINDLE BUSH (O RING) M3P..F	(800)356-8000
15910	BLACK PLASTIC PLATE FOR ZM200	(800)356-8000
16504	BLACK PLASTIC PLATE FOR ZM100	(800)356-8000
22362	1-1/2" BRASS BLANKING DISK	(800)356-8000
22363	2" BRASS BLANKING DISK	(800)356-8000
24463	M3P..G (08 THRU 20) MANUAL SCR	(800)356-8000
24576	M3P..G (25 THRU 50) MANUAL SCR	(800)356-8000
24711	*SP.PT*RED MANUAL LOCK PIN(M3P	(800)356-8000
24764	** (SP.PART) BLK-OFF DISC 1-1 1	(800)356-8000
25422	** (SP.PART)BLK-OFF DISC 1/2"	(800)356-8000
25423	** (SP.PART) BLK-OFF DISC 3/4"	(800)356-8000
25424	** (SP.PART)BLK-OFF DISC 1"VLV	(800)356-8000
25425	** (SP.PART)BLKI-OFF DISC 1-1/4	(800)356-8000
25505	** (SP.PART)BLKI-OFF DISC 2"VLV	(800)356-8000
25709	M3P..F (65 THRU 100) MANUAL SC	(800)356-8000
25716	1/2" BRASS BLANKING DISK	(800)356-8000
25717	3/4" BRASS BLANKING DISK	(800)356-8000
25718	1" BRASS BLANKING DISK	(800)356-8000
25719	1-1/4" BRASS BLANKING DISK	(800)356-8000
27320	GASKET FOR M2A10..** (SP.PART)	(800)356-8000
27321	GASKET FOR M2A20..** (SP.PART)	(800)356-8000
27627	M2F.15L./M3F.15L.. STRAINER	(800)356-8000
27628	M2F.20L/M3F.20L STRAINER	(800)356-8000
27629	M2F.25L/M3F.25L STRAINER	(800)356-8000
27630	M2F.32L/M3F.32L STRAINER	(800)356-8000
27631	M3FK40L STRAINER	(800)356-8000
27632	M3FK50L STRAINER	(800)356-8000
28779	2W,3W,4W VALVES 50% CAP	(800)356-8000
41502	GASKET: .W..G 1/2"	(800)356-8000
41506	GASKET: M3P..G 1/2"	(800)356-8000
41507	GASKET: M3P..G 3/4" ** (use 698	(800)356-8000
41508	GASKET: M3P..G 1"	(800)356-8000
41509	GASKET: M3P..G 1-1/4"	(800)356-8000
41510	GASKET: M3P..G 1-1/2"	(800)356-8000
41511	GASKET: M3P..G 2"	(800)356-8000
41512	** (SP.PART)GASKET Z56/65 2-1/2	(800)356-8000
41513	** (SP. PART)GASKET Z56/80 3"	(800)356-8000
41514	** (SP.PART) GASKET: Z56/100 4"	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
41529	** (SP.PART) GASKET: M3P80F	(800)356-8000
41534	** (SP.PART) GASKET: Z56/40 1-1	(800)356-8000
41535	** (SP.PART) GASKET: Z56/50 2"	(800)356-8000
41542	** (SP.PART) GASKET: Z56/15 1/2	(800)356-8000
41543	** (SP.PART) GASKET: Z56/20 3/4	(800)356-8000
41544	** (SP.PART) GASKET: Z56/25 1"	(800)356-8000
41545	** (SP.PART) GASKET: Z56/32 1 1	(800)356-8000
41723	O-RING SEAL FOR STEM SEAL,2V..	(800)356-8000
43409	ZM MODULE SCREWS (SPARE PART)	(800)356-8000
44695	SECURITY RING FOR STEM SEAL,2V	(800)356-8000
46603	UNION CONNECTOR M3.20G	(800)356-8000
46606	UNION CONNECTOR M3.25G	(800)356-8000
46609	UNION CONNECTOR 1-1/4" M3.32G	(800)356-8000
46612	UNION CONNECTOR 1-1/2" M3.40G	(800)356-8000
46615	UNION CONNECTOR M3.50G	(800)356-8000
46618	UNION CONNECTOR NUT M3..G(08TH	(800)356-8000
46641	1/2" BRASS COLLAR NUT	(800)356-8000
46642	3/4" BRASS COLLAR NUT	(800)356-8000
46643	1" BRASS COLLAR NUT	(800)356-8000
46644	1-1/4" BRASS COLLAR NUT	(800)356-8000
46645	1-1/2" BRASS COLLAR NUT	(800)356-8000
46646	2" BRASS COLLAR NUT	(800)356-8000
46709	NPT FITTING, 1/2" CAST IRON (M	(800)356-8000
46710	NPT FITTING, 3/4" CAST IRON (M	(800)356-8000
46711	NPT FITTING, 1" CAST IRON (M3P	(800)356-8000
46713	NPT FITTING,1-1/2"CAST IRON (M	(800)356-8000
46714	NPT FITTING, 2" CAST IRON (M3P	(800)356-8000
1410518	SWITCH,AIR FLOW,1.0/12 WG	(800)356-8000
1410519	T'STAT, EL SURFACE MTD,50/150	(800)356-8000
3314811	No.3 PNEU.ACT.8-13PSI EXT SHEF	(800)356-8000
3322973	No.4 PNEU ACT,8-13PSI,U-M,W/P-	(800)356-8000
3570001	LIM STAT,8'AVG BLB,35/145F	(800)356-8000
035-0299	FITTING CONDUIT 1/2" W/SET SCR	(800)356-8000
035-0306	CONDUIT FITTING 3/4"-18, ZM1XX	(800)356-8000
035-0307	ADAPTER ZM2XX 1/2" NPT	(800)356-8000
035-0308	ADAPTER ZM1XX 3/4"-18	(800)356-8000
041-133K	NUT,STL,1/2"HEX,5/16-24	(800)356-8000
041-142	NUT,BRS,5/8"HEX,3/8-24	(800)356-8000
043-347	PIPE PLUG	(800)356-8000
044-001	COUPLINGS, 3/16"OD X 3/16"OD	(800)356-8000
057-1013	NPT FITTING, 1/2" BRASS (M3B..	(800)356-8000
057-1014	NPT FITTING, 3/4" BRASS (M3B..	(800)356-8000
057-1015	NPT FITTING, 1" BRASS (M3B..)	(800)356-8000
057-1016	NPT FITTING,1-1/4" BRASS (M3B.	(800)356-8000
057-1017	NPT FITTING,1-1/2" BRASS (M3B.	(800)356-8000
057-1018	NPT FITTING, 2" BRASS (M3B..)	(800)356-8000
057-1020	STEM SEAL,2H50/65F,61MM >JUL.9	(800)356-8000
125-3201	SED2 VFD GSG	(800)356-8000
125-3202	SED2 VFD USER MANUAL	(800)356-8000
125-3208	INST INSTR ELECTRONIC BYPASS	(800)356-8000
125-3214	SED2 VFD PARAMETER REFERENCE G	(800)356-8000
134-034	FACEPLATE	(800)356-8000
134-061	LIM T'STAT ACC,WELL REMOTE BLB	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
134-084	BULB SHIELD OUTDOOR	(800)356-8000
134-1083	T'STAT,HTG,LINE VOLT, CON SP	(800)356-8000
134-1084	T'STAT,H/C,LINE VOLT CON/EXP	(800)356-8000
134-1085	T'STAT,H/C, LINE VOLT,HVY DUTY	(800)356-8000
134-1086	T'STAT, H/C,LINE VOLT,SWITCH	(800)356-8000
134-117	T'STAT ACC, ALUMINUM GUARD	(800)356-8000
134-1450	SW134,PRES EL,1STAGE,DSTPT,NO	(800)356-8000
134-1451	SW134,PRES EL,1STAGE,DSTPT,NC	(800)356-8000
134-1460	SW134,PRES EL,1STAGE 3-20 PSI	(800)356-8000
134-1504	T'STAT, LOW TEMP,15/55,MANUAL	(800)356-8000
134-1510	LOW TEMP DET STATAUTO RESET	(800)356-8000
134-1511	LOW TEMP DET STAT MNL RESET	(800)356-8000
134-1700	T'STAT, PNEU LOW TEMP,15/55	(800)356-8000
134-1710	T'STAT, PNEU HIGH TEMP,100/170	(800)356-8000
141-0220	1-3/4" BI-METAL THERM.0/140F	(800)356-8000
141-0518	AIR FLOW SWITCH	(800)356-8000
141-0520	T'STAT,2-POS,REMOTE BLB,20/120	(800)356-8000
141-0521	T'STAT,2-POS,REMOTE BLB,100/240	(800)356-8000
141-0530	T'STAT,EL HIGH TEMP,25/215	(800)356-8000
141-0566	SWITCH, EL ENTHALPY	(800)356-8000
141-0574	AIR FLOW SWITCH .05-1.0 WC	(800)356-8000
141-0575	AIR FLOW SWITCH.05/12 MAN REST	(800)356-8000
141-0590	DIFF PRES XMTR,-.05/0.2 WG	(800)356-8000
141-0591	DIFF PRES XMTR,-0.5/0.5 WG	(800)356-8000
141-0592	DIFF PRES XMTR,0/3 WG	(800)356-8000
141-0593	DIFF PRES XMTR,0/10 WG	(800)356-8000
141-0597	ET141 3-STAGE PROGRAMABLE STA	(800)356-8000
141-0599	TH141 LOW VOLTAGE WALL STAT	(800)356-8000
141-0600	SW141 POSITIONING SWITCH	(800)356-8000
141-0601	PNEUMATIC TUBE FITTING KIT	(800)356-8000
141-064	PIPING ACC,1/4"OD,SINGLE,ROUND	(800)356-8000
141-067	PIPE ACC1/4"OD X 1/4"OD,DBL,RD	(800)356-8000
141-069	PIPE ACC 1/4"X3/8" DBL(100PK)	(800)356-8000
141-072	POLYETH RACK 1/4"OD TBNG(10PK)	(800)356-8000
141-073	RUBBER PLUG & CAP,1/4-3/8"TBNG	(800)356-8000
141-090	PIPING ACC 1/4"OD SNGL(100PK)	(800)356-8000
141-091	PIPING ACC 3/8"OD SNGL (100PK)	(800)356-8000
141-092	PIPING ACC 1/2"OD SINGLE(100PK)	(800)356-8000
141-093	PIPE ACC1/4"OD X1/4"OD,DBLSLOT	(800)356-8000
141-098	GANG IRON,1/8" X 11/16" STEEL	(800)356-8000
141-132	CABLE TIE,1-3/4" DIA,MTG FLG	(800)356-8000
141-133	CABLE TIE 1-3/4" DIA(1000 PK)	(800)356-8000
141-331	T'STAT ACC, WELL FOR 1410520	(800)356-8000
141-332	T'STAT ACC, WELL FOR 1410521	(800)356-8000
141-333	TEMP TRANS,PACKING NUT	(800)356-8000
141-360	CABLE TIE 1 1/2" DIA (1000 PK)	(800)356-8000
141-388	COMPRESSION RING KIT	(800)356-8000
141-426	ADPT KT 1/4"CU-1/4"POLY 50/PKG	(800)356-8000
141-464	STORAGE ORGANIZER CASE	(800)356-8000
141-465	ASPIRATOR BULB FLOW VLV UNIT	(800)356-8000
141-503	COPPER TUBE 3/16" OD SOFT	(800)356-8000
141-570	THERMOSTAT GUARD, CLEAR LOCKAB	(800)356-8000
142-0229	MET RCV GAUGE,3-1/2",0/100F	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
142-0230	MET PRES GAUGE,2",0/30PSI	(800)356-8000
142-0238	ENG RCV.GAUGE,1-1/2",-40/120F	(800)356-8000
142-0239	ENG RCV GAUGE,1-1/2",-25/135F	(800)356-8000
142-0240	ENG RCV GAUGE,1-1/2",-10/65F	(800)356-8000
142-0241	ENG RCV GAUGE,1-1/2",35/135F	(800)356-8000
142-0242	ENG RCV.GAUGE,1-1/2",50/100F	(800)356-8000
142-0243	ENG RCV GAUGE,1-1/2",80/240F	(800)356-8000
142-0244	ENG RCV GAUGE,1-1/2",25/250F	(800)356-8000
142-0245	ENG RCV GAUGE,1-1/2",20-80% RH	(800)356-8000
142-0246	ENG RCV GAUGE,1-1/2",0/3" WG	(800)356-8000
142-0247	ENG RCV GAUGE,1-1/2",0/15" WG	(800)356-8000
142-0258	ENG RCV GAUGE,2-1/2",-40/120F	(800)356-8000
142-0259	ENG RCV GAUGE,2-1/2",-25/135F	(800)356-8000
142-0260	ENG RCV GAUGE,2-1/2",-10/65F	(800)356-8000
142-0261	ENG RCV GAUGE,2-1/2",35/135F	(800)356-8000
142-0262	ENG RCV GAUGE,2-1/2",50/150F	(800)356-8000
142-0263	ENG.RCV GAUGE,2-1/2",80/240F	(800)356-8000
142-0264	ENG RCV GAUGE,2-1/2",25/250F	(800)356-8000
142-0265	ENG RCV GAUGE,2-1/2",20-80% RH	(800)356-8000
142-0266	ENG RCV GAUGE,2-1/2",0/3" WG	(800)356-8000
142-0267	ENG RCV GAUGE,2-1/2",0/15" WG	(800)356-8000
142-0272	ENG RCV GAUGE,2-1/2",3/71 F	(800)356-8000
142-0274	PRES GAUGE,1-1/2",0/30 PSI,PNL	(800)356-8000
142-0277	PRES GAUGE,2-1/2",0/30 PSI,PNL	(800)356-8000
142-0279	PRES GAUGE,2-1/2",0/100PSI,PNL	(800)356-8000
142-0283	ENG RCV GAUGE,3-1/2",20-80% RH	(800)356-8000
142-0284	ENG RCV GAUGE,3-1/2",50/100F	(800)356-8000
142-0285	ENG RCV GAUGE,3-1/2",-40/120F	(800)356-8000
142-0286	ENG RCV GAUGE,3-1/2",-25/135F	(800)356-8000
142-0287	ENG RCV GAUGE,3-1/2",-10/65F	(800)356-8000
142-0288	ENG RCV GAUGE,3-1/2",35/135F	(800)356-8000
142-0289	ENG RCV GAUGE,3-1/2",80/240F	(800)356-8000
142-0290	ENG RCV GAUGE,3-1/2",25/250F	(800)356-8000
142-0291	ENG RCV GAUGE,3-1/2",0/3" WG	(800)356-8000
142-0292	ENG RCV GAUGE,3-1/2",0/15" WG	(800)356-8000
142-0293	ENG RCV GAUGE,1-1/2",3/15 PSI	(800)356-8000
142-0295	ENG RCV GAUGE,2-1/2",3/15 PSI	(800)356-8000
142-0298	ENG RCV GAUGE,3-1/2",160/320F	(800)356-8000
142-0304	PRES GAUGE,2-1/2",0/160PSI,PNL	(800)356-8000
142-0305	PRES GAUGE,3-1/2",0/160PSI,PNL	(800)356-8000
142-0311	PRES GAUGE,2-1/2",0/30PSI,PIPE	(800)356-8000
142-0313	PRES GAUGE,2-1/2",0/160PSI,PIPE	(800)356-8000
142-0316	ENG RCV GAUGE,1-1/2",0/100N	(800)356-8000
142-0327	ENG RCV GAUGE,2-1/2",0/100 F	(800)356-8000
142-0331	MET PRES GAUGE,1-1/2",0/207kPa	(800)356-8000
142-0332	MET RCV GAUGE,1-1/2"1.67/57.2C	(800)356-8000
142-0333	MET RCV GAUGE,1-1/2",26.7/116C	(800)356-8000
142-0339	MET RCV GAUGE 1-1/2"	(800)356-8000
142-0344	MET PRES GAUGE,1-1/2",0/207kPa	(800)356-8000
142-0345	MET RCV GAUGE,1-1/2",-20/40C	(800)356-8000
142-0346	MET RCV GAUGE,1-1/2",10/38C	(800)356-8000
142-0352	MET RCV GAUGE,1-1/2",0/747KPA	(800)356-8000
142-0354	MET RCV GAUGE,3-1/2",-25/20C	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
142-0355	MET RCV GAUGE,3-1/2",25/120C	(800)356-8000
142-0356	MET RCV GAUGE,3-1/2",-20/40C	(800)356-8000
142-0359	MET RCV GAUGE,3-1/2",0/747KPA	(800)356-8000
142-0365	MET PRES GAUGE,3-1/2",0/207KPA	(800)356-8000
142-0368	MET PRES GAUGE,2-1/2",0/1100KPA	(800)356-8000
142-0369	MET RCVGAUGE1-1/2",20.7/103KPA	(800)356-8000
142-0370	SCALE	(800)356-8000
142-0373	MET PRES GAUGE,1-1/2",0/207kPa	(800)356-8000
142-0376	RECEIVER GAUGE 2-1/2"	(800)356-8000
142-0377	RECEIVER GAUGE 2-1/2"	(800)356-8000
142-0379	RCV GAUGE 2-1/2"	(800)356-8000
142-0381	MET RCV GAUGE,2-1/2",0/750KPA	(800)356-8000
142-0382	MET RCV GAUGE,3-1/2",1/58C	(800)356-8000
142-0383	MET RCV GAUGE,3-1/2",-40/50C	(800)356-8000
142-0384	MET RCV GAUGE,3-1/2",10/38C	(800)356-8000
142-0394	ENG RCV GAUGE,1-1/2",0/10" WG	(800)356-8000
142-0395	ENG RCV GAUGE,1-1/2",-0.5/0.5"	(800)356-8000
142-0396	ENG RCV GAUGE,1-1/2",-0.05/0.2"	(800)356-8000
142-0397	MET RCV GAUGE,1-1/2",0/2.5 kPa	(800)356-8000
142-0398	MET RCV GAUGE,-125/125 PASCALS	(800)356-8000
142-0403	MET RCV GAUGE,2-1/2",0/2.5 kPa	(800)356-8000
142-0404	MET RCV GAUGE,-125/125 PASCALS	(800)356-8000
142-0405	MET RCV GAUGE, 12.5/50 PASCALS	(800)356-8000
142-0406	ENG RCV GAUGE 3-1/2",0/10" WG	(800)356-8000
142-0407	ENG RCV GAUGE,3-1/2",-0.5/0.5"	(800)356-8000
142-0409	MET RCV GAUGE,3-1/2",0/2.5kPa	(800)356-8000
142-0410	MET RCV GAUGE,-125/125 PASCALS	(800)356-8000
142-0411	MET RCV GAUGE,-12.5/50 PASCALS	(800)356-8000
142-0420	MET RCVGAUGE,3-1/2",0-10 M/SEC	(800)356-8000
142-0421	MET RCVGAUGE,3-1/2",0-15 M/SEC	(800)356-8000
142-0423	MET RCVGAUGE,3-1/2",0-25 M/SEC	(800)356-8000
142-0424	RCV GAUGE,3-1/2",37-93 KJ/KG	(800)356-8000
142-0425	LIM T'STAT ACC,GAUGE BRASS TEE	(800)356-8000
142-0426	PRES GAUGE,1-1/2",0/30PSI,PIPE	(800)356-8000
142-0429	2 1/2"RECEIVER GAUGE-INDICATIN	(800)356-8000
142-0430	ENG REC GAUGE, 1.5"-40-160F	(800)356-8000
142-0431	ENG REC GAUGE 1.5"40-240F	(800)356-8000
142-0432	ENG REC GAUGE,1.5" 50-150F	(800)356-8000
142-0433	ENG REC GAUGE,1.5"50-90F	(800)356-8000
142-0434	ENG RCV GAUGE,30-90F 1.5 IN	(800)356-8000
142-0435	ENG RCV GAUGE,0-50PSI 1.5 IN	(800)356-8000
142-0436	ENG REC GAUGE,2.5"-40-160	(800)356-8000
142-0437	ENG REC GAUGE,2.5"40- 240F	(800)356-8000
142-0438	ENG REC GAUGE,2.5"50-150F	(800)356-8000
142-0439	ENG REC GAUGE,2.5"50-90F	(800)356-8000
142-0440	ENG RCV GAUGE,30-190F 2.5 IN	(800)356-8000
142-0441	ENG RCV,GAUGE,0-50 PSI.2.5 IN	(800)356-8000
142-0442	ENG REC GAUGE,3.5"-40-160	(800)356-8000
142-0443	ENG REC GAUGE,3.5"40-240F	(800)356-8000
142-0444	ENG REC GAUGE,3.5"50-150F	(800)356-8000
142-0445	ENG REC GAUGE,3.5"50-90F	(800)356-8000
142-0446	ENG RCV.GAUGE,30-190F 3.5 IN	(800)356-8000
142-0447	ENG RCV GAUGE,0-50 PSI 3.5	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
142-0448	ENG RCV GAUGE,0-345 KPa 1.5 IN	(800)356-8000
142-0449	ENG,RCV GAUGE,0-345 KPa 2.5 IN	(800)356-8000
142-0455	2.5"PRESS.GAUGE(0-30PSI/0-200K	(800)356-8000
144-001	HVAC PROD CATALOG 3.1	(800)356-8000
144-003	TECH MANUAL	(800)356-8000
144-022	RC195 CONVERSION 25/PKG	(800)356-8000
144-045	HVAC PRODUCTS BINDER	(800)356-8000
144-126	CONTROL INSTALLATION INST MNL	(800)356-8000
144-133	FIELD INSTALL GUIDE	(800)356-8000
144-146	OPENAIR SEL GUIDE 1 Each	(800)356-8000
144-147	POWERS CON ELE FLD INST GUIDE	(800)356-8000
144-149	VFD SOLUTIONS MANUAL	(800)356-8000
147-104	No.3 ACT.POSITIONING RELAY KIT	(800)356-8000
147-105	FEEDBACK SPRING 2 3/8"STROKE	(800)356-8000
147-2000	POSITIONING RELAY, ONLY	(800)356-8000
147-276	RELAY MOUNTING KIT,6" ACTUATOR	(800)356-8000
147-277	RELAY KIT 8"TOP FOR M1/M2 ONLY	(800)356-8000
147-278	POS RELAY MOUNTING KIT	(800)356-8000
147-279	RELAY MTG KIT,SUPER F'RITE	(800)356-8000
147-307	RELAY MOUNTING KIT,SPRING ARM	(800)356-8000
147-311	RELAY MTG KIT,F'RITE 12" TOP	(800)356-8000
147-314	RELAY MOUNTING KIT,4" ACTUATOR	(800)356-8000
147-330	FEEDBACK SPRING	(800)356-8000
147-333	RELAY MOUNTING KIT 8"ACT.	(800)356-8000
147-361	SPRING CARD KIT(SKINPACKED)	(800)356-8000
147-362	SPRING CARD KIT(SKINPACKED)	(800)356-8000
147-363	SPRING CARD KIT(SKINPACKED)	(800)356-8000
150-556P50	FLOWRITE 599 SERIES SLS MAILER	(800)356-8000
150-558P50	OPENAIR ACTUATOR MAILER #1	(800)356-8000
150-559P50	POWERMITE SALES MAILER #1	(800)356-8000
150-580P25	DRAGON RAA SALES FLIER	(800)356-8000
150-581P25	DRAGON RAB SALES FLIER	(800)356-8000
150-590P10	ANIMAL FAC BUNDLED SOLUTION	(800)356-8000
150-593	ANIM RESRCH FACIL BNDLD SOLUTN	(800)356-8000
151-099M	SWITCH,REPLACEMENT DIAL PLATE	(800)356-8000
151-102	SWITCH, DRAG PIN	(800)356-8000
151-113	SWITCH,REPLACEMENT KNOB	(800)356-8000
151-118	POS SWITCH ACC,DIAL PLT WARMER	(800)356-8000
151-119	POS SWITCH ACC,DIAL PLT CLOSE	(800)356-8000
151-142	POSITIONING SWITCH STANDARD	(800)356-8000
151-143	POSITIONING SWITCH BLEED	(800)356-8000
151-146	POS SWITCH MOUNTING KIT,FLUSH	(800)356-8000
151-147	POS SWITCH MOUNTING KT,SURFACE	(800)356-8000
151-148	POS SWITCH MTG KIT,GRPHC PANEL	(800)356-8000
151-150	POS SWITCH ACC, DIAL PLT INCR	(800)356-8000
153-026P25	SED2 VFD TECHNICAL OVERVIEW	(800)356-8000
153-054	SLIDE RULER 1/EA	(800)356-8000
153-121	OPENAIR SELECTION GUIDE	(800)356-8000
153-170P25	SED2 VFD BYPASS TECH OVERVIEW	(800)356-8000
153-175P25	POWERMITE BALL VALVE FLIER	(800)356-8000
153-235P10	CO2/VOC SENSOR BORCHURE	(800)356-8000
153-277	VALVE AND ACTUATOR GUIDE	(800)356-8000
153-277P10	POWERMITE & FLOWRITE BROCHURE	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
153-280P10	OPENAIR DAMPER ACTUATOR BROCH	(800)356-8000
153-295P25	OPENAIR ELECT DMPR ACT PAMPHLE	(800)356-8000
153-335P10	ZONE VALVE BROCHURE	(800)356-8000
153-616	OPEN AIR COUNTER MAT	(800)356-8000
153-700P10	ZONE,GLOBE,BALL&BUTTERYFLY VLV	(800)356-8000
153-701	VALVE SELECTION GUIDE	(800)356-8000
153-865P25	SED2 FAMILY OF VFDS FLYER	(800)356-8000
153-873P25	HVAC PROD CAPABILITY BROCH	(800)356-8000
153-874P25	SED2 VFD HARMONICS OVERVIEW	(800)356-8000
153-875P10	SITE360 GENERAL	(800)356-8000
153-876P10	SITE360 SERVICE	(800)356-8000
153-877P10	SITE360 ORDERING	(800)356-8000
153-878P10	SITE360 O&M	(800)356-8000
153-894P25	SED2 VFD ELECT BYPASS TECH OVR	(800)356-8000
153-895P10	UTILITY RESOURCE MGMT	(800)356-8000
153-896P10	ENERGY PROCURMNT SERVCS	(800)356-8000
153-897P10	LOAD PROFILE SERVICES BROCHURE	(800)356-8000
153-898P10	UTILITY BILL MGMT SERVICES	(800)356-8000
153-899P10	STRATEGIC ENERGY PROGRM	(800)356-8000
153-902	VFD "A TO Z" TRNG CD	(800)356-8000
153-903	VFD HARMONICS ESTIMATOR CD	(800)356-8000
153-904	SIEMENS BANNER 4' X 3'	(800)356-8000
153-905P10	RETROFIT KIT BROCHURE	(800)356-8000
153-906P10	SAPHIR - THE CONTROL SOLUTION	(800)356-8000
155-025	GA142-4 ANAL PRES GAUGE 25/PKG	(800)356-8000
155-033	PR269-2 STATIC PRES REG 25/PKG	(800)356-8000
155-080	OBSOLETE R/B 155-151&155-152	(800)356-8000
155-081	OBSOLETE R/B 155-153&155-154	(800)356-8000
155-094	OBSOLETE R/B 155-147&155-150	(800)356-8000
155-116	VE VMP-1 EL 2W & 3W VLV 25/PKG	(800)356-8000
155-189P25	TI AP599-4 2" PA ACT	(800)356-8000
155-715P25	RCU BROCHURE	(800)356-8000
171A-10203	0.5 2W,Cv=0.4+GDE131.1P	(800)356-8000
171A-10204	0.5 2W,Cv=0.63+GDE131.1P	(800)356-8000
171A-10205	0.5 2W,Cv=1.6 +GDE131.1P	(800)356-8000
171A-10206	0.5 2W,Cv=2.5 +GDE131.1P	(800)356-8000
171A-10207	0.5 2W,Cv=4.0 +GDE131.1P	(800)356-8000
171A-10208	0.5 2W,Cv=10.0+GDE131.1P	(800)356-8000
171A-10209	.75"2W,Cv=10.0+GDE131.1P	(800)356-8000
171A-10210	.75"2W,Cv=25.0+GDE131.1P	(800)356-8000
171A-10211	1"2W,Cv=10.0 + GDE131.1P	(800)356-8000
171A-10212	1"2W,Cv=25.0 + GDE131.1P	(800)356-8000
171A-10213	1"2W,Cv=16.0 + GDE131.1P	(800)356-8000
171A-10214	1"2W,Cv=63.0 + GDE131.1P	(800)356-8000
171A-10215	1.25"2W,Cv=16.0,+GDE131.1P	(800)356-8000
171A-10216	1.25"2W,Cv=40.0,+GDE131.1P	(800)356-8000
171A-10217	1.25"2W,Cv=100 ,+GDE131.1P	(800)356-8000
171A-10250	0.5 3W CV=0.4 + GDE131.1P	(800)356-8000
171A-10251	0.5 3W CV=0.63 + GDE131.1P	(800)356-8000
171A-10252	0.5 3W CV=1 + GDE131.1P	(800)356-8000
171A-10253	0.5 3W CV=2.5 + GDE131.1P	(800)356-8000
171A-10254	0.5 3W CV=4 + GDE131.1P	(800)356-8000
171A-10255	0.5 3W CV=10 + GDE131.1P	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
171A-10256	0.75 3W CV=16 + GDE131.1P	(800)356-8000
171A-10257	1 3W CV=10 + GDE131.1P	(800)356-8000
171A-10258	1 3W CV=16 + GDE131.1P	(800)356-8000
171A-10259	1 3W CV=25 + GDE131.1P	(800)356-8000
171A-10260	1.25 3W CV=16 + GDE131.1P	(800)356-8000
171A-10261	1.25 3W CV=40 + GDE131.1P	(800)356-8000
171B-10218	1.50"2W,Cv=25.0,+GLB131.1P	(800)356-8000
171B-10219	1.50"2W,Cv=63.0,+GLB131.1P	(800)356-8000
171B-10220	1.50"2W,Cv=40.0,+GLB131.1P	(800)356-8000
171B-10221	1.50"2W,Cv=160,+GLB131.1P	(800)356-8000
171B-10222	2"2W,Cv=40.0,+ GLB131.1P	(800)356-8000
171B-10223	2"2W,Cv=100 ,+ GLB131.1P	(800)356-8000
171B-10224	2"2W,Cv=63.0,+ GLB131.1P	(800)356-8000
171B-10225	2"2W,Cv=250,+ GLB131.1P	(800)356-8000
171B-10262	1.5 3W CV=16 + GLB131.1P	(800)356-8000
171B-10263	1.5 3W CV=25 + GLB131.1P	(800)356-8000
171B-10264	1.5 3W CV=63 + GLB131.1P	(800)356-8000
171B-10265	2 3W CV=25 + GLB131.1P	(800)356-8000
171B-10266	2 3W CV=40 + GLB131.1P	(800)356-8000
171B-10267	2 3W CV=100 + GLB131.1P	(800)356-8000
171C-10203	0.5"2W,Cv=0.4+GDE161.1P	(800)356-8000
171C-10204	0.5"2W,Cv=.63+GDE161.1P	(800)356-8000
171C-10205	0.5"2W,Cv=1.6+GDE161.1P	(800)356-8000
171C-10206	0.5"2W,Cv=2.5 +GDE161.1P	(800)356-8000
171C-10207	0.5"2W,Cv=4.0 +GDE161.1P	(800)356-8000
171C-10208	0.5"2W,Cv=10.0+GDE161.1P	(800)356-8000
171C-10209	.75"2W,Cv=10.0+GDE161.1P	(800)356-8000
171C-10210	.75"2W,Cv=25.0+GDE161.1P	(800)356-8000
171C-10211	1"2W,Cv=10.0 + GDE161.1P	(800)356-8000
171C-10212	1"2W,Cv=25.0 + GDE161.1P	(800)356-8000
171C-10213	1"2W,Cv=16.0 + GDE161.1P	(800)356-8000
171C-10214	1"2W,Cv=63.0 + GDE161.1P	(800)356-8000
171C-10215	1.25"2W,Cv=16.0,+GDE161.1P	(800)356-8000
171C-10216	1.25"2W,Cv=40.0,+GDE161.1P	(800)356-8000
171C-10217	1.25"2W,Cv=100,+GDE161.1P	(800)356-8000
171C-10250	0.5 3W CV=0.4 + GDE161.1P	(800)356-8000
171C-10251	0.5 3W CV=0.63 + GDE161.1P	(800)356-8000
171C-10252	0.5 3W CV=1 + GDE161.1P	(800)356-8000
171C-10253	0.5 3W CV=2.5 + GDE161.1P	(800)356-8000
171C-10254	0.5 3W CV=4 + GDE161.1P	(800)356-8000
171C-10255	0.5 3W CV=10 + GDE161.1P	(800)356-8000
171C-10256	0.75 3W CV=16 + GDE161.1P	(800)356-8000
171C-10257	1 3W CV=10 + GDE161.1P	(800)356-8000
171C-10258	1 3W CV=16 + GDE161.1P	(800)356-8000
171C-10259	1 3W CV=25 + GDE161.1P	(800)356-8000
171C-10260	1.25 3W CV=16 + GDE161.1P	(800)356-8000
171C-10261	1.25 3W CV=40 + GDE161.1P	(800)356-8000
171D-10218	1.50"2W,Cv=25.0,+GLB161.1P	(800)356-8000
171D-10219	1.50"2W,Cv=63.0,+GLB161.1P	(800)356-8000
171D-10220	1.50"2W,Cv=40.0,+GLB161.1P	(800)356-8000
171D-10221	1.50"2W,Cv=160,+GLB161.1P	(800)356-8000
171D-10222	2"2W,Cv=40.0,+ GLB161.1P	(800)356-8000
171D-10223	2"2W,Cv=100,+ GLB161.1P	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
171D-10224	2"2W,Cv=63.0 + GLB161.1P	(800)356-8000
171D-10225	2"2W,Cv=250, + GLB161.1P	(800)356-8000
171D-10262	1.5 3W CV=16 + GLB161.1P	(800)356-8000
171D-10263	1.5 3W CV=25 + GLB161.1P	(800)356-8000
171D-10264	1.5 3W CV=63 + GLB161.1P	(800)356-8000
171D-10265	2 3W CV=25 + GLB161.1P	(800)356-8000
171D-10266	2 3W CV=40 + GLB161.1P	(800)356-8000
171D-10267	2 3W CV=100 + GLB161.1P	(800)356-8000
171E-10203	0.5"2W,Cv=0.4+GMA121.1P	(800)356-8000
171E-10204	0.5"2W,Cv=.63+GMA121.1P	(800)356-8000
171E-10205	0.5"2W,Cv=1.6+GMA121.1P	(800)356-8000
171E-10206	0.5"2W,Cv=2.5+GMA121.1P	(800)356-8000
171E-10207	0.5"2W,Cv=4.0+GMA121.1P	(800)356-8000
171E-10208	0.5"2W,Cv=10,+GMA121.1P	(800)356-8000
171E-10209	.75"2W,Cv=10.0+GMA121.1P	(800)356-8000
171E-10210	.75"2W,Cv=25.0+GMA121.1P	(800)356-8000
171E-10211	1"2W,Cv=10.0 + GMA121.1P	(800)356-8000
171E-10212	1"2W,Cv=25.0 + GMA121.1P	(800)356-8000
171E-10213	1"2W,Cv=16.0 + GMA121.1P	(800)356-8000
171E-10214	1"2W,Cv=63.0 + GMA121.1P	(800)356-8000
171E-10215	1.25"2W,Cv=16.0,+GMA121.1P	(800)356-8000
171E-10216	1.25"2W,Cv=40.0,+GMA121.1P	(800)356-8000
171E-10217	1.25"2W,Cv=100, +GMA121.1P	(800)356-8000
171E-10218	1.50"2W,Cv=25.0 +GMA121.1P	(800)356-8000
171E-10219	1.50"2W,Cv=63.0 +GMA121.1P	(800)356-8000
171E-10220	1.50"2W,Cv=40.0 +GMA121.1P	(800)356-8000
171E-10221	1.50"2W,Cv=160, +GMA121.1P	(800)356-8000
171E-10222	2"2W,Cv=40.0,+ GMA121.1P	(800)356-8000
171E-10223	2"2W,Cv=100, + GMA121.1P	(800)356-8000
171E-10224	2"2W,Cv=63.0 + GMA121.1P	(800)356-8000
171E-10225	2"2W,Cv=250, + GMA121.1P	(800)356-8000
171E-10250	0.5 3W CV=0.4 + GMA121.1P	(800)356-8000
171E-10251	0.5 3W CV=0.63 + GMA121.1P	(800)356-8000
171E-10252	0.5 3W CV=1 + GMA121.1P	(800)356-8000
171E-10253	0.5 3W CV=2.5 + GMA121.1P	(800)356-8000
171E-10254	0.5 3W CV=4 + GMA121.1P	(800)356-8000
171E-10255	0.5 3W CV=10 + GMA121.1P	(800)356-8000
171E-10256	0.75 3W CV=16 + GMA121.1P	(800)356-8000
171E-10257	1 3W CV=10 + GMA121.1P	(800)356-8000
171E-10258	1 3W CV=16 + GMA121.1P	(800)356-8000
171E-10259	1 3W CV=25 + GMA121.1P	(800)356-8000
171E-10260	1.25 3W CV=16 + GMA121.1P	(800)356-8000
171E-10261	1.25 3W CV=40 + GMA121.1P	(800)356-8000
171E-10262	1.5 3W CV=16 + GMA121.1P	(800)356-8000
171E-10263	1.5 3W CV=25 + GMA121.1P	(800)356-8000
171E-10264	1.5 3W CV=63 + GMA121.1P	(800)356-8000
171E-10265	2 3W CV=25 + GMA121.1P	(800)356-8000
171E-10266	2 3W CV=40 + GMA121.1P	(800)356-8000
171E-10267	2 3W CV=100 + GMA121.1P	(800)356-8000
171F-10203	0.5 2W,Cv=0.4+GMA131.1P	(800)356-8000
171F-10204	0.5 2W,Cv=.63+GMA131.1P	(800)356-8000
171F-10205	0.5 2W,Cv=1.6+GMA131.1P	(800)356-8000
171F-10206	0.5 2W,Cv=2.5+GMA131.1P	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
171F-10207	0.5 2W,Cv=4.0+GMA131.1P	(800)356-8000
171F-10208	0.5 2W,Cv=10 +GMA131.1P	(800)356-8000
171F-10209	.75"2W,Cv=10.0+GMA131.1P	(800)356-8000
171F-10210	.75"2W,Cv=25.0+GMA131.1P	(800)356-8000
171F-10211	1"2W,Cv=10.0 + GMA131.1P	(800)356-8000
171F-10212	1"2W,Cv=25.0 + GMA131.1P	(800)356-8000
171F-10213	1"2W,Cv=16.0 + GMA131.1P	(800)356-8000
171F-10214	1"2W,Cv=63.0 + GMA131.1P	(800)356-8000
171F-10215	1.25"2W,Cv=16.0,+GMA131.1P	(800)356-8000
171F-10216	1.25"2W,Cv=40.0,+GMA131.1P	(800)356-8000
171F-10217	1.25"2W,Cv=100, +GMA131.1P	(800)356-8000
171F-10218	1.50"2W,Cv=25.0,+GMA131.1P	(800)356-8000
171F-10219	1.50"2W,Cv=63.0,+GMA131.1P	(800)356-8000
171F-10220	1.50"2W,Cv=40.0,+GMA131.1P	(800)356-8000
171F-10221	1.50"2W,Cv=160, +GMA131.1P	(800)356-8000
171F-10222	2"2W,Cv=40.0,+ GMA131.1P	(800)356-8000
171F-10223	2"2W,Cv=100, + GMA131.1P	(800)356-8000
171F-10224	2"2W,Cv=63.0 + GMA131.1P	(800)356-8000
171F-10225	2"2W,Cv=250, + GMA131.1P	(800)356-8000
171F-10250	0.5 3W CV=0.4 + GMA131.1P	(800)356-8000
171F-10251	0.5 3W CV=0.63 + GMA131.1P	(800)356-8000
171F-10252	0.5 3W CV=1 + GMA131.1P	(800)356-8000
171F-10253	0.5 3W CV=2.5 + GMA131.1P	(800)356-8000
171F-10254	0.5 3W CV=4 + GMA131.1P	(800)356-8000
171F-10255	0.5 3W CV=10 + GMA131.1P	(800)356-8000
171F-10256	0.75 3W CV=16 + GMA131.1P	(800)356-8000
171F-10257	1 3W CV=10 + GMA131.1P	(800)356-8000
171F-10258	1 3W CV=16 + GMA131.1P	(800)356-8000
171F-10259	1 3W CV=25 + GMA131.1P	(800)356-8000
171F-10260	1.25 3W CV=16 + GMA131.1P	(800)356-8000
171F-10261	1.25 3W CV=40 + GMA131.1P	(800)356-8000
171F-10262	1.5 3W CV=16 + GMA131.1P	(800)356-8000
171F-10263	1.5 3W CV=25 + GMA131.1P	(800)356-8000
171F-10264	1.5 3W CV=63 + GMA131.1P	(800)356-8000
171F-10265	2 3W CV=25 + GMA131.1P	(800)356-8000
171F-10266	2 3W CV=40 + GMA131.1P	(800)356-8000
171F-10267	2 3W CV=100 + GMA131.1P	(800)356-8000
171G-10203	0.5"2W,Cv=0.4+GMA161.1P	(800)356-8000
171G-10204	0.5"2W,Cv=.63+GMA161.1P	(800)356-8000
171G-10205	0.5"2W,Cv=1.6+GMA161.1P	(800)356-8000
171G-10206	0.5"2W,Cv=2,5+GMA161.1P	(800)356-8000
171G-10207	0.5"2W,Cv=4.0+GMA161.1P	(800)356-8000
171G-10208	0.5 2W,Cv=10 +GMA161.1P	(800)356-8000
171G-10209	.75"2W,Cv=10.0+GMA161.1P	(800)356-8000
171G-10210	.75"2W,Cv=25.0+GMA161.1P	(800)356-8000
171G-10211	1"2W,Cv=10.0 + GMA161.1P	(800)356-8000
171G-10212	1"2W,Cv=25.0,+ GMA161.1P	(800)356-8000
171G-10213	1"2W,Cv=16.0,+ GMA161.1P	(800)356-8000
171G-10214	1"2W,Cv=63.0,+ GMA161.1P	(800)356-8000
171G-10215	1.25"2W,Cv=16.0,+GMA161.1P	(800)356-8000
171G-10216	1.25"2W,Cv=40.0,+GMA161.1P	(800)356-8000
171G-10217	1.25"2W,Cv=100, +GMA161.1P	(800)356-8000
171G-10218	1.50"2W,Cv=25.0,+GMA161.1P	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
171G-10219	1.50"2W,Cv=63.0,+GMA161.1P	(800)356-8000
171G-10220	1.50"2W,Cv=40.0,+GMA161.1P	(800)356-8000
171G-10221	1.50"2W,Cv=160,+GMA161.1P	(800)356-8000
171G-10222	2"2W,Cv=40.0,+GMA161.1P	(800)356-8000
171G-10223	2"2W,Cv=100,+GMA161.1P	(800)356-8000
171G-10224	2"2W,Cv=63.0+GMA161.1P	(800)356-8000
171G-10225	2"2W,Cv=250,+GMA161.1P	(800)356-8000
171G-10250	0.5 3W CV=0.4 + GMA161.1P	(800)356-8000
171G-10251	0.5 3W CV=0.63 + GMA161.1P	(800)356-8000
171G-10252	0.5 3W CV=1 + GMA161.1P	(800)356-8000
171G-10253	0.5 3W CV=2.5 + GMA161.1P	(800)356-8000
171G-10254	0.5 3W CV=4 + GMA161.1P	(800)356-8000
171G-10255	0.5 3W CV=10 + GMA161.1P	(800)356-8000
171G-10256	0.75 3W CV=16 + GMA161.1P	(800)356-8000
171G-10257	1 3W CV=10 + GMA161.1P	(800)356-8000
171G-10258	1 3W CV=16 + GMA161.1P	(800)356-8000
171G-10259	1 3W CV=25 + GMA161.1P	(800)356-8000
171G-10260	1.25 3W CV=16 + GMA161.1P	(800)356-8000
171G-10261	1.25 3W CV=40 + GMA161.1P	(800)356-8000
171G-10262	1.5 3W CV=16 + GMA161.1P	(800)356-8000
171G-10263	1.5 3W CV=25 + GMA161.1P	(800)356-8000
171G-10264	1.5 3W CV=63 + GMA161.1P	(800)356-8000
171G-10265	2 3W CV=25 + GMA161.1P	(800)356-8000
171G-10266	2 3W CV=40 + GMA161.1P	(800)356-8000
171G-10267	2 3W CV=100 + GMA161.1P	(800)356-8000
172E-10203	0.5 2W NC CV=0.4 + GMA121.1P	(800)356-8000
172E-10204	0.5 2W NC CV=0.63 + GMA121.1P	(800)356-8000
172E-10205	0.5 2W NC CV=1.6 + GMA121.1P	(800)356-8000
172E-10206	0.5 2W NC CV=2.5 + GMA121.1P	(800)356-8000
172E-10207	0.5 2W NC CV=4 + GMA121.1P	(800)356-8000
172E-10208	0.5 2W NC CV=10 + GMA121.1P	(800)356-8000
172E-10209	0.75 2W NC CV=10 + GMA121.1P	(800)356-8000
172E-10210	0.75 2W NC CV=25 + GMA121.1P	(800)356-8000
172E-10211	1 2W NC CV=10 + GMA121.1P	(800)356-8000
172E-10212	1 2W NC CV=25 + GMA121.1P	(800)356-8000
172E-10213	1 2W NC CV=16 + GMA121.1P	(800)356-8000
172E-10214	1 2W NC CV=63 + GMA121.1P	(800)356-8000
172E-10215	1.25 2W NC CV=16 + GMA121.1P	(800)356-8000
172E-10216	1.25 2W NC CV=40 + GMA121.1P	(800)356-8000
172E-10217	1.25 2W NC CV=100 + GMA121.1P	(800)356-8000
172E-10218	1.5 2W NC CV=25 + GMA121.1P	(800)356-8000
172E-10219	1.5 2W NC CV=63 + GMA121.1P	(800)356-8000
172E-10220	1.5 2W NC CV=40 + GMA121.1P	(800)356-8000
172E-10221	1.5 2W NC CV=160 + GMA121.1P	(800)356-8000
172E-10222	2 2W NC CV=40 + GMA121.1P	(800)356-8000
172E-10223	2 2W NC CV=100 + GMA121.1P	(800)356-8000
172E-10224	2 2W NC CV=63 + GMA121.1P	(800)356-8000
172E-10225	2 2W NC CV=250 + GMA121.1P	(800)356-8000
172F-10203	0.5 2W NC CV=0.4 + GMA131.1P	(800)356-8000
172F-10204	0.5 2W NC CV=0.63 + GMA131.1P	(800)356-8000
172F-10205	0.5 2W NC CV=1.6 + GMA131.1P	(800)356-8000
172F-10206	0.5 2W NC CV=2.5 + GMA131.1P	(800)356-8000
172F-10207	0.5 2W NC CV=4 + GMA131.1P	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
172F-10208	0.5 2W NC CV=10 + GMA131.1P	(800)356-8000
172F-10209	0.75 2W NC CV=10 + GMA131.1P	(800)356-8000
172F-10210	0.75 2W NC CV=25 + GMA131.1P	(800)356-8000
172F-10211	1 2W NC CV=10 + GMA131.1P	(800)356-8000
172F-10212	1 2W NC CV=25 + GMA131.1P	(800)356-8000
172F-10213	1 2W NC CV=16 + GMA131.1P	(800)356-8000
172F-10214	1 2W NC CV=63 + GMA131.1P	(800)356-8000
172F-10215	1.25 2W NC CV=16 + GMA131.1P	(800)356-8000
172F-10216	1.25 2W NC CV=40 + GMA131.1P	(800)356-8000
172F-10217	1.25 2W NC CV=100 + GMA131.1P	(800)356-8000
172F-10218	1.5 2W NC CV=25 + GMA131.1P	(800)356-8000
172F-10219	1.5 2W NC CV=63 + GMA131.1P	(800)356-8000
172F-10220	1.5 2W NC CV=40 + GMA131.1P	(800)356-8000
172F-10221	1.5 2W NC CV=160 + GMA131.1P	(800)356-8000
172F-10222	2 2W NC CV=40 + GMA131.1P	(800)356-8000
172F-10223	2 2W NC CV=100 + GMA131.1P	(800)356-8000
172F-10224	2 2W NC CV=63 + GMA131.1P	(800)356-8000
172F-10225	2 2W NC CV=250 + GMA131.1P	(800)356-8000
172G-10203	0.5 2W NC CV=0.4 + GMA161.1P	(800)356-8000
172G-10204	0.5 2W NC CV=0.63 + GMA161.1P	(800)356-8000
172G-10205	0.5 2W NC CV=1.6 + GMA161.1P	(800)356-8000
172G-10206	0.5 2W NC CV=2.5 + GMA161.1P	(800)356-8000
172G-10207	0.5 2W NC CV=4 + GMA161.1P	(800)356-8000
172G-10208	0.5 2W NC CV=10 + GMA161.1P	(800)356-8000
172G-10209	0.75 2W NC CV=10 + GMA161.1P	(800)356-8000
172G-10210	0.75 2W NC CV=25 + GMA161.1P	(800)356-8000
172G-10211	1 2W NC CV=10 + GMA161.1P	(800)356-8000
172G-10212	1 2W NC CV=25 + GMA161.1P	(800)356-8000
172G-10213	1 2W NC CV=16 + GMA161.1P	(800)356-8000
172G-10214	1 2W NC CV=63 + GMA161.1P	(800)356-8000
172G-10215	1.25 2W NC CV=16 + GMA161.1P	(800)356-8000
172G-10216	1.25 2W NC CV=40 + GMA161.1P	(800)356-8000
172G-10217	1.25 2W NC CV=100 + GMA161.1P	(800)356-8000
172G-10218	1.5 2W NC CV=25 + GMA161.1P	(800)356-8000
172G-10219	1.5 2W NC CV=63 + GMA161.1P	(800)356-8000
172G-10220	1.5 2W NC CV=40 + GMA161.1P	(800)356-8000
172G-10221	1.5 2W NC CV=160 + GMA161.1P	(800)356-8000
172G-10222	2 2W NC CV=40 + GMA161.1P	(800)356-8000
172G-10223	2 2W NC CV=100 + GMA161.1P	(800)356-8000
172G-10224	2 2W NC CV=63 + GMA161.1P	(800)356-8000
172G-10225	2 2W NC CV=250 + GMA161.1P	(800)356-8000
180-575	T'STAT ACC, ALLEN KEY	(800)356-8000
180-896	T'STAT ACC,TUBING KIT	(800)356-8000
181-054	COVER	(800)356-8000
181-091	BASE PLATE ASSEMBLY	(800)356-8000
181-189	TH 832 CVR W/GRAD PLATE	(800)356-8000
182-017B	D-N CHASSIS ASSY MODEL 2	(800)356-8000
182-041	RPLMT CHASSIS ASSY D/N D-STAT	(800)356-8000
182-621	182621EACC,GYM GUARD,S TEMP	(800)356-8000
182-624	T'STAT ACC,GYM GUARD,D/N	(800)356-8000
182-683	T'STAT.ACC,MTG KIT, ROUGH-IN	(800)356-8000
182-684	STUD MTG KIT	(800)356-8000
182-685	T'STAT ACC, MTG KIT, FINISH	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
184-0001	TT184 TEMPTRANS,RGD BLB.35/135	(800)356-8000
184-0002	TT184 TEMPTRANS,RGD BLB,50/100	(800)356-8000
184-0003	TT184 TEMPTRANS,RGD BLB,80/240	(800)356-8000
184-0004	TT184 TEMPTRANS,REM BLB,35/135	(800)356-8000
184-0005	TT184 TEMP TRANS,RB,-40/120	(800)356-8000
184-0006	TT184 TRANS,REM BLB,-40/120,AR	(800)356-8000
184-0014	TT184 TEMPTRANS,REM BLB,80/240	(800)356-8000
184-0015	TT184 TEMPTRANS,REM BLB,-10/65	(800)356-8000
184-0018	TT184 TEMPTRANS,REM BLB,50/100	(800)356-8000
184-0028	TT184 TEMP TRANS,RGD BLB,0/100	(800)356-8000
184-0034	TT184 TEMPTRANS,REM BLB,35/135	(800)356-8000
184-0036	TT184 TEMP TRANS,REM BLB,0/100	(800)356-8000
184-0041	TT184 TEMP XMTR REM BLB 30/190	(800)356-8000
184-0048	TT184 TEMP XMTR,REM BLB,0/100	(800)356-8000
184-0101	DUCT ENTHALPY XMTR,16-40 BTU	(800)356-8000
184-0120	TT184 H'WELL RCD TRANS -40/160	(800)356-8000
184-0121	TT184 RIGID 40/240F H'WELL	(800)356-8000
184-0122	TT184 J'SON RETRO REM 40/240F	(800)356-8000
184-0123	TT184 J'SON RETRO REM 0/100F	(800)356-8000
184-0124	TT184 J'SON -40/160F 50'REM.	(800)356-8000
184-0125	TT184 TEMP XMTR REM BLB (JC)	(800)356-8000
184-0126	TT184 ROOM TEMP XMTR (HW)	(800)356-8000
184-0127	TT184 ROOM TEMP,XMTR (JC)	(800)356-8000
184-0128	TT184 ROOM XMTR,50/90F R'SHAW	(800)356-8000
184-0129	TT184 J'SON AVERAG 50/150F	(800)356-8000
184-0340	TT184 TEMP XMTR,ROOM,50/100	(800)356-8000
184-039	RS BODY KIT,10 SCIM,COPPER	(800)356-8000
184-040	RS BODY KIT,20 SCIM,COPPER	(800)356-8000
184-041	RS BODY KIT,40 SCIM,COPPER	(800)356-8000
184-042	RS BODY KIT,80 SCIM,COPPER	(800)356-8000
184-052	RS BODY KIT,320 SCIM,COPPER	(800)356-8000
184-105	TT184 TEMP TRANS,WELL MTG KIT	(800)356-8000
184-112	RS TEE KIT,10 SCIM,POLY	(800)356-8000
184-113	RS TEE KIT,20 SCIM,POLY	(800)356-8000
184-114	RS TEE KIT,40 SCIM,POLY	(800)356-8000
184-115	RS BODY KIT,10 SCIM,POLY	(800)356-8000
184-116	RS BODY KIT,20 SCIM,POLY	(800)356-8000
184-117	RS BODY KIT,40 SCIM,POLY	(800)356-8000
184-118	TT184 TEMP TRANS,SS WELL	(800)356-8000
184-119	TT184 TEMP TRANS,COPPER WELL	(800)356-8000
184-120	IMMERSION WELL 2.5"	(800)356-8000
184-130	PRE-PIPED DUAL TEE	(800)356-8000
184-221	WELL MOUNTING KIT	(800)356-8000
186-0013	ROOM HYGROSTAT,DA,BEIGE	(800)356-8000
186-0019	ROOM HYGROSTAT,RA,BEIGE	(800)356-8000
186-0043	ROOM TYPE 20-80%RH W/COVER	(800)356-8000
186-0087	DIR ACTING 20-90%RH 135F MAX	(800)356-8000
186-0088	REV ACTING 20-90%RH 135F MAX	(800)356-8000
186-0089	DUCT TYPE 20-80%RH W/DUCT BOX	(800)356-8000
186-0090	REV ACTING 55-95%RH 135F MAX	(800)356-8000
186-0091	REV ACTING 25-65%RH 135F MAX	(800)356-8000
186-062	H'STAT, MEMBRANE ELEMENT KIT	(800)356-8000
188-0024	REVERSE ACTING 20 SCIM	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
188-0030	HEATING/COOLING 40 SCIM	(800)356-8000
188-0031	UNIT MTD STAT,DA,40 SCIM	(800)356-8000
188-0033	UNIT MTD STAT-HN RPLMT	(800)356-8000
188-0034	UNIT MOUNTED STAT-JC RPLMT	(800)356-8000
188-077	UNIT MTD STAT,MOUNTING BRACKET	(800)356-8000
188-101	UNIT MTD STAT,REMOTE CABLE KIT	(800)356-8000
188-159	832 164D STAT,RESTRICTOR KIT	(800)356-8000
189-142	STAT PRES ACC, SENSOR KIT	(800)356-8000
192-069	STAT ACC,ASPR WALL BOX ROUGHIN	(800)356-8000
192-070	T'STAT ACC,ASPIRATOR WALL BOX	(800)356-8000
192-200	RM STAT SSP 45/85F 1 PIPE DA	(800)356-8000
192-200K	192 200 W/LARGE KNOB	(800)356-8000
192-201	RM STAT SSP 45/85F 1 PIPE RA	(800)356-8000
192-201K	192 201 W/LARGE KNOB	(800)356-8000
192-202	RM STAT SSTPT 45/85 F	(800)356-8000
192-202K	192 202 W/LARGE KNOB	(800)356-8000
192-203	RM STAT SSP 45/85F 2 PIPE RA	(800)356-8000
192-203K	192 203 W/LARGE KNOB	(800)356-8000
192-204	RM STAT D/N DSTPT 45/85F DA/DA	(800)356-8000
192-204K	192 204 W/LARGE KNOB	(800)356-8000
192-205	RM STAT D/N DSTPT 45/85F RA/RA	(800)356-8000
192-205K	192 205 W/LARGE KNOB	(800)356-8000
192-206	RM STAT D/N/V DSTPT45/85F DA/DA	(800)356-8000
192-206K	192 206 W/LARGE KNOB	(800)356-8000
192-207	RM STAT H/C DSTPT 45/85F DA/DA	(800)356-8000
192-207K	192 207 W/LARGE KNOB	(800)356-8000
192-208	RM STAT H/C DSTPT 45/85F DA/RA	(800)356-8000
192-208K	192 208 W/LARGE KNOB	(800)356-8000
192-209	RM STAT H/C DSTPT 45/85F RA/DA	(800)356-8000
192-209K	192 209 W/LARGE KNOB	(800)356-8000
192-210	RM STAT H/C DSTPT 45/85F RA/RA	(800)356-8000
192-210K	192 210 W/LARGE KNOB	(800)356-8000
192-220	RM STAT SSP 7/30C 1 PIPE DA	(800)356-8000
192-220K	192 220 W/LARGE KNOB	(800)356-8000
192-221	RM STAT SSP 7/30C 1 PIPE RA	(800)356-8000
192-221K	192 221 W/LARGE KNOB	(800)356-8000
192-222	RM STAT SSP 7/30C 2 PIPE DA	(800)356-8000
192-222K	192 222 W/LARGE KNOB	(800)356-8000
192-223	RM STAT SSP 7/30C 2 PIPE RA	(800)356-8000
192-223K	192 223 W/LARGE KNOB	(800)356-8000
192-224	RM STAT D/N DSTPT 7/30C DA/DA	(800)356-8000
192-224K	192 224 W/LARGE KNOB	(800)356-8000
192-225	RM STAT D/N DSTPT 7/30C RA/RA	(800)356-8000
192-225K	192 225 W/LARGE KNOB	(800)356-8000
192-226	RM STAT D/N/V DSTPT 7/30CDA/DA	(800)356-8000
192-226K	192 226 W/LARGE KNOB	(800)356-8000
192-227	RM STAT H/C DSTPT 7/30C DA/DA	(800)356-8000
192-227K	192 227 W/LARGE KNOB	(800)356-8000
192-228	RM STAT H/C DSTPT 7/30C DA/RA	(800)356-8000
192-228K	192 228 W/LARGE KNOB	(800)356-8000
192-229	RM STAT H/C DSTPT 7/30C RA/DA	(800)356-8000
192-229K	192 229 W/LARGE KNOB	(800)356-8000
192-230	RM STAT H/C DSTPT 7/30C RA/RA	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
192-230K	192 230 W/LARGE KNOB	(800)356-8000
192-250	T*STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-250W	T*STAT COVER-WHITE	(800)356-8000
192-251	T*STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000
192-251W	T*STAT COVER-WHITE	(800)356-8000
192-252	T*STAT CVR,EXP/EXP/EXP,LOGO	(800)356-8000
192-252W	T*STAT COVER ASSY-WHITE	(800)356-8000
192-253	T*STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-253W	T*STAT COVER-WHITE	(800)356-8000
192-254	T*STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-254W	COVER ASSY-WHITE	(800)356-8000
192-255	T*STAT CVR,CON/EXP/CON,NO LOGO	(800)356-8000
192-255W	T*STAT COVER-WHITE	(800)356-8000
192-256	T*STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-256W	COVER ASSY-WHITE	(800)356-8000
192-257	T*STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000
192-257W	T*STAT COVER-WHITE	(800)356-8000
192-258	T*STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-258W	T*STAT COVER-WHITE	(800)356-8000
192-259	T*STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000
192-259W	T*STAT COVER-WHITE	(800)356-8000
192-260	T*STAT CVR,EXP/EXP/EXP,LOGO	(800)356-8000
192-260W	T*STAT COVER-WHITE	(800)356-8000
192-261	T*STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-261W	T*STAT COVER-WHITE	(800)356-8000
192-262	T*STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-262W	COVER ASSY-PLASTIC	(800)356-8000
192-263	T*STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000
192-263W	T*STAT COVER-WHITE	(800)356-8000
192-264	T*STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-264W	T*STAT COVER-WHITE	(800)356-8000
192-265	T*STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-265W	COVER ASSY-PLASTIC	(800)356-8000
192-266	T*STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-266W	T*STAT COVER-WHITE	(800)356-8000
192-267	T*STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-267W	T*STAT COVER-WHITE	(800)356-8000
192-268	T*STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-268W	T*STAT COVER-WHITE	(800)356-8000
192-269	T*STAT CVR KEY/CON/EXP,LOGO	(800)356-8000
192-269W	T*STAT COVER-WHITE	(800)356-8000
192-270	T*STAT CVR KEY/EXP/EXP,LOGO	(800)356-8000
192-270W	T*STAT COVER-WHITE	(800)356-8000
192-271	T*STAT CVR KEY,EXP/EXP,LOGO	(800)356-8000
192-271W	T*STAT COVER-WHITE	(800)356-8000
192-272	T*STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000
192-272W	T*STAT COVER-WHITE	(800)356-8000
192-273	T*STAT CVR CON/CON/CON,NO LOGO	(800)356-8000
192-273W	T*STAT COVER-WHITE	(800)356-8000
192-300	T*STAT ACC, UNV ADAPTOR KIT	(800)356-8000
192-300W	TH19X UNIVERSAL KIT,WHITE	(800)356-8000
192-301	MULTI-SLOT ADAPTER PLATE	(800)356-8000
192-3044	RETROSTAT D/N DA POWERS F DEG	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
192-3044K	1923044 W/LARGE KNOB	(800)356-8000
192-3044W	TH19X RETRO KIT,D/N,DA,F,WHITE	(800)356-8000
192-3054	RETROSTAT D/N RA POWERS DEG F	(800)356-8000
192-3054K	1923054 W/LARGE KNOB	(800)356-8000
192-3054W	TH19X RETRO KIT,D/N,RA,F,WHITE	(800)356-8000
192-307	T'STAT ACC, ADPT BASE TO COVER	(800)356-8000
192-307A	ADAPTER BEZEL, SILVER	(800)356-8000
192-307B	ADAPTER BEZEL, SATIN CHROME	(800)356-8000
192-307C	ADAPTER BEZEL, LIGHT BRONZE	(800)356-8000
192-307D	ADAPTER BEZEL, SPEC. BRONZE	(800)356-8000
192-307F	ADAPTER BEZEL, SIERRA GOLD	(800)356-8000
192-307G	ADAPTER BEZEL, ALUMNINUM	(800)356-8000
192-307H	ADAPTER BEZEL, WHITE	(800)356-8000
192-307W	ADAPTER BASE	(800)356-8000
192-308	T'STAT ACC, ADPT FRAME TO CVR	(800)356-8000
192-3084	RETROSTAT H/C DA/RA PWRS DEG F	(800)356-8000
192-3084K	1923084 W/LARGE KNOB	(800)356-8000
192-3084W	TH19X RETRO KIT,H/C-WHITE	(800)356-8000
192-308A	ADAPTER BEZEL, SILVER	(800)356-8000
192-308B	ADAPTER BEZEL, SATIN CHROME	(800)356-8000
192-308C	ADAPTER BEZEL, LIGHT BRONZE	(800)356-8000
192-308D	ADAPTER BEZEL, SPEC. BRONZE	(800)356-8000
192-308F	ADAPTER BEZEL, SIERRA GOLD	(800)356-8000
192-308G	ADAPTER BEZEL, ALUMINUM	(800)356-8000
192-308H	ADAPTER BEZEL, WHITE	(800)356-8000
192-308W	ADAPTER BEZEL WHITE	(800)356-8000
192-3144	RETROSTAT D/N DA POWERS DEG C	(800)356-8000
192-3144K	1923144 W/LARGE KNOB	(800)356-8000
192-3144W	TH19X RETRO KIT,D/N,DA,C,WHITE	(800)356-8000
192-3154	RETROSTAT D/N RA POWERS C DEG	(800)356-8000
192-3154K	1923154 W/LARGE KNOB	(800)356-8000
192-3154W	TH19X RETRO KIT,D/N,RA,C,WHITE	(800)356-8000
192-3184	RETROSTAT H/C DA/RA PWRS C DEG	(800)356-8000
192-3184K	1923184 W/LARGE KNOB	(800)356-8000
192-3184W	TH19X RETRO KIT,H/C,C-WHITE	(800)356-8000
192-320	T'STAT ACC,TERM CVR PLATE KIT	(800)356-8000
192-321	T'STAT ACC,RESTRICTOR PLATE KT	(800)356-8000
192-350	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-350A	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-350B	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-350C	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-350D	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-350E	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-350F	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-350G	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-350H	COVER ASY METAL-WHITE	(800)356-8000
192-351	T'STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000
192-351A	T'STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000
192-351B	T'STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000
192-351C	T'STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000
192-351D	T'STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000
192-351E	T'STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000
192-351F	T'STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
192-351G	T*STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000
192-351H	COVER ASY-WHITE	(800)356-8000
192-352	T*STAT CVR,EXP/EXP/EXP,LOGO	(800)356-8000
192-352A	T*STAT CVR,EXP/EXP/EXP,LOGO	(800)356-8000
192-352B	T*STAT CVR,EXP/EXP/EXP,LOGO	(800)356-8000
192-352C	T*STAT CVR,EXP/EXP/EXP,LOGO	(800)356-8000
192-352D	T*STAT CVR,EXP/EXP/EXP,LOGO	(800)356-8000
192-352E	T*STAT CVR,EXP/EXP/EXP,LOGO	(800)356-8000
192-352F	T*STAT CVR,EXP/EXP/EXP,LOGO	(800)356-8000
192-352G	T*STAT CVR,EXP/EXP/EXP,LOGO	(800)356-8000
192-352H	COVER ASY-WHITE	(800)356-8000
192-353	T*STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-353A	T*STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-353B	T*STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-353C	T*STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-353D	T*STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-353E	T*STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-353F	T*STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-353G	T*STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-353H	COVER ASY-WHITE	(800)356-8000
192-354	T*STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-354A	T*STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-354B	T*STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-354C	T*STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-354D	T*STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-354E	T*STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-354F	T*STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-354G	T*STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-354H	COVER ASY-WHITE	(800)356-8000
192-355	T*STAT CVR,CON/EXP/CON,NO LOGO	(800)356-8000
192-355A	T*STAT CVR,CON/EXP/CON,NO LOGO	(800)356-8000
192-355B	T*STAT CVR,CON/EXP/CON,NO LOGO	(800)356-8000
192-355C	T*STAT CVR,CON/EXP/CON,NO LOGO	(800)356-8000
192-355D	T*STAT CVR,CON/EXP/CON,NO LOGO	(800)356-8000
192-355E	T*STAT CVR,CON/EXP/CON,NO LOGO	(800)356-8000
192-355F	T*STAT CVR,CON/EXP/CON,NO LOGO	(800)356-8000
192-355G	T*STAT CVR,CON/EXP/CON,NO LOGO	(800)356-8000
192-355H	COVER ASY-WHITE	(800)356-8000
192-356	T*STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-356A	T*STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-356B	T*STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-356C	T*STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-356D	T*STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-356E	T*STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-356F	T*STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-356G	T*STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-356H	T*STAT CVR, CON/CON/CON-WHITE	(800)356-8000
192-357	T*STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000
192-357A	T*STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000
192-357B	T*STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000
192-357C	T*STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000
192-357D	T*STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000
192-357E	T*STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
192-357F	T'STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000
192-357G	T'STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000
192-357H	COVER ASY-WHITE	(800)356-8000
192-358	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-358A	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-358B	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-358C	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-358D	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-358E	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-358F	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-358G	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-358H	COVER ASY-WHITE	(800)356-8000
192-359	T'STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000
192-359A	T'STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000
192-359B	T'STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000
192-359C	T'STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000
192-359D	T'STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000
192-359E	T'STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000
192-359F	T'STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000
192-359G	T'STAT CVR,EXP/CON/EXP,NO LOGO	(800)356-8000
192-359H	COVER ASY-WHITE	(800)356-8000
192-360	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-360A	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-360B	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-360C	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-360D	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-360E	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-360F	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-360G	T'STAT CVR,EXP/CON/EXP,LOGO	(800)356-8000
192-360H	T'STAT CVR, EXP/EXP/EXP-WHITE	(800)356-8000
192-361	T'STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-361A	T'STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-361B	T'STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-361C	T'STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-361D	T'STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-361E	T'STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-361F	T'STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-361G	T'STAT CVR,EXP/EXP/EXP,NO LOGO	(800)356-8000
192-361H	COVER ASY-WHITE	(800)356-8000
192-362	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-362A	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-362B	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-362C	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-362D	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-362E	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-362F	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-362G	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-362H	COVER ASY-WHITE	(800)356-8000
192-363	T'STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000
192-363A	T'STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000
192-363B	T'STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000
192-363C	T'STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000
192-363D	T'STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
192-363E	T'STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000
192-363F	T'STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000
192-363G	T'STAT CVR,CON/CON/CON,NO LOGO	(800)356-8000
192-363H	COVER ASY-WHITE	(800)356-8000
192-364	T'STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-364A	T'STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-364B	T'STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-364C	T'STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-364D	T'STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-364E	T'STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-364F	T'STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-364G	T'STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
192-364H	COVER ASY-WHITE	(800)356-8000
192-365	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-365A	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-365B	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-365C	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-365D	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-365E	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-365F	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-365G	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-365H	T'STAT CVR, KEY/EXP/CON-WHITE	(800)356-8000
192-366	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-366A	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-366B	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-366C	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-366D	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-366E	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-366F	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-366G	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-366H	T'STAT CVR, KEY/EXP/EXP-WHITE	(800)356-8000
192-367	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-367A	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-367B	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-367C	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-367D	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-367E	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-367F	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-367G	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-367H	COVER ASY-WHITE	(800)356-8000
192-368	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-368A	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-368B	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-368C	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-368D	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-368E	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-368F	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-368G	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-368H	T'STAT CVR, KEY/EXP/EXP-WHITE	(800)356-8000
192-369	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-369A	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-369B	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-369C	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
192-369D	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-369E	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-369F	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-369G	T'STAT CVR,KEY/CON/EXP,LOGO	(800)356-8000
192-369H	COVER ASY-WHITE	(800)356-8000
192-370	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-370A	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-370B	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-370C	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-370D	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-370E	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-370F	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-370G	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-370H	COVER ASY-WHITE	(800)356-8000
192-371	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
192-371A	T'STAT CVR,K-N,EX-D/EX/EX,LOGO	(800)356-8000
192-371B	T'STAT CVR,K-N,EX-D/EX/EX,LOGO	(800)356-8000
192-371C	T'STAT CVR,K-N,EX-D/EX/EX,LOGO	(800)356-8000
192-371D	T'STAT CVR,K-N,EX-D/EX/EX,LOGO	(800)356-8000
192-371E	T'STAT CVR,K-N,EX-D/EX/EX,LOGO	(800)356-8000
192-371F	T'STAT CVR,K-N,EX-D/EX/EX,LOGO	(800)356-8000
192-371G	T'STAT CVR,K-N,EX-D/EX/EX,LOGO	(800)356-8000
192-371H	COVER ASY-WHITE	(800)356-8000
192-372	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-372A	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-372B	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-372C	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-372D	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-372E	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-372F	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-372G	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-372H	COVER ASY-WHITE	(800)356-8000
192-373	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-373A	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-373B	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-373C	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-373D	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-373E	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-373F	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-373G	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
192-373H	COVER ASY-WHITE	(800)356-8000
192-400	COVER FOR MD7 HYGROSTAT	(800)356-8000
192-404	COVER FOR TH180,TH182 STAT	(800)356-8000
192-420D	SPECIAL	(800)356-8000
192-445	PLUG-IN WALL PLATE	(800)356-8000
192-478	T'STAT ACC,WALL BOX TERMINAL	(800)356-8000
192-479	T'STAT ACC,TERM TUBING KIT	(800)356-8000
192-480	T'STAT ACC,WALL BOX TERMINAL	(800)356-8000
192-481	T'STAT ACC,TUBING KIT	(800)356-8000
192-482	T'STAT ACC,MTG KIT,PLUG-IN	(800)356-8000
192-483	T'STAT ACC, UNV ADPT RETRO	(800)356-8000
192-483W	ADAPTER RETRO KIT,WHITE PLASTI	(800)356-8000
192-484	T'STAT ACC, UNV ADPT KIT RETRO	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
192-484W	ADAPTER RETRO KIT,WHITE PLASTI	(800)356-8000
192-485	T'STAT ACC,PLUG-IN TERM STR-BL	(800)356-8000
192-486	T'STAT ACC,PLUG-IN TERM STR-WH	(800)356-8000
192-487	T'STAT ACC,PLUG-IN TERM ELB-BL	(800)356-8000
192-488	T'STAT ACC,PLUG-IN TERM ELB-WH	(800)356-8000
192-498	T'STAT ACC,WALL BOX TERM,3PIPE	(800)356-8000
192-499	T'STAT ACC,WALL BOX TERM,3PIPE	(800)356-8000
192-501	T'STAT ACC,PLUG-IN TERM AIR-LK	(800)356-8000
192-502	STAT ACC,ASPR WALL BOX ROUGHIN	(800)356-8000
192-505	T'STAT ACCESS TUBING KIT(10PK)	(800)356-8000
192-506	T'STAT ACC,STD EL PLATE(5 PER)	(800)356-8000
192-507	T'STAT ACC,EL BOX ADPT BASE	(800)356-8000
192-507A	T,STAT ACC,ELEC BOX	(800)356-8000
192-507B	T,STAT ACC,ELEC BOX	(800)356-8000
192-507C	T,STAT ACC ELEC BOX	(800)356-8000
192-507D	T,STAT ACC,ELEC BOX	(800)356-8000
192-507F	T,STAT ACC,ELEC BOX	(800)356-8000
192-507G	T,STAT ACC ELEC BOX	(800)356-8000
192-507H	T,STAT ACC,ELEC BOX	(800)356-8000
192-525	T'STAT ACCESSORY, CONNECTOR	(800)356-8000
192-526	5-PACK THERMOMETER (F) WH	(800)356-8000
192-527	5-PACK THERMOMETER (C) WH	(800)356-8000
192-528	TH192 ACC, SP DIAL,DA,F,RT,WH	(800)356-8000
192-529	TH192 ACC, SP DIAL,RA,P,RT,WH	(800)356-8000
192-530	TH192 ACC, SP DIAL,DA,C,RT,WH	(800)356-8000
192-531	TH192 ACC, SP DIAL,RA,C,RT,WH	(800)356-8000
192-532	TH192 ACC, SP DIAL,DA,F,LT,WH	(800)356-8000
192-533	TH192 ACC, SP DIAL,RA,F,LT,WH	(800)356-8000
192-534	TH192 ACC, SP DIAL,DA,C,LT,WH	(800)356-8000
192-536	T'STAT ACCESSORY, CVR SCREWS	(800)356-8000
192-600	T'STAT ACC,TERM TUBING KIT	(800)356-8000
192-610	ROOM HYGROSTAT,REPAIR COVER	(800)356-8000
192-611	COVER ASSEMBLY (PLASTIC)	(800)356-8000
192-612	ROOM HYGROSTAT,METAL CVR BEIGE	(800)356-8000
192-612A	COVER ASSEMBLY-METAL	(800)356-8000
192-612B	COVER ASSEMBLY-METAL	(800)356-8000
192-612C	COVER ASSEMBLY-METAL	(800)356-8000
192-612D	COVER ASSEMBLY-METAL	(800)356-8000
192-612E	COVER ASSEMBLY-METAL	(800)356-8000
192-612F	COVER ASSEMBLY-METAL	(800)356-8000
192-612G	COVER ASSEMBLY-METAL	(800)356-8000
192-613A	COVER ASSEMBLY-METAL	(800)356-8000
192-613B	COVER ASSEMBLY-METAL	(800)356-8000
192-613C	COVER ASSEMBLY-METAL	(800)356-8000
192-613D	COVER ASSEMBLY-METAL	(800)356-8000
192-613E	COVER ASSEMBLY-METAL	(800)356-8000
192-613F	COVER ASSEMBLY-METAL	(800)356-8000
192-613G	COVER ASSEMBLY-METAL	(800)356-8000
192-615A	COVER ASSEMBLY-METAL	(800)356-8000
192-615B	COVER ASSEMBLY-METAL	(800)356-8000
192-615C	COVER ASSEMBLY-METAL	(800)356-8000
192-615D	COVER ASSEMBLY-METAL	(800)356-8000
192-615E	COVER ASSEMBLY-METAL	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
192-615F	COVER ASSEMBLY-METAL	(800)356-8000
192-615G	COVER ASSEMBLY-METAL	(800)356-8000
192-623	ALLEN WRENCH KIT-TH180 5/PKG	(800)356-8000
192-632	T'STAT ACC,CALB&CVR SCW WRENCH	(800)356-8000
192-633	T'STAT ACC,TEST PROBE W/GAUGE	(800)356-8000
192-644	T'STAT ACC,WALL PLATE KIT	(800)356-8000
192-648	T'STAT ACC,CONVERT TH180AP	(800)356-8000
192-679A	COVER ASSEMBLY-METAL	(800)356-8000
192-679B	COVER ASY - SATIN CHROME	(800)356-8000
192-679C	COVER ASSEMBLY-METAL	(800)356-8000
192-679D	M/COVER #10 BRONZE	(800)356-8000
192-679F	COVER ASSEMBLY-METAL	(800)356-8000
192-729	MULT SENSOR/SW FINISH PLATE,SS	(800)356-8000
192-730	MULT SENSOR/SW FNSH PLT,BEIGE	(800)356-8000
192-731	MULT SENSOR/SW FINISH PLATE,SS	(800)356-8000
192-732	MULT SENSOR/SW FNSH PLT,BEIGE	(800)356-8000
192-733	MULT SENSOR/SW FINISH PLATE,SS	(800)356-8000
192-734	MULT SENSOR/SW FNSH PLT,BEIGE	(800)356-8000
192-735	MULT SENSOR/SW FINISH PLATE,SS	(800)356-8000
192-736	MULT SENSOR/SW FNSH PLT,BEIGE	(800)356-8000
192-738	WALL PLATE ASSEMBLY	(800)356-8000
192-750	T'STAT ACC,TERM TUBING KIT	(800)356-8000
192-755	T'STAT ACC,TERM TUBING KIT	(800)356-8000
192-759	T'STAT ACC,NEEDLE ADT (5 PER)	(800)356-8000
192-775	TH19X THERM KIT (F) BRW 5/PKG	(800)356-8000
192-776	TH19X THERM KIT (C) BRW 5/PKG	(800)356-8000
192-777	TH192 ACC, SP DIAL,DA,F,LT,BRW	(800)356-8000
192-778	TH192 ACC, SP DIAL,RA,F,LT,BRW	(800)356-8000
192-779	TH192 ACC, SP DIAL,DA,F,RT,BRW	(800)356-8000
192-780	TH192 ACC, SP DIAL,RA,F,RT,BRW	(800)356-8000
192-781	TH192 ACC, SP DIAL,DA,C,LT,BRW	(800)356-8000
192-782	TH192 ACC, SP DIAL,RA,C,RT,BRW	(800)356-8000
192-783	TH192 ACC, SP DIAL,DA,C,RT,BRW	(800)356-8000
192-784	TH192 ACC, SP DIAL,RA,C,RT,BRW	(800)356-8000
192-785	TH19X THERM KIT (C) BRW 5/PKG	(800)356-8000
192-786	TH19X THERM KIT (F) BRW 5/PKG	(800)356-8000
192-791A	ERS THERMOMETER ASY (F)	(800)356-8000
192-794	SCALE(C) LIGHT BROWN	(800)356-8000
192-818	STAT COVER,HORIZONTAL MOUNTING	(800)356-8000
192-840	TH192 RETROSTAT KIT W/192 202	(800)356-8000
192-840K	192 840 W/LARGE KNOB	(800)356-8000
192-841	TH192 RETROSTAT KIT W/192 203	(800)356-8000
192-841K	192 841 W/LARGE KNOB	(800)356-8000
192-842	TH19X STAT HARDWARE KIT	(800)356-8000
192-842W	TH19X HARDWARE RETRO KIT,WHITE	(800)356-8000
192-850	TH192 RETROSTAT KIT W/192 222	(800)356-8000
192-850K	192 850 W/LARGE KNOB	(800)356-8000
192-850W	TH19X STAT RETRO KIT,WHITE	(800)356-8000
192-851	TH192 RETROSTAT KIT W/192 223	(800)356-8000
192-851K	192 851 W/LARGE KNOB	(800)356-8000
192-860	FINISH PLATE KIT ST.STEEL	(800)356-8000
192-861	FINISH PLATE KIT,BEIGE	(800)356-8000
192-868	RETROSTAT COVER KIT	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
192-868W	TH19X RETROSTAT KIT,WHITE	(800)356-8000
192-875	T,STAT ACC TUBING KIT ONE PIPE	(800)356-8000
193-211	P'STAR FEB STAT,H/C,DA/DA	(800)356-8000
193-211K	193 211 W/LARGE KNOB	(800)356-8000
193-212	P'STAR FEB STAT,H/C,DA/RA	(800)356-8000
193-212K	193 212 W/LARGE KNOB	(800)356-8000
193-213	P'STAR FEB STAT,H/C,RA/DA	(800)356-8000
193-213K	193 213 W/LARGE KNOB	(800)356-8000
193-214	P'STAR FEB STAT,H/C,RA/RA	(800)356-8000
193-214K	193 214 W/LARGE KNOB	(800)356-8000
193-215	P'STAR FEB STAT,H/C,DA/DA	(800)356-8000
193-215K	193 215 W/LARGE KNOB	(800)356-8000
193-216	P'STAR FEB STAT,H/C,DA/RA	(800)356-8000
193-216K	193 216 W/LARGE KNOB	(800)356-8000
193-217	P'STAR FEB STAT,H/C,RA/DA	(800)356-8000
193-217K	193 217 W/LARGE KNOB	(800)356-8000
193-218	P'STAR FEB STAT,H/C,RA/RA	(800)356-8000
193-218K	193 218 W/LARGE KNOB	(800)356-8000
193-219	P'STAR HFEB STAT H/C,DA/DA	(800)356-8000
193-219K	193 219 W/LARGE KNOB	(800)356-8000
193-220	P'STAR HES STAT H/C,RA/RA F	(800)356-8000
193-220K	193 220 W/LARGE KNOB	(800)356-8000
193-231	P'STAR FEB STAT,H/C,DA/DA,C	(800)356-8000
193-231K	193 231 W/LARGE KNOB	(800)356-8000
193-232	P'STAR FEB STAT,H/C,DA/RA,C	(800)356-8000
193-232K	193 232 W/LARGE KNOB	(800)356-8000
193-233	P'STAR FEB STAT,H/C,RA/DA,C	(800)356-8000
193-233K	193 233 W/LARGE KNOB	(800)356-8000
193-234	P'STAR FEB STAT,H/C,RA/RA,C	(800)356-8000
193-234K	193 234 W/LARGE KNOB	(800)356-8000
193-235	P'STAR FEB STAT,H/C,DA/DA	(800)356-8000
193-235K	193 235 W/LARGE KNOB	(800)356-8000
193-236	P'STAR FEB STAT,H/C,DA/RA,C	(800)356-8000
193-236K	193 236 W/LARGE KNOB	(800)356-8000
193-237	P'STAR FEB STAT,H/C,RA/DA,C	(800)356-8000
193-237K	193 237 W/LARGE KNOB	(800)356-8000
193-238	P'STAR FEB STAT, H/C,RA/RA,C	(800)356-8000
193-238K	193 238 W/LARGE KNOB	(800)356-8000
193-239	P'STAR HFEBSTAT H/C DA/DARPLMT	(800)356-8000
193-239K	193 239 W/LARGE KNOB	(800)356-8000
193-240	P'STAR HES STAT H/C RA/RA C	(800)356-8000
193-240K	193 240 W/LARGE KNOB	(800)356-8000
194-2042	P'STAR STAT,D/N,DA/DA,HN RPLMT	(800)356-8000
194-2042K	1942042 W/LARGE KNOB	(800)356-8000
194-2043	P'STAR STAT,D/N,DA/DA,JC RPLMT	(800)356-8000
194-2043K	1942043 W/LARGE KNOB	(800)356-8000
194-2044	TH194 STAT-HONEYWELL-WHITE DL	(800)356-8000
194-2044K	1942044 W/LARGE KNOB	(800)356-8000
194-2045	TH194 STAT-JOHNSON(DARK DIAL)	(800)356-8000
194-2045K	1942045 W/LARGE KNOB	(800)356-8000
194-2052	P'STAR STAT,D/N,DA/RA,HN RPLMT	(800)356-8000
194-2052K	1942052 W/LARGE KNOB	(800)356-8000
194-2053	P'STAR STAT,D/N,RA/RA,JC RPLMT	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
194-2053K	1942053 W/LARGE KNOB	(800)356-8000
194-2062	P'STAR STAT,D/N/V DA/DA, HN	(800)356-8000
194-2062K	1942062 W/LARGE KNOB	(800)356-8000
194-2063	P'STAR STAT,D/N/V DA/DA, JC	(800)356-8000
194-2063K	1942063 W/LARGE KNOB	(800)356-8000
194-2072	P'STAR STAT,H/C,DA/DA,HN RPLMT	(800)356-8000
194-2072K	1942072 W/LARGE KNOB	(800)356-8000
194-2073	P'STAR STAT,H/C,DA/DA,JC RPLMT	(800)356-8000
194-2073K	1942073 W/LARGE KNOB	(800)356-8000
194-2082	P'STAR STAT,H/C,DA/RA,HN RPLMT	(800)356-8000
194-2082K	1942082 W/LARGE KNOB	(800)356-8000
194-2083	P'STAR STAT,H/C,DA/RA,JC RPLMT	(800)356-8000
194-2083K	1942082 W/LARGE KNOB	(800)356-8000
194-2091	TH194 TSTAT-JOHNSON	(800)356-8000
194-2091K	1942091 W/LARGE KNOB	(800)356-8000
194-2092	P'STAR STAT,H/C,RA/DA,HN RPLMT	(800)356-8000
194-2092K	1942092 W/LARGE KNOB	(800)356-8000
194-2093	P'STAR STAT,H/C,RA/DA,JC RPLMT	(800)356-8000
194-2093K	1942093 W/LARGE KNOB	(800)356-8000
194-2102	P'STAR STAT,H/C,RA/RA,HN RPLMT	(800)356-8000
194-2102K	1942102 W/LARGE KNOB	(800)356-8000
194-2103	P'STAR STAT,H/C,RA/RA,JC RPLMT	(800)356-8000
194-2103K	1942103 W/LARGE KNOB	(800)356-8000
194-2242	P'STAR STAT,D/N,DA/DA,HN RPLMT	(800)356-8000
194-2242K	1942242 W/LARGE KNOB	(800)356-8000
194-2243	P'STAR STAT,D/N,DA/DA,JC,RPLMT	(800)356-8000
194-2243K	1942243 W/LARGE KNOB	(800)356-8000
194-2252	P'STAR STAT,D/N,RA/DA,HN RPLMT	(800)356-8000
194-2252K	1942252 W/LARGE KNOB	(800)356-8000
194-2253	P'STAR STAT,D/N,RA/DA,JC,RPLMT	(800)356-8000
194-2253K	1942253 W/LARGE KNOB	(800)356-8000
194-2262	P'STAR STAT,D/N/VDA/DA,HN,C	(800)356-8000
194-2262K	1942262 W/LARGE KNOB	(800)356-8000
194-2263	P'STAR STAT,D/N/V,DA/DA,JC,C	(800)356-8000
194-2263K	1942263 W/LARGE KNOB	(800)356-8000
194-2272	P'STAR STAT,H/C,DA/DA,HN,RPLMT	(800)356-8000
194-2272K	1942272 W/LARGE KNOB	(800)356-8000
194-2273	P'STAR STAT,H/C,DA/DA,JC,RPLMT	(800)356-8000
194-2273K	1942273 W/LARGE KNOB	(800)356-8000
194-2282	P'STAR STAT,H/C,DA/RA,HN RPLMT	(800)356-8000
194-2282K	1942282 W/LARGE KNOB	(800)356-8000
194-2283	P'STAR STAT,H/C,DA/RA,JC,RPLMT	(800)356-8000
194-2283K	1942283 W/LARGE KNOB	(800)356-8000
194-2292	P'STAR STAT,H/C,RA/DA,HN RPLMT	(800)356-8000
194-2292K	1942292 W/LARGE KNOB	(800)356-8000
194-2293	P'STAR STAT,H/C,RA/DA,JC,RPLMT	(800)356-8000
194-2293K	1942293 W/LARGE KNOB	(800)356-8000
194-2302	P'STAR STAT,H/C,RA/RA,HN RPLMT	(800)356-8000
194-2302K	1942302 W/LARGE KNOB	(800)356-8000
194-2303	P'STAR STAT,H/C,RA/RA,JC,RPLMT	(800)356-8000
194-2303K	1942303 W/LARGE KNOB	(800)356-8000
194-2391	TH194 THERM.	(800)356-8000
194-2391K	1942391 W/LARGE KNOB	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
194-3042	RETROSTAT HONEYWELL D/N DA.C W	(800)356-8000
194-3042K	1943042 W/LARGE KNOB	(800)356-8000
194-3043	RETROSTAT JOHNSON D/N DA	(800)356-8000
194-3043K	1943043 W/LARGE KNOB	(800)356-8000
194-3052	RETROSTAT HONEYWELL D/N RA	(800)356-8000
194-3052K	1943052 W/LARGE KNOB	(800)356-8000
194-3052W	RETRO TH192X KIT,HONEYWELL,WHT	(800)356-8000
194-3053	RETROSTAT JOHNSON D/N RA	(800)356-8000
194-3053K	1943053 W/LARGE KNOB	(800)356-8000
194-3053W	RETRO TH192X KIT,JOHNSON,WHITE	(800)356-8000
194-3082	RETROSTAT HONEYWELL H/C DA RA	(800)356-8000
194-3082K	1943082 W/LARGE KNOB	(800)356-8000
194-3082W	RETRO TH192X KIT,HONEYWELL,WHT	(800)356-8000
194-3083	RETROSTAT JOHNSON H/C DA RA	(800)356-8000
194-3083K	1943083 W/LARGE KNOB	(800)356-8000
194-3083W	RETRO TH192X KIT,JOHNSON,WHITE	(800)356-8000
194-3142	RETROSTAT HONEYWELL D/N DA.C W	(800)356-8000
194-3142K	1943142 W/LARGE KNOB	(800)356-8000
194-3142W	RETRO TH192X KIT,H'WELL, WHITE	(800)356-8000
194-3143	RETROSTAT JOHNSON D/N DA C WHT	(800)356-8000
194-3143K	1943143 W/LARGE KNOB	(800)356-8000
194-3143W	RETRO TH192X KIT,J'NSON, WHITE	(800)356-8000
195-0001	RC195 RCV/CTLR W/O GAUGE	(800)356-8000
195-0003	RC195 RCV/CTLR 3 INP, W/GAUGE	(800)356-8000
195-0011	RC195 RCV/CTLR 1 INP, NO GAGE	(800)356-8000
195-066	RC195 ACC, RESTRICTOR KIT	(800)356-8000
195-067	RC195 ACC, CONNECTOR KIT	(800)356-8000
195-082	RC195 ACC, TERMINAL STRIP	(800)356-8000
195-090	GASKET ASSY.	(800)356-8000
195-098	RC195 SIMULATOR ASSY (1 UNIT)	(800)356-8000
195-099	RC195 SIMULATOR ASSY (2 UNIT)	(800)356-8000
195-100	RC195 SIMULATOR ASSY (3 UNIT)	(800)356-8000
195-1000	RETROLINE RC195 SINGLE INPUT	(800)356-8000
195-108	REG./GAUGE ASSY.KIT	(800)356-8000
195-114	RC195 ACC,CONNECTOR KIT	(800)356-8000
195-130	RC195 PEEL SCALE KIT	(800)356-8000
195-2000	RETROLINE RC195 MULTIPLE INPUT	(800)356-8000
201-1000	PRESSURE REDUCING VALVE,WATTS	(800)356-8000
240-00211	1/2"120V,2W NPT,Cv2.5,NC VLV	(800)356-8000
240-00212	3/4"120V,2W NPT,Cv4.1,NC VLV	(800)356-8000
240-00213	1" 120V 2W NPT,Cv7.0,NC VLV	(800)356-8000
240-00231	1/2"120V 3W NPT,Cv2.5,FB VLV	(800)356-8000
240-00232	3/4"120V 3W NPT,Cv4.1,FB VLV	(800)356-8000
240-00233	1" 120V 3W NPT,Cv7.0,FB VLV	(800)356-8000
240-00511	1/2"120V 2W SWT,Cv2.5,NC VLV	(800)356-8000
240-00512	3/4"120V 2W SWT,Cv4.1,NC VLV	(800)356-8000
240-00513	1" 120V 2W SWT,Cv7.0,NC VLV	(800)356-8000
240-00531	1/2"120V 3W SWT,Cv2.5,FB VLV	(800)356-8000
240-00532	3/4"120V 3W SWT,Cv4.1,FB VLV	(800)356-8000
240-00533	1" 120V 3W SWT,Cv7.0,FB VLV	(800)356-8000
241-00211	1/2"120V 2W NPT,Cv2.5,NO VLV	(800)356-8000
241-00212	3/4"120V 2W NPT,Cv4.1,NO VLV	(800)356-8000
241-00213	1" 120V 2W NPT,Cv7.0,NO VLV	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
241-00231	1/2"120V 3W NPT,Cv2.5,FA VLV	(800)356-8000
241-00232	3/4"120V 3W NPT,Cv4.1,FA VLV	(800)356-8000
241-00233	1" 120V 3W NPT,Cv7.0,FA VLV	(800)356-8000
241-00511	1/2"120V 2W SWT,Cv2.5,NO VLV	(800)356-8000
241-00512	3/4"120V 2W SWT,Cv4.1,NO VLV	(800)356-8000
241-00513	1" 120V 2W SWT,Cv7.0,NO VLV	(800)356-8000
241-00531	1/2"120V 3W SWT,Cv2.5,FA VLV	(800)356-8000
241-00532	3/4"120V 3W SWT,Cv4.1,FA VLV	(800)356-8000
241-00533	1" 120V 3W SWT,Cv7.0,FA VLV	(800)356-8000
242-00211	1/2" 24V 2W NPT,Cv2.5,NC VLV	(800)356-8000
242-00212	3/4" 24V 2W NPT,Cv4.1,NC VLV	(800)356-8000
242-00213	1" 24V 2W NPT,Cv7.0,NC VLV	(800)356-8000
242-00231	1/2" 24V 3W NPT,Cv2.5,FB VLV	(800)356-8000
242-00232	3/4" 24V 3W NPT,Cv4.1,FB VLV	(800)356-8000
242-00233	1" 24V 3W NPT,Cv7.0,FB VLV	(800)356-8000
242-00511	1/2" 24V 2W SWT,Cv2.5,NC VLV	(800)356-8000
242-00512	3/4" 24V 2W SWT,Cv4.1,NC VLV	(800)356-8000
242-00513	1" 24V 2W SWT,Cv7.0,NC VLV	(800)356-8000
242-00531	1/2" 24V 3W SWT,Cv2.5,FB VLV	(800)356-8000
242-00532	3/4" 24V 3W SWT,Cv4.1,FB VLV	(800)356-8000
242-00533	1" 24V 3W SWT,Cv7.0,FB VLV	(800)356-8000
243-0001	RL243 SWITCHING RELAY	(800)356-8000
243-0009	RL243 MP RELAY INDUSTRIAL DUTY	(800)356-8000
243-0010	RL243 BR RELAY INDUSTRIAL DUTY	(800)356-8000
243-0011	RL243 AN RELAY INDUSTRIAL DUTY	(800)356-8000
243-0018	RL243 SGNL SLCTR RELAY 2-INPUT	(800)356-8000
243-0019	RL243 SGNL SLCTR RELAY 6-INPUT	(800)356-8000
243-0020	RL243 SGNL SLCTR RELAY,LOWPRES	(800)356-8000
243-00211	1/2" 24V 2W NPT,Cv2.5,NO VLV	(800)356-8000
243-00212	3/4" 24V 2W NPT,Cv4.1,NO VLV	(800)356-8000
243-00213	1" 24V 2W NPT,Cv7.0,NO VLV	(800)356-8000
243-00231	1/2" 24V 3W NPT,Cv2.5,FA VLV	(800)356-8000
243-00232	3/4" 24V 3W NPT,Cv4.1,FA VLV	(800)356-8000
243-00233	1" 24V 3W NPT,Cv7.0,FA VLV	(800)356-8000
243-0024	RL243 REVERSING RELAY	(800)356-8000
243-0043	ENTHALPY COMPARATOR 50 SCIM	(800)356-8000
243-00511	1/2" 24V 2W SWT,Cv2.5,NO VLV	(800)356-8000
243-00512	3/4" 24V 2W SWT,Cv4.1,NO VLV	(800)356-8000
243-00513	1" 24V 2W SWT,Cv7.0,NO VLV	(800)356-8000
243-00531	1/2" 24V 3W SWT,Cv2.5,FA VLV	(800)356-8000
243-00532	3/4" 24V 3W SWT,Cv4.1,FA VLV	(800)356-8000
243-00533	1" 24V 3W SWT,Cv7.0,FA VLV	(800)356-8000
244-00211	1/2" 24V 2W NPT,Cv2.5,3P VLV	(800)356-8000
244-00212	3/4" 24V 2W NPT,Cv4.1,3P VLV	(800)356-8000
244-00213	1" 24V 2W NPT,Cv7.0,3P VLV	(800)356-8000
244-00231	1/2" 24V 3W NPT,Cv2.5,3P VLV	(800)356-8000
244-00232	3/4" 24V 3W NPT,Cv4.1,3P VLV	(800)356-8000
244-00233	1" 24V 3W NPT,Cv7.0,3P VLV	(800)356-8000
244-00511	1/2" 24V 2W SWT,Cv2.5,3P VLV	(800)356-8000
244-00512	3/4" 24V 2W SWT,Cv4.1,3P VLV	(800)356-8000
244-00513	1" 24V 2W SWT,Cv7.0,3P VLV	(800)356-8000
244-00531	1/2" 24V 3W SWT,Cv2.5,3P VLV	(800)356-8000
244-00532	3/4" 24V 3W SWT,Cv4.1,3P VLV	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
244-00533	1" 24V 3W SWT,Cv7.0,3P VLV	(800)356-8000
245-00211	1/2" 24V 2W NPT,Cv2.5, 0-10V	(800)356-8000
245-00212	3/4" 24V 2W NPT,Cv4.1, 0-10V	(800)356-8000
245-00213	1" 24V 2W NPT,Cv7.0, 0-10V	(800)356-8000
245-00231	1/2" 24V 3W NPT,Cv2.5, 0-10V	(800)356-8000
245-00232	3/4" 24V 3W NPT,Cv4.1, 0-10V	(800)356-8000
245-00233	1" 24V 3W NPT,Cv7.0, 0-10V	(800)356-8000
245-00511	1/2" 24V 2W SWT,Cv2.5, 0-10V	(800)356-8000
245-00512	3/4" 24V 2W SWT,Cv4.1, 0-10V	(800)356-8000
245-00513	1" 24V 2W SWT,Cv7.0, 0-10V	(800)356-8000
245-00531	1/2" 24V 3W SWT,Cv2.5, 0-10V	(800)356-8000
245-00532	3/4" 24V 3W SWT,Cv4.1, 0-10V	(800)356-8000
245-00533	1" 24V 3W SWT,Cv7.0, 0-10V	(800)356-8000
246-00211	1/2" 24V 2W NPT,Cv2.5, NC THM	(800)356-8000
246-00212	3/4" 24V 2W NPT,Cv4.1, NC THM	(800)356-8000
246-00213	1" 24V 2W NPT,Cv7.0, NC THM	(800)356-8000
246-00231	1/2" 24V 3W NPT,Cv2.5, FB THM	(800)356-8000
246-00232	3/4" 24V 3W NPT,Cv4.1, FB THM	(800)356-8000
246-00233	1" 24V 3W NPT,Cv7.0, FB THM	(800)356-8000
246-00511	1/2" 24V 2W SWT,Cv2.5, NC THM	(800)356-8000
246-00512	3/4" 24V 2W SWT,Cv4.1, NC THM	(800)356-8000
246-00513	1" 24V 2W SWT,Cv7.0, NC THM	(800)356-8000
246-00531	1/2" 24V 3W SWT,Cv2.5, FB THM	(800)356-8000
246-00532	3/4" 24V 3W SWT,Cv4.1, FB THM	(800)356-8000
246-00533	1" 24V 3W SWT,Cv7.0, FB THM	(800)356-8000
247-00211	1/2" 24V 2W NPT CV 2.5 NO THM	(800)356-8000
247-00212	3/4" 24V 2W NPT CV 4.1 NO THM	(800)356-8000
247-00213	1" 24V 2W NPT CV 7.0 NO THM	(800)356-8000
247-00231	1/2" 24V 3W NPT CV 2.5 FB THM	(800)356-8000
247-00232	3/4" 24V 3W NPT CV 4.1 FB THM	(800)356-8000
247-00233	1" 24V 3W NPT CV 7.0 FB THM	(800)356-8000
247-00511	1/2" 24V 2W SWT CV 2.5 NO THM	(800)356-8000
247-00512	3/4" 24V 2W SWT CV 4.1 NO THM	(800)356-8000
247-00513	1" 24V 2W SWT CV 7.0 NO THM	(800)356-8000
247-00531	1/2" 24V 3W SWT CV 2.5 FB THM	(800)356-8000
247-00532	3/4" 24V 3W SWT CV 4.1 FB THM	(800)356-8000
247-00533	1" 24V 3W SWT CV 7.0 FB THM	(800)356-8000
254-01100	2WNC LN,BZ,OR FxF 0.5/0.4	(800)356-8000
254-01101	2WNC LN,BZ,OR FxUM 0.5/0.4	(800)356-8000
254-01102	2WNC LN,BZ,OR FxF ,0.5/.63	(800)356-8000
254-01103	2WNC LN,BZ,OR FxUM 0.5/.63	(800)356-8000
254-01104	2WNC LN,BZ,OR FxF ,0.5/1.00	(800)356-8000
254-01105	2WNC LN,BZ,OR FxUM,0.5/1.00	(800)356-8000
254-01106	2WNC LN,BZ,OR FxF ,0.5/1.6	(800)356-8000
254-01107	2WNC LN,BZ,OR FxUM,0.5/1.6	(800)356-8000
254-01108	2WNC LN,BZ,OR FxF ,0.5/2.5	(800)356-8000
254-01109	2WNC LN,BZ,OR FxUM,0.5/2.5	(800)356-8000
254-01110	2WNC LN,BZ,OR FxF ,0.5/4.00	(800)356-8000
254-01111	2WNC LN,BZ,OR FxUM,0.5/4.00	(800)356-8000
254-01112	2WNC LN,BZ,OR FxF ,.75/6.3	(800)356-8000
254-01113	2WNC LN,BZ,OR FxUM,.75/6.3	(800)356-8000
254-01114	2WNC LN,BZ,OR FxF ,1.00/10.00	(800)356-8000
254-01115	2WNO LN,BZ,OR FxF ,.5/4	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
254-01116	2WNO LN,BZ,OR FxUM,,5/4	(800)356-8000
254-01117	2WNO LN,BZ,OR FxF ,.5/63	(800)356-8000
254-01118	2WNO LN,BZ,OR FxUM,,5/63	(800)356-8000
254-01119	2WNO LN,BZ,OR FxF ,.5/1.00	(800)356-8000
254-01120	2WNO LN,BZ,OR FxUM,,5/1.00	(800)356-8000
254-01121	2WNO LN,BZ,OR FxF ,.5/1.6	(800)356-8000
254-01122	2WNO LN,BZ,OR FxUM,,5/1.6	(800)356-8000
254-01123	2WNO LN,BZ,OR FxF ,.5/2.5	(800)356-8000
254-01124	2WNO LN,BZ,OR FxUM,,5/2.5	(800)356-8000
254-01125	2WNO LN,BZ,OR AFxUM,,5/2.5	(800)356-8000
254-01126	2WNO LN,BZ,OR FxF ,.5/4.00	(800)356-8000
254-01127	2WNO LN,BZ,OR FxUM,,5/4.00	(800)356-8000
254-01128	2WNO LN,BZ,OR AFxUM,,5/4.00	(800)356-8000
254-01129	2WNO LN,BZ,OR FxF ,.75/6.3	(800)356-8000
254-01130	2WNO LN,BZ,OR FxUM,,75/6.3	(800)356-8000
254-01131	2WNO LN,BZ,OR FxF ,1.00/10.00	(800)356-8000
254-01132	3WMX LN,BZ,OR FxF ,.5/4	(800)356-8000
254-01133	3WMX LN,BZ,OR FxF ,.5/63	(800)356-8000
254-01134	3WMX LN,BZ,OR FxF ,.5/1.00	(800)356-8000
254-01135	3WMX LN,BZ,OR FxF ,.5/1.6	(800)356-8000
254-01136	3WMX LN,BZ,OR FxF ,.5/2.5	(800)356-8000
254-01137	3WMX LN,BZ,OR FxF ,.5/4.00	(800)356-8000
254-01138	3WMX LN,BZ,OR FxF ,.75/6.3	(800)356-8000
254-01139	3WMX LN,BZ,OR FxF ,1.00/10.00	(800)356-8000
255-01100	2WNC LN,BZ,OR FxF 0.5/0.4	(800)356-8000
255-01101	2WNC LN,BZ,OR FxUM 0.5/0.4	(800)356-8000
255-01102	2WNC LN,BZ,OR FxF 0.5/63	(800)356-8000
255-01103	2WNC LN,BZ,OR FxUM,0.5/63	(800)356-8000
255-01104	2WNC LN,BZ,OR FxF ,0.5/1.00	(800)356-8000
255-01105	2WNC LN,BZ,OR FxUM,0.5/1.00	(800)356-8000
255-01106	2WNC LN,BZ,OR FxF ,0.5/1.6	(800)356-8000
255-01107	2WNC LN,BZ,OR FxUM,0.5/1.6	(800)356-8000
255-01108	2WNC LN,BZ,OR FxF ,0.5/2.5	(800)356-8000
255-01109	2WNC LN,BZ,OR FxUM,0.5/2.5	(800)356-8000
255-01110	2WNC LN,BZ,OR FxF ,0.5/4.00	(800)356-8000
255-01111	2WNC LN,BZ,OR FxUM,0.5/4.00	(800)356-8000
255-01112	2WNC LN,BZ,OR FxF ,.75/6.3	(800)356-8000
255-01113	2WNC LN,BZ,OR FxUM,,75/6.3	(800)356-8000
255-01114	2WNC LN,BZ,OR FxF ,1.00/10.00	(800)356-8000
255-01115	2WNO LN,BZ,OR FxF ,.5/4	(800)356-8000
255-01116	2WNO LN,BZ,OR FxUM,,5/4	(800)356-8000
255-01117	2WNO LN,BZ,OR FxF ,.5/63	(800)356-8000
255-01118	2WNO LN,BZ,OR FxUM,,5/63	(800)356-8000
255-01119	2WNO LN,BZ,OR FxF ,.5/1.00	(800)356-8000
255-01120	2WNO LN,BZ,OR FxUM,,5/1.00	(800)356-8000
255-01121	2WNO LN,BZ,OR FxF ,.5/1.6	(800)356-8000
255-01122	2WNO LN,BZ,OR FxUM,,5/1.6	(800)356-8000
255-01123	2WNO LN,BZ,OR FxF ,.5/2.5	(800)356-8000
255-01124	2WNO LN,BZ,OR FxUM,,5/2.5	(800)356-8000
255-01125	2WNO LN,BZ,OR AFxUM,,5/2.5	(800)356-8000
255-01126	2WNO LN,BZ,OR FxF ,.5/4.00	(800)356-8000
255-01127	2WNO LN,BZ,OR FxUM,,5/4.00	(800)356-8000
255-01128	2WNO LN,BZ,OR AFxUM,,5/4.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
255-01129	2WNO LN,BZ,OR FxF ,.75/6.3	(800)356-8000
255-01130	2WNO LN,BZ,OR FxUM,.75/6.3	(800)356-8000
255-01131	2WNO LN,BZ,OR FxF ,1.00/10.00	(800)356-8000
255-01132	3WMX LN,BZ,OR FxF ,.5/4	(800)356-8000
255-01133	3WMX LN,BZ,OR FxF ,.5/6.3	(800)356-8000
255-01134	3WMX LN,BZ,OR FxF ,.5/1.00	(800)356-8000
255-01135	3WMX LN,BZ,OR FxF ,.5/1.6	(800)356-8000
255-01136	3WMX LN,BZ,OR FxF ,.5/2.5	(800)356-8000
255-01137	3WMX LN,BZ,OR FxF ,.5/4.00	(800)356-8000
255-01138	3WMX LN,BZ,OR FxF ,.75/6.3	(800)356-8000
255-01139	3WMX LN,BZ,OR FxF ,1.00/10.00	(800)356-8000
256-02000	2WNC,LN,BZ,OR,FxF,0.5/0.4	(800)356-8000
256-02001	2WNC LN,BZ,OR FxUM 0.5/0.4	(800)356-8000
256-02002	2WNC LN,BZ,OR FxF 0.5/6.3	(800)356-8000
256-02003	2WNC LN,BZ,OR FxUM 0.5/6.3	(800)356-8000
256-02004	2WNC LN,BZ,OR FxF 0.5/1.00	(800)356-8000
256-02005	2WNC LN,BZ,OR FxUM 0.5/1.00	(800)356-8000
256-02006	2WNC LN,BZ,OR FxF ,0.5/1.6	(800)356-8000
256-02007	2WNC LN,BZ,OR FxUM,0.5/1.6	(800)356-8000
256-02008	2WNC LN,BZ,OR FxF ,0.5/2.5	(800)356-8000
256-02009	2WNC LN,BZ,OR FxUM,0.5/2.5	(800)356-8000
256-02010	2WNC LN,BZ,OR FxF ,0.5/4.00	(800)356-8000
256-02011	2WNC LN,BZ,OR FxUM,0.5/4.00	(800)356-8000
256-02012	2WNC LN,BZ,OR FxF ,.75/6.3	(800)356-8000
256-02013	2WNC LN,BZ,OR FxUM,.75/6.3	(800)356-8000
256-02014	2WNC LN,BZ,OR FxF ,1.00/10.00	(800)356-8000
256-02015	2WNC LN,SS,OR FxF ,0.5/4	(800)356-8000
256-02016	2WNC LN,SS,OR FxUM,0.5/4	(800)356-8000
256-02017	2WNC LN,SS,OR FxF ,0.5/6.3	(800)356-8000
256-02018	2WNC LN,SS,OR FxUM,0.5/6.3	(800)356-8000
256-02019	2WNC LN,SS,OR FxF ,0.5/1.00	(800)356-8000
256-02020	2WNC LN,SS,OR FxUM,0.5/1.00	(800)356-8000
256-02021	2WNC LN,SS,OR FxF ,0.5/1.6	(800)356-8000
256-02022	2WNC LN,SS,OR FxUM,0.5/1.6	(800)356-8000
256-02023	2WNC LN,SS,OR FxF ,0.5/2.5	(800)356-8000
256-02024	2WNC LN,SS,OR FxUM,0.5/2.5	(800)356-8000
256-02025	2WNC LN,SS,OR FxF ,0.5/4.00	(800)356-8000
256-02026	2WNC LN,SS,OR FxUM,0.5/4.00	(800)356-8000
256-02027	2WNC LN,SS,OR FxF ,.75/6.3	(800)356-8000
256-02028	2WNC LN,SS,OR FxUM,.75/6.3	(800)356-8000
256-02029	2WNC LN,SS,OR FxF ,1.00/10.00	(800)356-8000
256-02030A	2WNO,10-15,BR,OR,FxF ,0.5/0.4	(800)356-8000
256-02031A	2WNO,10-15,BR,OR,FxUM,0.5/0.4	(800)356-8000
256-02032A	2WNO,10-15,BR,OR,FxF ,0.5/0.63	(800)356-8000
256-02033A	2WNO,10-15,BR,OR,FxUM,0.5/0.63	(800)356-8000
256-02034A	2WNO,10-15,BR,OR,FxF ,0.5/1	(800)356-8000
256-02035A	2WNO,10-15,BR,OR,FxUM,0.5/1	(800)356-8000
256-02036A	2WNO,10-15,BR,OR,FxF ,0.5/1.6	(800)356-8000
256-02037A	2WNO,10-15,BR,OR,FxUM,0.5/1.6	(800)356-8000
256-02038A	2WNO,10-15,BR,OR,FxF ,0.5/2.5	(800)356-8000
256-02039A	2WNO,10-15,BR,OR,FxUM,0.5/2.5	(800)356-8000
256-02040A	2WNO,10-15,BR,OR,AFxUM .5/2.5	(800)356-8000
256-02041A	2WNO,10-15,BR,OR,FxF 0.5/4	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
256-02042A	2WNO,10-15,BR,OR,FxUM 0.5/4	(800)356-8000
256-02043A	2WNO,10-15,BR,OR,AFxUM .5/4	(800)356-8000
256-02044A	2WNO,10-15,BR,OR,FxF 0.75/6.3	(800)356-8000
256-02045A	2WNO,10-15,BR,OR,FxUM 0.75/6.3	(800)356-8000
256-02046A	2WNO,10-15,BR,OR,FxF 1/10	(800)356-8000
256-02047A	2WNO,10-15,SS,OR,FxF , 0.5/0.4	(800)356-8000
256-02048A	2WNO,10-15,SS,OR,FxUM, 0.5/0.4	(800)356-8000
256-02049A	2WNO,10-15,SS,OR,FxF 0.5/0.63	(800)356-8000
256-02050A	2WNO,10-15,SS,OR,FxUM 0.5/0.63	(800)356-8000
256-02051A	2WNO,10-15,SS,OR,FxF 0.5/1	(800)356-8000
256-02052A	2WNO,10-15,SS,OR,FxUM 0.5/1	(800)356-8000
256-02053A	2WNO,10-15,SS,OR,FxF 0.5/1.6	(800)356-8000
256-02054A	2WNO,10-15,SS,OR,FxUM 0.5/1.6	(800)356-8000
256-02055A	2WNO,10-15,SS,OR,FxF 0.5/2.5	(800)356-8000
256-02056A	2WNO,10-15,SS,OR,FxUM 0.5/2.5	(800)356-8000
256-02057A	2WNO,10-15,SS,OR,AFxUM .5/2.5	(800)356-8000
256-02058A	2WNO,10-15,SS,OR,FxF 0.5/4	(800)356-8000
256-02059A	2WNO,10-15,SS,OR,FxUM 0.5/4	(800)356-8000
256-02060A	2WNO,10-15,SS,OR,AFxUM .5/4	(800)356-8000
256-02061A	2WNO,10-15,SS,OR,FxF 0.75/6.3	(800)356-8000
256-02062A	2WNO,10-15,SS,OR,FxUM 0.75/6.3	(800)356-8000
256-02063A	2WNO,10-15,SS,OR,FxF 1/10	(800)356-8000
256-02064A	3WMX,10-15,BR,OR,FxF 0.5/0.4	(800)356-8000
256-02065A	3WMX,10-15,BR,OR,FxF 0.5/0.63	(800)356-8000
256-02066A	3WMX,10-15,BR,OR,FxF 0.5/1	(800)356-8000
256-02067A	3WMX,10-15,BR,OR,FxF 0.5/1.6	(800)356-8000
256-02068A	3WMX,10-15,BR,OR,FxF 0.5/2.5	(800)356-8000
256-02069A	3WMX,10-15,BR,OR,FxF 0.5/4	(800)356-8000
256-02070A	3WMX,10-15,BR,OR,FxF 0.75/6.3	(800)356-8000
256-02071A	3WMX,10-15,BR,OR,FxF 1/10	(800)356-8000
256-02072A	3WMX,10-15,SS,OR,FxF 0.5/0.4	(800)356-8000
256-02073A	3WMX,10-15,SS,OR,FxF 0.5/0.63	(800)356-8000
256-02074A	3WMX,10-15,SS,OR,FxF 0.5/1	(800)356-8000
256-02075A	3WMX,10-15,SS,OR,FxF 0.5/1.6	(800)356-8000
256-02076A	3WMX,10-15,SS,OR,FxF 0.5/2.5	(800)356-8000
256-02077A	3WMX,10-15,SS,OR,FxF 0.5/4	(800)356-8000
256-02078A	3WMX,10-15,SS,OR,FxF 0.75/6.3	(800)356-8000
256-02079A	3WMX,10-15,SS,OR,FxF 1/10	(800)356-8000
256-1015	10 STEP CONTROLLER, SINGLE INP	(800)356-8000
256-142	STEP CONTROLLER,RPLMT SWITCH	(800)356-8000
257-02000B	2WNC,3-8 ,LN,BR,OR,FxF ,.5/0.4	(800)356-8000
257-02001B	2WNC,3-8 ,LN,BR,OR,FxUF ,.5/0.4	(800)356-8000
257-02002B	2WNC,3-8 ,LN,BR,OR,FxF ,.5/.63	(800)356-8000
257-02003B	2WNC,3-8 ,LN,BR,OR,FxUM ,.5/.63	(800)356-8000
257-02004B	2WNC,3-8 ,LN,BR,OR,FxF ,.5/1.0	(800)356-8000
257-02005B	2WNC,3-8 ,LN,BR,OR,FxUM ,.5/1.0	(800)356-8000
257-02006B	2WNC,3-8 ,LN,BR,OR,FxF ,.5/1.6	(800)356-8000
257-02007B	2WNC,3-8 ,LN,BR,OR,FxUM ,.5/1.6	(800)356-8000
257-02008B	2WNC,3-8 ,LN,BR,OR,FxF ,.5/2.5	(800)356-8000
257-02009B	2WNC,3-8 ,LN,BR,OR,FxUM ,.5/2.5	(800)356-8000
257-02010B	2WNC,3-8 ,LN,BR,OR,FxF ,.5/4.0	(800)356-8000
257-02011B	2WNC,3-8 ,LN,BR,OR,FxUM ,.5/4.0	(800)356-8000
257-02012B	2WNC,3-8 ,LN,BR,OR,FxF .75/6.3	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
257-02013B	2WNC,3-8 ,LN,BR,OR,FxUM.75/6.3	(800)356-8000
257-02014B	2WNC,BR,LN,OR,FxF,1/10	(800)356-8000
257-02015B	2WNC,3-8 ,LN,SS,OR,FxF ,.5/4	(800)356-8000
257-02016B	2WNC,3-8 ,LN,SS,OR,FxUM, .5/4	(800)356-8000
257-02017B	2WNC,3-8 ,LN,SS,OR,FxF ,.5/6.3	(800)356-8000
257-02018B	2WNC,3-8 ,LN,SS,OR,FxUM, .5/6.3	(800)356-8000
257-02019B	2WNC,3-8 ,LN,SS,OR,FxF ,.5/1	(800)356-8000
257-02020B	2WNC,3-8 ,LN,SS,OR,FxUM, .5/1	(800)356-8000
257-02021B	2WNC,3-8 ,LN,SS,OR,FxF ,.5/1.6	(800)356-8000
257-02022B	2WNC,3-8 ,LN,SS,OR,FxUM, .5/1.6	(800)356-8000
257-02023B	2WNC,3-8 ,SS, OR,FxF ,.5/2.5	(800)356-8000
257-02024B	2WNC,3-8 LN, SS,OR FxUM .5/2.5	(800)356-8000
257-02025B	2WNC,3-8 LN, SS,OR FxF .5/4	(800)356-8000
257-02026B	2WNC,3-8 LN, SS,OR FxUM .5/4	(800)356-8000
257-02027B	2WNC,3-8 LN, SS,OR FxF .75/6.3	(800)356-8000
257-02028B	2WNC,3-8 LN, SS,OR FxUM.75/6.3	(800)356-8000
257-02029B	2WNC,3-8 LN, SS,OR FxF 1/10	(800)356-8000
257-02030	2WNO LN,BZ,OR FxF ,0.5/0.4	(800)356-8000
257-02031	2WNO LN,BZ,OR FxUM,0.5/0.4	(800)356-8000
257-02032	2WNO LN,BZ,OR FxF ,0.5/6.3	(800)356-8000
257-02033	2WNO LN,BZ,OR FxUM,0.5/6.3	(800)356-8000
257-02034	2WNO LN,BZ,OR FxF ,0.5/1.00	(800)356-8000
257-02035	2WNO LN,BZ,OR FxUM,0.5/1.00	(800)356-8000
257-02036	2WNO LN,BZ,OR FxF ,0.5/1.6	(800)356-8000
257-02037	2WNO LN,BZ,OR FxUM,0.5/1.6	(800)356-8000
257-02038	2WNO LN,BZ,OR FxF ,0.5/2.5	(800)356-8000
257-02039	2WNO LN,BZ,OR FxUM,0.5/2.5	(800)356-8000
257-02040	2WNO LN,BZ,OR AFxUM,0.5/2.5	(800)356-8000
257-02041	2WNO LN,BZ,OR FxF ,0.5/4.00	(800)356-8000
257-02042	2WNO LN,BZ,OR FxUM,0.5/4.00	(800)356-8000
257-02043	2WNO LN,BZ,OR AFxUM,0.5/4.00	(800)356-8000
257-02044	2WNO LN,BZ,OR FxF ,.75/6.3	(800)356-8000
257-02045	2WNO LN,BZ,OR FxUM,.75/6.3	(800)356-8000
257-02046	2WNO LN,BZ,OR FxF ,1.00/10.00	(800)356-8000
257-02047	2WNO LN,SS,OR FxF ,.5/4	(800)356-8000
257-02048	2WNO LN,SS,OR FxUM,.5/4	(800)356-8000
257-02049	2WNO LN,SS,OR FxF ,.5/6.3	(800)356-8000
257-02050	2WNO LN,SS,OR FxUM, .5/6.3	(800)356-8000
257-02051	2WNO LN,SS,OR FxF ,.5/1.00	(800)356-8000
257-02052	2WNO LN,SS,OR FxUM,.5/1.00	(800)356-8000
257-02053	2WNO LN,SS,OR FxF ,.5/1.6	(800)356-8000
257-02054	2WNO LN,SS,OR FxUM,.5/1.6	(800)356-8000
257-02055	2WNO LN,SS,OR FxF ,.5/2.5	(800)356-8000
257-02056	2WNO LN,SS,OR FxUM,.5/2.5	(800)356-8000
257-02057	2WNO LN,SS,OR AFxUM,.5/2.5	(800)356-8000
257-02058	2WNO LN,SS,OR FxF ,.5/4.00	(800)356-8000
257-02059	2WNO LN,SS,OR FxUM,.5/4.00	(800)356-8000
257-02060	2WNO LN,SS,OR AFxUM,.5/4.00	(800)356-8000
257-02061	2WNO LN,SS,OR FxF ,.75/6.3	(800)356-8000
257-02062	2WNO LN,SS,OR FxUM,.75/6.3	(800)356-8000
257-02063	2WNO LN,SS,OR FxF ,1.00/10.00	(800)356-8000
257-02064B	3WMX,3-8 LN, BR,OR FxF .5/4	(800)356-8000
257-02065B	3WMX,3-8 LN, BR,OR FxF .5/6.3	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
257-02066B	3WMX,3-8 LN, BR,OR FxF .5/1	(800)356-8000
257-02067B	3WMX,3-8 LN, BR,OR FxF .5/1.6	(800)356-8000
257-02068B	3WMX,3-8 LN, BR,OR FxF .5/2.5	(800)356-8000
257-02069B	3WMX,3-8 LN, BR,OR FxF .5/4	(800)356-8000
257-02070B	3WMX,3-8 LN, BR,OR FxF .75/6.3	(800)356-8000
257-02071B	3WMX,3-8 LN, BR,OR FxF 1/10	(800)356-8000
257-02072B	3WMX,3-8 LN, SS,OR FxF .5/4	(800)356-8000
257-02073B	3WMX 3-8 LN SS OR FxF .5/.63	(800)356-8000
257-02074B	3WMX 3-8 LN SS OR FxF .5/1	(800)356-8000
257-02075B	3WMX 3-8 LN SS OR FxF .5/1.6	(800)356-8000
257-02076B	3WMX 3-8 LN SS OR FxF .5/2.5	(800)356-8000
257-02077B	3WMX 3-8 LN SS OR FxF .5/4	(800)356-8000
257-02078B	3WMX 3-8 LN SS OR FxF .75/6.3	(800)356-8000
257-02079B	3WMX 3-8 LN SS OR FxF 1/10	(800)356-8000
258-02000C	2WNC,8-13,LN,BR,OR,FxF, .5/0.4	(800)356-8000
258-02001C	2WNC,8-13,LN,BR,OR,FxUM,.5/0.4	(800)356-8000
258-02002C	2WNC,8-13,LN,BR,OR,FxF, .5/.63	(800)356-8000
258-02003C	2WNC,8-13,LN,BR,OR,FxUM .5/.63	(800)356-8000
258-02004C	2WNC,8-13,LN,BR,OR,FxF .5/1	(800)356-8000
258-02005C	2WNC,8-13,LN,BR,OR,FxUM .5/1	(800)356-8000
258-02006C	2WNC,8-13,LN,BR,OR,FxF .5/1.6	(800)356-8000
258-02007C	2WNC,8-13,LN,BR,OR,FxUM .5/1.6	(800)356-8000
258-02008C	2WNC,8-13,LN,BR,OR,FxF .5/2.5	(800)356-8000
258-02009C	2WNC,8-13,LN,BR,OR,FxUM .5/2.5	(800)356-8000
258-02010C	2WNC,8-13,LN,BR,OR,FxF .5/4	(800)356-8000
258-02011C	2WNC,8-13,LN,BR,OR,FxUM .5/4	(800)356-8000
258-02012C	2WNC,8-13,LN,BR,OR,FxF .75/6.3	(800)356-8000
258-02013C	2WNC,8-13,LN,BR,OR,FxUM.75/6.3	(800)356-8000
258-02014C	2WNC,8-13,LN,BR,OR,FxF 1/10	(800)356-8000
258-02015C	2WNC,8-13,LN,SS,OR,FxF .5/4	(800)356-8000
258-02016C	2WNC,8-13,LN,SS,OR,FxUM .5/4	(800)356-8000
258-02017C	2WNC,8-13,LN,SS,OR,FxF .5/.63	(800)356-8000
258-02018C	2WNC,8-13,LN,SS,OR,FxUM .5/.63	(800)356-8000
258-02019C	2WNC,8-13,LN,SS,OR,FxF .5/1	(800)356-8000
258-02020C	2WNC,8-13,LN,SS,OR,FxUM .5/1	(800)356-8000
258-02021C	2WNC,8-13,LN,SS,OR,FxF .5/1.6	(800)356-8000
258-02022C	2WNC,8-13,LN,SS,OR,FxUM .5/1.6	(800)356-8000
258-02023C	2WNC,8-13,LN,SS,OR,FxF .5/2.5	(800)356-8000
258-02024C	2WNC,8-13,LN,SS,OR,FxUM .5/2.5	(800)356-8000
258-02025C	2WNC,8-13,LN,SS,OR,FxF .5/4	(800)356-8000
258-02026C	2WNC,8-13,LN,SS,OR,FxUM .5/4	(800)356-8000
258-02027C	2WNC,8-13,LN,SS,OR,FxF .75/6.3	(800)356-8000
258-02028C	2WNC,8-13,LN,SS,OR,FxUM.75/6.3	(800)356-8000
258-02029C	2WNC,8-13,LN,SS,OR,FxF 1/10	(800)356-8000
258-02030C	2WNO,8-13,LN,BR,OR,FxF .5/4	(800)356-8000
258-02031C	2WNO,8-13,LN,BR,OR,FxUM .5/4	(800)356-8000
258-02032C	2WNO 8-13 LN BR OR FxF .5/.63	(800)356-8000
258-02033C	2WNO 8-13 LN BR OR FxUM .5/.63	(800)356-8000
258-02034C	2WNO 8-13 LN BR OR FxF .5/1	(800)356-8000
258-02035C	2WNO 8-13 LN BR OR FxUM .5/1	(800)356-8000
258-02036C	2WNO 8-13 LN BR OR FxF .5/1.6	(800)356-8000
258-02037C	2WNO 8-13 LN BR OR FxUM .5/1.6	(800)356-8000
258-02038C	2WNO 8-13 LN BR OR FxF .5/2.5	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
258-02039C	2WNO 8-13 LN BR OR FxUM .5/2.5	(800)356-8000
258-02040C	2WNO 8-13 LN BR OR AFxUM.5/2.5	(800)356-8000
258-02041C	2WNO 8-13 LN BR OR FxF .5/4	(800)356-8000
258-02042C	2WNO 8-13 LN BR OR FxUM .5/4	(800)356-8000
258-02043C	2WNO 8-13 LN BR OR AFxUM.5/4	(800)356-8000
258-02044C	2WNO 8-13 LN BR OR FxF .75/6.3	(800)356-8000
258-02045C	2WNO 8-13 LN BR OR FxUM.75/6.3	(800)356-8000
258-02046C	2WNO 8-13 LN BR OR FxF 1/10	(800)356-8000
258-02047C	2WNO 8-13 LN SS OR FxF .5/4	(800)356-8000
258-02048C	2WNO 8-13 LN SS OR FxUM .5/4	(800)356-8000
258-02049C	2WNO 8-13 LN SS OR FxF .5/6.3	(800)356-8000
258-02050C	2WNO 8-13 LN SS OR FxUM .5/6.3	(800)356-8000
258-02051C	2WNO 8-13 LN SS OR FxF .5/1	(800)356-8000
258-02052C	2WNO 8-13 LN SS OR FxUM .5/1	(800)356-8000
258-02053C	2WNO 8-13 LN SS OR FxF .5/1.6	(800)356-8000
258-02054C	2WNO 8-13 LN SS OR FxUM .5/1.6	(800)356-8000
258-02055C	2WNO 8-13 LN SS OR FxF .5/2.5	(800)356-8000
258-02056C	2WNO 8-13 LN SS OR FxUM .5/2.5	(800)356-8000
258-02057C	2WNO 8-13 LN SS OR AFxUM.5/2.5	(800)356-8000
258-02058C	2WNO 8-13 LN SS OR FxF .5/4	(800)356-8000
258-02059C	2WNO 8-13 LN SS OR FxUM .5/4	(800)356-8000
258-02060C	2WNO 8-13 LN SS OR AFxUM .5/4	(800)356-8000
258-02061C	2WNO 8-13 LN SS OR FxF .75/6.3	(800)356-8000
258-02062C	2WNO 8-13 LN SS OR FxUM.75/6.3	(800)356-8000
258-02063C	2WNO 8-13 LN SS OR FxF 1/10	(800)356-8000
258-02064	3WMX, LN, BZ, OR, FxF, 0.5/0.4	(800)356-8000
258-02065	3WMX, LN, BZ, OR, FxF, 0.5/0.63	(800)356-8000
258-02066	3WMX, LN, BZ, OR, FxF, 0.5/1.00	(800)356-8000
258-02067	3WMX, LN, BZ, OR, FxF, 0.5/1.6	(800)356-8000
258-02068	3WMX LN, BZ, OR, FxF, 0.5/2.5	(800)356-8000
258-02069	3WMX, LN, BZ, OR, FxF, 0.5/4.00	(800)356-8000
258-02070	3WMX, LN, BZ, OR, FxF, .75/6.3	(800)356-8000
258-02071	3WMX, LN, BZ, OR, FxF, 1.00/10.00	(800)356-8000
258-02072	3WMX, LN, SS, OR, FxF, 0.5/0.4	(800)356-8000
258-02073	3WMX, LN, SS, OR, FxF, 0.5/0.63	(800)356-8000
258-02074	3WMX, LN, SS, OR, FxF, 0.5/1.00	(800)356-8000
258-02075	3WMX, LN, SS, OR, FxF, 0.5/1.6	(800)356-8000
258-02076	3WMX, LN, SS, OR, FxF, 0.5/2.5	(800)356-8000
258-02077	3WMX, LN, SS, OR, FxF, 0.5/4.00	(800)356-8000
258-02078	3WMX, LN, SS, OR, FxF, .75/6.3	(800)356-8000
258-02079	3WMX, LN, SS, OR, FxF, 1.00/10.00	(800)356-8000
259-02000	2WNC, LN, BZ, OR, FxF, 0.5/0.4	(800)356-8000
259-02001	2WNC, LN, BZ, OR, FxUM, 0.5/0.4	(800)356-8000
259-02002	2WNC, LN, BZ, OR, FxF, .0.5/0.63	(800)356-8000
259-02003	2WNC, LN, BZ, OR, FxUM, 0.5/0.63	(800)356-8000
259-02004	2WNC, LN, BZ, OR, FxF, .0.5/1.00	(800)356-8000
259-02005	2WNC, LN, BZ, OR, FxUM, 0.5/1.00	(800)356-8000
259-02006	2WNC, LN, BZ, OR, FxF, .0.5/1.6	(800)356-8000
259-02007	2WNC, LN, BZ, OR, FxUM, 0.5/1.6	(800)356-8000
259-02008	2WNC, LN, BZ, OR, FxF, .0.5/2.5	(800)356-8000
259-02009	2WNC, LN, BZ, OR, FxUM, 0.5/2.5	(800)356-8000
259-02010	2WNC, LN, BZ, OR, FxF, .0.5/4.00	(800)356-8000
259-02011	2WNC, LN, BZ, OR, FxUM, 0.5/4.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
259-02012	2WNC, LN, BZ, OR, FxF ,.75/6.3	(800)356-8000
259-02013	2WNC, LN, BZ, OR, FxUM, .75/6.3	(800)356-8000
259-02014	2WNC, LN, BZ, OR, FxF ,1.00/10.00	(800)356-8000
259-02015	2WNC, LN, SS, OR, FxF ,0.5/0.4	(800)356-8000
259-02016	2WNC, LN, SS, OR, FxUM, 0.5/0.4	(800)356-8000
259-02017	2WNC, LN, SS, OR, FxF ,0.5/0.63	(800)356-8000
259-02018	2WNC, LN, SS, OR, FxUM, 0.5/0.63	(800)356-8000
259-02019	2WNC, LN, SS, OR, FxF ,0.5/1.00	(800)356-8000
259-02020	2WNC, LN, SS, OR, FxUM, 0.5/1.00	(800)356-8000
259-02021	2WNC, LN, SS, OR, FxF ,0.5/1.6	(800)356-8000
259-02022	2WNC, LN, SS, OR, FxUM, 0.5/1.6	(800)356-8000
259-02023	2WNC, LN, SS, OR, FxF ,0.5/2.5	(800)356-8000
259-02024	2WNC, LN, SS, OR, FxUM, 0.5/2.5	(800)356-8000
259-02025	2WNC, LN, SS, OR, FxF ,0.5/4.00	(800)356-8000
259-02026	2WNC, LN, SS, OR, FxUM, 0.5/4.00	(800)356-8000
259-02027	2WNC, LN, SS, OR, FxF ,.75/6.3	(800)356-8000
259-02028	2WNC, LN, SS, OR, FxUM, .75/6.3	(800)356-8000
259-02029	2WNC, LN, SS, OR, FxF ,1.00/10.00	(800)356-8000
259-02030	2WNO, LN, BZ, OR, FxF ,0.5/0.4	(800)356-8000
259-02031	2WNO, LN, BZ, OR, FxUM, 0.5/0.4	(800)356-8000
259-02032	2WNO, LN, BZ, OR, FxF ,0.5/.63	(800)356-8000
259-02033	2WNO, LN, BZ, OR, FxUM, 0.5/.63	(800)356-8000
259-02034	2WNO, LN, BZ, OR, FxF ,0.5/1.00	(800)356-8000
259-02035	2WNO, LN, BZ, OR, FxUM, 0.5/1.00	(800)356-8000
259-02036	2WNO, LN, BZ, OR, FxF ,0.5/1.6	(800)356-8000
259-02037	2WNO, LN, BZ, OR, FxUM, 0.5/1.6	(800)356-8000
259-02038	2WNO, LN, BZ, OR, FxF ,0.5/2.5	(800)356-8000
259-02039	2WNO, LN, BZ, OR, FxUM, 0.5/2.5	(800)356-8000
259-02040	2WNO, LN, BZ, OR, AFxUM, 0.5/2.5	(800)356-8000
259-02041	2WNO, LN, BZ, OR, FxF ,0.5/4.00	(800)356-8000
259-02042	2WNO, LN, BZ, OR, FxUM, 0.5/4.00	(800)356-8000
259-02043	2WNO, LN, BZ, OR, AFxUM, 0.5/4.00	(800)356-8000
259-02044	2WNO, LN, BZ, OR, FxF ,.75/6.3	(800)356-8000
259-02045	2WNO, LN, BZ, OR, FxUM, .75/6.3	(800)356-8000
259-02046	2WNO, LN, BZ, OR, FxF ,1.00/10.00	(800)356-8000
259-02047	2WNO, LN, SS, OR, FxF ,0.5/0.4	(800)356-8000
259-02048	2WNO, LN, SS, OR, FxUM, 0.5/0.4	(800)356-8000
259-02049	2WNO, LN, SS, OR, FxF ,0.5/.63	(800)356-8000
259-02050	2WNO, LN, SS, OR, FxUM, 0.5/.63	(800)356-8000
259-02051	2WNO, LN, SS, OR, FxF ,0.5/1.00	(800)356-8000
259-02052	2WNO, LN, SS, OR, FxUM, 0.5/1.00	(800)356-8000
259-02053	2WNO, LN, SS, OR, FxF ,0.5/1.6	(800)356-8000
259-02054	2WNO, LN, SS, OR, FxUM, 0.5/1.6	(800)356-8000
259-02055	2WNO, LN, SS, OR, FxF ,0.5/2.5	(800)356-8000
259-02056	2WNO, LN, SS, OR, FxUM, 0.5/2.5	(800)356-8000
259-02057	2WNO, LN, SS, OR, AFxUM, 0.5/2.5	(800)356-8000
259-02058	2WNO, LN, SS, OR, FxF ,0.5/4.00	(800)356-8000
259-02059	2WNO, LN, SS, OR, FxUM, 0.5/4.00	(800)356-8000
259-02060	2WNO, LN, SS, OR, AFxUM, 0.5/4.00	(800)356-8000
259-02061	2WNO, LN, SS, OR, FxF ,.75/6.3	(800)356-8000
259-02062	2WNO, LN, SS, OR, FxUM, .75/6.3	(800)356-8000
259-02063	2WNO, LN, SS, OR, FxF ,1.00/10.00	(800)356-8000
259-02064	3WMX, LN, BZ, OR, FxF ,0.5/0.4	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
259-02065	3WMX,LN,BZ,OR, FxF ,0.5/ .63	(800)356-8000
259-02066	3WMX,LN,BZ,OR, FxF ,0.5/1.00	(800)356-8000
259-02067	3WMX,LN,BZ,OR, FxF ,0.5/1.6	(800)356-8000
259-02068	3WMX,LN,BZ,OR, FxF ,0.5/2.5	(800)356-8000
259-02069	3WMX,LN,BZ,OR, FxF ,0.5/4.00	(800)356-8000
259-02070	3WMX,LN,BZ,OR, FxF ,.75/6.3	(800)356-8000
259-02071	3WMX,LN,BZ,OR, FxF ,1.00/10.00	(800)356-8000
259-02072	3WMX,LN,SS,OR, FxF ,0.5/0.4	(800)356-8000
259-02073	3WMX,LN,SS,OR, FxF ,0.5/ .63	(800)356-8000
259-02074	3WMX,LN,SS,OR, FxF ,0.5/1.00	(800)356-8000
259-02075	3WMX,LN,SS,OR, FxF ,0.5/1.6	(800)356-8000
259-02076	3WMX,LN,SS,OR, FxF ,0.5/2.5	(800)356-8000
259-02077	3WMX,LN,SS,OR, FxF ,0.5/4.00	(800)356-8000
259-02078	3WMX,LN,SS,OR, FxF ,.75/6.3	(800)356-8000
259-02079	3WMX,LN,SS,OR, FxF ,1.00/10.00	(800)356-8000
259-02084	2WNO,BR,FxF,1.25/16	(800)356-8000
259-02085	2WNC,BR,FxF,1.25/16	(800)356-8000
259-02086	3WMX,BR,FxF,1.25/16	(800)356-8000
259-02087	2WNO,BR,FxF,1.50/25	(800)356-8000
260-02000	2WNC,LN,BZ,OR, FxF ,0.5/0.4	(800)356-8000
260-02001	2WNC,LN,BZ,OR, FxUM,0.5/0.4	(800)356-8000
260-02002	2WNC,LN,BZ,OR, FxF ,0.5/0.63	(800)356-8000
260-02003	2WNC,LN,BZ,OR, FxUM,0.5/0.63	(800)356-8000
260-02004	2WNC,LN,BZ,OR, FxF ,0.5/1.00	(800)356-8000
260-02005	2WNC,LN,BZ,OR, FxUM,0.5/1.00	(800)356-8000
260-02006	2WNC,LN,BZ,OR, FxF ,0.5/1.6	(800)356-8000
260-02007	2WNC,LN,BZ,OR, FxUM,0.5/1.6	(800)356-8000
260-02008	2WNC,LN,BZ,OR, FxF ,0.5/2.5	(800)356-8000
260-02009	2WNC,LN,BZ,OR, FxUM,0.5/2.5	(800)356-8000
260-02010	2WNC,LN,BZ,OR, FxF ,0.5/4.00	(800)356-8000
260-02011	2WNC,LN,BZ,OR, FxUM,0.5/4.00	(800)356-8000
260-02012	2WNC,LN,BZ,OR, FxF ,.75/6.3	(800)356-8000
260-02013	2WNC,LN,BZ,OR, FxUM,.75/6.3	(800)356-8000
260-02014	2WNC,LN,BZ,OR, FxF ,1.00/10.00	(800)356-8000
260-02015	2WNC,LN,SS,OR, FxF ,0.5/0.4	(800)356-8000
260-02016	2WNC,LN,SS,OR, FxUM,0.5/0.4	(800)356-8000
260-02017	2WNC,LN,SS,OR, FxF ,0.5/0.63	(800)356-8000
260-02018	2WNC,LN,SS,OR, FxUM,0.5/0.63	(800)356-8000
260-02019	2WNC,LN,SS,OR, FxF ,0.5/1.00	(800)356-8000
260-02020	2WNC,LN,SS,OR, FxUM,0.5/1.00	(800)356-8000
260-02021	2WNC,LN,SS,OR, FxF ,0.5/1.6	(800)356-8000
260-02022	2WNC,LN,SS,OR, FxUM,0.5/1.6	(800)356-8000
260-02023	2WNC,LN,SS,OR, FxF ,0.5/2.5	(800)356-8000
260-02024	2WNC,LN,SS,OR, FxUM,0.5/2.5	(800)356-8000
260-02025	2WNC,LN,SS,OR, FxF ,0.5/4.00	(800)356-8000
260-02026	2WNC,LN,SS,OR, FxUM,0.5/4.00	(800)356-8000
260-02027	2WNC,LN,SS,OR, FxF ,.75/6.3	(800)356-8000
260-02028	2WNC,LN,SS,OR, FxUM,.75/6.3	(800)356-8000
260-02029	2WNC,LN,SS,OR, FxF ,1.00/10.00	(800)356-8000
260-02030	2WNO,LN,BZ,OR, FxF ,0.5/0.4	(800)356-8000
260-02031	2WNO,LN,BZ,OR, FxUM,0.5/0.4	(800)356-8000
260-02032	2WNO,LN,BZ,OR, FxF ,0.5/0.63	(800)356-8000
260-02033	2WNO,LN,BZ,OR, FxUM,0.5/0.63	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
260-02034	2WNO, LN, BZ, OR, FxF ,0.5/1.00	(800)356-8000
260-02035	2WNO, LN, BZ, OR, FxUM, 0.5/1.00	(800)356-8000
260-02036	2WNO, LN, BZ, OR, FxF ,0.5/1.6	(800)356-8000
260-02037	2WNO, LN, BZ, OR, FxUM, 0.5/1.6	(800)356-8000
260-02038	2WNO, LN, BZ, OR, FxF ,0.5/2.5	(800)356-8000
260-02039	2WNO, LN, BZ, OR, FxUM, 0.5/2.5	(800)356-8000
260-02040	2WNO, LN, BZ, OR, AFxUM, 0.5/2.5	(800)356-8000
260-02041	2WNO, LN, BZ, OR, FxF ,0.5/4.00	(800)356-8000
260-02042	2WNO, LN, BZ, OR, FxUM, 0.5/4.00	(800)356-8000
260-02043	2WNO, LN, BZ, OR, AFxUM, 0.5/4.00	(800)356-8000
260-02044	2WNO, LN, BZ, OR, FxF ,.75/6.3	(800)356-8000
260-02045	2WNO, LN, BZ, OR, FxUM, .75/6.3	(800)356-8000
260-02046	2WNO, LN, BZ, OR, FxF ,1.00/10.00	(800)356-8000
260-02047	2WNO, LN, SS, OR, FxF ,0.5/0.4	(800)356-8000
260-02048	2WNO, LN, SS, OR, FxUM, 0.5/0.4	(800)356-8000
260-02049	2WNO, LN, SS, OR, FxF ,0.5/1.63	(800)356-8000
260-02050	2WNO, LN, SS, OR, FxUM, 0.5/1.63	(800)356-8000
260-02051	2WNO, LN, SS, OR, FxF ,0.5/1.00	(800)356-8000
260-02052	2WNO, LN, SS, OR, FxUM, 0.5/1.00	(800)356-8000
260-02053	2WNO, LN, SS, OR, FxF ,0.5/1.6	(800)356-8000
260-02054	2WNO, LN, SS, OR, FxUM, 0.5/1.6	(800)356-8000
260-02055	2WNO, LN, SS, OR, FxF ,0.5/2.5	(800)356-8000
260-02056	2WNO, LN, SS, OR, FxUM, 0.5/2.5	(800)356-8000
260-02057	2WNO, LN, SS, OR, AFxUM, 0.5/2.5	(800)356-8000
260-02058	2WNO, LN, SS, OR, FxF ,0.5/4.00	(800)356-8000
260-02059	2WNO, LN, SS, OR, FxUM, 0.5/4.00	(800)356-8000
260-02060	2WNO, LN, SS, OR, AFxUM, 0.5/4.00	(800)356-8000
260-02061	2WNO, LN, SS, OR, FxF ,.75/6.3	(800)356-8000
260-02062	2WNO, LN, SS, OR, FxUM, .75/6.3	(800)356-8000
260-02063	2WNO, LN, SS, OR, FxF ,1.00/10.00	(800)356-8000
260-02064	3WMX, LN, BZ, OR, FxF ,0.5/0.4	(800)356-8000
260-02065	3WMX, LN, BZ, OR, FxF ,0.5/1.63	(800)356-8000
260-02066	3WMX, LN, BZ, OR, FxF ,0.5/1.00	(800)356-8000
260-02067	3WMX, LN, BZ, OR, FxF ,0.5/1.6	(800)356-8000
260-02068	3WMX, LN, BZ, OR, FxF ,0.5/2.5	(800)356-8000
260-02069	3WMX, LN, BZ, OR, FxF ,0.5/4.00	(800)356-8000
260-02070	3WMX, LN, BZ, OR, FxF ,.75/6.30	(800)356-8000
260-02071	3WMX, LN, BZ, OR, FxF ,1.00/10.00	(800)356-8000
260-02072	3WMX, LN, SS, OR, FxF ,0.5/0.4	(800)356-8000
260-02073	3WMX, LN, SS, OR, FxF ,0.5/0.63	(800)356-8000
260-02074	3WMX, LN, SS, OR, FxF ,0.5/1.00	(800)356-8000
260-02075	3WMX, LN, SS, OR, FxF ,0.5/1.6	(800)356-8000
260-02076	3WMX, LN, SS, OR, FxF ,0.5/2.5	(800)356-8000
260-02077	3WMX, LN, SS, OR, FxF ,0.5/4.00	(800)356-8000
260-02078	3WMX, LN, SS, OR, FxF ,.75/6.3	(800)356-8000
260-02079	3WMX, LN, SS, OR, FxF ,1.00/10.00	(800)356-8000
260-02084	2WNO, BR, FxF, 1.25/16	(800)356-8000
260-02085	2WNC, BR, FxF, 1.25/16	(800)356-8000
260-02086	3WMX, BR, FxF, 1.25/16	(800)356-8000
260-02087	2WNO, BR, FxF, 1.50/25	(800)356-8000
261-02000	2WNC, LN, BZ, OR, FxF ,0.5/0.4	(800)356-8000
261-02001	2WNC, LN, BZ, OR, FxUM, 0.5/0.4	(800)356-8000
261-02002	2WNC, LN, BZ, OR, FxF ,0.5/0.63	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
261-02003	2WNC, LN, BZ, OR, FxUM, 0.5/0.63	(800)356-8000
261-02004	2WNC, LN, BZ, OR, FxF ,0.5/1.00	(800)356-8000
261-02005	2WNC, LN, BZ, OR, FxUM, 0.5/1.00	(800)356-8000
261-02006	2WNC, LN, BZ, OR, FxF ,0.5/1.6	(800)356-8000
261-02007	2WNC, LN, BZ, OR, FxUM, 0.5/1.6	(800)356-8000
261-02008	2WNC, LN, BZ, OR, FxF ,0.5/2.5	(800)356-8000
261-02009	2WNC, LN, BZ, OR, FxUM, 0.5/2.5	(800)356-8000
261-02010	2WNC, LN, BZ, OR, FxF ,0.5/4.00	(800)356-8000
261-02011	2WNC, LN, BZ, OR, FxUM, 0.5/4.00	(800)356-8000
261-02012	2WNC, LN, BZ, OR, FxF ,.75/6.3	(800)356-8000
261-02013	2WNC, LN, BZ, OR, FxUM, .75/6.3	(800)356-8000
261-02014	2WNC, LN, BZ, OR, FxF ,1.00/10.00	(800)356-8000
261-02015	2WNC, LN, SS, OR, FxF ,0.5/0.4	(800)356-8000
261-02016	2WNC, LN, SS, OR, FxUM, 0.5/0.4	(800)356-8000
261-02017	2WNC, LN, SS, OR, FxF ,0.5/0.63	(800)356-8000
261-02018	2WNC, LN, SS, OR, FxUM, 0.5/0.63	(800)356-8000
261-02019	2WNC, LN, SS, OR, FxF ,0.5/1.00	(800)356-8000
261-02020	2WNC, LN, SS, OR, FxUM, 0.5/1.00	(800)356-8000
261-02021	2WNC, LN, SS, OR, FxF ,0.5/1.6	(800)356-8000
261-02022	2WNC, LN, SS, OR, FxUM, 0.5/1.6	(800)356-8000
261-02023	2WNC, LN, SS, OR, FxF ,0.5/2.5	(800)356-8000
261-02024	2WNC, LN, SS, OR, FxUM, 0.5/2.5	(800)356-8000
261-02025	2WNC, LN, SS, OR, FxF ,0.5/4.00	(800)356-8000
261-02026	2WNC, LN, SS, OR, FxUM, 0.5/4.00	(800)356-8000
261-02027	2WNC, LN, SS, OR, FxF ,.75/6.3	(800)356-8000
261-02028	2WNC, LN, SS, OR, FxUM, .75/6.3	(800)356-8000
261-02029	2WNC, LN, SS, OR, FxF ,1.00/10.00	(800)356-8000
261-02030	2WNO, LN, BZ, OR, FxF ,0.5/0.4	(800)356-8000
261-02031	2WNO, LN, BZ, OR, FxUM, 0.5/0.4	(800)356-8000
261-02032	2WNO, LN, BZ, OR, FxF ,0.5/0.63	(800)356-8000
261-02033	2WNO, LN, BZ, OR, FxUM, 0.5/0.63	(800)356-8000
261-02034	2WNO, LN, BZ, OR, FxF ,0.5/1.00	(800)356-8000
261-02035	2WNO, LN, BZ, OR, FxUM, 0.5/1.00	(800)356-8000
261-02036	2WNO, LN, BZ, OR, FxF ,0.5/1.6	(800)356-8000
261-02037	2WNO, LN, BZ, OR, FxUM, 0.5/1.6	(800)356-8000
261-02038	2WNO, LN, BZ, OR, FxF ,0.5/2.5	(800)356-8000
261-02039	2WNO, LN, BZ, OR, FxUM, 0.5/2.5	(800)356-8000
261-02040	2WNO, LN, BZ, OR, AFxUM, 0.5/2.5	(800)356-8000
261-02041	2WNO, LN, BZ, OR, FxF ,0.5/4.00	(800)356-8000
261-02042	2WNO, LN, BZ, OR, FxUM, 0.5/4.00	(800)356-8000
261-02043	2WNO, LN, BZ, OR, AFxUM, 0.5/4.00	(800)356-8000
261-02044	2WNO, LN, BZ, OR, FxF ,.75/6.3	(800)356-8000
261-02045	2WNO, LN, BZ, OR, FxUM, .75/6.3	(800)356-8000
261-02046	2WNO, LN, BZ, OR, FxF ,1.00/10.00	(800)356-8000
261-02047	2WNO, LN, SS, OR, FxF ,0.5/0.4	(800)356-8000
261-02048	2WNO, LN, SS, OR, FxUM, 0.5/0.4	(800)356-8000
261-02049	2WNO, LN, SS, OR, FxF ,0.5/0.63	(800)356-8000
261-02050	2WNO, LN, SS, OR, FxUM, 0.5/0.63	(800)356-8000
261-02051	2WNO, LN, SS, OR, FxF ,0.5/1.00	(800)356-8000
261-02052	2WNO, LN, SS, OR, FxUM, 0.5/1.00	(800)356-8000
261-02053	2WNO, LN, SS, OR, FxF ,0.5/1.6	(800)356-8000
261-02054	2WNO, LN, SS, OR, FxUM, 0.5/1.6	(800)356-8000
261-02055	2WNO, LN, SS, OR, FxF ,0.5/2.5	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
261-02056	2WNO, LN, SS, OR, FxUM, 0.5/2.5	(800)356-8000
261-02057	2WNO, LN, SS, OR, AFxUM, 0.5/2.5	(800)356-8000
261-02058	2WNO, LN, SS, OR, FxF ,0.5/4.00	(800)356-8000
261-02059	2WNO, LN, SS, OR, FxUM, 0.5/4.00	(800)356-8000
261-02060	2WNO, LN, SS, OR, AFxUM, 0.5/4.00	(800)356-8000
261-02061	2WNO, LN, SS, OR, FxF ,.75/6.3	(800)356-8000
261-02062	2WNO, LN, SS, OR, FxUM, .75/6.3	(800)356-8000
261-02063	2WNO, LN, SS, OR, FxF ,1.00/10.00	(800)356-8000
261-02064	3WMX, LN, BZ, OR, FxF ,0.5/0.4	(800)356-8000
261-02065	3WMX, LN, BZ, OR, FxF ,0.5/0.63	(800)356-8000
261-02066	3WMX, LN, BZ, OR, FxF ,0.5/1.00	(800)356-8000
261-02067	3WMX, LN, BZ, OR, FxF ,0.5/1.6	(800)356-8000
261-02068	3WMX, LN, BZ, OR, FxF ,0.5/2.5	(800)356-8000
261-02069	3WMX, LN, BZ, OR, FxF ,0.5/4.00	(800)356-8000
261-02070	3WMX, LN, BZ, OR, FxF ,.75/6.3	(800)356-8000
261-02071	3WMX, LN, BZ, OR, FxF ,1.00/10.00	(800)356-8000
261-02072	3WMX, LN, SS, OR, FxF ,0.5/0.4	(800)356-8000
261-02073	3WMX, LN, SS, OR, FxF ,0.5/0.63	(800)356-8000
261-02074	3WMX, LN, SS, OR, FxF ,0.5/1.00	(800)356-8000
261-02075	3WMX, LN, SS, OR, FxF ,0.5/1.6	(800)356-8000
261-02076	3WMX, LN, SS, OR, FxF ,0.5/2.5	(800)356-8000
261-02077	3WMX, LN, SS, OR, FxF ,0.5/4.00	(800)356-8000
261-02078	3WMX, LN, SS, OR, FxF ,.75/6.3	(800)356-8000
261-02079	3WMX, LN, SS, OR, FxF ,1.00/10.00	(800)356-8000
261-02084	2WNO, BR, FxF, 1.25/16	(800)356-8000
261-02085	2WNC, BR, FxF, 1.25/16	(800)356-8000
261-02086	3WMX, BR, FxF, 1.25/16	(800)356-8000
261-02087	2WNO, BR, FxF, 1.50/25	(800)356-8000
262-02000	2WNC, LN, BZ, OR, FxF ,0.5/0.4	(800)356-8000
262-02001	2WNC, LN, BZ, OR, FxUM, 0.5/0.4	(800)356-8000
262-02002	2WNC, LN, BZ, OR, FxF ,0.5/0.63	(800)356-8000
262-02003	2WNC, LN, BZ, OR, FxUM, 0.5/0.63	(800)356-8000
262-02004	2WNC, LN, BZ, OR, FxF ,0.5/1.00	(800)356-8000
262-02005	2WNC, LN, BZ, OR, FxUM, 0.5/1.00	(800)356-8000
262-02006	2WNC, LN, BZ, OR, FxF ,0.5/1.6	(800)356-8000
262-02007	2WNC, LN, BZ, OR, FxUM, 0.5/1.6	(800)356-8000
262-02008	2WNC, LN, BZ, OR, FxF ,0.5/2.5	(800)356-8000
262-02009	2WNC, LN, BZ, OR, FxUM, 0.5/2.5	(800)356-8000
262-02010	2WNC, LN, BZ, OR, FxF ,0.5/4.00	(800)356-8000
262-02011	2WNC, LN, BZ, OR, FxUM, 0.5/4.00	(800)356-8000
262-02012	2WNC, LN, BZ, OR, FxF ,.75/6.3	(800)356-8000
262-02013	2WNC, LN, BZ, OR, FxUM, .75/6.3	(800)356-8000
262-02014	2WNC, LN, BZ, OR, FxF ,1.00/10.00	(800)356-8000
262-02015	2WNC, LN, SS, OR, FxF ,0.5/0.4	(800)356-8000
262-02016	2WNC, LN, SS, OR, FxUM, 0.5/0.4	(800)356-8000
262-02017	2WNC, LN, SS, OR, FxF ,0.5/0.63	(800)356-8000
262-02018	2WNC, LN, SS, OR, FxUM, 0.5/0.63	(800)356-8000
262-02019	2WNC, LN, SS, OR, FxF ,0.5/1.00	(800)356-8000
262-02020	2WNC, LN, SS, OR, FxUM, 0.5/1.00	(800)356-8000
262-02021	2WNC, LN, SS, OR, FxF ,0.5/1.6	(800)356-8000
262-02022	2WNC, LN, SS, OR, FxUM, 0.5/1.6	(800)356-8000
262-02023	2WNC, LN, SS, OR, FxF ,0.5/2.5	(800)356-8000
262-02024	2WNC, LN, SS, OR, FxUM, 0.5/2.5	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
262-02025	2WNC, LN, SS, OR, FxF ,0.5/4.00	(800)356-8000
262-02026	2WNC, LN, SS, OR, FxUM, 0.5/4.00	(800)356-8000
262-02027	2WNC, LN, SS, OR, FxF ,.75/6.3	(800)356-8000
262-02028	2WNC, LN, SS, OR, FxUM, .75/6.3	(800)356-8000
262-02029	2WNC, LN, SS, OR, FxF ,1.00/10.00	(800)356-8000
262-02030	2WNO, LN, BZ, OR, FxF ,0.5/0.4	(800)356-8000
262-02031	2WNO, LN, BZ, OR, FxUM, 0.5/0.4	(800)356-8000
262-02032	2WNO, LN, BZ, OR, FxF ,0.5/0.63	(800)356-8000
262-02033	2WNO, LN, BZ, OR, FxUM, 0.5/0.63	(800)356-8000
262-02034	2WNO, LN, BZ, OR, FxF ,0.5/1.00	(800)356-8000
262-02035	2WNO, LN, BZ, OR, FxUM, 0.5/1.00	(800)356-8000
262-02036	2WNO, LN, BZ, OR, FxF ,0.5/1.6	(800)356-8000
262-02037	2WNO, LN, BZ, OR, FxUM, 0.5/1.6	(800)356-8000
262-02038	2WNO, LN, BZ, OR, FxF ,0.5/2.5	(800)356-8000
262-02039	2WNO, LN, BZ, OR, FxUM, 0.5/2.5	(800)356-8000
262-02040	2WNO, LN, BZ, OR, AFxUM, 0.5/2.5	(800)356-8000
262-02041	2WNO, LN, BZ, OR, FxF ,0.5/4.00	(800)356-8000
262-02042	2WNO, LN, BZ, OR, FxUM, 0.5/4.00	(800)356-8000
262-02043	2WNO, LN, BZ, OR, AFxUM, 0.5/4.00	(800)356-8000
262-02044	2WNO, LN, BZ, OR, FxF ,.75/6.3	(800)356-8000
262-02045	2WNO, LN, BZ, OR, FxUM, .75/6.3	(800)356-8000
262-02046	2WNO, LN, BZ, OR, FxF ,1.00/10.00	(800)356-8000
262-02047	2WNO, LN, SS, OR, FxF ,0.5/0.4	(800)356-8000
262-02048	2WNO, LN, SS, OR, FxUM, 0.5/0.4	(800)356-8000
262-02049	2WNO, LN, SS, OR, FxF ,0.5/0.63	(800)356-8000
262-02050	2WNO, LN, SS, OR, FxUM, 0.5/0.63	(800)356-8000
262-02051	2WNO, LN, SS, OR, FxF ,0.5/1.00	(800)356-8000
262-02052	2WNO, LN, SS, OR, FxUM, 0.5/1.00	(800)356-8000
262-02053	2WNO, LN, SS, OR, FxF ,0.5/1.6	(800)356-8000
262-02054	2WNO, LN, SS, OR, FxUM, 0.5/1.6	(800)356-8000
262-02055	2WNO, LN, SS, OR, FxF ,0.5/2.5	(800)356-8000
262-02056	2WNO, LN, SS, OR, FxUM, 0.5/2.5	(800)356-8000
262-02057	2WNO, LN, SS, OR, AFxUM, 0.5/2.5	(800)356-8000
262-02058	2WNO, LN, SS, OR, FxF ,0.5/4.00	(800)356-8000
262-02059	2WNO, LN, SS, OR, FxUM, 0.5/4.00	(800)356-8000
262-02060	2WNO, LN, SS, OR, AFxUM, 0.5/4.00	(800)356-8000
262-02061	2WNO, LN, SS, OR, FxF ,.75/6.3	(800)356-8000
262-02062	2WNO, LN, SS, OR, FxUM, .75/6.3	(800)356-8000
262-02063	2WNO, LN, SS, OR, FxF ,1.00/10.00	(800)356-8000
262-02064	3WMX, LN, BZ, OR, FxF ,0.5/0.4	(800)356-8000
262-02065	3WMX, LN, BZ, OR, FxF ,0.5/0.63	(800)356-8000
262-02066	3WMX, LN, BZ, OR, FxF ,0.5/1.00	(800)356-8000
262-02067	3WMX, LN, BZ, OR, FxF ,0.5/1.6	(800)356-8000
262-02068	3WMX, LN, BZ, OR, FxF ,0.5/2.5	(800)356-8000
262-02069	3WMX, LN, BZ, OR, FxF ,0.5/4.00	(800)356-8000
262-02070	3WMX, LN, BZ, OR, FxF ,.75/6.3	(800)356-8000
262-02071	3WMX, LN, BZ, OR, FxF ,1.00/10.00	(800)356-8000
262-02072	3WMX, LN, SS, OR, FxF ,0.5/0.4	(800)356-8000
262-02073	3WMX, LN, SS, OR, FxF ,0.5/0.63	(800)356-8000
262-02074	3WMX, LN, SS, OR, FxF ,0.5/1.00	(800)356-8000
262-02075	3WMX, LN, SS, OR, FxF ,0.5/1.6	(800)356-8000
262-02076	3WMX, LN, SS, OR, FxF ,0.5/2.5	(800)356-8000
262-02077	3WMX, LN, SS, OR, FxF ,0.5/4.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
262-02078	3WMX, LN, SS, OR, FxF, .75/6.3	(800)356-8000
262-02079	3WMX, LN, SS, OR, FxF, 1.00/10.00	(800)356-8000
262-02084	2WNO, BR, FxF, 1.25/16	(800)356-8000
262-02085	2WNC, BR, FxF, 1.25/16	(800)356-8000
262-02086	3WMX, BR, FxF, 1.25/16	(800)356-8000
262-02087	2WNO, BR, FxF, 1.50/25	(800)356-8000
264-02000	2WNC LN, BZ, OR, FxF, 0.5/0.4	(800)356-8000
264-02001	2WNC, LN, BZ, OR, FxUM, 0.5/0.4	(800)356-8000
264-02002	2WNC LN, BZ, OR, FxF, 0.5/0.63	(800)356-8000
264-02003	2WNC, LN, BZ, OR, FxUM, 0.5/0.63	(800)356-8000
264-02004	2WNC LN, BZ, OR, FxF, 0.5/1.00	(800)356-8000
264-02005	2WNC, LN, BZ, OR, FxUM, 0.5/1.00	(800)356-8000
264-02006	2WNC LN, BZ, OR, FxF, 0.5/1.6	(800)356-8000
264-02007	2WNC, LN, BZ, OR, FxUM, 0.5/1.6	(800)356-8000
264-02008	2WNC LN, BZ, OR, FxF, 0.5/2.5	(800)356-8000
264-02009	2WNC, LN, BZ, OR, FxUM, 0.5/2.5	(800)356-8000
264-02010	2WNC, LN, BZ, OR, FxF, 0.5/4.00	(800)356-8000
264-02011	2WNC, LN, BZ, OR, FxUM, 0.5/4.00	(800)356-8000
264-02012	2WNC, LN, BZ, OR, FxF, .75/6.3	(800)356-8000
264-02013	2WNC, LN, BZ, OR, FxUM, .75/6.3	(800)356-8000
264-02014	2WNC, LN, BZ, OR, FxF, 1.00/10.00	(800)356-8000
264-02015	2WNC, LN, SS, OR, FxF, 0.5/0.4	(800)356-8000
264-02016	2WNC, LN, SS, OR, FxUM, 0.5/0.4	(800)356-8000
264-02017	2WNC, LN, SS, OR, FxF, 0.5/0.63	(800)356-8000
264-02018	2WNC, LN, SS, OR, FxUM, 0.5/0.63	(800)356-8000
264-02019	2WNC, LN, SS, OR, FxF, 0.5/1.00	(800)356-8000
264-02020	2WNC, LN, SS, OR, FxUM, 0.5/1.00	(800)356-8000
264-02021	2WNC, LN, SS, OR, FxF, 0.5/1.6	(800)356-8000
264-02022	2WNC, LN, SS, OR, FxUM, 0.5/1.6	(800)356-8000
264-02023	2WNC, LN, SS, OR, FxF, 0.5/2.5	(800)356-8000
264-02024	2WNC, LN, SS, OR, FxUM, 0.5/2.5	(800)356-8000
264-02025	2WNC, LN, SS, OR, FxF, 0.5/4.00	(800)356-8000
264-02026	2WNC, LN, SS, OR, FxUM, 0.5/4.00	(800)356-8000
264-02027	2WNC, LN, SS, OR, FxF, .75/6.3	(800)356-8000
264-02028	2WNC, LN, SS, OR, FxUM, .75/6.3	(800)356-8000
264-02029	2WNC, LN, SS, OR, FxF, 1.00/10.00	(800)356-8000
264-02030	2WNO, LN, BZ, OR, FxF, 0.5/0.4	(800)356-8000
264-02031	2WNO, LN, BZ, OR, FxUM, 0.5/0.4	(800)356-8000
264-02032	2WNO, LN, BZ, OR, FxF, 0.5/0.63	(800)356-8000
264-02033	2WNO, LN, BZ, OR, FxUM, 0.5/0.63	(800)356-8000
264-02034	2WNO, LN, BZ, OR, FxF, 0.5/1.00	(800)356-8000
264-02035	2WNO, LN, BZ, OR, FxUM, 0.5/1.00	(800)356-8000
264-02036	2WNO, LN, BZ, OR, FxF, 0.5/1.6	(800)356-8000
264-02037	2WNO, LN, BZ, OR, FxUM, 0.5/1.6	(800)356-8000
264-02038	2WNO, LN, BZ, OR, FxF, 0.5/2.5	(800)356-8000
264-02039	2WNO, LN, BZ, OR, FxUM, 0.5/2.5	(800)356-8000
264-02040	2WNO, LN, BZ, OR, AFxUM, 0.5/2.5	(800)356-8000
264-02041	2WNO, LN, BZ, OR, FxF, 0.5/4.00	(800)356-8000
264-02042	2WNO, LN, BZ, OR, FxUM, 0.5/4.00	(800)356-8000
264-02043	2WNO, LN, BZ, OR, AFxUM, 0.5/4.00	(800)356-8000
264-02044	2WNO, LN, BZ, OR, FxF, .75/6.3	(800)356-8000
264-02045	2WNO, LN, BZ, OR, FxUM, .75/6.3	(800)356-8000
264-02046	2WNO, LN, BZ, OR, FxF, 1.00/10.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
264-02047	2WNO, LN, SS, OR, FxF ,0.5/0.4	(800)356-8000
264-02048	2WNO, LN, SS, OR, FxUM, 0.5/0.4	(800)356-8000
264-02049	2WNO, LN, SS, OR, FxF ,0.5/0.63	(800)356-8000
264-02050	2WNO, LN, SS, OR, FxUM, 0.5/0.63	(800)356-8000
264-02051	2WNO, LN, SS, OR, FxF ,0.5/1.00	(800)356-8000
264-02052	2WNO, LN, SS, OR, FxUM, 0.5/1.00	(800)356-8000
264-02053	2WNO, LN, SS, OR, FxF ,0.5/1.6	(800)356-8000
264-02054	2WNO, LN, SS, OR, FxUM, 0.5/1.6	(800)356-8000
264-02055	2WNO, LN, SS, OR, FxF ,0.5/2.5	(800)356-8000
264-02056	2WNO, LN, SS, OR, FxUM, 0.5/2.5	(800)356-8000
264-02057	2WNO, LN, SS, OR, AFxUM, 0.5/2.5	(800)356-8000
264-02058	2WNO, LN, SS, OR, FxF ,0.5/4.00	(800)356-8000
264-02059	2WNO, LN, SS, OR, FxUM, 0.5/4.00	(800)356-8000
264-02060	2WNO, LN, SS, OR, AFxUM, 0.5/4.00	(800)356-8000
264-02061	2WNO, LN, SS, OR, FxF ,.75/6.3	(800)356-8000
264-02062	2WNO, LN, SS, OR, FxUM, .75/6.3	(800)356-8000
264-02063	2WNO, LN, SS, OR, FxF ,1.00/10.00	(800)356-8000
264-02064	3WMX, LN, BZ, OR, FxF ,0.5/0.4	(800)356-8000
264-02065	3WMX, LN, BZ, OR, FxF ,0.5/0.63	(800)356-8000
264-02066	3WMX, LN, BZ, OR, FxF ,0.5/1.00	(800)356-8000
264-02067	3WMX, LN, BZ, OR, FxF ,0.5/1.6	(800)356-8000
264-02068	3WMX, LN, BZ, OR, FxF ,0.5/2.5	(800)356-8000
264-02069	3WMX, LN, BZ, OR, FxF ,0.5/4.00	(800)356-8000
264-02070	3WMX, LN, BZ, OR, FxF ,.75/6.3	(800)356-8000
264-02071	3WMX, LN, BZ, OR, FxF ,1.00/10.00	(800)356-8000
264-02072	3WMX, LN, SS, OR, FxF ,0.5/0.4	(800)356-8000
264-02073	3WMX, LN, SS, OR, FxF ,0.5/0.63	(800)356-8000
264-02074	3WMX, LN, SS, OR, FxF ,0.5/1.00	(800)356-8000
264-02075	3WMX, LN, SS, OR, FxF ,0.5/1.6	(800)356-8000
264-02076	3WMX, LN, SS, OR, FxF ,0.5/2.5	(800)356-8000
264-02077	3WMX, LN, SS, OR, FxF ,0.5/4.00	(800)356-8000
264-02078	3WMX, LN, SS, OR, FxF ,.75/6.3	(800)356-8000
264-02079	3WMX, LN, SS, OR, FxF ,1.00/10.00	(800)356-8000
264-02084	2WNO, BR, FxF, 1.25/16	(800)356-8000
264-02085	2WNC, BR, FxF, 1.25/16	(800)356-8000
264-02086	3WMX, BR, FxF, 1.25/16	(800)356-8000
264-02087	2WNO, BR, FxF, 1.50/25	(800)356-8000
264-02088	2WNC, BR, FxF, 1.50/25	(800)356-8000
264-02089	3WAY, BR, FxF, 1.50/25	(800)356-8000
265-02000	2WNC LN, BZ, OR, FxF, 0.5/0.4	(800)356-8000
265-02001	2WNC, LN, BZ, OR, FxUM, 0.5/0.4	(800)356-8000
265-02002	2WNC LN, BZ, OR, FxF, 0.5/0.63	(800)356-8000
265-02003	2WNC, LN, BZ, OR, FxUM, 0.5/0.63	(800)356-8000
265-02004	2WNC LN, BZ, OR, FxF, 0.5/1.00	(800)356-8000
265-02005	2WNC, LN, BZ, OR, FxUM, 0.5/1.00	(800)356-8000
265-02006	2WNC LN, BZ, OR, FxF, 0.5/1.6	(800)356-8000
265-02007	2WNC, LN, BZ, OR, FxUM, 0.5/1.6	(800)356-8000
265-02008	2WNC LN, BZ, OR, FxF, 0.5/2.5	(800)356-8000
265-02009	2WNC, LN, BZ, OR, FxUM, 0.5/2.5	(800)356-8000
265-02010	2WNC, LN, BZ, OR, FxF ,0.5/4.00	(800)356-8000
265-02011	2WNC, LN, BZ, OR, FxUM, 0.5/4.00	(800)356-8000
265-02012	2WNC, LN, BZ, OR, FxF ,.75/6.3	(800)356-8000
265-02013	2WNC, LN, BZ, OR, FxUM, .75/6.3	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
265-02014	2WNC, LN, BZ, OR, FxF , 1.00/10.00	(800)356-8000
265-02015	2WNC, LN, SS, OR, FxF , 0.5/0.4	(800)356-8000
265-02016	2WNC, LN, SS, OR, FxUM, 0.5/0.4	(800)356-8000
265-02017	2WNC, LN, SS, OR, FxF , 0.5/0.63	(800)356-8000
265-02018	2WNC, LN, SS, OR, FxUM, 0.5/0.63	(800)356-8000
265-02019	2WNC, LN, SS, OR, FxF , 0.5/1.00	(800)356-8000
265-02020	2WNC, LN, SS, OR, FxUM, 0.5/1.00	(800)356-8000
265-02021	2WNC, LN, SS, OR, FxF , 0.5/1.6	(800)356-8000
265-02022	2WNC, LN, SS, OR, FxUM, 0.5/1.6	(800)356-8000
265-02023	2WNC, LN, SS, OR, FxF , 0.5/2.5	(800)356-8000
265-02024	2WNC, LN, SS, OR, FxUM, 0.5/2.5	(800)356-8000
265-02025	2WNC, LN, SS, OR, FxF , 0.5/4.00	(800)356-8000
265-02026	2WNC, LN, SS, OR, FxUM, 0.5/4.00	(800)356-8000
265-02027	2WNC, LN, SS, OR, FxF , .75/6.3	(800)356-8000
265-02028	2WNC, LN, SS, OR, FxUM, .75/6.3	(800)356-8000
265-02029	2WNC, LN, SS, OR, FxF , 1.00/10.00	(800)356-8000
265-02030	2WNO, LN, BZ, OR, FxF , 0.5/0.4	(800)356-8000
265-02031	2WNO, LN, BZ, OR, FxUM, 0.5/0.4	(800)356-8000
265-02032	2WNO, LN, BZ, OR, FxF , 0.5/0.63	(800)356-8000
265-02033	2WNO, LN, BZ, OR, FxUM, 0.5/0.63	(800)356-8000
265-02034	2WNO, LN, BZ, OR, FxF , 0.5/1.00	(800)356-8000
265-02035	2WNO, LN, BZ, OR, FxUM, 0.5/1.00	(800)356-8000
265-02036	2WNO, LN, BZ, OR, FxF , 0.5/1.6	(800)356-8000
265-02037	2WNO, LN, BZ, OR, FxUM, 0.5/1.6	(800)356-8000
265-02038	2WNO, LN, BZ, OR, FxF , 0.5/2.5	(800)356-8000
265-02039	2WNO, LN, BZ, OR, FxUM, 0.5/2.5	(800)356-8000
265-02040	2WNO, LN, BZ, OR, AFxUM, 0.5/2.5	(800)356-8000
265-02041	2WNO, LN, BZ, OR, FxF , 0.5/4.00	(800)356-8000
265-02042	2WNO, LN, BZ, OR, FxUM, 0.5/4.00	(800)356-8000
265-02043	2WNO, LN, BZ, OR, AFxUM, 0.5/4.00	(800)356-8000
265-02044	2WNO, LN, BZ, OR, FxF , .75/6.3	(800)356-8000
265-02045	2WNO, LN, BZ, OR, FxUM, .75/6.3	(800)356-8000
265-02046	2WNO, LN, BZ, OR, FxF , 1.00/10.00	(800)356-8000
265-02047	2WNO, LN, SS, OR, FxF , 0.5/0.4	(800)356-8000
265-02048	2WNO, LN, SS, OR, FxUM, 0.5/0.4	(800)356-8000
265-02049	2WNO, LN, SS, OR, FxF , 0.5/0.63	(800)356-8000
265-02050	2WNO, LN, SS, OR, FxUM, 0.5/0.63	(800)356-8000
265-02051	2WNO, LN, SS, OR, FxF , 0.5/1.00	(800)356-8000
265-02052	2WNO, LN, SS, OR, FxUM, 0.5/1.00	(800)356-8000
265-02053	2WNO, LN, SS, OR, FxF , 0.5/1.6	(800)356-8000
265-02054	2WNO, LN, SS, OR, FxUM, 0.5/1.6	(800)356-8000
265-02055	2WNO, LN, SS, OR, FxF , 0.5/2.5	(800)356-8000
265-02056	2WNO, LN, SS, OR, FxUM, 0.5/2.5	(800)356-8000
265-02057	2WNO, LN, SS, OR, AFxUM, 0.5/2.5	(800)356-8000
265-02058	2WNO, LN, SS, OR, FxF , 0.5/4.00	(800)356-8000
265-02059	2WNO, LN, SS, OR, FxUM, 0.5/4.00	(800)356-8000
265-02060	2WNO, LN, SS, OR, AFxUM, 0.5/4.00	(800)356-8000
265-02061	2WNO, LN, SS, OR, FxF , .75/6.3	(800)356-8000
265-02062	2WNO, LN, SS, OR, FxUM, .75/6.3	(800)356-8000
265-02063	2WNO, LN, SS, OR, FxF , 1.00/10.00	(800)356-8000
265-02064	3WMX, LN, BZ, OR, FxF , 0.5/0.4	(800)356-8000
265-02065	3WMX, LN, BZ, OR, FxF , 0.5/0.63	(800)356-8000
265-02066	3WMX, LN, BZ, OR, FxF , 0.5/1.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
265-02067	3WMX,LN,BZ,OR, FxF ,0.5/1.6	(800)356-8000
265-02068	3WMX,LN,BZ,OR, FxF ,0.5/2.5	(800)356-8000
265-02069	3WMX,LN,BZ,OR, FxF ,0.5/4.00	(800)356-8000
265-02070	3WMX,LN,BZ,OR, FxF ,.75/6.3	(800)356-8000
265-02071	3WMX,LN,BZ,OR, FxF ,1.00/10.00	(800)356-8000
265-02072	3WMX,LN,SS,OR, FxF ,0.5/0.4	(800)356-8000
265-02073	3WMX,LN,SS,OR, FxF ,0.5/0.63	(800)356-8000
265-02074	3WMX,LN,SS,OR, FxF ,0.5/1.00	(800)356-8000
265-02075	3WMX,LN,SS,OR, FxF ,0.5/1.6	(800)356-8000
265-02076	3WMX,LN,SS,OR, FxF ,0.5/2.5	(800)356-8000
265-02077	3WMX,LN,SS,OR, FxF ,0.5/4.00	(800)356-8000
265-02078	3WMX,LN,SS,OR, FxF ,.75/6.3	(800)356-8000
265-02079	3WMX,LN,SS,OR, FxF ,1.00/10.00	(800)356-8000
265-02084	2WNO,BR,FxF,1.25/16	(800)356-8000
265-02085	2WNC,BR,FxF,1.25/16	(800)356-8000
265-02086	3WMX,BR,FxF,1.25/16	(800)356-8000
265-02087	2WNO,BR,FxF,1.50/25	(800)356-8000
265-02088	2WNC,BR,FxF,1.50/25	(800)356-8000
265-02089	3WAY,BR,FxF,1.50/25	(800)356-8000
265-060	EP RPLMT COIL KIT,24VAC	(800)356-8000
265-061	EP RPLMT COIL KIT,120VAC	(800)356-8000
265-062	EP RPL.COIL 208V(PACK OF 3)	(800)356-8000
265-063	EP RPLMT COIL KIT,240VAC	(800)356-8000
265-064	EP RPLMT COIL KIT,277VAC	(800)356-8000
265-065	EP RPLMT COIL KIT,480VAC	(800)356-8000
265-1001	EP265 3W AIR VLV 24VAC, 60HZ	(800)356-8000
265-1002	EP265 3W AIR VLV 120VAC, 60HZ	(800)356-8000
265-1003	EP265 3W AIR VLV 208VAC, 60HZ	(800)356-8000
265-1004	EP265 3W AIR VLV 240VAC, 60HZ	(800)356-8000
265-1005	EP265 3W AIR VLV 277VAC, 60HZ	(800)356-8000
265-1006	EP265 3W AIR VLV 480VAC, 60HZ	(800)356-8000
265-1007	EP265 3W AIR VLV 24VAC, OPEN	(800)356-8000
265-1008	EP265 3W AIR VLV 120VAC, OPEN	(800)356-8000
266-02000	2WNC,LN,BR,OR,FxF ,0.5/0.4	(800)356-8000
266-02001	2WNC,LN,BR,OR,FxUM,0.5/0.4	(800)356-8000
266-02002	2WNC,LN,BR,OR,FxF ,0.5/0.63	(800)356-8000
266-02003	2WNC,LN,BR,OR,FxUM,0.5/0.63	(800)356-8000
266-02004	2WNC,LN,BR,OR,FxF ,0.5/1.00	(800)356-8000
266-02005	2WNC,LN,BR,OR,FxUM,0.5/1.00	(800)356-8000
266-02006	2WNC,LN,BR,OR,FxF ,0.5/1.6	(800)356-8000
266-02007	2WNC,LN,BR,OR,FxUM,0.5/1.6	(800)356-8000
266-02008	2WNC,LN,BR,OR,FxF ,0.5/2.5	(800)356-8000
266-02009	2WNC,LN,BR,OR,FxUM,0.5/2.5	(800)356-8000
266-02010	2WNC,LN,BR,OR,FxF ,0.5/4.00	(800)356-8000
266-02011	2WNC LN BR,OR,FxUM,0.5/4.00	(800)356-8000
266-02012	2WNC,LN,BR,OR,FxF ,0.75/6.3	(800)356-8000
266-02013	2WNC,LN,BR,OR,FxUM,0.75/6.3	(800)356-8000
266-02014	2WNC,LN,BR,OR,FxF,1/10.0	(800)356-8000
266-02015	2WNC,LN,SS,OR,FxF ,0.5/0.4	(800)356-8000
266-02016	2WNC,LN,SS,OR,FxUM,0.5/0.4	(800)356-8000
266-02017	2WNC,LN,SS,OR,FxF ,0.5/0.63	(800)356-8000
266-02018	2WNC,LN,SS,OR,FxUM,0.5/0.63	(800)356-8000
266-02019	2WNC,LN,SS,OR,FxF ,0.5/1.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
266-02020	2WNC, LN, SS, OR, FxUM, 0.5/1.00	(800)356-8000
266-02021	2WNC, LN, SS, OR, FxF , 0.5/1.6	(800)356-8000
266-02022	2WNC, LN, SS, OR, FxUM, 0.5/1.6	(800)356-8000
266-02023	2WNC, LN, SS, OR, FxF , 0.5/2.5	(800)356-8000
266-02024	2WNC, LN, SS, OR, FxUF, 0.5/2.5	(800)356-8000
266-02025	2WNC, LN, SS, OR, FxF , 0.5/4.0	(800)356-8000
266-02026	2WNC, LN, SS, OR, FxUF, 0.5/4.0	(800)356-8000
266-02027	2WNC, LN, SS, OR, FxF , 0.75/6.3	(800)356-8000
266-02028	2WNC, LN, SS, OR, FxUM, 0.75/6.3	(800)356-8000
266-02029	2WNC, LN, SS, OR, FxF, 1/10.0	(800)356-8000
266-02030	2WNO, LN, BR, OR, FxF , 0.5/0.4	(800)356-8000
266-02031	2WNO, LN, BR, OR, FxUF, 0.5/0.4	(800)356-8000
266-02032	2WNO, LN, BR, OR, FxF , 0.5/0.63	(800)356-8000
266-02033	2WNO, LN, BR, OR, FxUM, 0.5/0.63	(800)356-8000
266-02034	2WNO, LN, BR, OR, FxF , 0.5/1.00	(800)356-8000
266-02035	2WNO, LN, BR, OR, FxUM, 0.5/1.00	(800)356-8000
266-02036	2WNO, LN, BR, OR, FxF , 0.5/1.6	(800)356-8000
266-02037	2WNO, LN, BR, OR, FxUM, 0.5/1.6	(800)356-8000
266-02038	2WNO, LN, BR, OR, FxF , 0.5/2.5	(800)356-8000
266-02039	2WNO, LN, BR, OR, FxUM, 0.5/2.5	(800)356-8000
266-02040	2WNO, LN, BR, OR, AFxUM, .5/2.5	(800)356-8000
266-02041	2WNO, LN, BR, OR, FxF , 0.5/4.0	(800)356-8000
266-02042	2WNO, LN, BR, OR, FxUM, 0.5/4.0	(800)356-8000
266-02043	2WNO, LN, BR, OR, AFxUM, .5/4.0	(800)356-8000
266-02044	2WNO, LN, BR, OR, FxF , 0.75/6.3	(800)356-8000
266-02045	2WNO, LN, BR, OR, FxUM, 0.75/6.3	(800)356-8000
266-02046	2WNO, LN, BR, OR, FxF, 1/10.0	(800)356-8000
266-02047	2WNO, LN, SS, OR, FxF , 0.5/0.4	(800)356-8000
266-02048	2WNO, LN, SS, OR, FxUM, 0.5/0.4	(800)356-8000
266-02049	2WNO, LN, SS, OR, FxF , 0.5/0.63	(800)356-8000
266-02050	2WNO, LN, SS, OR, FxUM, 0.5/0.63	(800)356-8000
266-02051	2WNO, LN, SS, OR, FxF , 0.5/1.00	(800)356-8000
266-02052	2WNO, LN, SS, OR, FxUM, 0.5/1.00	(800)356-8000
266-02053	2WNO, LN, SS, OR, FxF , 0.5/1.6	(800)356-8000
266-02054	2WNO, LN, SS, OR, FxUM, 0.5/1.6	(800)356-8000
266-02055	2WNO, LN, SS, OR, FxF , 0.5/2.5	(800)356-8000
266-02056	2WNO, LN, SS, OR, FxUM, 0.5/2.5	(800)356-8000
266-02057	2WNO, LN, SS, OR, AFxUM, .5/2.5	(800)356-8000
266-02058	2WNO, LN, SS, OR, FxF , 0.5/4.0	(800)356-8000
266-02059	2WNO, LN, SS, OR, FxUM, 0.5/4.0	(800)356-8000
266-02060	2WNO, LN, SS, OR, AFxUM, .5/4.0	(800)356-8000
266-02061	2WNO, LN, SS, OR, FxF , 0.75/6.3	(800)356-8000
266-02062	2WNO, LN, SS, OR, FxUM, 0.75/6.3	(800)356-8000
266-02063	2WNO, LN, SS, OR, FxF, 1/10.0	(800)356-8000
266-02064	3WMX, LN, BR, OR, FxF , 0.5/0.4	(800)356-8000
266-02065	3WMX, LN, BR, OR, FxF , 0.5/0.63	(800)356-8000
266-02066	3WMX, LN, BR, OR, FxF , 0.5/1.00	(800)356-8000
266-02067	3WMX, LN, BR, OR, FxF, 0.5/1.6	(800)356-8000
266-02068	3WMX, LN, BR, OR, FxF, 0.5/2.5	(800)356-8000
266-02069	3WMX, LN, BR, OR, FxF, 0.5/4.0	(800)356-8000
266-02070	3WMX, LN, BR, OR, FxF, .75/6.3	(800)356-8000
266-02071	3WMX, LN, BR, OR, FxF, 1/10.0	(800)356-8000
266-02072	3WMX, LN, SS, OR, FxF, 0.5/0.4	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
266-02073	3WMX, LN, SS, OR, FxF, 0.5/0.63	(800)356-8000
266-02074	3WMX, LN, SS, OR, FxF, 0.5/1.00	(800)356-8000
266-02075	3WMX, LN, SS, OR, FxF, 0.5/1.6	(800)356-8000
266-02076	3WMX, LN, SS, OR, FxF, 0.5/2.5	(800)356-8000
266-02077	3WMX, LN, SS, OR, FxF, 0.5/4.0	(800)356-8000
266-02078	3WMX, LN, SS, OR, FxF, .75/6.3	(800)356-8000
266-02079	3WMX, LN, SS, OR, FxF, 1/10.0	(800)356-8000
266-02084	2WNO, BR, FxF, 1.25/16	(800)356-8000
266-02085	2WNC, BR, FxF, 1.25/16	(800)356-8000
266-02086	3WMX, BR, FxF, 1.25/16	(800)356-8000
266-02087	2WNO, BR, FxF, 1.50/25	(800)356-8000
266-02088	2WNC, BR, FxF, 1.50/25	(800)356-8000
266-02089	2WMX BR, FxF, 1.50/25	(800)356-8000
268-03000	2WNO SS LN OR FXF 0.50/1.00	(800)356-8000
268-03001	2WNO SS LN OR FXF 0.50/1.60	(800)356-8000
268-03002	2WNO SS LN OR FXF 0.50/2.50	(800)356-8000
268-03003	2WNO SS LN OR FXF 0.50/4.00	(800)356-8000
268-03004	2WNO SS LN OR FXF 0.75/6.30	(800)356-8000
268-03005	2WNO SS LN OR FXF 1.00/10.00	(800)356-8000
268-03006	2WNO SS LN OR FXF 1.25/16.00	(800)356-8000
268-03007	2WNO SS LN OR FXF 1.50/25.00	(800)356-8000
268-03008	2WNO SS LN OR FXF 2.00/40.00	(800)356-8000
268-03009	2WNO SS LN OR FXUF 0.50/1.00	(800)356-8000
268-03010	2WNO SS LN OR FXUF 0.50/1.60	(800)356-8000
268-03011	2WNO SS LN OR FXUF 0.50/2.50	(800)356-8000
268-03012	2WNO SS LN OR FXUF 0.50/4.00	(800)356-8000
268-03013	2WNO SS LN OR FXUF 0.75/6.30	(800)356-8000
268-03014	2WNO SS LN OR FXUF 1.00/10.00	(800)356-8000
268-03015	2WNO SS LN OR FXUF 1.25/16.00	(800)356-8000
268-03016	2WNO SS LN OR FXUF 1.50/25.00	(800)356-8000
268-03017	2WNO SS LN OR FXUF 2.00/40.00	(800)356-8000
268-03054	2WNO SS LN VR FXF 0.50/1.00	(800)356-8000
268-03055	2WNO SS LN VR FXF 0.50/1.60	(800)356-8000
268-03056	2WNO SS LN VR FXF 0.50/2.50	(800)356-8000
268-03057	2WNO SS LN VR FXF 0.50/4.00	(800)356-8000
268-03058	2WNO SS LN VR FXF 0.75/6.30	(800)356-8000
268-03059	2WNO SS LN VR FXF 1.00/10.00	(800)356-8000
268-03060	2WNO SS LN VR FXF 1.25/16.00	(800)356-8000
268-03061	2WNO SS LN VR FXF 1.50/25.00	(800)356-8000
268-03062	2WNO SS LN VR FXF 2.00/40.00	(800)356-8000
268-03063	2WNO SS LN VR FXUF 0.50/1.00	(800)356-8000
268-03064	2WNO SS LN VR FXUF 0.50/1.60	(800)356-8000
268-03065	2WNO SS LN VR FXUF 0.50/2.50	(800)356-8000
268-03066	2WNO SS LN VR FXUF 0.50/4.00	(800)356-8000
268-03067	2WNO SS LN VR FXUF 0.75/6.30	(800)356-8000
268-03068	2WNO SS LN VR FXUF 1.00/10.00	(800)356-8000
268-03069	2WNO SS LN VR FXUF 1.25/16.00	(800)356-8000
268-03070	2WNO SS LN VR FXUF 1.50/25.00	(800)356-8000
268-03071	2WNO SS LN VR FXUF 2.00/40.00	(800)356-8000
268-03108	2WNO SS =%, OR FXF 0.50/1.00	(800)356-8000
268-03109	2WNO SS =%, OR FXF 0.50/1.60	(800)356-8000
268-03110	2WNO SS =%, OR FXF 0.50/2.50	(800)356-8000
268-03111	2WNO SS =%, OR FXF 0.50/4.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
268-03112	2WNO SS =%,OR FXF 0.75/6.30	(800)356-8000
268-03113	2WNO SS =%,OR FXF 1.00/10.00	(800)356-8000
268-03114	2WNO SS =%,OR FXF 1.25/16.00	(800)356-8000
268-03115	2WNO SS =%,OR FXF 1.50/25.00	(800)356-8000
268-03116	2WNO SS =%,OR FXF 2.00/40.00	(800)356-8000
268-03117	2WNO SS =%,OR FXUF 0.50/1.00	(800)356-8000
268-03118	2WNO SS =%,OR FXUF 0.50/1.60	(800)356-8000
268-03119	2WNO SS =%,OR FXUF 0.50/2.50	(800)356-8000
268-03120	2WNO SS =%,OR FXUF 0.50/4.00	(800)356-8000
268-03121	2WNO SS =%,OR FXUF 0.75/6.30	(800)356-8000
268-03122	2WNO SS =%,OR FXUF 1.00/10.00	(800)356-8000
268-03123	2WNO SS =%,OR UFXUF 1.25/16.00	(800)356-8000
268-03124	2WNO SS =%,OR UFXUF 1.50/25.00	(800)356-8000
268-03125	2WNO SS =%,OR UFXUF 2.00/40.00	(800)356-8000
268-03144	3WMX SS,=%,OR,FXF, 0.50/1.00	(800)356-8000
268-03145	3WMX SS,=%,OR,FXF, 0.50/1.60	(800)356-8000
268-03146	3WMX SS,=%,OR,FXF, 0.50/2.50	(800)356-8000
268-03147	3WMX SS,=%,OR,FXF, 0.50/4.00	(800)356-8000
268-03148	3WMX SS,=%,OR,FXF, 0.75/6.30	(800)356-8000
268-03149	3WMX SS,=%,OR,FXF, 1.00/10.00	(800)356-8000
268-03150	3WMX SS,=%,OR,FXF, 1.25/16.00	(800)356-8000
268-03151	3WMX SS,=%,OR,FXF, 1.50/25.00	(800)356-8000
268-03152	3WMX SS,=%,OR,FXF, 2.00/40.00	(800)356-8000
268-03153	3WMX SS,=%,OR,UFXUF,0.50/1.00	(800)356-8000
268-03154	3WMX SS,=%,OR,UFXUF,0.50/1.60	(800)356-8000
268-03155	3WMX SS,=%,OR,UFXUF,0.50/2.50	(800)356-8000
268-03156	3WMX SS,=%,OR,UFXUF,0.50/4.00	(800)356-8000
268-03157	3WMX SS,=%,OR,UFXUF,0.75/6.30	(800)356-8000
268-03158	3WMX SS,=%,OR,UFXUF,1.00/10.00	(800)356-8000
268-03159	3WMX SS,=%,OR,UFXUF,1.25/16.00	(800)356-8000
268-03160	3WMX SS,=%,OR,UFXUF,1.50/25.00	(800)356-8000
268-03161	3WMX SS,=%,OR,UFXUF,2.00/40.00	(800)356-8000
268-03162	2WNO BZ =%,OR FXF 0.50/1.00	(800)356-8000
268-03163	2WNO BZ =%,OR FXF 0.50/1.60	(800)356-8000
268-03164	2WNO BZ =%,OR FXF 0.50/2.50	(800)356-8000
268-03165	2WNO BZ =%,OR FXF 0.50/4.00	(800)356-8000
268-03166	2WNO BZ =%,OR FXF 0.75/6.30	(800)356-8000
268-03167	2WNO BZ =%,OR FXF 1.00/10.00	(800)356-8000
268-03168	2WNO BZ =%,OR FXF 1.25/16.00	(800)356-8000
268-03169	2WNO BZ =%,OR FXF 1.50/25.00	(800)356-8000
268-03170	2WNO BZ =%,OR FXF 2.00/40.00	(800)356-8000
268-03171	2WNO BZ =%,OR FXUF 0.50/1.00	(800)356-8000
268-03172	2WNO BZ =%,OR FXUF 0.50/1.60	(800)356-8000
268-03173	2WNO BZ =%,OR FXUF 0.50/2.50	(800)356-8000
268-03174	2WNO BZ =%,OR FXUF 0.50/4.00	(800)356-8000
268-03175	2WNO BZ =%,OR FXUF 0.75/6.30	(800)356-8000
268-03176	2WNO BZ =%,OR FXUF 1.00/10.00	(800)356-8000
268-03177	2WNO BZ =%,OR FXUF 1.25/16.00	(800)356-8000
268-03178	2WNO BZ =%,OR FXUF 1.50/25.00	(800)356-8000
268-03179	2WNO BZ =%,OR FXUF 2.00/40.00	(800)356-8000
268-03198	3WMX BZ,=%,OR,FXF,0.50/1.00	(800)356-8000
268-03199	3WMX BZ,=%,OR,FXF,0.50/1.60	(800)356-8000
268-03200	3WMX BZ,=%,OR,FXF,0.50/2.50	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
268-03201	3WMX BZ,=%,OR,FXF,0.50/4.00	(800)356-8000
268-03202	3WMX BZ,=%,OR,FXF,0.75/6.30	(800)356-8000
268-03203	3WMX BZ,=%,OR,FXF,1.00/10.00	(800)356-8000
268-03204	3WMX BZ,=%,OR,FXF,1.25/16.00	(800)356-8000
268-03205	3WMX BZ,=%,OR,FXF,1.50/25.00	(800)356-8000
268-03206	3WMX BZ,=%,OR,FXF,2.00/40.00	(800)356-8000
268-03207	3WMX BZ,=%,OR,UFXUF,0.50/1.00	(800)356-8000
268-03208	3WMX BZ,=%,OR,UFXUF,0.50/1.60	(800)356-8000
268-03209	3WMX BZ,=%,OR,UFXUF,0.50/2.50	(800)356-8000
268-03210	3WMX BZ,=%,OR,UFXUF,0.50/4.00	(800)356-8000
268-03211	3WMX BZ,=%,OR,UFXUF,0.75/6.30	(800)356-8000
268-03212	3WMX BZ,=%,OR,UFXUF,1.00/10.00	(800)356-8000
268-03213	3WMX BZ,=%,OR,UFXUF,1.25/16.00	(800)356-8000
268-03214	3WMX BZ,=%,OR,UFXUF,1.50/25.00	(800)356-8000
268-03215	3WMX BZ,=%,OR,UFXUF,2.00/40.00	(800)356-8000
268-03216	2WNO SS,LN,OR FXUM 0.50/1.00	(800)356-8000
268-03217	2WNO SS,LN,OR FXUM 0.50/1.60	(800)356-8000
268-03218	2WNO SS,LN,OR FXUM 0.50/2.50	(800)356-8000
268-03219	2WNO SS,LN,OR FXUM 0.50/4.00	(800)356-8000
268-03220	2WNO SS,LN,OR FXUM 0.75/6.30	(800)356-8000
268-03221	2WNO SS,LN,OR FXUM 1.00/10.00	(800)356-8000
268-03234	2WNO SS,LN,VR,FXUM, 0.50/1.60	(800)356-8000
268-03235	2WNO SS,LN,VR,FXUM, 0.50/1.60	(800)356-8000
268-03236	2WNO SS,LN,VR,FXUM, 0.50/2.50	(800)356-8000
268-03237	2WNO SS,LN,VR,FXUM, 0.50/4.00	(800)356-8000
268-03238	2WNO SS,LN,VR,FXUM, 0.75/6.30	(800)356-8000
268-03239	2WNO SS,LN,VR,FXUM, 1.00/10.00	(800)356-8000
268-03252	2WNO SS,=%,OR,FXUM, 0.50/1.00	(800)356-8000
268-03253	2WNO SS,=%,OR,FXUM, 0.50/1.60	(800)356-8000
268-03254	2WNO SS,=%,OR,FXUM, 0.50/2.50	(800)356-8000
268-03255	2WNO SS,=%,OR,FXUM, 0.50/4.00	(800)356-8000
268-03256	2WNO SS,=%,OR,FXUM, 0.75/6.30	(800)356-8000
268-03257	2WNO SS,=%,OR,FXUM, 1.00/10.00	(800)356-8000
268-03270	2WNO BZ,=%,OR,FXUM, 0.50/1.00	(800)356-8000
268-03271	2WNO BZ,=%,OR,FXUM, 0.50/1.60	(800)356-8000
268-03272	2WNO BZ,=%,OR,FXUM, 0.50/2.50	(800)356-8000
268-03273	2WNO BZ,=%,OR,FXUM, 0.50/4.00	(800)356-8000
268-03274	2WNO BZ,=%,OR,FXUM, 0.75/6.30	(800)356-8000
268-03275	2WNO BZ,=%,OR,FXUM, 1.00/10.00	(800)356-8000
268-03276	2WNO BZ,=%,OR,FXUM 1.25/16.00	(800)356-8000
269-03144	3WMX SS,=%,OR, FXF, 0.50/1.00	(800)356-8000
269-03145	3WMX SS,=%,OR, FXF, 0.50/1.60	(800)356-8000
269-03146	3WMX SS,=%,OR, FXF, 0.50/2.50	(800)356-8000
269-03147	3WMX SS,=%,OR, FXF, 0.50/4.00	(800)356-8000
269-03148	3WMX SS,=%,OR, FXF, 0.75/6.30	(800)356-8000
269-03149	3WMX SS,=%,OR, FXF, 1.00/10.00	(800)356-8000
269-03150	3WMX SS,=%,OR, FXF, 1.25/16.00	(800)356-8000
269-03151	3WMX SS,=%,OR, FXF, 1.50/25.00	(800)356-8000
269-03152	3WMX SS,=%,OR, FXF, 2.00/40.00	(800)356-8000
269-03153	3WMX SS,=%,OR,UFXUF 0.50/1.00	(800)356-8000
269-03154	3WMX SS,=%,OR,UFXUF 0.50/1.60	(800)356-8000
269-03155	3WMX SS,=%,OR,UFXUF 0.50/2.50	(800)356-8000
269-03156	3WMX SS,=%,OR,UFXUF 0.50/4.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
269-03157	3WMX SS,=%,OR,UFXUF 0.75/6.30	(800)356-8000
269-03158	3WMX SS,=%,OR,UFXUF 1.00/10.00	(800)356-8000
269-03159	3WMX SS,=%,OR,UFXUF 1.25/16.00	(800)356-8000
269-03160	3WMX SS,=%,OR,UFXUF 1.50/25.00	(800)356-8000
269-03161	3WMX SS,=%,OR,UFXUF 2.00/40.00	(800)356-8000
269-03198	3WMX BZ,=%,OR, FXF 0.50/1.00	(800)356-8000
269-03199	3WMX BZ,=%,OR, FXF 0.50/1.60	(800)356-8000
269-03200	3WMX BZ,=%,OR, FXF 0.50/2.50	(800)356-8000
269-03201	3WMX BZ,=%,OR, FXF 0.50/2.40	(800)356-8000
269-03202	3WMX BZ,=%,OR, FXF 0.75/6.30	(800)356-8000
269-03203	3WMX BZ,=%,OR, FXF 1.00/10.00	(800)356-8000
269-03204	3WMX BZ,=%,OR, FXF 1.25/16.00	(800)356-8000
269-03205	3WMX BZ,=%,OR, FXF 1.50/25.00	(800)356-8000
269-03206	3WMX BZ,=%,OR, FXF, 2.00/40.00	(800)356-8000
269-03207	3WMX BZ,=%,OR,UFXUF,0.50/1.00	(800)356-8000
269-03208	3WMX BZ,=%,OR,UFXUF,0.50/1.60	(800)356-8000
269-03209	3WMX BZ,=%,OR,UFXUF,0.50/2.50	(800)356-8000
269-03210	3WMX BZ,=%,OR,UFXUF,0.50/4.00	(800)356-8000
269-03211	3WMX BZ,=%,OR,UFXUF,0.75/6.30	(800)356-8000
269-03212	3WMX BZ,=%,OR,UFXUF,1.00/10.00	(800)356-8000
269-03213	3WMX BZ,=%,OR,UFXUF,1.25/16.00	(800)356-8000
269-03214	3WMX BZ,=%,OR,UFXUF,1.50/25.00	(800)356-8000
269-03215	3WMX BZ,=%,OR,UFXUF,2.00/40.00	(800)356-8000
269-062	PR269 ACCESSORY, SENSING TUBE	(800)356-8000
269-1066	PR269 PRES CTRL,0-1WG,2.25PSI	(800)356-8000
269-1067	PR269 PRES CTRL,0-3WG,1.0PSI	(800)356-8000
269-1068	PR269 PRES CTRL,0-1WG,1.0PSI	(800)356-8000
269-1069	PR269 CTRL ACC, LIQUID LEVEL	(800)356-8000
269-1200	SW269 STATIC PRES SWITCH	(800)356-8000
270-03018	2WNC SS,LN,OR, FXF, 0.50/1.00	(800)356-8000
270-03019	2WNC SS,LN,OR, FXF, 0.50/1.60	(800)356-8000
270-03020	2WNC SS,LN,OR, FXF, 0.50/2.50	(800)356-8000
270-03021	2WNC SS,LN,OR, FXF, 0.50/4.00	(800)356-8000
270-03022	2WNC SS,LN,OR, FXF, 0.75/6.30	(800)356-8000
270-03023	2WNC SS,LN,OR, FXF, 1.00/10.00	(800)356-8000
270-03024	2WNC SS,LN,OR, FXF, 1.25/16.00	(800)356-8000
270-03025	2WNC SS,LN,OR, FXF, 1.50/25.00	(800)356-8000
270-03026	2WNC SS,LN,OR, FXF, 2.00/40.00	(800)356-8000
270-03027	2WNC SS,LN,OR,FXUF, 0.50/1.00	(800)356-8000
270-03028	2WNC SS,LN,OR,FXUF, 0.50/1.60	(800)356-8000
270-03029	2WNC SS,LN,OR,FXUF, 0.50/2.50	(800)356-8000
270-03030	2WNC SS,LN,OR,FXUF, 0.50/4.00	(800)356-8000
270-03031	2WNC SS,LN,OR,FXUF, 0.75/6.30	(800)356-8000
270-03032	2WNC SS,LN,OR,FXUF, 1.00/10.00	(800)356-8000
270-03033	2WNC SS,LN,OR,FXUF, 1.25/16.00	(800)356-8000
270-03034	2WNC SS,LN,OR,FXUF, 1.50/25.00	(800)356-8000
270-03035	2WNC SS,LN,OR,FXUF, 2.00/40.00	(800)356-8000
270-03072	2WNC SS,LN,VR, FXF, 0.50/1.00	(800)356-8000
270-03073	2WNC SS,LN,VR, FXF, 0.50/1.60	(800)356-8000
270-03074	2WNC SS,LN,VR, FXF, 0.50/2.50	(800)356-8000
270-03075	2WNC SS,LN,VR, FXF, 0.50/4.00	(800)356-8000
270-03076	2WNC SS,LN,VR, FXF, 0.75/6.30	(800)356-8000
270-03077	2WNC SS,LN,VR, FXF, 1.00/10.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
270-03078	2WNC SS, LN, VR, FXF, 1.25/16.00	(800)356-8000
270-03079	2WNC SS, LN, VR, FXF, 1.50/25.00	(800)356-8000
270-03080	2WNC SS, LN, VR, FXF, 2.00/40.00	(800)356-8000
270-03081	2WNC SS, LN, VR, FXUF, 0.50/1.00	(800)356-8000
270-03082	2WNC SS, LN, VR, FXUF, 0.50/1.60	(800)356-8000
270-03083	2WNC SS, LN, VR, FXUF, 0.50/2.50	(800)356-8000
270-03084	2WNC SS, LN, VR, FXUF, 0.50/4.00	(800)356-8000
270-03085	2WNC SS, LN, VR, FXUF, 0.75/6.30	(800)356-8000
270-03086	2WNC SS, LN, VR, FXUF, 1.00/10.00	(800)356-8000
270-03087	2WNC SS, LN, VR, FXUF, 1.25/16.00	(800)356-8000
270-03088	2WNC SS, LN, VR, FXUF, 1.50/25.00	(800)356-8000
270-03089	2WNC SS, LN, VR, FXUF, 2.00/40.00	(800)356-8000
270-03126	2WNC SS, =%, OR, FXF, 0.50/1.00	(800)356-8000
270-03127	2WNC SS, =%, OR, FXF, 0.50/1.60	(800)356-8000
270-03128	2WNC SS, =%, OR, FXF, 0.50/2.50	(800)356-8000
270-03129	2WNC SS, =%, OR, FXF, 0.50/4.00	(800)356-8000
270-03130	2WNC SS, =%, OR, FXF, 0.75/6.30	(800)356-8000
270-03131	2WNC SS, =%, OR, FXF, 1.00/10.00	(800)356-8000
270-03132	2WNC SS, =%, OR, FXF, 1.25/16.00	(800)356-8000
270-03133	2WNC SS, =%, OR, FXF, 1.50/25.00	(800)356-8000
270-03134	2WNC SS, =%, OR, FXF, 2.00/40.00	(800)356-8000
270-03135	2WNC SS, =%, OR, FXUF, 0.50/1.00	(800)356-8000
270-03136	2WNC SS, =%, OR, FXUF, 0.50/1.60	(800)356-8000
270-03137	2WNC SS, =%, OR, FXUF, 0.50/2.50	(800)356-8000
270-03138	2WNC SS, =%, OR, FXUF, 0.50/4.00	(800)356-8000
270-03139	2WNC SS, =%, OR, FXUF, 0.75/6.30	(800)356-8000
270-03140	2WNC SS, =%, OR, FXUF, 1.00/10.00	(800)356-8000
270-03141	2WNC SS, =%, OR, FXUF, 1.25/16.00	(800)356-8000
270-03142	2WNC SS, =%, OR, FXUF, 1.50/25.00	(800)356-8000
270-03143	2WNC SS, =%, OR, FXUF, 2.00/40.00	(800)356-8000
270-03144	3WMX SS, =%, OR, FXF, 0.50/1.00	(800)356-8000
270-03145	3WMX SS, =%, OR, FXF, 0.50/1.60	(800)356-8000
270-03146	3WMX SS, =%, OR, FXF, 0.50/2.50	(800)356-8000
270-03147	3WMX SS, =%, OR, FXF, 0.50/4.00	(800)356-8000
270-03148	3WMX SS, =%, OR, FXF, 0.75/6.30	(800)356-8000
270-03149	3WMX SS, =%, OR, FXF, 1.00/10.00	(800)356-8000
270-03150	3WMX SS, =%, OR, FXF, 1.25/16.00	(800)356-8000
270-03151	3WMX SS, =%, OR, FXF, 1.50/25.00	(800)356-8000
270-03152	3WMX SS, =%, OR, FXF, 2.00/40.00	(800)356-8000
270-03153	3WMX SS, =%, OR, UFXUF, 0.50/1.00	(800)356-8000
270-03154	3WMX SS, =%, OR, UFXUF, 0.50/1.60	(800)356-8000
270-03155	3WMX SS, =%, OR, UFXUF, 0.50/2.50	(800)356-8000
270-03156	3WMX SS, =%, OR, UFXUF, 0.50/4.00	(800)356-8000
270-03157	3WMX SS, =%, OR, UFXUF, 0.75/6.30	(800)356-8000
270-03158	3WMX SS, =%, OR, UFXUF, 1.00/10.00	(800)356-8000
270-03159	3WMX SS, =%, OR, UFXUF, 1.25/16.00	(800)356-8000
270-03160	3WMX SS, =%, OR, UFXUF, 1.50/25.00	(800)356-8000
270-03161	3WMX SS, =%, OR, UFXUF, 2.00/40.00	(800)356-8000
270-03180	2WNC BZ, =%, OR, FXF, 0.50/1.00	(800)356-8000
270-03181	2WNC BZ, =%, OR, FXF, 0.50/1.60	(800)356-8000
270-03182	2WNC BZ, =%, OR, FXF, 0.50/2.50	(800)356-8000
270-03183	2WNC BZ, =%, OR, FXF, 0.50/4.00	(800)356-8000
270-03184	2WNC BZ, =%, OR, FXF, 0.75/6.30	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
270-03185	2WNC BZ,=%,OR,,FXF, 1.00/10.00	(800)356-8000
270-03186	2WNC BZ,=%,OR,,FXF, 1.25/16.00	(800)356-8000
270-03187	2WNC BZ,=%,OR,,FXF, 1.50/25.00	(800)356-8000
270-03188	2WNC BZ,=%,OR,,FXF, 2.00/40.00	(800)356-8000
270-03189	2WNC BZ,=%,OR,FXUF, 0.50/1.00	(800)356-8000
270-03190	2WNC BZ,=%,OR,FXUF, 0.50/1.60	(800)356-8000
270-03191	2WNC BZ,=%,OR,FXUF, 0.50/2.50	(800)356-8000
270-03192	2WNC BZ,=%,OR,FXUF, 0.50/4.00	(800)356-8000
270-03193	2WNC BZ,=%,OR,FXUF, 0.75/6.30	(800)356-8000
270-03194	2WNC BZ,=%,OR,FXUF, 1.00/10.00	(800)356-8000
270-03195	2WNC BZ,=%,OR,FXUF, 1.25/16.00	(800)356-8000
270-03196	2WNC BZ,=%,OR,FXUF, 1.50/25.00	(800)356-8000
270-03197	2WNC BZ,=%,OR,FXUF, 2.00/40.00	(800)356-8000
270-03198	3WMX BZ,=%,OR,FXF,0.50/1.00	(800)356-8000
270-03199	3WMX BZ,=%,OR,FXF,0.50/1.60	(800)356-8000
270-03200	3WMX BZ,=%,OR,FXF,0.50/2.50	(800)356-8000
270-03201	3WMX BZ,=%,OR,FXF,0.50/4.00	(800)356-8000
270-03202	3WMX BZ,=%,OR,FXF,0.75/6.30	(800)356-8000
270-03203	3WMX BZ,=%,OR,FXF,1.00/10.00	(800)356-8000
270-03204	3WMX BZ,=%,OR,FXF,1.25/16.00	(800)356-8000
270-03205	3WMX BZ,=%,OR,FXF,1.50/25.00	(800)356-8000
270-03206	3WMX BZ,=%,OR,FXF,2.00/40.00	(800)356-8000
270-03207	3WMX BZ,=%,OR,UFXUF,0.50/1.00	(800)356-8000
270-03208	3WMX BZ,=%,OR,UFXUF,0.50/1.60	(800)356-8000
270-03209	3WMX BZ,=%,OR,UFXUF,0.50/2.50	(800)356-8000
270-03210	3WMX BZ,=%,OR,UFXUF,0.50/4.00	(800)356-8000
270-03211	3WMX BZ,=%,OR,UFXUF,0.75/6.30	(800)356-8000
270-03212	3WMX BZ,=%,OR,UFXUF,1.00/10.00	(800)356-8000
270-03213	3WMX BZ,=%,OR,UFXUF,1.25/16.00	(800)356-8000
270-03214	3WMX BZ,=%,OR,UFXUF,1.50/25.00	(800)356-8000
270-03215	3WMX BZ,=%,OR,UFXUF,2.00/40.00	(800)356-8000
270-03225	2WNC SS,LN,OR,FXUM, 0.50/1.00	(800)356-8000
270-03226	2WNC SS,LN,OR,FXUM, 0.50/1.60	(800)356-8000
270-03227	2WNC SS,LN,OR,FXUM, 0.50/2.50	(800)356-8000
270-03228	2WNC SS,LN,OR,FXUM, 0.50/4.00	(800)356-8000
270-03229	2WNC SS,LN,OR,FXUM, 0.75/6.30	(800)356-8000
270-03230	2WNC SS,LN,OR,FXUM, 1.00/10.00	(800)356-8000
270-03243	2WNC SS,LN,VR,FXUM, 0.50/1.00	(800)356-8000
270-03244	2WNC SS,LN,VR,FXUM, 0.50/1.60	(800)356-8000
270-03245	2WNC SS,LN,VR,FXUM, 0.50/2.50	(800)356-8000
270-03246	2WNC SS,LN,VR,FXUM, 0.50/4.00	(800)356-8000
270-03247	2WNC SS,LN,VR,FXUM, 0.75/6.30	(800)356-8000
270-03248	2WNC SS,LN,VR,FXUM, 1.00/10.00	(800)356-8000
270-03261	2WNC SS,=%,OR,FXUM, 0.50/1.00	(800)356-8000
270-03262	2WNC SS,=%,OR,FXUM, 0.50/1.60	(800)356-8000
270-03263	2WNC SS,=%,OR,FXUM, 0.50/2.50	(800)356-8000
270-03264	2WNC SS,=%,OR,FXUM, 0.50/4.00	(800)356-8000
270-03265	2WNC SS,=%,OR,FXUM, 0.75/6.30	(800)356-8000
270-03266	2WNC SS,=%,OR,FXUM, 1.00/10.00	(800)356-8000
270-03279	2WNC BZ,=%,OR,FXUM, 0.50/1.00	(800)356-8000
270-03280	2WNC BZ,=%,OR,FXUM, 0.50/1.60	(800)356-8000
270-03281	2WNC BZ,=%,OR,FXUM, 0.50/2.50	(800)356-8000
270-03282	2WNC BZ,=%,OR,FXUM, 0.50/4.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
270-03283	2WNC BZ,=%,OR,FXUM,0.75/6.30	(800)356-8000
270-03284	2WNC BZ,=%,OR,FXUM 1.00/10.00	(800)356-8000
271-03000	2WNO SS LN OR FXF 0.50/1.00	(800)356-8000
271-03001	2WNO SS LN OR FXF 0.50/1.60	(800)356-8000
271-03002	2WNO SS LN OR FXF 0.50/2.50	(800)356-8000
271-03003	2WNO SS LN OR FXF 0.50/4.00	(800)356-8000
271-03004	2WNO SS LN OR FXF 0.75/6.30	(800)356-8000
271-03005	2WNO SS LN OR FXF 1.00/25.00	(800)356-8000
271-03006	2WNO SS LN OR FXF 1.25/16.00	(800)356-8000
271-03007	2WNO SS LN OR FXF 1.50/40.00	(800)356-8000
271-03008	2WNO SS LN OR FXF 2.00/40.00	(800)356-8000
271-03009	2WNO SS LN OR FXUF 0.50/1.00	(800)356-8000
271-03010	2WNO SS LN OR FXUF 0.50/1.60	(800)356-8000
271-03011	2WNO SS LN OR FXUF 0.50/2.50	(800)356-8000
271-03012	2WNO SS LN OR FXUF 0.50/4.00	(800)356-8000
271-03013	2WNO SS LN OR FXUF 0.75/6.30	(800)356-8000
271-03014	2WNO SS LN OR FXUF 1.00/10.00	(800)356-8000
271-03015	2WNO SS LN OR FXUF 1.25/16.00	(800)356-8000
271-03016	2WNO SS LN OR FXUF 1.50/25.00	(800)356-8000
271-03017	2WNO SS LN OR FXUF 2.00/40.00	(800)356-8000
271-03018	2WNC SS LN OR FXF 0.50/1.00	(800)356-8000
271-03019	2WNC SS LN OR FXF 0.50/1.60	(800)356-8000
271-03020	2WNC SS LN OR FXF 0.50/2.50	(800)356-8000
271-03021	2WNC SS LN OR FXF 0.50/4.00	(800)356-8000
271-03022	2WNC SS LN OR FXF 0.75/6.30	(800)356-8000
271-03023	2WNC SS LN OR FXF 1.00/10.00	(800)356-8000
271-03024	2WNC SS LN OR FXF 1.25/16.00	(800)356-8000
271-03025	2WNC SS LN OR FXF 1.50/25.00	(800)356-8000
271-03026	2WNC SS LN OR FXF 2.00/40.00	(800)356-8000
271-03027	2WNC SS LN OR FXUF 0.50/1.00	(800)356-8000
271-03028	2WNC SS LN OR FXUF 0.50/1.60	(800)356-8000
271-03029	2WNC SS LN OR FXUF 0.50/2.50	(800)356-8000
271-03030	2WNC SS LN OR FXUF 0.50/4.00	(800)356-8000
271-03031	2WNC SS LN OR FXUF 0.75/6.30	(800)356-8000
271-03032	2WNC SS LN OR FXUF 1.00/10.00	(800)356-8000
271-03033	2WNC SS LN OR FXUF 1.25/16.00	(800)356-8000
271-03034	2WNC SS LN OR FXUF 1.50/25.00	(800)356-8000
271-03035	2WNC SS LN OR FXUF 2.00/40.00	(800)356-8000
271-03054	2WNO SS LN VR FXF 0.50/1.00	(800)356-8000
271-03055	2WNO SS LN VR FXF 0.50/1.60	(800)356-8000
271-03056	2WNO SS LN VR FXF 0.50/2.50	(800)356-8000
271-03057	2WNO SS LN VR FXF 0.50/4.00	(800)356-8000
271-03058	2WNO SS LN VR FXF 0.75/6.30	(800)356-8000
271-03059	2WNO SS LN VR FXF 1.00/10.00	(800)356-8000
271-03060	2WNO SS LN VR FXF 1.25/16.00	(800)356-8000
271-03061	2WNO SS LN VR FXF 1.50/25.00	(800)356-8000
271-03062	2WNO SS LN VR FXF 2.00/40.00	(800)356-8000
271-03063	2WNO SS LN VR FXUF 0.50/1.00	(800)356-8000
271-03064	2WNO SS LN VR FXUF 0.50/1.60	(800)356-8000
271-03065	2WNO SS LN VR FXUF 0.50/2.50	(800)356-8000
271-03066	2WNO SS LN VR FXUF 0.50/4.00	(800)356-8000
271-03067	2WNO SS LN VR FXUF 0.75/6.30	(800)356-8000
271-03068	2WNO SS LN VR FXUF 1.00/10.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
271-03069	2WNO SS LN VR FXUF 1.25/16.00	(800)356-8000
271-03070	2WNO SS LN VR FXUF 1.50/25.00	(800)356-8000
271-03071	2WNO SS LN VR FXUF 2.00/40.00	(800)356-8000
271-03072	2WNC SS LN VR FXF 0.50/1.00	(800)356-8000
271-03073	2WNC SS LN VR FXF 0.50/1.60	(800)356-8000
271-03074	2WNC SS LN VR FXF 0.50/2.50	(800)356-8000
271-03075	2WNC SS LN VR FXF 0.50/4.00	(800)356-8000
271-03076	2WNC SS LN VR FXF 0.75/6.30	(800)356-8000
271-03077	2WNC SS LN VR FXF 1.00/10.00	(800)356-8000
271-03078	2WNC SS LN VR FXF 1.25/16.00	(800)356-8000
271-03079	2WNC SS LN VR FXF 1.50/25.00	(800)356-8000
271-03080	2WNC SS LN VR FXF 2.00/40.00	(800)356-8000
271-03081	2WNC SS LN VR FXUF 0.50/1.00	(800)356-8000
271-03082	2WNC SS LN VR FXUF 0.50/1.60	(800)356-8000
271-03083	2WNC SS LN VR FXUF 0.50/2.50	(800)356-8000
271-03084	2WNC SS LN VR FXUF 0.50/4.00	(800)356-8000
271-03085	2WNC SS LN VR FXUF 0.75/6.30	(800)356-8000
271-03086	2WNC SS LN VR FXUF 1.00/10.00	(800)356-8000
271-03087	2WNC SS LN VR FXUF 1.25/16.00	(800)356-8000
271-03088	2WNC SS LN VR FXUF 1.50/25.00	(800)356-8000
271-03089	2WNC SS LN VR FXUF 2.00/40.00	(800)356-8000
271-03108	2WNO SS,=%,OR, FXF,0.50/1.00	(800)356-8000
271-03109	2WNO SS,=%,OR, FXF,0.50/1.60	(800)356-8000
271-03110	2WNO SS,=%,OR, FXF,0.50/2.25	(800)356-8000
271-03111	2WNO SS,=%,OR, FXF,0.50/4.00	(800)356-8000
271-03112	2WNO SS,=%,OR, FXF,0.75/6.30	(800)356-8000
271-03113	2WNO SS,=%,OR, FXF,1.00/10.00	(800)356-8000
271-03114	2WNO SS,=%,OR, FXF,1.25/16.00	(800)356-8000
271-03115	2WNO SS,=%,OR, FXF,1.50/25.00	(800)356-8000
271-03116	2WNO SS,=%,OR, FXF,2.00/40.00	(800)356-8000
271-03117	2WNO SS,=%,OR,FXUF,0.50/1.00	(800)356-8000
271-03118	2WNO SS,=%,OR,FXUF,0.50/1.60	(800)356-8000
271-03119	2WNO SS,=%,OR,FXUF,0.50/2.50	(800)356-8000
271-03120	2WNO SS,=%,OR,FXUF,0.50/4.00	(800)356-8000
271-03121	2WNO SS,=%,OR,FXUF,0.75/6.30	(800)356-8000
271-03122	2WNO SS,=%,OR,FXUF,1.00/10.00	(800)356-8000
271-03123	2WNO SS,=%,OR,FXUF,1.25/16.00	(800)356-8000
271-03124	2WNO SS,=%,OR,FXUF,1.50/25.00	(800)356-8000
271-03125	2WNO SS,=%,OR,FXUF,2.00/40.00	(800)356-8000
271-03126	2WNC SS,=%,OR, FXF,0.50/1.00	(800)356-8000
271-03127	2WNC SS,=%,OR, FXF,0.50/1.60	(800)356-8000
271-03128	2WNC SS,=%,OR, FXF,0.50/2.50	(800)356-8000
271-03129	2WNC SS,=%,OR, FXF,0.50/4.00	(800)356-8000
271-03130	2WNC SS,=%,OR, FXF,0.75/3.60	(800)356-8000
271-03131	2WNC SS,=%,OR, FXF,1.00/10.00	(800)356-8000
271-03132	2WNC SS,=%,OR, FXF,1.25/16.00	(800)356-8000
271-03133	2WNC SS,=%,OR, FXF,1.50/25.00	(800)356-8000
271-03134	2WNC SS,=%,OR, FXF,2.40/25.00	(800)356-8000
271-03135	2WNC SS,=%,OR,FXUF,0.50/1.00	(800)356-8000
271-03136	2WNC SS,=%,OR,FXUF,0.50/1.60	(800)356-8000
271-03137	2WNC SS,=%,OR,FXUF,0.50/2.50	(800)356-8000
271-03138	2WNC SS,=%,OR,FXUF,0.50/4.00	(800)356-8000
271-03139	2WNC SS,=%,OR,FXUF,0.75/3.60	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
271-03140	2WNC SS,=%,OR,FXUF,1.00/10.00	(800)356-8000
271-03141	2WNC SS,=%,OR,FXUF,1.25/16.00	(800)356-8000
271-03142	2WNC SS,=%,OR,FXUF,1.50/25.00	(800)356-8000
271-03143	2WNC SS,=%,OR,FXUF,2.00/40.00	(800)356-8000
271-03144	3WMX SS,=%,OR, FXF,0.50/1.00	(800)356-8000
271-03145	3WMX SS,=%,OR, FXF,0.50/1.60	(800)356-8000
271-03146	3WMX SS,=%,OR, FXF,0.50/2.50	(800)356-8000
271-03147	3WMX SS,=%,OR, FXF,0.50/4.00	(800)356-8000
271-03148	3WMX SS,=%,OR, FXF,0.75/6.30	(800)356-8000
271-03149	3WMX SS,=%,OR, FXF,1.00/10.00	(800)356-8000
271-03150	3WMX SS,=%,OR, FXF,1.25/16.00	(800)356-8000
271-03151	3WMX SS,=%,OR, FXF,1.50/25.00	(800)356-8000
271-03152	3WMX SS,=%,OR, FXF,2.00/40.00	(800)356-8000
271-03153	3WMX SS,=%,OR,UFXUF 0.50/1.00	(800)356-8000
271-03154	3WMX SS,=%,OR,UFXUF 0.50/1.60	(800)356-8000
271-03155	3WMX SS,=%,OR,UFXUF 0.50/2.50	(800)356-8000
271-03156	3WMX SS,=%,OR,UFXUF 0.50/4.00	(800)356-8000
271-03157	3WMX SS,=%,OR,UFXUF 0.75/6.30	(800)356-8000
271-03158	3WMX SS,=%,OR,UFXUF 1.00/10.00	(800)356-8000
271-03159	3WMX SS,=%,OR,UFXUF 1.25/16.00	(800)356-8000
271-03160	3WMX SS,=%,OR,UFXUF 1.50/25.00	(800)356-8000
271-03161	3WMX SS,=%,OR,UFXUF 2.00/40.00	(800)356-8000
271-03162	2WNO BZ,=%,OR, FXF 0.50/1.00	(800)356-8000
271-03163	2WNO BZ,=%,OR, FXF 0.50/1.60	(800)356-8000
271-03164	2WNO BZ,=%,OR, FXF 0.50/2.50	(800)356-8000
271-03165	2WNO BZ,=%,OR, FXF 0.50/4.00	(800)356-8000
271-03166	2WNO BZ,=%,OR, FXF 0.75/3.60	(800)356-8000
271-03167	2WNO BZ,=%,OR, FXF 1.00/10.00	(800)356-8000
271-03168	2WNO BZ,=%,OR, FXF 1.25/16.00	(800)356-8000
271-03169	2WNO BZ,=%,OR, FXF 1.50/25.00	(800)356-8000
271-03170	2WNO BZ,=%,OR, FXF 2.00/40.00	(800)356-8000
271-03171	2WNO BZ,=%,OR,FXUF,0.50/1.00	(800)356-8000
271-03172	2WNO BZ,=%,OR,FXUF,0.50/1.60	(800)356-8000
271-03173	2WNO BZ,=%,OR,FXUF,0.50/2.50	(800)356-8000
271-03174	2WNO BZ,=%,OR,FXUF,0.50/4.00	(800)356-8000
271-03175	2WNO BZ,=%,OR,FXUF,0.75/6.30	(800)356-8000
271-03176	2WNO BZ,=%,OR,FXUF,1.00/10.00	(800)356-8000
271-03177	2WNO BZ,=%,OR,FXUF,1.25/16.00	(800)356-8000
271-03178	2WNO BZ,=%,OR,FXUF,1.50/25.00	(800)356-8000
271-03179	2WNO BZ,=%,OR,FXUF,2.00/40.00	(800)356-8000
271-03180	2WNC BZ,=%,OR, FXF,0.50/1.00	(800)356-8000
271-03181	2WNC BZ,=%,OR, FXF,0.50/1.60	(800)356-8000
271-03182	2WNC BZ,=%,OR, FXF,0.50/2.50	(800)356-8000
271-03183	2WNC BZ,=%,OR, FXF,0.50/4.00	(800)356-8000
271-03184	2WNC BZ,=%,OR, FXF,0.75/6.30	(800)356-8000
271-03185	2WNC BZ,=%,OR, FXF,1.00/10.00	(800)356-8000
271-03186	2WNC BZ,=%,OR, FXF,1.25/16.00	(800)356-8000
271-03187	2WNC BZ,=%,OR, FXF,1.50/25.00	(800)356-8000
271-03188	2WNC BZ,=%,OR, FXF,2.00/40.00	(800)356-8000
271-03189	2WNC BZ,=%,OR,FXUF,0.50/1.00	(800)356-8000
271-03190	2WNC BZ,=%,OR,FXUF,0.50/1.60	(800)356-8000
271-03191	2WNC BZ,=%,OR,FXUF,0.50/2.50	(800)356-8000
271-03192	2WNC BZ,=%,OR,FXUF,0.50/4.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
271-03193	2WNC BZ,=%,OR,FXUF,0.75/6.30	(800)356-8000
271-03194	2WNC BZ,=%,OR,FXUF,1.00/10.00	(800)356-8000
271-03195	2WNC BZ,=%,OR,UFXUF,1.25/16.00	(800)356-8000
271-03196	2WNC BZ,=%,OR,UFXUF,1.50/25.00	(800)356-8000
271-03197	2WNC BZ,=%,OR,UFXUF,2.00/40.00	(800)356-8000
271-03198	3WMX BZ,=%,OR, FXF,0.50/1.00	(800)356-8000
271-03199	3WMX BZ,=%,OR, FXF,0.50/1.60	(800)356-8000
271-03200	3WMX BZ,=%,OR, FXF,0.50/2.50	(800)356-8000
271-03201	3WMX BZ,=%,OR, FXF,0.50/4.00	(800)356-8000
271-03202	3WMX BZ,=%,OR, FXF,0.75/6.30	(800)356-8000
271-03203	3WMX BZ,=%,OR, FXF,1.00/10.00	(800)356-8000
271-03204	3WMX BZ,=%,OR, FXF,1.25/16.00	(800)356-8000
271-03205	3WMX BZ,=%,OR, FXF,1.50/25.00	(800)356-8000
271-03206	3WMX BZ,=%,OR, FXF,2.00/40.00	(800)356-8000
271-03207	3WMX BZ,=%,OR,UFXUF,0.50/1.00	(800)356-8000
271-03208	3WMX BZ,=%,OR,UFXUF,0.50/1.60	(800)356-8000
271-03209	3WMX BZ,=%,OR,UFXUF,0.50/2.50	(800)356-8000
271-03210	3WMX BZ,=%,OR,UFXUF,0.50/4.00	(800)356-8000
271-03211	3WMX BZ,=%,OR,UFXUF,0.75/6.30	(800)356-8000
271-03212	3WMX BZ,=%,OR,UFXUF,1.00/10.00	(800)356-8000
271-03213	3WMX BZ,=%,OR,UFXUF,1.25/16.00	(800)356-8000
271-03214	3WMX BZ,=%,OR,UFXUF,1.50/25.00	(800)356-8000
271-03215	3WMX BZ,=%,OR,UFXUF,2.00/40.00	(800)356-8000
271-03216	2WNO SS LN,OR,FXUM,0.50/1.00	(800)356-8000
271-03217	2WNO SS LN,OR,FXUM,0.50/1.60	(800)356-8000
271-03218	2WNO SS LN,OR,FXUM,0.50/2.50	(800)356-8000
271-03219	2WNO SS LN,OR,FXUM,0.50/4.00	(800)356-8000
271-03220	2WNO SS LN,OR,FXUM,0.75/6.30	(800)356-8000
271-03221	2WNO SS LN,OR,FXUM,1.00/10.00	(800)356-8000
271-03225	2WNC SS LN,OR,FXUM,0.50/1.00	(800)356-8000
271-03226	2WNC SS LN,OR,FXUM,0.50/1.60	(800)356-8000
271-03227	2WNC SS LN,OR,FXUM,0.50/2.50	(800)356-8000
271-03228	2WNC SS LN,OR,FXUM,0.50/4.00	(800)356-8000
271-03229	2WNC SS LN,OR,FXUM,0.75/6.30	(800)356-8000
271-03230	2WNC SS LN,OR,FXUM,1.00/10.00	(800)356-8000
271-03234	2WNO SS LN,VR,FXUM,0.50/1.00	(800)356-8000
271-03235	2WNO SS LN,VR,FXUM,0.50/1.60	(800)356-8000
271-03236	2WNO SS LN,VR,FXUM,0.50/2.50	(800)356-8000
271-03237	2WNO SS LN,VR,FXUM,0.50/4.00	(800)356-8000
271-03238	2WNO SS LN,VR,FXUM,0.75/6.30	(800)356-8000
271-03239	2WNO SS LN,VR,FXUM,1.00/10.00	(800)356-8000
271-03243	2WNC SS LN,VR,FXUM,0.50/1.00	(800)356-8000
271-03244	2WNC SS LN,VR,FXUM,0.50/1.60	(800)356-8000
271-03245	2WNC SS LN,VR,FXUM,0.50/2.50	(800)356-8000
271-03246	2WNC SS LN,VR,FXUM,0.50/4.00	(800)356-8000
271-03247	2WNC SS LN,VR,FXUM,0.75/6.30	(800)356-8000
271-03248	2WNC SS LN,VR,FXUM,1.00/10.00	(800)356-8000
271-03252	2WNO SS =%,OR,FXUM,0.50/1.00	(800)356-8000
271-03253	2WNO SS =%,OR,FXUM,0.50/1.60	(800)356-8000
271-03254	2WNO SS =%,OR,FXUM,0.50/2.50	(800)356-8000
271-03255	2WNO SS =%,OR,FXUM,0.50/4.00	(800)356-8000
271-03256	2WNO SS =%,OR,FXUM,0.75/6.30	(800)356-8000
271-03257	2WNO SS =%,OR,FXUM,1.00/10.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
271-03261	2WNC SS =%,OR,FXUM,0.50/1.00	(800)356-8000
271-03262	2WNC SS =%,OR,FXUM,0.50/1.60	(800)356-8000
271-03263	2WNC SS =%,OR,FXUM,0.50/2.50	(800)356-8000
271-03264	2WNC SS =%,OR,FXUM,0.50/4.00	(800)356-8000
271-03265	2WNC SS =%,OR,FXUM,0.75/6.30	(800)356-8000
271-03266	2WNC SS =%,OR,FXUM,1.00/10.00	(800)356-8000
271-03270	2WNO BZ =%,OR,FXUM,0.50/1.00	(800)356-8000
271-03271	2WNO BZ =%,OR,FXUM,0.50/1.60	(800)356-8000
271-03272	2WNO BZ =%,OR,FXUM,0.50/2.50	(800)356-8000
271-03273	2WNO BZ =%,OR,FXUM,0.50/4.00	(800)356-8000
271-03274	2WNO BZ =%,OR,FXUM,0.75/6.30	(800)356-8000
271-03275	2WNO BZ =%,OR,FXUM,1.00/10.00	(800)356-8000
271-03279	2WNC BZ =%,OR,FXUM,0.50/1.00	(800)356-8000
271-03280	2WNC BZ =%,OR,FXUM,0.50/1.60	(800)356-8000
271-03281	2WNC BZ =%,OR,FXUM,0.50/2.50	(800)356-8000
271-03282	2WNC BZ =%,OR,FXUM,0.50/4.00	(800)356-8000
271-03283	2WNC BZ =%,OR,FXUM,0.75/6.30	(800)356-8000
271-03284	2WNC BZ =%,OR,FXUM,1.00/10.00	(800)356-8000
272-03000	2WNO SS LN OR FXF 0.50/1.00	(800)356-8000
272-03001	2WNO SS LN OR FXF 0.50/1.60	(800)356-8000
272-03002	2WNO SS LN OR FXF 0.50/2.50	(800)356-8000
272-03003	2WNO SS LN OR FXF 0.50/4.00	(800)356-8000
272-03004	2WNO SS LN OR FXF 0.75/6.30	(800)356-8000
272-03005	2WNO SS LN OR FXF 1.00/10.00	(800)356-8000
272-03006	2WNO SS LN OR FXF 1.25/16.00	(800)356-8000
272-03007	2WNO SS LN OR FXF 1.50/25.00	(800)356-8000
272-03008	2WNO SS LN OR FXF 2.00/40.00	(800)356-8000
272-03009	2WNO SS LN OR FXUF 0.50/1.00	(800)356-8000
272-03010	2WNO SS LN OR FXUF 0.50/1.60	(800)356-8000
272-03011	2WNO SS LN OR FXUF 0.50/2.50	(800)356-8000
272-03012	2WNO SS LN OR FXUF 0.50/4.00	(800)356-8000
272-03013	2WNO SS LN OR FXUF 0.75/6.30	(800)356-8000
272-03014	2WNO SS LN OR FXUF 1.00/10.00	(800)356-8000
272-03015	2WNO SS LN OR FXUF 1.25/16.00	(800)356-8000
272-03016	2WNO SS LN OR FXUF 1.50/25.00	(800)356-8000
272-03017	2WNO SS LN OR FXUF 2.00/40.00	(800)356-8000
272-03018	2WNC SS,LN,OR, FXF 0.50/1.00	(800)356-8000
272-03019	2WNC SS,LN,OR, FXF 0.50/1.60	(800)356-8000
272-03020	2WNC SS,LN,OR, FXF 0.50/2.50	(800)356-8000
272-03021	2WNC SS,LN,OR, FXF 0.50/4.00	(800)356-8000
272-03022	2WNC SS,LN,OR, FXF 0.75/6.30	(800)356-8000
272-03023	2WNC SS,LN,OR, FXF 1.00/10.00	(800)356-8000
272-03024	2WNC SS,LN,OR, FXF 1.25/16.00	(800)356-8000
272-03025	2WNC SS,LN,OR, FXF 1.50/25.00	(800)356-8000
272-03026	2WNC SS,LN,OR, FXF 2.00/40.00	(800)356-8000
272-03027	2WNC SS,LN,OR,FXUF 0.50/1.00	(800)356-8000
272-03028	2WNC SS,LN,OR,FXUF 0.50/1.60	(800)356-8000
272-03029	2WNC SS,LN,OR,FXUF 0.50/2.50	(800)356-8000
272-03030	2WNC SS,LN,OR,FXUF 0.50/4.00	(800)356-8000
272-03031	2WNC SS,LN,OR,FXUF 0.75/6.30	(800)356-8000
272-03032	2WNC SS,LN,OR,FXUF 1.00/10.00	(800)356-8000
272-03033	2WNC SS,LN,OR,FXUF 1.25/16.00	(800)356-8000
272-03034	2WNC SS,LN,OR,FXUF 1.50/25.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
272-03035	2WNC SS, LN, OR, FXUF 2.00/40.00	(800)356-8000
272-03054	2WNO SS, LN, VR, FXF 0.50/1.00	(800)356-8000
272-03055	2WNO SS, LN, VR, FXF 0.50/1.60	(800)356-8000
272-03056	2WNO SS, LN, VR, FXF 0.50/2.50	(800)356-8000
272-03057	2WNO SS, LN, VR, FXF 0.50/4.00	(800)356-8000
272-03058	2WNO SS, LN, VR, FXF 0.75/6.30	(800)356-8000
272-03059	2WNO SS, LN, VR, FXF 1.00/10.00	(800)356-8000
272-03060	2WNO SS, LN, VR, FXF 1.25/16.00	(800)356-8000
272-03061	2WNO SS, LN, VR, FXF 1.50/25.00	(800)356-8000
272-03062	2WNO SS, LN, VR, FXF 2.00/40.00	(800)356-8000
272-03063	2WNO SS, LN, VR, FXUF 0.50/1.00	(800)356-8000
272-03064	2WNO SS, LN, VR, FXUF 0.50/1.60	(800)356-8000
272-03065	2WNO SS, LN, VR, FXUF 0.50/2.50	(800)356-8000
272-03066	2WNO SS, LN, VR, FXUF 0.50/4.00	(800)356-8000
272-03067	2WNO SS, LN, VR, FXUF 0.75/6.30	(800)356-8000
272-03068	2WNO SS, LN, VR, FXUF 1.00/10.00	(800)356-8000
272-03069	2WNO SS, LN, VR, FXUF 1.25/16.00	(800)356-8000
272-03070	2WNO SS, LN, VR, FXUF 1.50/25.00	(800)356-8000
272-03071	2WNO SS, LN, VR, FXUF 2.00/40.00	(800)356-8000
272-03072	2WNC SS, LN, VR, FXF 0.50/1.00	(800)356-8000
272-03073	2WNC SS, LN, VR, FXF 0.50/1.60	(800)356-8000
272-03074	2WNC SS, LN, VR, FXF 0.50/2.50	(800)356-8000
272-03075	2WNC SS, LN, VR, FXF 0.50/4.00	(800)356-8000
272-03076	2WNC SS, LN, VR, FXF 0.75/6.30	(800)356-8000
272-03077	2WNC SS, LN, VR, FXF 1.00/10.00	(800)356-8000
272-03078	2WNC SS, LN, VR, FXF 1.25/16.00	(800)356-8000
272-03079	2WNC SS, LN, VR, FXF 1.50/25.00	(800)356-8000
272-03080	2WNC SS, LN, VR, FXF 2.00/40.00	(800)356-8000
272-03081	2WNC SS, LN, VR, FXUF 0.50/1.00	(800)356-8000
272-03082	2WNC SS, LN, VR, FXUF 0.50/1.60	(800)356-8000
272-03083	2WNC SS, LN, VR, FXUF 0.50/2.25	(800)356-8000
272-03084	2WNC SS, LN, VR, FXUF 0.50/4.00	(800)356-8000
272-03085	2WNC SS, LN, VR, FXUF 0.75/6.30	(800)356-8000
272-03086	2WNC SS, LN, VR, FXUF 1.00/10.00	(800)356-8000
272-03087	2WNC SS, LN, VR, FXUF 1.25/16.00	(800)356-8000
272-03088	2WNC SS, LN, VR, FXUF 1.50/25.00	(800)356-8000
272-03089	2WNC SS, LN, VR, FXUF 2.00/40.00	(800)356-8000
272-03108	2WNO SS, =%, OR, FXF 0.50/1.00	(800)356-8000
272-03109	2WNO SS, =%, OR, FXF 0.50/1.60	(800)356-8000
272-03110	2WNO SS, =%, OR, FXF 0.50/2.50	(800)356-8000
272-03111	2WNO SS, =%, OR, FXF 0.50/4.00	(800)356-8000
272-03112	2WNO SS, =%, OR, FXF 0.75/6.30	(800)356-8000
272-03113	2WNO SS, =%, OR, FXF 1.00/10.00	(800)356-8000
272-03114	2WNO SS, =%, OR, FXF 1.25/16.00	(800)356-8000
272-03115	2WNO SS, =%, OR, FXF 1.50/25.00	(800)356-8000
272-03116	2WNO SS, =%, OR, FXF 2.00/40.00	(800)356-8000
272-03117	2WNO SS, =%, OR, FXUF 0.50/1.00	(800)356-8000
272-03118	2WNO SS, =%, OR, FXUF 0.50/1.60	(800)356-8000
272-03119	2WNO SS, =%, OR, FXUF 0.50/2.50	(800)356-8000
272-03120	2WNO SS, =%, OR, FXUF 0.50/4.00	(800)356-8000
272-03121	2WNO SS, =%, OR, FXUF 0.75/6.30	(800)356-8000
272-03122	2WNO SS, =%, OR, FXUF 1.00/10.00	(800)356-8000
272-03123	2WNO SS, =%, OR, FXUF 1.25/16.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
272-03124	2WNO SS,=%,OR,FXUF 1.50/25.00	(800)356-8000
272-03125	2WNO SS,=%,OR,FXUF 2.00/40.00	(800)356-8000
272-03126	2WNC SS,=%,OR, FXF 0.50/1.00	(800)356-8000
272-03127	2WNC SS,=%,OR, FXF 0.50/1.60	(800)356-8000
272-03128	2WNC SS,=%,OR, FXF 0.50/2.50	(800)356-8000
272-03129	2WNC SS,=%,OR, FXF 0.50/4.00	(800)356-8000
272-03130	2WNC SS,=%,OR, FXF 0.75/6.30	(800)356-8000
272-03131	2WNC SS,=%,OR, FXF 1.00/10.00	(800)356-8000
272-03132	2WNC SS,=%,OR, FXF 1.25/16.00	(800)356-8000
272-03133	2WNC SS,=%,OR, FXF 1.50/25.00	(800)356-8000
272-03134	2WNC SS,=%,OR, FXF 2.00/40.00	(800)356-8000
272-03135	2WNC SS,=%,OR,FXUF 0.50/1.00	(800)356-8000
272-03136	2WNC SS,=%,OR,FXUF 0.50/1.60	(800)356-8000
272-03137	2WNC SS,=%,OR,FXUF 0.50/2.50	(800)356-8000
272-03138	2WNC SS,=%,OR,FXUF 0.50/4.00	(800)356-8000
272-03139	2WNC SS,=%,OR,FXUF 0.75/6.30	(800)356-8000
272-03140	2WNC SS,=%,OR,FXUF 1.00/10.00	(800)356-8000
272-03141	2WNC SS,=%,OR,FXUF 1.25/16.00	(800)356-8000
272-03142	2WNC SS,=%,OR,FXUF 1.50/25.00	(800)356-8000
272-03143	2WNC SS,=%,OR,FXUF 2.00/40.00	(800)356-8000
272-03144	3WMX SS,=%,OR, FXF 0.50/1.00	(800)356-8000
272-03145	3WMX SS,=%,OR, FXF 0.50/1.60	(800)356-8000
272-03146	3WMX SS,=%,OR, FXF 0.50/2.50	(800)356-8000
272-03147	3WMX SS,=%,OR, FXF 0.50/4.00	(800)356-8000
272-03148	3WMX SS,=%,OR, FXF 0.75/6.30	(800)356-8000
272-03149	3WMX SS,=%,OR, FXF 1.00/10.00	(800)356-8000
272-03150	3WMX SS,=%,OR, FXF 1.25/16.00	(800)356-8000
272-03151	3WMX SS,=%,OR, FXF 1.50/25.00	(800)356-8000
272-03152	3WMX SS,=%,OR, FXF 2.00/40.00	(800)356-8000
272-03153	3WMX SS,=%,OR,UFXUF 0.50/1.00	(800)356-8000
272-03154	3WMX SS,=%,OR,UFXUF 0.50/1.60	(800)356-8000
272-03155	3WMX SS,=%,OR,UFXUF 0.50/2.50	(800)356-8000
272-03156	3WMX SS,=%,OR,UFXUF 0.50/4.00	(800)356-8000
272-03157	3WMX SS,=%,OR,UFXUF 0.75/6.30	(800)356-8000
272-03158	3WMX SS,=%,OR,UFXUF 1.00/10.00	(800)356-8000
272-03159	3WMX SS,=%,OR,UFXUF 1.25/16.00	(800)356-8000
272-03160	3WMX SS,=%,OR,UFXUF 1.50/25.00	(800)356-8000
272-03161	3WMX SS,=%,OR,UFXUF 2.00/40.00	(800)356-8000
272-03162	2WNO BZ,=%,OR, FXF 0.50/1.00	(800)356-8000
272-03163	2WNO BZ,=%,OR, FXF 0.50/1.60	(800)356-8000
272-03164	2WNO BZ,=%,OR, FXF 0.50/2.50	(800)356-8000
272-03165	2WNO BZ,=%,OR, FXF 0.50/4.00	(800)356-8000
272-03166	2WNO BZ,=%,OR, FXF 0.75/6.30	(800)356-8000
272-03167	2WNO BZ,=%,OR, FXF 1.00/10.00	(800)356-8000
272-03168	2WNO BZ,=%,OR, FXF 1.25/16.00	(800)356-8000
272-03169	2WNO BZ,=%,OR, FXF 1.50/25.00	(800)356-8000
272-03170	2WNO BZ,=%,OR, FXF 2.00/40.00	(800)356-8000
272-03171	2WNO BZ,=%,OR,FXUF 0.50/1.00	(800)356-8000
272-03172	2WNO BZ,=%,OR,FXUF 0.50/1.60	(800)356-8000
272-03173	2WNO BZ,=%,OR,FXUF 0.50/2.50	(800)356-8000
272-03174	2WNO BZ,=%,OR,FXUF 0.50/4.00	(800)356-8000
272-03175	2WNO BZ,=%,OR,FXUF 0.75/6.30	(800)356-8000
272-03176	2WNO BZ,=%,OR,FXUF 1.00/10.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
272-03177	2WNO BZ,=%,OR,FXUF 1.25/16.00	(800)356-8000
272-03178	2WNO BZ,=%,OR,FXUF 1.50/25.00	(800)356-8000
272-03179	2WNO BZ,=%,OR,FXUF 2.00/40.00	(800)356-8000
272-03180	2WNC BZ,=%,OR, FXF 0.50/1.00	(800)356-8000
272-03181	2WNC BZ,=%,OR, FXF 0.50/1.60	(800)356-8000
272-03182	2WNC BZ,=%,OR, FXF 0.50/2.50	(800)356-8000
272-03183	2WNC BZ,=%,OR, FXF 0.50/4.00	(800)356-8000
272-03184	2WNC BZ,=%,OR, FXF 0.75/6.30	(800)356-8000
272-03185	2WNC BZ,=%,OR, FXF 1.00/10.00	(800)356-8000
272-03186	2WNC BZ,=%,OR, FXF 1.25/16.00	(800)356-8000
272-03187	2WNC BZ,=%,OR, FXF 1.50/25.00	(800)356-8000
272-03188	2WNC BZ,=%,OR, FXF 2.00/40.00	(800)356-8000
272-03189	2WNC BZ,=%,OR,FXUF 0.50/1.00	(800)356-8000
272-03190	2WNC BZ,=%,OR,FXUF 0.50/1.60	(800)356-8000
272-03191	2WNC BZ,=%,OR,FXUF 0.50/2.50	(800)356-8000
272-03192	2WNC BZ,=%,OR,FXUF 0.50/4.00	(800)356-8000
272-03193	2WNC BZ,=%,OR,FXUF 0.75/6.30	(800)356-8000
272-03194	2WNC BZ,=%,OR,FXUF 1.00/10.00	(800)356-8000
272-03195	2WNC BZ,=%,OR,FXUF 1.25/16.00	(800)356-8000
272-03196	2WNC BZ,=%,OR,FXUF 1.50/25.00	(800)356-8000
272-03197	2WNC BZ,=%,OR,FXUF 2.00/40.00	(800)356-8000
272-03198	3WMX BZ,=%,OR, FXF 0.50/1.00	(800)356-8000
272-03199	3WMX BZ,=%,OR, FXF 0.50/1.60	(800)356-8000
272-03200	3WMX BZ,=%,OR, FXF 0.50/2.50	(800)356-8000
272-03201	3WMX BZ,=%,OR, FXF 0.50/4.00	(800)356-8000
272-03202	3WMX BZ,=%,OR, FXF 0.75/6.30	(800)356-8000
272-03203	3WMX BZ,=%,OR, FXF 1.00/10.00	(800)356-8000
272-03204	3WMX BZ,=%,OR, FXF 1.25/16.00	(800)356-8000
272-03205	3WMX BZ,=%,OR, FXF 1.50/25.00	(800)356-8000
272-03206	3WMX BZ,=%,OR, FXF 2.00/40.00	(800)356-8000
272-03207	3WMX BZ,=%,OR,UFXUF 0.50/1.00	(800)356-8000
272-03208	3WMX BZ,=%,OR,UFXUF 0.50/1.60	(800)356-8000
272-03209	3WMX BZ,=%,OR,UFXUF 0.50/2.50	(800)356-8000
272-03210	3WMX BZ,=%,OR,UFXUF 0.50/4.00	(800)356-8000
272-03211	3WMX BZ,=%,OR,UFXUF 0.75/6.30	(800)356-8000
272-03212	3WMX BZ,=%,OR,UFXUF 1.00/10.00	(800)356-8000
272-03213	3WMX BZ,=%,OR,UFXUF 1.25/16.00	(800)356-8000
272-03214	3WMX BZ,=%,OR,UFXUF 1.50/25.00	(800)356-8000
272-03215	3WMX BZ,=%,OR,UFXUF 2.00/40.00	(800)356-8000
272-03216	2WNO SS,LN,OR,FXUM 0.50/1.00	(800)356-8000
272-03217	2WNO SS,LN,OR,FXUM 0.50/1.60	(800)356-8000
272-03218	2WNO SS,LN,OR,FXUM 0.50/2.50	(800)356-8000
272-03219	2WNO SS,LN,OR,FXUM 0.50/4.00	(800)356-8000
272-03220	2WNO SS,LN,OR,FXUM 0.75/6.30	(800)356-8000
272-03221	2WNO SS,LN,OR,FXUM 1.00/10.00	(800)356-8000
272-03225	2WNC SS,LN,OR,FXUM 0.50/1.00	(800)356-8000
272-03226	2WNC SS,LN,OR,FXUM 0.50/1.60	(800)356-8000
272-03227	2WNC SS,LN,OR,FXUM 0.50/2.50	(800)356-8000
272-03228	2WNC SS,LN,OR,FXUM 0.50/4.00	(800)356-8000
272-03229	2WNC SS,LN,OR,FXUM 0.75/6.30	(800)356-8000
272-03230	2WNC SS,LN,OR,FXUM 1.00/10.00	(800)356-8000
272-03234	2WNO,SS,LN,VR,FXUM 0.50/1.00	(800)356-8000
272-03235	2WNO,SS,LN,VR,FXUM 0.50/1.60	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
272-03236	2WNO,SS,LN,VR,FXUM 0.50/2.50	(800)356-8000
272-03237	2WNO,SS,LN,VR,FXUM 0.50/4.00	(800)356-8000
272-03238	2WNO,SS,LN,VR,FXUM 0.75/6.30	(800)356-8000
272-03239	2WNO,SS,LN,VR,FXUM 1.00/10.00	(800)356-8000
272-03243	2WNC,SS,LN,VR,FXUM 0.50/1.00	(800)356-8000
272-03244	2WNC,SS,LN,VR,FXUM 0.50/1.60	(800)356-8000
272-03245	2WNC,SS,LN,VR,FXUM 0.50/2.50	(800)356-8000
272-03246	2WNC,SS,LN,VR,FXUM 0.50/4.00	(800)356-8000
272-03247	2WNC,SS,LN,VR,FXUM 0.75/6.30	(800)356-8000
272-03248	2WNC,SS,LN,VR,FXUM 1.00/10.00	(800)356-8000
272-03252	2WNO,SS,=%,OR,FXUM 0.50/1.00	(800)356-8000
272-03253	2WNO,SS,=%,OR,FXUM 0.50/1.60	(800)356-8000
272-03254	2WNO,SS,=%,OR,FXUM 0.50/2.50	(800)356-8000
272-03255	2WNO,SS,=%,OR,FXUM 0.50/4.00	(800)356-8000
272-03256	2WNO,SS,=%,OR,FXUM 0.75/6.30	(800)356-8000
272-03257	2WNO,SS,=%,OR,FXUM 1.00/10.00	(800)356-8000
272-03261	2WNC,SS,=%,OR,FXUM 0.50/1.00	(800)356-8000
272-03262	2WNC,SS,=%,OR,FXUM 0.50/1.60	(800)356-8000
272-03263	2WNC,SS,=%,OR,FXUM 0.50/2.50	(800)356-8000
272-03264	2WNC,SS,=%,OR,FXUM 0.50/4.00	(800)356-8000
272-03265	2WNC,SS,=%,OR,FXUM 0.75/6.30	(800)356-8000
272-03266	2WNC,SS,=%,OR,FXUM 1.00/10.00	(800)356-8000
272-03270	2WNO,BZ,=%,OR,FXUM 0.50/1.00	(800)356-8000
272-03271	2WNO,BZ,=%,OR,FXUM 0.50/1.60	(800)356-8000
272-03272	2WNO,BZ,=%,OR,FXUM 0.50/2.50	(800)356-8000
272-03273	2WNO,BZ,=%,OR,FXUM 0.50/4.00	(800)356-8000
272-03274	2WNO,BZ,=%,OR,FXUM 0.75/6.30	(800)356-8000
272-03275	2WNO,BZ,=%,OR,FXUM 1.00/10.00	(800)356-8000
272-03279	2WNC,BZ,=%,OR,FXUM 0.50/1.00	(800)356-8000
272-03280	2WNC,BZ,=%,OR,FXUM 0.50/1.60	(800)356-8000
272-03281	2WNC,BZ,=%,OR,FXUM 0.50/2.50	(800)356-8000
272-03282	2WNC,BZ,=%,OR,FXUM 0.50/4.00	(800)356-8000
272-03283	2WNC,BZ,=%,OR,FXUM 0.75/6.30	(800)356-8000
272-03284	2WNC,BZ,=%,OR,FXUM 1.00/10.00	(800)356-8000
273-03000	2WNO SS LN OR FXF 0.50/1.00	(800)356-8000
273-03001	2WNO SS LN OR FXF 0.50/1.60	(800)356-8000
273-03002	2WNO SS LN OR FXF 0.50/2.50	(800)356-8000
273-03003	2WNO SS LN OR FXF 0.50/4.00	(800)356-8000
273-03004	2WNO SS LN OR FXF 0.75/6.30	(800)356-8000
273-03005	2WNO SS LN OR FXF 1.00/10.00	(800)356-8000
273-03006	2WNO SS LN OR FXF 1.25/16.00	(800)356-8000
273-03007	2WNO SS LN OR FXF 1.50/25.00	(800)356-8000
273-03008	2WNO SS LN OR FXF 2.00/40.00	(800)356-8000
273-03009	2WNO SS,LN,OR,FXUF,0.50/1.00	(800)356-8000
273-03010	2WNO SS,LN,OR,FXUF,0.50/1.60	(800)356-8000
273-03011	2WNO SS,LN,OR,FXUF,0.50/2.50	(800)356-8000
273-03012	2WNO SS,LN,OR,FXUF,0.50/4.00	(800)356-8000
273-03013	2WNO SS,LN,OR,FXUF,0.75/6.30	(800)356-8000
273-03014	2WNO SS,LN,OR,FXUF,1.00/10.00	(800)356-8000
273-03015	2WNO SS,LN,OR,FXUF,1.25/16.00	(800)356-8000
273-03016	2WNO SS,LN,OR,FXUF,1.50/25.00	(800)356-8000
273-03017	2WNO SS,LN,OR,FXUF,2.00/40.00	(800)356-8000
273-03018	2WNC SS,LN,OR, FXF,0.50/1.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
273-03019	2WNC SS, LN, OR, FXF, 0.50/1.60	(800)356-8000
273-03020	2WNC SS, LN, OR, FXF, 0.50/2.50	(800)356-8000
273-03021	2WNC SS, LN, OR, FXF, 0.50/4.00	(800)356-8000
273-03022	2WNC SS, LN, OR, FXF, 0.75/6.30	(800)356-8000
273-03023	2WNC SS, LN, OR, FXF, 1.00/10.00	(800)356-8000
273-03024	2WNC SS, LN, OR, FXF, 1.25/16.00	(800)356-8000
273-03025	2WNC SS, LN, OR, FXF, 1.50/25.00	(800)356-8000
273-03026	2WNC SS, LN, OR, FXF, 2.00/40.00	(800)356-8000
273-03027	2WNC SS, LN, OR, FXUF, 0.50/1.00	(800)356-8000
273-03028	2WNC SS, LN, OR, FXUF, 0.50/1.60	(800)356-8000
273-03029	2WNC SS, LN, OR, FXUF, 0.50/2.50	(800)356-8000
273-03030	2WNC SS, LN, OR, FXUF, 0.50/4.00	(800)356-8000
273-03031	2WNC SS, LN, OR, FXUF, 0.75/6.30	(800)356-8000
273-03032	2WNC SS, LN, OR, FXUF, 1.00/10.00	(800)356-8000
273-03033	2WNC SS, LN, OR, FXUF, 1.25/16.00	(800)356-8000
273-03034	2WNC SS, LN, OR, FXUF, 1.50/25.00	(800)356-8000
273-03035	2WNC SS, LN, OR, FXUF, 2.00/40.00	(800)356-8000
273-03054	2WNO SS, LN, VR, FXF, 0.50/1.00	(800)356-8000
273-03055	2WNO SS, LN, VR, FXF, 0.50/1.60	(800)356-8000
273-03056	2WNO SS, LN, VR, FXF, 0.50/2.50	(800)356-8000
273-03057	2WNO SS, LN, VR, FXF, 0.50/4.00	(800)356-8000
273-03058	2WNO SS, LN, VR, FXF, 0.75/6.30	(800)356-8000
273-03059	2WNO SS, LN, VR, FXF, 1.00/10.00	(800)356-8000
273-03060	2WNO SS, LN, VR, FXF, 1.25/16.00	(800)356-8000
273-03061	2WNO SS, LN, VR, FXF, 1.50/25.00	(800)356-8000
273-03062	2WNO SS, LN, VR, FXF, 2.00/40.00	(800)356-8000
273-03063	2WNO SS, LN, VR, FXUF, 0.50/1.00	(800)356-8000
273-03064	2WNO SS, LN, VR, FXUF, 0.50/1.60	(800)356-8000
273-03065	2WNO SS, LN, VR, FXUF, 0.50/2.50	(800)356-8000
273-03066	2WNO SS, LN, VR, FXUF, 0.50/4.00	(800)356-8000
273-03067	2WNO SS, LN, VR, FXUF, 0.75/6.30	(800)356-8000
273-03068	2WNO SS, LN, VR, FXUF, 1.00/10.00	(800)356-8000
273-03069	2WNO SS, LN, VR, FXUF, 1.25/16.00	(800)356-8000
273-03070	2WNO SS, LN, VR, FXUF, 1.50/25.00	(800)356-8000
273-03071	2WNO SS, LN, VR, FXUF, 2.00/40.00	(800)356-8000
273-03072	2WNC SS, LN, VR, FXF, 0.50/1.00	(800)356-8000
273-03073	2WNC SS, LN, VR, FXF, 0.50/1.60	(800)356-8000
273-03074	2WNC SS, LN, VR, FXF, 0.50/2.50	(800)356-8000
273-03075	2WNC SS, LN, VR, FXF, 0.50/4.00	(800)356-8000
273-03076	2WNC SS, LN, VR, FXF, 0.75/6.30	(800)356-8000
273-03077	2WNC SS, LN, VR, FXF, 1.00/10.00	(800)356-8000
273-03078	2WNC SS, LN, VR, FXF, 1.25/16.00	(800)356-8000
273-03079	2WNC SS, LN, VR, FXF, 1.50/25.00	(800)356-8000
273-03080	2WNC SS, LN, VR, FXF, 2.00/40.00	(800)356-8000
273-03081	2WNC SS, LN, VR, FXUF, 0.50/1.00	(800)356-8000
273-03082	2WNC SS, LN, VR, FXUF, 0.50/1.60	(800)356-8000
273-03083	2WNC SS, LN, VR, FXUF, 0.50/2.50	(800)356-8000
273-03084	2WNC SS, LN, VR, FXUF, 0.50/4.00	(800)356-8000
273-03085	2WNC SS, LN, VR, FXUF, 0.75/6.30	(800)356-8000
273-03086	2WNC SS, LN, VR, FXUF, 1.00/10.00	(800)356-8000
273-03087	2WNC SS, LN, VR, FXUF, 1.25/16.00	(800)356-8000
273-03088	2WNC SS, LN, VR, FXUF, 1.50/25.00	(800)356-8000
273-03089	2WNC SS, LN, VR, FXUF, 2.00/40.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
273-03108	2WNO SS,=%,OR, FXF 0.50/1.00	(800)356-8000
273-03109	2WNO SS,=%,OR, FXF 0.50/1.60	(800)356-8000
273-03110	2WNO SS,=%,OR, FXF 0.50/2.50	(800)356-8000
273-03111	2WNO SS,=%,OR, FXF 0.50/4.00	(800)356-8000
273-03112	2WNO SS,=%,OR, FXF 0.75/6.30	(800)356-8000
273-03113	2WNO SS,=%,OR, FXF 1.00/10.00	(800)356-8000
273-03114	2WNO SS,=%,OR, FXF 1.25/16.00	(800)356-8000
273-03115	2WNO SS,=%,OR, FXF 1.50/25.00	(800)356-8000
273-03116	2WNO SS,=%,OR, FXF 2.00/40.00	(800)356-8000
273-03117	2WNO SS,=%,OR,FXUF,0.50/1.00	(800)356-8000
273-03118	2WNO SS,=%,OR,FXUF,0.50/1.60	(800)356-8000
273-03119	2WNO SS,=%,OR,FXUF,0.50/2.50	(800)356-8000
273-03120	2WNO SS,=%,OR,FXUF,0.50/4.00	(800)356-8000
273-03121	2WNO SS,=%,OR,FXUF,0.75/6.30	(800)356-8000
273-03122	2WNO SS,=%,OR,FXUF,1.00/10.00	(800)356-8000
273-03123	2WNO SS,=%,OR,FXUF,1.25/16.00	(800)356-8000
273-03124	2WNO SS,=%,OR,FXUF,1.50/25.00	(800)356-8000
273-03125	2WNO SS,=%,OR,FXUF,2.00/40.00	(800)356-8000
273-03126	2WNC SS,=%,OR, FXF,0.50/1.00	(800)356-8000
273-03127	2WNC SS,=%,OR, FXF,0.50/1.60	(800)356-8000
273-03128	2WNC SS,=%,OR, FXF,0.50/2.50	(800)356-8000
273-03129	2WNC SS,=%,OR, FXF,0.50/4.00	(800)356-8000
273-03130	2WNC SS,=%,OR, FXF,0.75/6.30	(800)356-8000
273-03131	2WNC SS,=%,OR, FXF,1.00/10.00	(800)356-8000
273-03132	2WNC SS,=%,OR, FXF,1.25/16.00	(800)356-8000
273-03133	2WNC SS,=%,OR, FXF,1.50/25.00	(800)356-8000
273-03134	2WNC SS,=%,OR, FXF,2.00/40.00	(800)356-8000
273-03135	2WNC SS,=%,OR,FXUF,0.50/1.00	(800)356-8000
273-03136	2WNC SS,=%,OR,FXUF,0.50/1.60	(800)356-8000
273-03137	2WNC SS,=%,OR,FXUF,0.50/2.50	(800)356-8000
273-03138	2WNC SS,=%,OR,FXUF,0.50/4.00	(800)356-8000
273-03139	2WNC SS,=%,OR,FXUF,0.75/6.30	(800)356-8000
273-03140	2WNC SS,=%,OR,FXUF,1.00/10.00	(800)356-8000
273-03141	2WNC SS,=%,OR,FXUF,1.25/16.00	(800)356-8000
273-03142	2WNC SS,=%,OR,FXUF,1.50/25.00	(800)356-8000
273-03143	2WNC SS,=%,OR,FXUF,2.00/40.00	(800)356-8000
273-03144	3WMX SS,=%,OR, FXF,0.50/1.00	(800)356-8000
273-03145	3WMX SS,=%,OR, FXF,0.50/1.60	(800)356-8000
273-03146	3WMX SS,=%,OR, FXF,0.50/2.50	(800)356-8000
273-03147	3WMX SS,=%,OR, FXF,0.50/4.00	(800)356-8000
273-03148	3WMX SS,=%,OR, FXF,0.75/6.30	(800)356-8000
273-03149	3WMX SS,=%,OR, FXF,1.00/10.00	(800)356-8000
273-03150	3WMX SS,=%,OR, FXF,1.25/16.00	(800)356-8000
273-03151	3WMX SS,=%,OR, FXF,1.50/25.00	(800)356-8000
273-03152	3WMX SS,=%,OR, FXF,2.00/40.00	(800)356-8000
273-03153	3WMX SS,=%,OR,UFXUF 0.50/1.00	(800)356-8000
273-03154	3WMX SS,=%,OR,UFXUF 0.50/1.60	(800)356-8000
273-03155	3WMX SS,=%,OR,UFXUF 0.50/2.50	(800)356-8000
273-03156	3WMX SS,=%,OR,UFXUF 0.50/4.00	(800)356-8000
273-03157	3WMX SS,=%,OR,UFXUF 0.75/6.30	(800)356-8000
273-03158	3WMX SS,=%,OR,UFXUF 1.00/10.00	(800)356-8000
273-03159	3WMX SS,=%,OR,UFXUF 1.25/16.00	(800)356-8000
273-03160	3WMX SS,=%,OR,UFXUF 1.50/25.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
273-03161	3WMX SS,=%,OR,UFXUF 2.00/40.00	(800)356-8000
273-03162	2WNO BZ,=%,OR, FXF 0.50/1.00	(800)356-8000
273-03163	2WNO BZ,=%,OR, FXF 0.50/1.60	(800)356-8000
273-03164	2WNO BZ,=%,OR, FXF 0.50/2.50	(800)356-8000
273-03165	2WNO BZ,=%,OR, FXF 0.50/4.00	(800)356-8000
273-03166	2WNO BZ,=%,OR, FXF 0.75/6.30	(800)356-8000
273-03167	2WNO BZ,=%,OR, FXF 1.00/10.00	(800)356-8000
273-03168	2WNO BZ,=%,OR, FXF 1.25/16.00	(800)356-8000
273-03169	2WNO BZ,=%,OR, FXF 1.50/25.00	(800)356-8000
273-03170	2WNO BZ,=%,OR, FXF 2.00/40.00	(800)356-8000
273-03171	2WNO BZ,=%,OR,FXUF 0.50/1.00	(800)356-8000
273-03172	2WNO BZ,=%,OR,FXUF 0.50/1.60	(800)356-8000
273-03173	2WNO BZ,=%,OR,FXUF 0.50/2.50	(800)356-8000
273-03174	2WNO BZ,=%,OR,FXUF 0.50/4.00	(800)356-8000
273-03175	2WNO BZ,=%,OR,FXUF 0.75/6.30	(800)356-8000
273-03176	2WNO BZ,=%,OR,FXUF 1.00/10.00	(800)356-8000
273-03177	2WNO BZ,=%,OR,FXUF 1.25/16.00	(800)356-8000
273-03178	2WNO BZ,=%,OR,FXUF 1.50/25.00	(800)356-8000
273-03179	2WNO BZ,=%,OR,FXUF 2.00/40.00	(800)356-8000
273-03180	2WNC BZ,=%,OR, FXF 0.50/1.00	(800)356-8000
273-03181	2WNC BZ,=%,OR, FXF 0.50/1.60	(800)356-8000
273-03182	2WNC BZ,=%,OR, FXF 0.50/2.50	(800)356-8000
273-03183	2WNC BZ,=%,OR, FXF 0.50/4.00	(800)356-8000
273-03184	2WNC BZ,=%,OR, FXF 0.75/6.30	(800)356-8000
273-03185	2WNC BZ,=%,OR, FXF 1.00/10.00	(800)356-8000
273-03186	2WNC BZ,=%,OR, FXF 1.25/16.00	(800)356-8000
273-03187	2WNC BZ,=%,OR, FXF 1.50/25.00	(800)356-8000
273-03188	2WNC BZ,=%,OR, FXF 2.00/40.00	(800)356-8000
273-03189	2WNC BZ,=%,OR,FXUF 0.50/1.00	(800)356-8000
273-03190	2WNC BZ,=%,OR,FXUF 0.50/1.60	(800)356-8000
273-03191	2WNC BZ,=%,OR,FXUF 0.50/2.50	(800)356-8000
273-03192	2WNC BZ,=%,OR,FXUF 0.50/4.00	(800)356-8000
273-03193	2WNC BZ,=%,OR,FXUF 0.75/6.30	(800)356-8000
273-03194	2WNC BZ,=%,OR,FXUF 1.00/10.00	(800)356-8000
273-03195	2WNC BZ,=%,OR,FXUF 1.25/16.00	(800)356-8000
273-03196	2WNC BZ,=%,OR,FXUF 1.50/25.00	(800)356-8000
273-03197	2WNC BZ,=%,OR,FXUF 2.00/40.00	(800)356-8000
273-03198	3WMX BZ,=%,OR, FXF 0.50/1.00	(800)356-8000
273-03199	3WMX BZ,=%,OR, FXF 0.50/1.60	(800)356-8000
273-03200	3WMX BZ,=%,OR, FXF 0.50/2.50	(800)356-8000
273-03201	3WMX BZ,=%,OR, FXF 0.50/4.00	(800)356-8000
273-03202	3WMX BZ,=%,OR, FXF 0.75/3.60	(800)356-8000
273-03203	3WMX BZ,=%,OR, FXF 1.00/10.00	(800)356-8000
273-03204	3WMX BZ,=%,OR, FXF 1.25/16.00	(800)356-8000
273-03205	3WMX BZ,=%,OR, FXF 1.50/25.00	(800)356-8000
273-03206	3WMX BZ,=%,OR, FXF 2.00/40.00	(800)356-8000
273-03207	3WMX BZ,=%,OR,UFXUF 0.50/1.00	(800)356-8000
273-03208	3WMX BZ,=%,OR,UFXUF 0.50/1.60	(800)356-8000
273-03209	3WMX BZ,=%,OR,UFXUF 0.50/2.50	(800)356-8000
273-03210	3WMX BZ,=%,OR,UFXUF 0.50/4.00	(800)356-8000
273-03211	3WMX BZ,=%,OR,UFXUF 0.75/6.30	(800)356-8000
273-03212	3WMX BZ,=%,OR,UFXUF 1.00/10.00	(800)356-8000
273-03213	3WMX BZ,=%,OR,UFXUF 1.25/16.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
273-03214	3WMX BZ,=%,OR,UFXUF 1.50/25.00	(800)356-8000
273-03215	3WMX BZ,=%,OR,UFXUF,2.00/40.00	(800)356-8000
273-03216	2WNO SS,LN,OR,FXUM 0.50/1.00	(800)356-8000
273-03217	2WNO SS,LN,OR,FXUM 0.50/1.60	(800)356-8000
273-03218	2WNO SS,LN,OR,FXUM 0.50/2.50	(800)356-8000
273-03219	2WNO SS,LN,OR,FXUM 0.50/4.00	(800)356-8000
273-03220	2WNO SS,LN,OR,FXUM 0.75/6.30	(800)356-8000
273-03221	2WNO SS,LN,OR,FXUM 1.00/10.00	(800)356-8000
273-03225	2WNC SS,LN,OR,FXUM 0.50/1.00	(800)356-8000
273-03226	2WNC SS,LN,OR,FXUM 0.50/1.60	(800)356-8000
273-03227	2WNC SS,LN,OR,FXUM 0.50/2.50	(800)356-8000
273-03228	2WNC SS,LN,OR,FXUM 0.50/4.00	(800)356-8000
273-03229	2WNC SS,LN,OR,FXUM 0.75/6.30	(800)356-8000
273-03230	2WNC SS,LN,OR,FXUM 1.00/10.00	(800)356-8000
273-03234	2WNO SS,LN,VR,FXUM 0.50/1.00	(800)356-8000
273-03235	2WNO SS,LN,VR,FXUM 0.50/1.60	(800)356-8000
273-03236	2WNO SS,LN,VR,FXUM 0.50/2.50	(800)356-8000
273-03237	2WNO SS,LN,VR,FXUM 0.50/4.00	(800)356-8000
273-03238	2WNO SS,LN,VR,FXUM 0.75/6.30	(800)356-8000
273-03239	2WNO SS,LN,VR,FXUM 1.00/10.00	(800)356-8000
273-03243	2WNC SS,LN,VR,FXUM 0.50/1.00	(800)356-8000
273-03244	2WNC SS,LN,VR,FXUM 0.50/1.60	(800)356-8000
273-03245	2WNC SS,LN,VR,FXUM 0.50/2.50	(800)356-8000
273-03246	2WNC SS,LN,VR,FXUM 0.50/4.00	(800)356-8000
273-03247	2WNC SS,LN,VR,FXUM 0.75/6.30	(800)356-8000
273-03248	2WNC SS,LN,VR,FXUM 1.00/10.00	(800)356-8000
273-03252	2WNO SS,=%,OR,FXUM 0.50/1.00	(800)356-8000
273-03253	2WNO SS,=%,OR,FXUM 0.50/1.60	(800)356-8000
273-03254	2WNO SS,=%,OR,FXUM 0.50/2.50	(800)356-8000
273-03255	2WNO SS,=%,OR,FXUM 0.50/4.00	(800)356-8000
273-03256	2WNO SS,=%,OR,FXUM 0.75/6.30	(800)356-8000
273-03257	2WNO SS,=%,OR,FXUM 1.00/10.00	(800)356-8000
273-03261	2WNC SS,=%,OR,FXUM 0.50/1.00	(800)356-8000
273-03262	2WNC SS,=%,OR,FXUM 0.50/1.60	(800)356-8000
273-03263	2WNC SS,=%,OR,FXUM 0.50/2.50	(800)356-8000
273-03264	2WNC SS,=%,OR,FXUM 0.50/4.00	(800)356-8000
273-03265	2WNC SS,=%,OR,FXUM 0.75/6.30	(800)356-8000
273-03266	2WNC SS,=%,OR,FXUM 1.00/10.00	(800)356-8000
273-03270	2WNO BZ,=%,OR,FXUM 0.50/1.00	(800)356-8000
273-03271	2WNO BZ,=%,OR,FXUM 0.50/1.60	(800)356-8000
273-03272	2WNO BZ,=%,OR,FXUM 0.50/2.50	(800)356-8000
273-03273	2WNO BZ,=%,OR,FXUM 0.50/4.00	(800)356-8000
273-03274	2WNO BZ,=%,OR,FXUM 0.75/6.30	(800)356-8000
273-03275	2WNO BZ,=%,OR,FXUM 1.00/10.00	(800)356-8000
273-03279	2WNC BZ,=%,OR,FXUM 0.50/1.00	(800)356-8000
273-03280	2WNC BZ,=%,OR,FXUM 0.50/1.60	(800)356-8000
273-03281	2WNC BZ,=%,OR,FXUM 0.50/2.50	(800)356-8000
273-03282	2WNC BZ,=%,OR,FXUM 0.50/4.00	(800)356-8000
273-03283	2WNC BZ,=%,OR,FXUM 0.75/6.30	(800)356-8000
273-03284	2WNC BZ,=%,OR,FXUM 1.00/10.00	(800)356-8000
274-03000	2WNO SS LN OR FXF 0.50/1.00	(800)356-8000
274-03001	2WNO SS LN OR FXF 0.50/1.60	(800)356-8000
274-03002	2WNO SS LN OR FXF 0.50/2.50	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
274-03003	2WNO SS LN OR FXF 0.50/4.00	(800)356-8000
274-03004	2WNO SS LN OR FXF 0.75/6.30	(800)356-8000
274-03005	2WNO SS LN OR FXF 1.00/10.00	(800)356-8000
274-03006	2WNO SS LN OR FXF 1.25/16.00	(800)356-8000
274-03007	2WNO SS LN OR FXF 1.50/25.00	(800)356-8000
274-03008	2WNO SS LN OR FXF 2.00/40.00	(800)356-8000
274-03009	2WNO SS LN OR FXUF 0.50/1.00	(800)356-8000
274-03010	2WNO SS LN OR FXUF 0.50/1.60	(800)356-8000
274-03011	2WNO SS LN OR FXUF 0.50/2.50	(800)356-8000
274-03012	2WNO SS LN OR FXUF 0.50/4.00	(800)356-8000
274-03013	2WNO SS LN OR FXUF 0.75/6.30	(800)356-8000
274-03014	2WNO SS LN OR FXUF 1.00/10.00	(800)356-8000
274-03015	2WNO SS LN OR UFXUF 1.25/16.00	(800)356-8000
274-03016	2WNO SS LN OR UFXUF 1.50/25.00	(800)356-8000
274-03017	2WNO SS LN OR UFXUF 2.00/40.00	(800)356-8000
274-03018	2WNC SS LN OR FXF 0.50/1.00	(800)356-8000
274-03019	2WNC SS LN OR FXF 0.50/1.60	(800)356-8000
274-03020	2WNC SS LN OR FXF 0.50/2.50	(800)356-8000
274-03021	2WNC SS LN OR FXF 0.50/4.00	(800)356-8000
274-03022	2WNC SS LN OR FXF 0.75/6.30	(800)356-8000
274-03023	2WNC SS LN OR FXF 1.00/10.00	(800)356-8000
274-03024	2WNC SS LN OR FXF 1.25/16.00	(800)356-8000
274-03025	2WNC SS LN OR FXF 1.50/25.00	(800)356-8000
274-03026	2WNC SS LN OR FXF 2.00/40.00	(800)356-8000
274-03027	2WNC SS LN OR FXUF 0.50/1.00	(800)356-8000
274-03028	2WNC SS LN OR FXUF 0.50/1.60	(800)356-8000
274-03029	2WNC SS LN OR FXUF 0.50/2.50	(800)356-8000
274-03030	2WNC SS LN OR FXUF 0.50/4.00	(800)356-8000
274-03031	2WNC SS LN OR FXUF 0.75/6.30	(800)356-8000
274-03032	2WNC SS LN OR FXUF 1.00/10.00	(800)356-8000
274-03033	2WNC SS LN OR UFXUF 1.25/16.00	(800)356-8000
274-03034	2WNC SS LN OR UFXUF 1.50/25.00	(800)356-8000
274-03035	2WNC SS LN OR UFXUF 2.00/40.00	(800)356-8000
274-03054	2WNO SS LN VR FXF 0.50/1.00	(800)356-8000
274-03055	2WNO SS LN VR FXF 0.50/1.60	(800)356-8000
274-03056	2WNO SS LN VR FXF 0.50/2.50	(800)356-8000
274-03057	2WNO SS LN VR FXF 0.50/4.00	(800)356-8000
274-03058	2WNO SS LN VR FXF 0.75/6.30	(800)356-8000
274-03059	2WNO SS LN VR FXF 1.00/10.00	(800)356-8000
274-03060	2WNO SS LN VR FXF 1.25/16.00	(800)356-8000
274-03061	2WNO SS LN VR FXF 1.50/25.00	(800)356-8000
274-03062	2WNO SS LN VR FXF 2.00/40.00	(800)356-8000
274-03063	2WNO SS LN VR FXUF 0.50/1.00	(800)356-8000
274-03064	2WNO SS LN VR FXUF 0.50/1.60	(800)356-8000
274-03065	2WNO SS LN VR FXUF 0.50/2.50	(800)356-8000
274-03066	2WNO SS LN VR FXUF 0.50/4.00	(800)356-8000
274-03067	2WNO SS LN VR FXUF 0.75/6.30	(800)356-8000
274-03068	2WNO SS LN VR FXUF 1.00/10.00	(800)356-8000
274-03069	2WNO SS LN VR UFXUF 1.25/16.00	(800)356-8000
274-03070	2WNO SS LN VR UFXUF 1.50/25.00	(800)356-8000
274-03071	2WNO SS LN VR UFXUF 2.00/40.00	(800)356-8000
274-03072	2WNC SS LN VR FXF 0.50/1.00	(800)356-8000
274-03073	2WNC SS LN VR FXF 0.50/1.60	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
274-03074	2WNC SS LN VR FXF 0.50/2.50	(800)356-8000
274-03075	2WNC SS LN VR FXF 0.50/4.00	(800)356-8000
274-03076	2WNC SS LN VR FXF 0.75/6.30	(800)356-8000
274-03077	2WNC SS LN VR FXF 1.00/10.00	(800)356-8000
274-03078	2WNC SS LN VR FXF 1.25/16.00	(800)356-8000
274-03079	2WNC SS LN VR FXF 1.50/25.00	(800)356-8000
274-03080	2WNC SS LN VR FXF 2.00/40.00	(800)356-8000
274-03081	2WNC SS LN VR FXUF 0.50/1.00	(800)356-8000
274-03082	2WNC SS LN VR FXUF 0.50/1.60	(800)356-8000
274-03083	2WNC SS LN VR FXUF 0.50/2.50	(800)356-8000
274-03084	2WNC SS LN VR FXUF 0.50/4.00	(800)356-8000
274-03085	2WNC SS LN VR FXUF 0.75/6.30	(800)356-8000
274-03086	2WNC SS LN VR FXUF 1.00/10.00	(800)356-8000
274-03087	2WNC SS LN VR UFXUF 1.25/16.00	(800)356-8000
274-03088	2WNC SS LN VR UFXUF 1.50/25.00	(800)356-8000
274-03089	2WNC SS LN VR UFXUF 2.00/40.00	(800)356-8000
274-03108	2WNO SS =% OR FXF 0.50/1.00	(800)356-8000
274-03109	2WNO SS =% OR FXF 0.50/1.60	(800)356-8000
274-03110	2WNO SS =% OR FXF 0.50/2.50	(800)356-8000
274-03111	2WNO SS =% OR FXF 0.50/4.00	(800)356-8000
274-03112	2WNO SS =% OR FXF 0.75/6.30	(800)356-8000
274-03113	2WNO SS =% OR FXF 1.00/10.00	(800)356-8000
274-03114	2WNO SS =% OR FXF 1.25/16.00	(800)356-8000
274-03115	2WNO SS =% OR FXF 1.50/25.00	(800)356-8000
274-03116	2WNO SS =% OR FXF 2.00/40.00	(800)356-8000
274-03117	2WNO SS =% OR FXUF 0.50/1.00	(800)356-8000
274-03118	2WNO SS =% OR FXUF 0.50/1.60	(800)356-8000
274-03119	2WNO SS =% OR FXUF 0.50/2.50	(800)356-8000
274-03120	2WNO SS =% OR FXUF 0.50/4.00	(800)356-8000
274-03121	2WNO SS =% OR FXUF 0.75/6.30	(800)356-8000
274-03122	2WNO SS =% OR FXUF 1.00/10.00	(800)356-8000
274-03123	2WNO SS =% OR UFXUF 1.25/16.00	(800)356-8000
274-03124	2WNO SS =% OR UFXUF 1.50/25.00	(800)356-8000
274-03125	2WNO SS =% OR UFXUF 2.00/40.00	(800)356-8000
274-03126	2WNC SS =% OR FXF 0.50/1.00	(800)356-8000
274-03127	2WNC SS =% OR FXF 0.50/1.60	(800)356-8000
274-03128	2WNC SS =% OR FXF 0.50/2.50	(800)356-8000
274-03129	2WNC SS =% OR FXF 0.50/4.00	(800)356-8000
274-03130	2WNC SS =% OR FXF 0.75/6.30	(800)356-8000
274-03131	2WNC SS =% OR FXF 1.00/10.00	(800)356-8000
274-03132	2WNC SS =% OR FXF 1.25/16.00	(800)356-8000
274-03133	2WNC SS =% OR FXF 1.50/25.00	(800)356-8000
274-03134	2WNC SS =% OR FXF 2.00/40.00	(800)356-8000
274-03135	2WNC SS =% OR FXUF 0.50/1.00	(800)356-8000
274-03136	2WNC SS =% OR FXUF 0.50/1.60	(800)356-8000
274-03137	2WNC SS =% OR FXUF 0.50/2.50	(800)356-8000
274-03138	2WNC SS =% OR FXUF 0.50/4.00	(800)356-8000
274-03139	2WNC SS =% OR FXUF 0.75/6.30	(800)356-8000
274-03140	2WNC SS =% OR FXUF 1.00/10.00	(800)356-8000
274-03141	2WNC SS =% OR UFXUF 1.25/16.00	(800)356-8000
274-03142	2WNC SS =% OR UFXUF 1.50/25.00	(800)356-8000
274-03143	2WNC SS =% OR UFXUF 2.00/40.00	(800)356-8000
274-03144	3WMX SS =% OR FXF 0.50/1.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
274-03145	3WMX SS =% OR FXF 0.50/1.60	(800)356-8000
274-03146	3WMX SS =% OR FXF 0.50/2.50	(800)356-8000
274-03147	3WMX SS =% OR FXF 0.50/4.00	(800)356-8000
274-03148	3WMX SS =% OR FXF 0.75/6.30	(800)356-8000
274-03149	3WMX SS =% OR FXF 1.00/10.00	(800)356-8000
274-03150	3WMX SS =% OR FXF 1.25/16.00	(800)356-8000
274-03151	3WMX SS =% OR FXF 1.50/25.00	(800)356-8000
274-03152	3WMX SS =% OR FXF 2.00/40.00	(800)356-8000
274-03153	3WMX SS =% OR UFXUF 0.50/1.00	(800)356-8000
274-03154	3WMX SS =% OR UFXUF 0.50/1.60	(800)356-8000
274-03155	3WMX SS =% OR UFXUF 0.50/2.50	(800)356-8000
274-03156	3WMX SS =% OR UFXUF 0.50/4.00	(800)356-8000
274-03157	3WMX SS =% OR UFXUF 0.75/6.30	(800)356-8000
274-03158	3WMX SS =% OR UFXUF 1.00/10.00	(800)356-8000
274-03159	3WMX SS =% OR UFXUF 1.25/16.00	(800)356-8000
274-03160	3WMX SS =% OR UFXUF 1.50/25.00	(800)356-8000
274-03161	3WMX SS =% OR UFXUF 2.00/40.00	(800)356-8000
274-03162	2WNO BZ =% OR FXF 0.50/1.00	(800)356-8000
274-03163	2WNO BZ =% OR FXF 0.50/1.60	(800)356-8000
274-03164	2WNO BZ =% OR FXF 0.50/2.50	(800)356-8000
274-03165	2WNO BZ =% OR FXF 0.50/4.00	(800)356-8000
274-03166	2WNO BZ =% OR FXF 0.75/6.30	(800)356-8000
274-03167	2WNO BZ =% OR FXF 1.00/10.00	(800)356-8000
274-03168	2WNO BZ =% OR FXF 1.25/16.00	(800)356-8000
274-03169	2WNO BZ =% OR FXF 1.50/25.00	(800)356-8000
274-03170	2WNO BZ =% OR FXF 2.00/40.00	(800)356-8000
274-03171	2WNO BZ =% OR FXUF 0.50/1.00	(800)356-8000
274-03172	2WNO BZ =% OR FXUF 0.50/1.60	(800)356-8000
274-03173	2WNO BZ =% OR FXUF 0.50/2.50	(800)356-8000
274-03174	2WNO BZ =% OR FXUF 0.50/4.00	(800)356-8000
274-03175	2WNO BZ =% OR FXUF 0.75/6.30	(800)356-8000
274-03176	2WNO BZ =% OR FXUF 1.00/10.00	(800)356-8000
274-03177	2WNO BZ =% OR UFXUF 1.25/16.00	(800)356-8000
274-03178	2WNO BZ =% OR UFXUF 1.50/25.00	(800)356-8000
274-03179	2WNO BZ =% OR UFXUF 2.00/40.00	(800)356-8000
274-03180	2WNC BZ =% OR FXF 0.50/1.00	(800)356-8000
274-03181	2WNC BZ =% OR FXF 0.50/1.60	(800)356-8000
274-03182	2WNC BZ =% OR FXF 0.50/2.50	(800)356-8000
274-03183	2WNC BZ =% OR FXF 0.50/4.00	(800)356-8000
274-03184	2WNC BZ =% OR FXF 0.75/6.30	(800)356-8000
274-03185	2WNC BZ =% OR FXF 1.00/10.00	(800)356-8000
274-03186	2WNC BZ =% OR FXF 1.25/16.00	(800)356-8000
274-03187	2WNC BZ =% OR FXF 1.50/25.00	(800)356-8000
274-03188	2WNC BZ =% OR FXF 2.00/40.00	(800)356-8000
274-03189	2WNC BZ =% OR FXUF 0.50/1.00	(800)356-8000
274-03190	2WNC BZ =% OR FXUF 0.50/1.60	(800)356-8000
274-03191	2WNC BZ =% OR FXUF 0.50/2.50	(800)356-8000
274-03192	2WNC BZ =% OR FXUF 0.50/4.00	(800)356-8000
274-03193	2WNC BZ =% OR FXUF 0.75/6.30	(800)356-8000
274-03194	2WNC BZ =% OR FXUF 1.00/10.00	(800)356-8000
274-03195	2WNC BZ =% OR UFXUF 1.25/16.00	(800)356-8000
274-03196	2WNC BZ =% OR UFXUF 1.50/25.00	(800)356-8000
274-03197	2WNC BZ =% OR UFXUF 2.00/40.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
274-03198	3WMX BZ =% OR FXF 0.50/1.00	(800)356-8000
274-03199	3WMX BZ =% OR FXF 0.50/2.50	(800)356-8000
274-03200	3WMX BZ =% OR FXF 0.50/2.50	(800)356-8000
274-03201	3WMX BZ =% OR FXF 0.50/4.00	(800)356-8000
274-03202	3WMX BZ =% OR FXF 0.75/6.30	(800)356-8000
274-03203	3WMX BZ =% OR FXF 1.00/10.00	(800)356-8000
274-03204	3WMX BZ =% OR FXF 1.25/16.00	(800)356-8000
274-03205	3WMX BZ =% OR FXF 1.50/25.00	(800)356-8000
274-03206	3WMX BZ =% OR FXF 2.00/40.00	(800)356-8000
274-03207	3WMX BZ =% OR UFXUF 0.50/1.00	(800)356-8000
274-03208	3WMX BZ =% OR UFXUF 0.50/1.60	(800)356-8000
274-03209	3WMX BZ =% OR UFXUF 0.50/2.50	(800)356-8000
274-03210	3WMX BZ =% OR UFXUF 0.50/4.00	(800)356-8000
274-03211	3WMX BZ =% OR UFXUF 0.75/6.30	(800)356-8000
274-03212	3WMX BZ =% OR UFXUF 1.00/10.00	(800)356-8000
274-03213	3WMX BZ =% OR UFXUF 1.25/16.00	(800)356-8000
274-03214	3WMX BZ =% OR UFXUF 1.50/25.00	(800)356-8000
274-03215	3WMX BZ =% OR UFXUF 2.00/40.00	(800)356-8000
274-03216	2WNO SS LN OR FXUM 0.50/1.00	(800)356-8000
274-03217	2WNO SS LN OR FXUM 0.50/1.60	(800)356-8000
274-03218	2WNO SS LN OR FXUM 0.50/2.50	(800)356-8000
274-03219	2WNO SS LN OR FXUM 0.50/4.00	(800)356-8000
274-03220	2WNO SS LN OR FXUM 0.75/6.30	(800)356-8000
274-03221	2WNO SS LN OR FXUM 1.00/10.00	(800)356-8000
274-03225	2WNC SS LN OR FXUM 0.50/1.00	(800)356-8000
274-03226	2WNC SS LN OR FXUM 0.50/1.60	(800)356-8000
274-03227	2WNC SS LN OR FXUM 0.50/2.50	(800)356-8000
274-03228	2WNC SS LN OR FXUM 0.50/4.00	(800)356-8000
274-03229	2WNC SS LN OR FXUM 0.75/6.30	(800)356-8000
274-03230	2WNC SS LN OR FXUM 1.00/10.00	(800)356-8000
274-03234	2WNO SS LN VR FXUM 0.50/1.00	(800)356-8000
274-03235	2WNO SS LN VR FXUM 0.50/1.60	(800)356-8000
274-03236	2WNO SS LN VR FXUM 0.50/2.50	(800)356-8000
274-03237	2WNO SS LN VR FXUM 0.50/4.00	(800)356-8000
274-03238	2WNO SS LN VR FXUM 0.75/6.30	(800)356-8000
274-03239	2WNO SS LN VR FXUM 1.00/10.00	(800)356-8000
274-03243	2WNC SS LN VR FXUM 0.50/1.00	(800)356-8000
274-03244	2WNC SS LN VR FXUM 0.50/1.60	(800)356-8000
274-03245	2WNC SS LN VR FXUM 0.50/2.50	(800)356-8000
274-03246	2WNC SS LN VR FXUM 0.50/4.00	(800)356-8000
274-03247	2WNC SS LN VR FXUM 0.75/6.30	(800)356-8000
274-03248	2WNC SS LN VR FXUM 1.00/10.00	(800)356-8000
274-03252	2WNO SS =% OR FXUM 0.50/1.00	(800)356-8000
274-03253	2WNO SS =% OR FXUM 0.50/1.60	(800)356-8000
274-03254	2WNO SS =% OR FXUM 0.50/2.50	(800)356-8000
274-03255	2WNO SS =% OR FXUM 0.50/4.00	(800)356-8000
274-03256	2WNO SS =% OR FXUM 0.75/6.30	(800)356-8000
274-03257	2WNO SS =% OR FXUM 1.00/10.00	(800)356-8000
274-03261	2WNC SS =% OR FXUM 0.50/1.00	(800)356-8000
274-03262	2WNC SS =% OR FXUM 0.50/1.60	(800)356-8000
274-03263	2WNC SS =% OR FXUM 0.50/2.50	(800)356-8000
274-03264	2WNC SS =% OR FXUM 0.50/4.00	(800)356-8000
274-03265	2WNC SS =% OR FXUM 0.75/6.30	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
274-03266	2WNC SS =% OR FXUM 1.00/10.00	(800)356-8000
274-03270	2WNO BZ =% OR FXUM 0.50/1.00	(800)356-8000
274-03271	2WNO BZ =% OR FXUM 0.50/1.60	(800)356-8000
274-03272	2WNO BZ =% OR FXUM 0.50/2.50	(800)356-8000
274-03273	2WNO BZ =% OR FXUM 0.50/4.00	(800)356-8000
274-03274	2WNO BZ =% OR FXUM 0.75/6.30	(800)356-8000
274-03275	2WNO BZ =% OR FXUM 1.00/10.00	(800)356-8000
274-03279	2WNC BZ =% OR FXUM 0.50/1.00	(800)356-8000
274-03280	2WNC BZ =% OR FXUM 0.50/1.60	(800)356-8000
274-03281	2WNC BZ =% OR FXUM 0.50/2.50	(800)356-8000
274-03282	2WNC BZ =% OR FXUM 0.50/4.00	(800)356-8000
274-03283	2WNC BZ =% OR FXUM 0.75/6.30	(800)356-8000
274-03284	2WNC BZ =% OR FXUM 1.00/10.00	(800)356-8000
274-05920	2.5"NO,SS,=%,OR,250,MM,+SKD62U	(800)356-8000
274-05921	3"NO,250 SS,=%,OR MM,+SKD62U	(800)356-8000
274-05930	2.5"NC,250 SS,=%,OR,MM,+SKD62U	(800)356-8000
274-05931	3"NC,250 SS,=%,OR MM,+SKD62U	(800)356-8000
274-05940	2.5"NO,250 BZ,=%,OR,MM,+SKD62U	(800)356-8000
274-05941	3"NO,250,BZ,=%,OR MM,+SKD62U	(800)356-8000
274-05950	2.5"NC,250 BZ,=%,OR,MM,+SKD62U	(800)356-8000
274-05951	3"NC,250,BZ,=%,OR MM,+SKD62U	(800)356-8000
274-05960	2.5"NO,125 SS,=%,OR,MM,+SKD62U	(800)356-8000
274-05961	3"NO,125,SS,=%,OR MM,+SKD62U	(800)356-8000
274-05970	2.5"NC,125 SS,=%,OR,MM,+SKD62U	(800)356-8000
274-05971	3"NC,125,SS,=%,OR MM,+SKD62U	(800)356-8000
274-05980	2.5"NO,125 BZ,=%,OR,MM,+SKD62U	(800)356-8000
274-05981	3"NO,125,BZ,=%,OR MM,+SKD62U	(800)356-8000
274-05990	2.5"NC,125 BZ,=%,OR,MM,+SKD62U	(800)356-8000
274-05991	3"NC,125,BZ,=%,OR MM,+SKD62U	(800)356-8000
274-06040	2.5"NO,125 SS,LN,VR,MM,+SKD62U	(800)356-8000
274-06041	3"NO,125,SS,LN,VR MM,+SKD62U	(800)356-8000
274-06050	2.5"NC,125 SS,LN,VR,MM,+SKD62U	(800)356-8000
274-06051	3"NC,125,SS,LN,VR MM,+SKD62U	(800)356-8000
274-06060	2.5"NO,125 SS,LN,OR,MM,+SKD62U	(800)356-8000
274-06061	3"NO,125,SS,LN,OR MM,+SKD62U	(800)356-8000
274-06070	2.5"NC,125 SS,LN,OR,MM,+SKD62U	(800)356-8000
274-06071	3"NC,125,SS,LN,OR MM,+SKD62U	(800)356-8000
274-06120	2.5"NO,250 SS,LN,VR,MM,+SKD62U	(800)356-8000
274-06121	3"NO,250,SS,LN,VR MM,+SKD62U	(800)356-8000
274-06130	2.5"NC,250 SS,LN,VR,MM,+SKD62U	(800)356-8000
274-06131	3"NC,250,SS,LN,VR MM,+SKD62U	(800)356-8000
274-06140	2.5"NO,250 SS,LN,OR,MM,+SKD62U	(800)356-8000
274-06141	3"NO,250,SS,LN,OR MM,+SKD62U	(800)356-8000
274-06150	2.5"NC,250 SS,LN,OR,MM,+SKD62U	(800)356-8000
274-06151	3"NC,250,SS,LN,OR MM,+SKD62U	(800)356-8000
274-06160	2.5"MX,125 BZ,LN,OR,MM,+SKD62U	(800)356-8000
274-06161	3"MX,125,BZ,LN,OR MM,+SKD62U	(800)356-8000
274-06165	2.5"MX,125 SS,LN,OR,MM,+SKD62U	(800)356-8000
274-06166	3"MX,125,BZ,LN,OR MM,+SKD62U	(800)356-8000
274-06170	2.5"MX,250 BZ,LN,OR,MM,+SKD62U	(800)356-8000
274-06171	3"MX,250,BZ,LN,OR MM,+SKD62U	(800)356-8000
274-06175	2.5"MX,250 SS,LN,OR,MM,+SKD62U	(800)356-8000
274-06176	3"WM,SS,LN,OR,250,+SKD62U	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
275-03000	2WNO SS LN OR FXF 0.50/1.00	(800)356-8000
275-03001	2WNO SS LN OR FXF 0.50/1.60	(800)356-8000
275-03002	2WNO SS LN OR FXF 0.50/2.50	(800)356-8000
275-03003	2WNO SS LN OR FXF 0.50/4.00	(800)356-8000
275-03004	2WNO SS LN OR FXF 0.75/6.30	(800)356-8000
275-03005	2WNO SS LN OR FXF 1.00/10.00	(800)356-8000
275-03006	2WNO SS LN OR FXF 1.25/16.00	(800)356-8000
275-03007	2WNO SS LN OR FXF 1.50/25.00	(800)356-8000
275-03008	2WNO SS LN OR FXF 2.00/40.00	(800)356-8000
275-03009	2WNO SS LN OR FXUF 0.50/1.00	(800)356-8000
275-03010	2WNO SS LN OR FXUF 0.50/1.60	(800)356-8000
275-03011	2WNO SS LN OR FXUF 0.50/2.50	(800)356-8000
275-03012	2WNO SS LN OR FXUF 0.50/4.00	(800)356-8000
275-03013	2WNO SS LN OR FXUF 0.75/6.30	(800)356-8000
275-03014	2WNO SS LN OR FXUF 1.00/10.00	(800)356-8000
275-03015	2WNO SS LN OR UFXUF 1.25/16.00	(800)356-8000
275-03016	2WNO SS LN OR UFXUF 1.50/25.00	(800)356-8000
275-03017	2WNO SS LN OR UFXUF 2.00/40.00	(800)356-8000
275-03018	2WNC SS LN OR FXF 0.50/1.00	(800)356-8000
275-03019	2WNC SS LN OR FXF 0.50/1.60	(800)356-8000
275-03020	2WNC SS LN OR FXF 0.50/2.50	(800)356-8000
275-03021	2WNC SS LN OR FXF 0.50/4.00	(800)356-8000
275-03022	2WNC SS LN OR FXF 0.75/6.30	(800)356-8000
275-03023	2WNC SS LN OR FXF 1.00/10.00	(800)356-8000
275-03024	2WNC SS LN OR FXF 1.25/16.00	(800)356-8000
275-03025	2WNC SS LN OR FXF 1.50/25.00	(800)356-8000
275-03026	2WNC SS LN OR FXF 2.00/40.00	(800)356-8000
275-03027	2WNC SS LN OR FXUF 0.50/1.00	(800)356-8000
275-03028	2WNC SS LN OR FXUF 0.50/1.60	(800)356-8000
275-03029	2WNC SS LN OR FXUF 0.50/2.50	(800)356-8000
275-03030	2WNC SS LN OR FXUF 0.50/4.00	(800)356-8000
275-03031	2WNC SS LN OR FXUF 0.75/6.30	(800)356-8000
275-03032	2WNC SS LN OR FXUF 1.00/10.00	(800)356-8000
275-03033	2WNC SS LN OR UFXUF 1.25/16.00	(800)356-8000
275-03034	2WNC SS LN OR UFXUF 1.50/25.00	(800)356-8000
275-03035	2WNC SS LN OR UFXUF 2.00/40.00	(800)356-8000
275-03054	2WNO SS LN VR FXF 0.50/1.00	(800)356-8000
275-03055	2WNO SS LN VR FXF 0.50/1.60	(800)356-8000
275-03056	2WNO SS LN VR FXF 0.50/2.50	(800)356-8000
275-03057	2WNO SS LN VR FXF 0.50/4.00	(800)356-8000
275-03058	2WNO SS LN VR FXF 0.75/6.30	(800)356-8000
275-03059	2WNO SS LN VR FXF 1.00/10.00	(800)356-8000
275-03060	2WNO SS LN VR FXF 1.25/16.00	(800)356-8000
275-03061	2WNO SS LN VR FXF 1.50/25.00	(800)356-8000
275-03062	2WNO SS LN VR FXF 2.00/40.00	(800)356-8000
275-03063	2WNO SS LN VR FXUF 0.50/1.00	(800)356-8000
275-03064	2WNO SS LN VR FXUF 0.50/1.60	(800)356-8000
275-03065	2WNO SS LN VR FXUF 0.50/2.50	(800)356-8000
275-03066	2WNO SS LN VR FXUF 0.50/4.00	(800)356-8000
275-03067	2WNO SS LN VR FXUF 0.75/6.30	(800)356-8000
275-03068	2WNO SS LN VR FXUF 1.00/10.00	(800)356-8000
275-03069	2WNO SS LN VR UFXUF 1.25/16.00	(800)356-8000
275-03070	2WNO SS LN VR UFXUF 1.50/25.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
275-03071	2WNO SS LN VR UFXUF 2.00/40.00	(800)356-8000
275-03072	2WNC SS LN VR FXF 0.50/1.00	(800)356-8000
275-03073	2WNC SS LN VR FXF 0.50/1.60	(800)356-8000
275-03074	2WNC SS LN VR FXF 0.50/2.50	(800)356-8000
275-03075	2WNC SS LN VR FXF 0.50/4.00	(800)356-8000
275-03076	2WNC SS LN VR FXF 0.75/6.30	(800)356-8000
275-03077	2WNC SS LN VR FXF 1.00/10.00	(800)356-8000
275-03078	2WNC SS LN VR FXF 1.25/16.00	(800)356-8000
275-03079	2WNC SS LN VR FXF 1.50/25.00	(800)356-8000
275-03080	2WNC SS LN VR FXF 2.00/40.00	(800)356-8000
275-03081	2WNC SS LN VR FXUF 0.50/1.00	(800)356-8000
275-03082	2WNC SS LN VR FXUF 0.50/1.60	(800)356-8000
275-03083	2WNC SS LN VR FXUF 0.50/2.50	(800)356-8000
275-03084	2WNC SS LN VR FXUF 0.50/4.00	(800)356-8000
275-03085	2WNC SS LN VR FXUF 0.75/6.30	(800)356-8000
275-03086	2WNC SS LN VR FXUF 1.00/10.00	(800)356-8000
275-03087	2WNC SS LN VR UFXUF 1.25/16.00	(800)356-8000
275-03088	2WNC SS LN VR UFXUF 1.50/25.00	(800)356-8000
275-03089	2WNC SS LN VR UFXUF 2.00/40.00	(800)356-8000
275-03108	2WNO SS =% OR FXF 0.50/1.00	(800)356-8000
275-03109	2WNO SS =% OR FXF 0.50/1.60	(800)356-8000
275-03110	2WNO SS =% OR FXF 0.50/2.50	(800)356-8000
275-03111	2WNO SS =% OR FXF 0.50/4.00	(800)356-8000
275-03112	2WNO SS =% OR FXF 0.75/6.30	(800)356-8000
275-03113	2WNO SS =% OR FXF 1.00/10.00	(800)356-8000
275-03114	2WNO SS =% OR FXF 1.25/16.00	(800)356-8000
275-03115	2WNO SS =% OR FXF 1.50/25.00	(800)356-8000
275-03116	2WNO SS =% OR FXF 2.00/40.00	(800)356-8000
275-03117	2WNO SS =% OR FXUF 0.50/1.00	(800)356-8000
275-03118	2WNO SS =% OR FXUF 0.50/1.60	(800)356-8000
275-03119	2WNO SS =% OR FXUF 0.50/2.50	(800)356-8000
275-03120	2WNO SS =% OR FXUF 0.50/4.00	(800)356-8000
275-03121	2WNO SS =% OR FXUF 0.75/6.30	(800)356-8000
275-03122	2WNO SS =% OR FXUF 1.00/10.00	(800)356-8000
275-03123	2WNO SS =% OR UFXUF 1.25/16.00	(800)356-8000
275-03124	2WNO SS =% OR UFXUF 1.50/25.00	(800)356-8000
275-03125	2WNO SS =% OR UFXUF 2.00/40.00	(800)356-8000
275-03126	2WNC SS =% OR FXF 0.50/1.00	(800)356-8000
275-03127	2WNC SS =% OR FXF 0.50/1.60	(800)356-8000
275-03128	2WNC SS =% OR FXF 0.50/2.50	(800)356-8000
275-03129	2WNC SS =% OR FXF 0.50/4.00	(800)356-8000
275-03130	2WNC SS =% OR FXF 0.75/6.30	(800)356-8000
275-03131	2WNC SS =% OR FXF 1.00/10.00	(800)356-8000
275-03132	2WNC SS =% OR FXF 1.25/16.00	(800)356-8000
275-03133	2WNC SS =% OR FXF 1.50/25.00	(800)356-8000
275-03134	2WNC SS =% OR FXF 2.00/40.00	(800)356-8000
275-03135	2WNC SS =% OR FXUF 0.50/1.00	(800)356-8000
275-03136	2WNC SS =% OR FXUF 0.50/1.60	(800)356-8000
275-03137	2WNC SS =% OR FXUF 0.50/2.50	(800)356-8000
275-03138	2WNC SS =% OR FXUF 0.50/4.00	(800)356-8000
275-03139	2WNC SS =% OR FXUF 0.75/6.30	(800)356-8000
275-03140	2WNC SS =% OR FXUF 1.00/10.00	(800)356-8000
275-03141	2WNC SS =% OR UFXUF 1.25/16.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
275-03142	2WNC SS =% OR UFXUF 1.50/25.00	(800)356-8000
275-03143	2WNC SS =% OR UFXUF 2.00/40.00	(800)356-8000
275-03144	3WMX SS =% OR FXF 0.50/1.00	(800)356-8000
275-03145	3WMX SS =% OR FXF 0.50/1.60	(800)356-8000
275-03146	3WMX SS =% OR FXF 0.50/2.50	(800)356-8000
275-03147	3WMX SS =% OR FXF 0.50/4.00	(800)356-8000
275-03148	3WMX SS =% OR FXF 0.75/6.30	(800)356-8000
275-03149	3WMX SS =% OR FXF 1.00/10.00	(800)356-8000
275-03150	3WMX SS =% OR FXF 1.25/16.00	(800)356-8000
275-03151	3WMX SS =% OR FXF 1.50/25.00	(800)356-8000
275-03152	3WMX SS =% OR FXF 2.00/40.00	(800)356-8000
275-03153	3WMX SS =% OR UFXUF 0.50/1.00	(800)356-8000
275-03154	3WMX SS =% OR UFXUF 0.50/1.60	(800)356-8000
275-03155	3WMX SS =% OR UFXUF 0.50/2.50	(800)356-8000
275-03156	3WMX SS =% OR UFXUF 0.50/4.00	(800)356-8000
275-03157	3WMX SS =% OR UFXUF 0.75/6.30	(800)356-8000
275-03158	3WMX SS =% OR UFXUF 1.00/10.00	(800)356-8000
275-03159	3WMX SS =% OR UFXUF 1.25/16.00	(800)356-8000
275-03160	3WMX SS =% OR UFXUF 1.50/25.00	(800)356-8000
275-03161	3WMX SS =% OR UFXUF 2.00/40.00	(800)356-8000
275-03162	2WNO BZ =% OR FXF 0.50/1.00	(800)356-8000
275-03163	2WNO BZ =% OR FXF 0.50/1.60	(800)356-8000
275-03164	2WNO BZ =% OR FXF 0.50/2.50	(800)356-8000
275-03165	2WNO BZ =% OR FXF 0.50/4.00	(800)356-8000
275-03166	2WNO BZ =% OR FXF 0.75/6.30	(800)356-8000
275-03167	2WNO BZ =% OR FXF 1.00/10.00	(800)356-8000
275-03168	2WNO BZ =% OR FXF 1.25/16.00	(800)356-8000
275-03169	2WNO BZ =% OR FXF 1.50/25.00	(800)356-8000
275-03170	2WNO BZ =% OR FXF 2.00/40.00	(800)356-8000
275-03171	2WNO BZ =% OR FXUF 0.50/1.00	(800)356-8000
275-03172	2WNO BZ =% OR FXUF 0.50/1.60	(800)356-8000
275-03173	2WNO BZ =% OR FXUF 0.50/2.50	(800)356-8000
275-03174	2WNO BZ =% OR FXUF 0.50/4.00	(800)356-8000
275-03175	2WNO BZ =% OR FXUF 0.75/6.30	(800)356-8000
275-03176	2WNO BZ =% OR FXUF 1.00/10.00	(800)356-8000
275-03177	2WNO BZ =% OR UFXUF 1.25/16.00	(800)356-8000
275-03178	2WNO BZ =% OR UFXUF 1.50/25.00	(800)356-8000
275-03179	2WNO BZ =% OR UFXUF 2.00/40.00	(800)356-8000
275-03180	2WNC BZ =% OR FXF 0.50/1.00	(800)356-8000
275-03181	2WNC BZ =% OR FXF 0.50/1.60	(800)356-8000
275-03182	2WNC BZ =% OR FXF 0.50/2.50	(800)356-8000
275-03183	2WNC BZ =% OR FXF 0.50/4.00	(800)356-8000
275-03184	2WNC BZ =% OR FXF 0.75/6.30	(800)356-8000
275-03185	2WNC BZ =% OR FXF 1.00/10.00	(800)356-8000
275-03186	2WNC BZ =% OR FXF 1.25/16.00	(800)356-8000
275-03187	2WNC BZ =% OR FXF 1.50/25.00	(800)356-8000
275-03188	2WNC BZ =% OR FXF 2.00/40.00	(800)356-8000
275-03189	2WNC BZ =% OR FXUF 0.50/1.00	(800)356-8000
275-03190	2WNC BZ =% OR FXUF 0.50/1.60	(800)356-8000
275-03191	2WNC BZ =% OR FXUF 0.50/2.50	(800)356-8000
275-03192	2WNC BZ =% OR FXUF 0.50/4.00	(800)356-8000
275-03193	2WNC BZ =% OR FXUF 0.75/6.30	(800)356-8000
275-03194	2WNC BZ =% OR FXUF 1.00/10.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
275-03195	2WNC BZ =% OR UFXUF 1.25/16.00	(800)356-8000
275-03196	2WNC BZ =% OR UFXUF 1.50/25.00	(800)356-8000
275-03197	2WNC BZ =% OR UFXUF 2.00/40.00	(800)356-8000
275-03198	3WMX BZ =% OR FFX 0.50/1.00	(800)356-8000
275-03199	3WMX BZ =% OR FFX 0.50/1.60	(800)356-8000
275-03200	3WMX BZ =% OR FFX 0.50/2.50	(800)356-8000
275-03201	3WMX BZ =% OR FFX 0.50/4.00	(800)356-8000
275-03202	3WMX BZ =% OR FFX 0.75/6.30	(800)356-8000
275-03203	3WMX BZ =% OR FFX 1.00/10.00	(800)356-8000
275-03204	3WMX BZ =% OR FFX 1.25/16.00	(800)356-8000
275-03205	3WMX BZ =% OR FFX 1.50/25.00	(800)356-8000
275-03206	3WMX BZ =% OR FFX 2.00/40.00	(800)356-8000
275-03207	3WMX BZ =% OR UFXUF 0.50/1.00	(800)356-8000
275-03208	3WMX BZ =% OR UFXUF 0.50/1.60	(800)356-8000
275-03209	3WMX BZ =% OR UFXUF 0.50/2.50	(800)356-8000
275-03210	3WMX BZ =% OR UFXUF 0.50/4.00	(800)356-8000
275-03211	3WMX BZ =% OR UFXUF 0.75/6.30	(800)356-8000
275-03212	3WMX BZ =% OR UFXUF 1.00/10.00	(800)356-8000
275-03213	3WMX BZ =% OR UFXUF 1.25/16.00	(800)356-8000
275-03214	3WMX BZ =% OR UFXUF 1.50/25.00	(800)356-8000
275-03215	3WMX BZ =% OR UFXUF 2.00/40.00	(800)356-8000
275-03216	2WNO SS LN OR FXUM 0.50/1.00	(800)356-8000
275-03217	2WNO SS LN OR FXUM 0.50/1.60	(800)356-8000
275-03218	2WNO SS LN OR FXUM 0.50/2.50	(800)356-8000
275-03219	2WNO SS LN OR FXUM 0.50/4.00	(800)356-8000
275-03220	2WNO SS LN OR FXUM 0.75/6.30	(800)356-8000
275-03221	2WNO SS LN OR FXUM 1.00/10.00	(800)356-8000
275-03225	2WNC SS LN OR FXUM 0.50/1.00	(800)356-8000
275-03226	2WNC SS LN OR FXUM 0.50/1.60	(800)356-8000
275-03227	2WNC SS LN OR FXUM 0.50/2.50	(800)356-8000
275-03228	2WNC SS LN OR FXUM 0.50/4.00	(800)356-8000
275-03229	2WNC SS LN OR FXUM 0.75/6.30	(800)356-8000
275-03230	2WNC SS LN OR FXUM 1.00/10.00	(800)356-8000
275-03234	2WNO SS LN VR FXUM 0.50/1.00	(800)356-8000
275-03235	2WNO SS LN VR FXUM 0.50/1.60	(800)356-8000
275-03236	2WNO SS LN VR FXUM 0.50/2.50	(800)356-8000
275-03237	2WNO SS LN VR FXUM 0.50/4.00	(800)356-8000
275-03238	2WNO SS LN VR FXUM 0.75/6.30	(800)356-8000
275-03239	2WNO SS LN VR FXUM 1.00/10.00	(800)356-8000
275-03243	2WNC SS LN VR FXUM 0.50/1.00	(800)356-8000
275-03244	2WNC SS LN VR FXUM 0.50/1.60	(800)356-8000
275-03245	2WNC SS LN VR FXUM 0.50/2.50	(800)356-8000
275-03246	2WNC SS LN VR FXUM 0.50/4.00	(800)356-8000
275-03247	2WNC SS LN VR FXUM 0.75/6.30	(800)356-8000
275-03248	2WNC SS LN VR FXUM 1.00/10.00	(800)356-8000
275-03252	2WNO SS =% OR FXUM 0.50/1.00	(800)356-8000
275-03253	2WNO SS =% OR FXUM 0.50/1.60	(800)356-8000
275-03254	2WNO SS =% OR FXUM 0.50/2.50	(800)356-8000
275-03255	2WNO SS =% OR FXUM 0.50/4.00	(800)356-8000
275-03256	2WNO SS =% OR FXUM 0.75/6.30	(800)356-8000
275-03257	2WNO SS =% OR FXUM 1.00/10.00	(800)356-8000
275-03261	2WNC SS =% OR FXUM 0.50/1.00	(800)356-8000
275-03262	2WNC SS =% OR FXUM 0.50/1.60	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
275-03263	2WNC SS =% OR FXUM 0.50/2.50	(800)356-8000
275-03264	2WNC SS =% OR FXUM 0.50/4.00	(800)356-8000
275-03265	2WNC SS =% OR FXUM 0.75/6.30	(800)356-8000
275-03266	2WNC SS =% OR FXUM 1.00/10.00	(800)356-8000
275-03270	2WNO BZ =% OR FXUM 0.50/1.00	(800)356-8000
275-03271	2WNO BZ =% OR FXUM 0.50/1.60	(800)356-8000
275-03272	2WNO BZ =% OR FXUM 0.50/2.50	(800)356-8000
275-03273	2WNO BZ =% OR FXUM 0.50/4.00	(800)356-8000
275-03274	2WNO BZ =% OR FXUM 0.75/6.30	(800)356-8000
275-03275	2WNO BZ =% OR FXUM 1.00/10.00	(800)356-8000
275-03279	2WNC BZ =% OR FXUM 0.50/1.00	(800)356-8000
275-03280	2WNC BZ =% OR FXUM 0.50/1.60	(800)356-8000
275-03281	2WNC BZ =% OR FXUM 0.50/2.50	(800)356-8000
275-03282	2WNC BZ =% OR FXUM 0.50/4.00	(800)356-8000
275-03283	2WNC BZ =% OR FXUM 0.75/6.30	(800)356-8000
275-03284	2WNC BZ =% OR FXUM 1.00/10.00	(800)356-8000
275-05920	2.5"NO,SS,=%,OR,250,+SKD82.50U	(800)356-8000
275-05921	3"NO,250 SS,=%,OR,MM+SKD82.50U	(800)356-8000
275-05930	2.5"NC,250 SS,=%,OR,MM+SKD82.5	(800)356-8000
275-05931	3"NC,250 SS,=%,OR,MM+SKD82.50U	(800)356-8000
275-05940	2.5"NO,250 BZ,=%,OR,MM+SKD82.5	(800)356-8000
275-05941	3"NO,250 BZ,=%,OR,MM+SKD82.50U	(800)356-8000
275-05950	2.5"NC,250 BZ,=%,OR,MM+SKD82.5	(800)356-8000
275-05951	3"NC,250 BZ,=%,OR,MM+SKD82.50U	(800)356-8000
275-05960	2.5"NO,125,SS,=%,OR,MM+SKD82.5	(800)356-8000
275-05961	3"NO,125 SS,=%,OR,MM+SKD82.50U	(800)356-8000
275-05970	2.5"NC,125,SS,=%,OR,MM+SKD82.5	(800)356-8000
275-05971	3"NC,125 SS,=%,OR,MM+SKD82.50U	(800)356-8000
275-05980	2.5"NO,125,BZ,=%,OR,MM+SKD82.5	(800)356-8000
275-05981	3"NO,125 BZ,=%,OR,MM+SKD82.50U	(800)356-8000
275-05990	2.5"NC,125,BZ,=%,OR,MM+SKD82.5	(800)356-8000
275-05991	3"NC,125 BZ,=%,OR,MM+SKD82.50U	(800)356-8000
275-06040	2.5"NO,125,SS,LN,VR,MM+SKD82.5	(800)356-8000
275-06041	3"NO,125 SS,LN,VR,MM+SKD82.50U	(800)356-8000
275-06050	2.5"NC,125,SS,LN,VR,MM+SKD82.5	(800)356-8000
275-06051	3"NC,125 SS,LN,VR,MM+SKD82.50U	(800)356-8000
275-06060	2.5"NO,125,SS,LN,OR,MM+SKD82.5	(800)356-8000
275-06061	3"NO,125 SS,LN,OR,MM+SKD82.50U	(800)356-8000
275-06070	2.5"NC,125,SS,LN,OR,MM+SKD82.5	(800)356-8000
275-06071	3"NC,125 SS,LN,OR,MM+SKD82.50U	(800)356-8000
275-06120	2.5"NO,250,SS,LN,VR,MM+SKD82.5	(800)356-8000
275-06121	3"NO,250 SS,LN,VR,MM+SKD82.50U	(800)356-8000
275-06130	2.5"NC,250,SS,LN,VR,MM+SKD82.5	(800)356-8000
275-06131	3"NC,250 SS,LN,VR,MM+SKD82.50U	(800)356-8000
275-06140	2.5"NO,250,SS,LN,OR,MM+SKD82.5	(800)356-8000
275-06141	3"NO,250 SS,LN,OR,MM+SKD82.50U	(800)356-8000
275-06150	2.5"NC,250,SS,LN,OR,MM+SKD82.5	(800)356-8000
275-06151	3"NC,250 SS,LN,OR,MM+SKD82.50U	(800)356-8000
275-06160	2.5"WM,125,BZ,LN,OR,MM+SKD82.5	(800)356-8000
275-06161	3"WM,125,BZ,LN,OR,MM+SKD82.50U	(800)356-8000
275-06165	2.5"WM,125,SS,LN,OR,MM+SKD82.5	(800)356-8000
275-06166	3"WM,125,SS,LN,OR,MM+SKD82.50U	(800)356-8000
275-06170	2.5"WM,250,BZ,LN,OR,MM+SKD82.5	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
275-06171	3"WM,250,BZ,LN,OR,MM+SKD82.50U	(800)356-8000
275-06175	2.5"WM,250,SS,LN,OR,MM+SKD82.5	(800)356-8000
275-06176	3"W.M,SS,LN,OR,250,+SKD82.50U	(800)356-8000
276-03000	2WNO SS LN OR FXF 0.50/1.00	(800)356-8000
276-03001	2WNO SS LN OR FXF 0.50/1.60	(800)356-8000
276-03002	2WNO SS LN OR FXF 0.50/2.50	(800)356-8000
276-03003	2WNO SS LN OR FXF 0.50/4.00	(800)356-8000
276-03004	2WNO SS LN OR FXF 0.75/6.30	(800)356-8000
276-03005	2WNO SS LN OR FXF 1.00/10.00	(800)356-8000
276-03006	2WNO SS LN OR FXF 1.25/16.00	(800)356-8000
276-03007	2WNO SS LN OR FXF 1.50/25.00	(800)356-8000
276-03008	2WNO SS LN OR FXF 2.00/40.00	(800)356-8000
276-03009	2WNO SS LN OR FXUF 0.50/1.00	(800)356-8000
276-03010	2WNO SS LN OR FXUF 0.50/1.60	(800)356-8000
276-03011	2WNO SS LN OR FXUF 0.50/2.50	(800)356-8000
276-03012	2WNO SS LN OR FXUF 0.50/4.00	(800)356-8000
276-03013	2WNO SS LN OR FXUF 0.75/6.30	(800)356-8000
276-03014	2WNO SS LN OR FXUF 1.00/10.00	(800)356-8000
276-03015	2WNO SS LN OR UFXUF 1.25/16.00	(800)356-8000
276-03016	2WNO SS LN OR UFXUF 1.50/25.00	(800)356-8000
276-03017	2WNO SS LN OR UFXUF 2.00/40.00	(800)356-8000
276-03018	2WNC SS LN OR FXF 0.50/1.00	(800)356-8000
276-03019	2WNC SS LN OR FXF 0.50/1.60	(800)356-8000
276-03020	2WNC SS LN OR FXF 0.50/2.50	(800)356-8000
276-03021	2WNC SS LN OR FXF 0.50/4.00	(800)356-8000
276-03022	2WNC SS LN OR FXF 0.75/6.30	(800)356-8000
276-03023	2WNC SS LN OR FXF 1.00/10.00	(800)356-8000
276-03024	2WNC SS LN OR FXF 1.25/16.00	(800)356-8000
276-03025	2WNC SS LN OR FXF 1.50/25.00	(800)356-8000
276-03026	2WNC SS LN OR FXF 2.00/40.00	(800)356-8000
276-03027	2WNC SS LN OR FXUF 0.50/1.00	(800)356-8000
276-03028	2WNC SS LN OR FXUF 0.50/1.60	(800)356-8000
276-03029	2WNC SS LN OR FXUF 0.50/2.50	(800)356-8000
276-03030	2WNC SS LN OR FXUF 0.50/4.00	(800)356-8000
276-03031	2WNC SS LN OR FXUF 0.75/6.30	(800)356-8000
276-03032	2WNC SS LN OR FXUF 1.00/10.00	(800)356-8000
276-03033	2WNC SS LN OR UFXUF 1.25/16.00	(800)356-8000
276-03034	2WNC SS LN OR UFXUF 1.50/25.00	(800)356-8000
276-03035	2WNC SS LN OR UFXUF 2.00/40.00	(800)356-8000
276-03054	2WNO SS LN VR FXF 0.50/1.00	(800)356-8000
276-03055	2WNO SS LN VR FXF 0.50/1.60	(800)356-8000
276-03056	2WNO SS LN VR FXF 0.50/2.50	(800)356-8000
276-03057	2WNO SS LN VR FXF 0.50/4.00	(800)356-8000
276-03058	2WNO SS LN VR FXF 0.75/6.30	(800)356-8000
276-03059	2WNO SS LN VR FXF 1.00/10.00	(800)356-8000
276-03060	2WNO SS LN VR FXF 1.25/16.00	(800)356-8000
276-03061	2WNO SS LN VR FXF 1.50/25.00	(800)356-8000
276-03062	2WNO SS LN VR FXF 2.00/40.00	(800)356-8000
276-03063	2WNO SS LN VR FXUF 0.50/1.00	(800)356-8000
276-03064	2WNO SS LN VR FXUF 0.50/1.60	(800)356-8000
276-03065	2WNO SS LN VR FXUF 0.50/2.50	(800)356-8000
276-03066	2WNO SS LN VR FXUF 0.50/4.00	(800)356-8000
276-03067	2WNO SS LN VR FXUF 0.75/6.30	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
276-03068	2WNO SS LN VR FXUF 1.00/10.00	(800)356-8000
276-03069	2WNO SS LN VR UFXUF 1.25/16.00	(800)356-8000
276-03070	2WNO SS LN VR UFXUF 1.50/25.00	(800)356-8000
276-03071	2WNO SS LN VR UFXUF 2.00/40.00	(800)356-8000
276-03072	2WNC SS LN VR FXF 0.50/1.00	(800)356-8000
276-03073	2WNC SS LN VR FXF 0.50/1.60	(800)356-8000
276-03074	2WNC SS LN VR FXF 0.50/2.50	(800)356-8000
276-03075	2WNC SS LN VR FXF 0.50/4.00	(800)356-8000
276-03076	2WNC SS LN VR FXF 0.75/6.30	(800)356-8000
276-03077	2WNC SS LN VR FXF 1.00/10.00	(800)356-8000
276-03078	2WNC SS LN VR FXF 1.25/16.00	(800)356-8000
276-03079	2WNC SS LN VR FXF 1.50/25.00	(800)356-8000
276-03080	2WNC SS LN VR FXF 2.00/40.00	(800)356-8000
276-03081	2WNC SS LN VR FXUF 0.50/1.00	(800)356-8000
276-03082	2WNC SS LN VR FXUF 0.50/1.60	(800)356-8000
276-03083	2WNC SS LN VR FXUF 0.50/2.50	(800)356-8000
276-03084	2WNC SS LN VR FXUF 0.50/4.00	(800)356-8000
276-03085	2WNC SS LN VR FXUF 0.75/6.30	(800)356-8000
276-03086	2WNC SS LN VR FXUF 1.00/10.00	(800)356-8000
276-03087	2WNC SS LN VR UFXUF 1.25/16.00	(800)356-8000
276-03088	2WNC SS LN VR UFXUF 1.50/25.00	(800)356-8000
276-03089	2WNC SS LN VR UFXUF 2.00/40.00	(800)356-8000
276-03108	2WNO SS =% OR FXF 0.50/1.00.00	(800)356-8000
276-03109	2WNO SS =% OR FXF 0.50/1.60	(800)356-8000
276-03110	2WNO SS =% OR FXF 0.50/2.50	(800)356-8000
276-03111	2WNO SS =% OR FXF 0.50/4.00	(800)356-8000
276-03112	2WNO SS =% OR FXF 0.75/6.30	(800)356-8000
276-03113	2WNO SS =% OR FXF 1.00/10.00	(800)356-8000
276-03114	2WNO SS =% OR FXF 1.25/16.00	(800)356-8000
276-03115	2WNO SS =% OR FXF 1.50/25.00	(800)356-8000
276-03116	2WNO SS =% OR FXF 2.00/40.00	(800)356-8000
276-03117	2WNO SS =% OR FXUF 0.50/1.00	(800)356-8000
276-03118	2WNO SS =% OR FXUF 0.50/1.60	(800)356-8000
276-03119	2WNO SS =% OR FXUF 0.50/2.50	(800)356-8000
276-03120	2WNO SS =% OR FXUF 0.50/4.00	(800)356-8000
276-03121	2WNO SS =% OR FXUF 0.75/6.30	(800)356-8000
276-03122	2WNO SS =% OR FXUF 1.00/10.00	(800)356-8000
276-03123	2WNO SS =% OR UFXUF 1.25/16.00	(800)356-8000
276-03124	2WNO SS =% OR UFXUF 1.50/25.00	(800)356-8000
276-03125	2WNO SS =% OR UFXUF 2.00/40.00	(800)356-8000
276-03126	2WNC SS =% OR FXF 0.50/1.00	(800)356-8000
276-03127	2WNC SS =% OR FXF 0.50/1.60	(800)356-8000
276-03128	2WNC SS =% OR FXF 0.50/2.50	(800)356-8000
276-03129	2WNC SS =% OR FXF 0.50/4.00	(800)356-8000
276-03130	2WNC SS =% OR FXF 0.75/6.30	(800)356-8000
276-03131	2WNC SS =% OR FXF 1.00/10.00	(800)356-8000
276-03132	2WNC SS =% OR FXF 1.25/16.00	(800)356-8000
276-03133	2WNC SS =% OR FXF 1.50/25.00	(800)356-8000
276-03134	2WNC SS =% OR FXF 2.00/40.00	(800)356-8000
276-03135	2WNC SS =% OR FXUF 0.50/1.00	(800)356-8000
276-03136	2WNC SS =% OR FXUF 0.50/1.60	(800)356-8000
276-03137	2WNC SS =% OR FXUF 0.50/2.50	(800)356-8000
276-03138	2WNC SS =% OR FXUF 0.50/4.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
276-03139	2WNC SS =% OR FXUF 0.75/6.30	(800)356-8000
276-03140	2WNC SS =% OR FXUF 1.00/10.00	(800)356-8000
276-03141	2WNC SS =% OR UFXUF 1.25/16.00	(800)356-8000
276-03142	2WNC SS =% OR UFXUF 1.50/25.00	(800)356-8000
276-03143	2WNC SS =% OR UFXUF 2.00/40.00	(800)356-8000
276-03144	3WMX SS =% OR FFX 0.50/1.60	(800)356-8000
276-03145	3WMX SS =% OR FFX 0.50/1.60	(800)356-8000
276-03146	3WMX SS =% OR FFX 0.50/2.50	(800)356-8000
276-03147	3WMX SS =% OR FFX 0.50/4.00	(800)356-8000
276-03148	3WMX SS =% OR FFX 0.75/6.30	(800)356-8000
276-03149	3WMX SS =% OR FFX 1.00/10.00	(800)356-8000
276-03150	3WMX SS =% OR FFX 1.25/16.00	(800)356-8000
276-03151	3WMX SS =% OR FFX 1.50/25.00	(800)356-8000
276-03152	3WMX SS =% OR FFX 2.00/40.00	(800)356-8000
276-03153	3WMX SS =% OR UFXUF 0.50/1.00	(800)356-8000
276-03154	3WMX SS =% OR UFXUF 0.50/1.60	(800)356-8000
276-03155	3WMX SS =% OR UFXUF 0.50/2.50	(800)356-8000
276-03156	3WMX SS =% OR UFXUF 0.50/4.00	(800)356-8000
276-03157	3WMX SS =% OR UFXUF 0.75/6.30	(800)356-8000
276-03158	3WMX SS =% OR UFXUF 1.00/10.00	(800)356-8000
276-03159	3WMX SS =% OR UFXUF 1.25/16.00	(800)356-8000
276-03160	3WMX SS =% OR UFXUF 1.50/25.00	(800)356-8000
276-03161	3WMX SS =% OR UFXUF 2.00/40.00	(800)356-8000
276-03162	2WNO BZ =% OR FFX 0.50/1.00	(800)356-8000
276-03163	2WNO BZ =% OR FFX 0.50/1.60	(800)356-8000
276-03164	2WNO BZ =% OR FFX 0.50/2.50	(800)356-8000
276-03165	2WNO BZ =% OR FFX 0.50/4.00	(800)356-8000
276-03166	2WNO BZ =% OR FFX 0.75/6.30	(800)356-8000
276-03167	2WNO BZ =% OR FFX 1.00/10.00	(800)356-8000
276-03168	2WNO BZ =% OR FFX 1.25/16.00	(800)356-8000
276-03169	2WNO BZ =% OR FFX 1.50/25.00	(800)356-8000
276-03170	2WNO BZ =% OR FFX 2.00/40.00	(800)356-8000
276-03171	2WNO BZ =% OR FXUF 0.50/1.00	(800)356-8000
276-03172	2WNO BZ =% OR FXUF 0.50/1.60	(800)356-8000
276-03173	2WNO BZ =% OR FXUF 0.50/2.50	(800)356-8000
276-03174	2WNO BZ =% OR FXUF 0.50/4.00	(800)356-8000
276-03175	2WNO BZ =% OR FXUF 0.75/6.30	(800)356-8000
276-03176	2WNO BZ =% OR FXUF 1.00/10.00	(800)356-8000
276-03177	2WNO BZ =% OR UFXUF 1.25/16.00	(800)356-8000
276-03178	2WNO BZ =% OR UFXUF 1.50/25.00	(800)356-8000
276-03179	2WNO BZ =% OR UFXUF 2.00/40.00	(800)356-8000
276-03180	2WNC BZ =% OR FFX 0.50/1.00	(800)356-8000
276-03181	2WNC BZ =% OR FFX 0.50/1.60	(800)356-8000
276-03182	2WNC BZ =% OR FFX 0.50/2.50	(800)356-8000
276-03183	2WNC BZ =% OR FFX 0.50/4.00	(800)356-8000
276-03184	2WNC BZ =% OR FFX 0.75/6.30	(800)356-8000
276-03185	2WNC BZ =% OR FFX 1.00/10.00	(800)356-8000
276-03186	2WNC BZ =% OR FFX 1.25/16.00	(800)356-8000
276-03187	2WNC BZ =% OR FFX 1.50/25.00	(800)356-8000
276-03188	2WNC BZ =% OR FFX 2.00/40.00	(800)356-8000
276-03189	2WNC BZ =% OR FXUF 0.50/1.00	(800)356-8000
276-03190	2WNC BZ =% OR FXUF 0.50/1.60	(800)356-8000
276-03191	2WNC BZ =% OR FXUF 0.50/2.50	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
276-03192	2WNC BZ =% OR FXUF 0.50/4.00	(800)356-8000
276-03193	2WNC BZ =% OR FXUF 0.75/6.30	(800)356-8000
276-03194	2WNC BZ =% OR FXUF 1.00/10.00	(800)356-8000
276-03195	2WNC BZ =% OR UFXUF 1.25/16.00	(800)356-8000
276-03196	2WNC BZ =% OR UFXUF 1.50/25.00	(800)356-8000
276-03197	2WNC BZ =% OR UFXUF 2.00/40.00	(800)356-8000
276-03198	3WMX BZ =% OR FFX 0.50/1.00	(800)356-8000
276-03199	3WMX BZ =% OR FFX 0.50/1.60	(800)356-8000
276-03200	3WMX BZ =% OR FFX 0.50/2.50	(800)356-8000
276-03201	3WMX BZ =% OR FFX 0.50/4.00	(800)356-8000
276-03202	3WMX BZ =% OR FFX 0.75/6.30	(800)356-8000
276-03203	3WMX BZ =% OR FFX 1.00/10.00	(800)356-8000
276-03204	3WMX BZ =% OR FFX 1.25/16.00	(800)356-8000
276-03205	3WMX BZ =% OR FFX 1.50/25.00	(800)356-8000
276-03206	3WMX BZ =% OR FFX 2.00/40.00	(800)356-8000
276-03207	3WMX BZ =% OR UFXUF 0.50/1.00	(800)356-8000
276-03208	3WMX BZ =% OR UFXUF 0.50/1.60	(800)356-8000
276-03209	3WMX BZ =% OR UFXUF 0.50/2.50	(800)356-8000
276-03210	3WMX BZ =% OR UFXUF 0.50/4.00	(800)356-8000
276-03211	3WMX BZ =% OR UFXUF 0.75/6.30	(800)356-8000
276-03212	3WMX BZ =% OR UFXUF 1.00/10.00	(800)356-8000
276-03213	3WMX BZ =% OR UFXUF 1.25/16.00	(800)356-8000
276-03214	3WMX BZ =% OR UFXUF 1.50/25.00	(800)356-8000
276-03215	3WMX BZ =% OR UFXUF 2.00/40.00	(800)356-8000
276-03216	2WNO SS LN OR FXUM 0.50/1.00	(800)356-8000
276-03217	2WNO SS LN OR FXUM 0.50/1.60	(800)356-8000
276-03218	2WNO SS LN OR FXUM 0.50/2.50	(800)356-8000
276-03219	2WNO SS LN OR FXUM 0.50/4.00	(800)356-8000
276-03220	2WNO SS LN OR FXUM 0.75/6.30	(800)356-8000
276-03221	2WNO SS LN OR FXUM 1.00/10.00	(800)356-8000
276-03225	2WNC SS LN OR FXUM 0.50/1.00	(800)356-8000
276-03226	2WNC SS LN OR FXUM 0.50/1.60	(800)356-8000
276-03227	2WNC SS LN OR FXUM 0.50/2.50	(800)356-8000
276-03228	2WNC SS LN OR FXUM 0.50/4.00	(800)356-8000
276-03229	2WNC SS LN OR FXUM 0.75/6.30	(800)356-8000
276-03230	2WNC SS LN OR FXUM 1.00/10.00	(800)356-8000
276-03234	2WNO SS LN VR FXUM 0.50/1.00	(800)356-8000
276-03235	2WNO SS LN VR FXUM 0.50/1.60	(800)356-8000
276-03236	2WNO SS LN VR FXUM 0.50/2.50	(800)356-8000
276-03237	2WNO SS LN VR FXUM 0.50/4.00	(800)356-8000
276-03238	2WNO SS LN VR FXUM 0.75/6.30	(800)356-8000
276-03239	2WNO SS LN VR FXUM 1.00/10.00	(800)356-8000
276-03243	2WNC SS LN VR FXUM 0.50/1.00	(800)356-8000
276-03244	2WNC SS LN VR FXUM 0.50/1.60	(800)356-8000
276-03245	2WNC SS LN VR FXUM 0.50/2.50	(800)356-8000
276-03246	2WNC SS LN VR FXUM 0.50/4.00	(800)356-8000
276-03247	2WNC SS LN VR FXUM 0.75/6.30	(800)356-8000
276-03248	2WNC SS LN VR FXUM 1.00/10.00	(800)356-8000
276-03252	2WNO SS =% OR FXUM 0.50/1.00	(800)356-8000
276-03253	2WNO SS =% OR FXUM 0.50/1.60	(800)356-8000
276-03254	2WNO SS =% OR FXUM 0.50/2.50	(800)356-8000
276-03255	2WNO SS =% OR FXUM 0.50/4.00	(800)356-8000
276-03256	2WNO SS =% OR FXUM 0.75/6.30	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
276-03257	2WNO SS =% OR FXUM 1.00/10.00	(800)356-8000
276-03261	2WNC SS =% OR FXUM 0.50/1.00	(800)356-8000
276-03262	2WNC SS =% OR FXUM 0.50/1.60	(800)356-8000
276-03263	2WNC SS =% OR FXUM 0.50/2.50	(800)356-8000
276-03264	2WNC SS =% OR FXUM 0.50/4.00	(800)356-8000
276-03265	2WNC SS =% OR FXUM 0.75/6.30	(800)356-8000
276-03266	2WNC SS =% OR FXUM 1.00/10.00	(800)356-8000
276-03270	2WNO BZ =% OR FXUM 0.50/1.00	(800)356-8000
276-03271	2WNO BZ =% OR FXUM 0.50/1.60	(800)356-8000
276-03272	2WNO BZ =% OR FXUM 0.50/2.50	(800)356-8000
276-03273	2WNO BZ =% OR FXUM 0.50/4.00	(800)356-8000
276-03274	2WNO BZ =% OR FXUM 0.75/6.30	(800)356-8000
276-03275	2WNO BZ =% OR FXUM 1.00/10.00	(800)356-8000
276-03279	2WNC BZ =% OR FXUM 0.50/1.00	(800)356-8000
276-03280	2WNC BZ =% OR FXUM 0.50/1.60	(800)356-8000
276-03281	2WNC BZ =% OR FXUM 0.50/2.50	(800)356-8000
276-03282	2WNC BZ =% OR FXUM 0.50/4.00	(800)356-8000
276-03283	2WNC BZ =% OR FXUM 0.75/6.30	(800)356-8000
276-03284	2WNC BZ =% OR FXUM 1.00/10.00	(800)356-8000
276-05920	2.5"NO,SS,=%,OR,250,+SKD82.51U	(800)356-8000
276-05921	3"N.O,SS=%,250,OR+SKD82.51	(800)356-8000
276-05930	2.5"NC,SS=%,250,OR+SKD82.51	(800)356-8000
276-05931	3"N.C,SS=%,250,OR+SKD82.51	(800)356-8000
276-05940	2.5"NO,BZ=%,250,OR+SKD82.51	(800)356-8000
276-05941	3"N.O,BZ=%,250,OR+SKD82.51	(800)356-8000
276-05950	2.5"NC,BZ=%,250,OR+SKD82.51	(800)356-8000
276-05951	3"N.C,BZ=%,250,OR+SKD82.51	(800)356-8000
276-05960	2.5"NO,SS=%,125,OR+SKD82.51	(800)356-8000
276-05961	3"N.O,SS=%,125,OR+SKD82.51	(800)356-8000
276-05970	2.5"NC,SS=%,125,OR+SKD82.51	(800)356-8000
276-05971	3"N.C,SS=%,125,OR+SKD82.51	(800)356-8000
276-05980	2.5"NO,BZ=%,125,OR+SKD82.51	(800)356-8000
276-05981	3"N.O,BZ=%,125,OR+SKD82.51	(800)356-8000
276-05990	2.5"NC,BZ=%,125,OR+SKD82.51	(800)356-8000
276-05991	3"N.C,BZ=%,125,OR+SKD82.51	(800)356-8000
276-06040	2.5"NO,SS,LN,125,VR,+SKD82.51	(800)356-8000
276-06041	3"N.O,SS,LN,125,VR,+SKD82.51	(800)356-8000
276-06050	2.5"NC,SS,LN,125,VR,+SKD82.51	(800)356-8000
276-06051	3"N.C,SS,LN,125,VR,+SKD82.51	(800)356-8000
276-06060	2.5"NO,SS,LN,125,OR,+SKD82.51	(800)356-8000
276-06061	3"N.O,SS,LN,125,OR,+SKD82.51	(800)356-8000
276-06070	2.5"NC,SS,LN,125,OR,+SKD82.51	(800)356-8000
276-06071	3"N.C,SS,LN,125,OR,+SKD82.51	(800)356-8000
276-06120	2.5"NO,SS,LN,250,VR,+SKD82.51	(800)356-8000
276-06121	3"N.O,SS,LN,250,VR,+SKD82.51	(800)356-8000
276-06130	2.5"NC,SS,LN,250,VR,+SKD82.51	(800)356-8000
276-06131	3"N.C,SS,LN,250,VR,+SKD82.51	(800)356-8000
276-06140	2.5"NO,SS,LN,250,OR,+SKD82.51	(800)356-8000
276-06141	3"N.O,SS,LN,250,OR,+SKD82.51	(800)356-8000
276-06150	2.5"NC,SS,LN,250,OR,+SKD82.51	(800)356-8000
276-06151	3"N.C,SS,LN,250,OR,+SKD82.51	(800)356-8000
276-06160	2.5"MX,BZ,LN,125,OR,+SKD82.51	(800)356-8000
276-06161	3"M.X,BZ,LN,125,OR,+SKD82.51	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
276-06165	2.5"MX,SS,LN,125,OR,+SKD82.51	(800)356-8000
276-06166	3"M.X,SS,LN,125,OR,+SKD82.51	(800)356-8000
276-06170	2.5"MX,BZ,LN,250,OR,+SKD82.51	(800)356-8000
276-06171	3"M.X,BZ,LN,250,OR,+SKD82.51	(800)356-8000
276-06175	2.5"MX,SS,LN,250,OR,+SKD82.51	(800)356-8000
276-06176	3"WM,SS,LN,OR,250 ,+SKD82.51U	(800)356-8000
277-03000	2WNO SS LN OR FXF 0.50/1.00	(800)356-8000
277-03001	2WNO SS LN OR FXF 0.50/1.60	(800)356-8000
277-03002	2WNO SS LN OR FXF 0.50/2.50	(800)356-8000
277-03003	2WNO SS LN OR FXF 0.50/4.00	(800)356-8000
277-03004	2WNO SS LN OR FXF 0.75/6.30	(800)356-8000
277-03005	2WNO SS LN OR FXF 1.00/10.00	(800)356-8000
277-03006	2WNO SS LN OR FXF 1.25/16.00	(800)356-8000
277-03007	2WNO SS LN OR FXF 1.50/25.00	(800)356-8000
277-03008	2WNO SS LN OR FXF 2.00/40.00	(800)356-8000
277-03009	2WNO SS LN OR FXUF 0.50/1.00	(800)356-8000
277-03010	2WNO SS LN OR FXUF 0.50/1.60	(800)356-8000
277-03011	2WNO SS LN OR FXUF 0.50/2.50	(800)356-8000
277-03012	2WNO SS LN OR FXUF 0.50/4.00	(800)356-8000
277-03013	2WNO SS LN OR FXUF 0.75/6.30	(800)356-8000
277-03014	2WNO SS LN OR FXUF 1.00/10.00	(800)356-8000
277-03015	2WNO SS LN OR UFXUF 1.25/16.00	(800)356-8000
277-03016	2WNO SS LN OR UFXUF 1.50/25.00	(800)356-8000
277-03017	2WNO SS LN OR UFXUF 2.00/40.00	(800)356-8000
277-03018	2WNC SS LN OR FXF 0.50/1.00	(800)356-8000
277-03019	2WNC SS LN OR FXF 0.50/1.60	(800)356-8000
277-03020	2WNC SS LN OR FXF 0.50/2.50	(800)356-8000
277-03021	2WNC SS LN OR FXF 0.50/4.00	(800)356-8000
277-03022	2WNC SS LN OR FXF 0.75/6.30	(800)356-8000
277-03023	2WNC SS LN OR FXF 1.00/10.00	(800)356-8000
277-03024	2WNC SS LN OR FXF 1.25/16.00	(800)356-8000
277-03025	2WNC SS LN OR FXF 1.50/25.00	(800)356-8000
277-03026	2WNC SS LN OR FXF 2.00/40.00	(800)356-8000
277-03027	2WNC SS LN OR FXUF 0.50/1.00	(800)356-8000
277-03028	2WNC SS LN OR FXUF 0.50/1.60	(800)356-8000
277-03029	2WNC SS LN OR FXUF 0.50/2.50	(800)356-8000
277-03030	2WNC SS LN OR FXUF 0.50/4.00	(800)356-8000
277-03031	2WNC SS LN OR FXUF 0.75/6.30	(800)356-8000
277-03032	2WNC SS LN OR FXUF 1.00/10.00	(800)356-8000
277-03033	2WNC SS LN OR UFXUF 1.25/16.00	(800)356-8000
277-03034	2WNC SS LN OR UFXUF 1.50/25.00	(800)356-8000
277-03035	2WNC SS LN OR UFXUF 2.00/40.00	(800)356-8000
277-03054	2WNO SS LN VR FXF 0.50/1.00	(800)356-8000
277-03055	2WNO SS LN VR FXF 0.50/1.60	(800)356-8000
277-03056	2WNO SS LN VR FXF 0.50/2.50	(800)356-8000
277-03057	2WNO SS LN VR FXF 0.50/4.00	(800)356-8000
277-03058	2WNO SS LN VR FXF 0.75/6.30	(800)356-8000
277-03059	2WNO SS LN VR FXF 1.00/10.00	(800)356-8000
277-03060	2WNO SS LN VR FXF 1.25/16.00	(800)356-8000
277-03061	2WNO SS LN VR FXF 1.50/25.00	(800)356-8000
277-03062	2WNO SS LN VR FXF 2.00/40.00	(800)356-8000
277-03063	2WNO SS LN VR FXUF 0.50/1.00	(800)356-8000
277-03064	2WNO SS LN VR FXUF 0.50/1.60	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
277-03065	2WNO SS LN VR FXUF 0.50/2.50	(800)356-8000
277-03066	2WNO SS LN VR FXUF 0.50/4.00	(800)356-8000
277-03067	2WNO SS LN VR FXUF 0.75/6.30	(800)356-8000
277-03068	2WNO SS LN VR FXUF 1.00/10.00	(800)356-8000
277-03069	2WNO SS LN VR UFXUF 1.25/16.00	(800)356-8000
277-03070	2WNO SS LN VR UFXUF 1.50/25.00	(800)356-8000
277-03071	2WNO SS LN VR UFXUF 2.00/40.00	(800)356-8000
277-03072	2WNC SS LN VR FXF 0.50/1.00	(800)356-8000
277-03073	2WNC SS LN VR FXF 0.50/1.60	(800)356-8000
277-03074	2WNC SS LN VR FXF 0.50/2.50	(800)356-8000
277-03075	2WNC SS LN VR FXF 0.50/4.00	(800)356-8000
277-03076	2WNC SS LN VR FXF 0.75/6.30	(800)356-8000
277-03077	2WNC SS LN VR FXF 1.00/10.00	(800)356-8000
277-03078	2WNC SS LN VR FXF 1.25/16.00	(800)356-8000
277-03079	2WNC SS LN VR FXF 1.50/25.00	(800)356-8000
277-03080	2WNC SS LN VR FXF 2.00/40.00	(800)356-8000
277-03081	2WNC SS LN VR FXUF 0.50/1.00	(800)356-8000
277-03082	2WNC SS LN VR FXUF 0.50/1.60	(800)356-8000
277-03083	2WNC SS LN VR FXUF 0.50/2.50	(800)356-8000
277-03084	2WNC SS LN VR FXUF 0.50/4.00	(800)356-8000
277-03085	2WNC SS LN VR FXUF 0.75/6.30	(800)356-8000
277-03086	2WNC SS LN VR FXUF 1.00/10.00	(800)356-8000
277-03087	2WNC SS LN VR UFXUF 1.25/16.00	(800)356-8000
277-03088	2WNC SS LN VR UFXUF 1.50/25.00	(800)356-8000
277-03089	2WNC SS LN VR UFXUF 2.00/40.00	(800)356-8000
277-03108	2WNO SS =% OR FXF 0.50/1.00	(800)356-8000
277-03109	2WNO SS =% OR FXF 0.50/1.60	(800)356-8000
277-03110	2WNO SS =% OR FXF 0.50/2.50	(800)356-8000
277-03111	2WNO SS =% OR FXF 0.50/4.00	(800)356-8000
277-03112	2WNO SS =% OR FXF 0.75/6.30	(800)356-8000
277-03113	2WNO SS =% OR FXF 1.00/10.00	(800)356-8000
277-03114	2WNO SS =% OR FXF 1.25/16.00	(800)356-8000
277-03115	2WNO SS =% OR FXF 1.50/25.00	(800)356-8000
277-03116	2WNO SS =% OR FXF 2.00/40.00	(800)356-8000
277-03117	2WNO SS =% OR FXUF 0.50/1.00	(800)356-8000
277-03118	2WNO SS =% OR FXUF 0.50/1.60	(800)356-8000
277-03119	2WNO SS =% OR FXUF 0.50/2.50	(800)356-8000
277-03120	2WNO SS =% OR FXUF 0.50/4.00	(800)356-8000
277-03121	2WNO SS =% OR FXUF 0.75/6.30	(800)356-8000
277-03122	2WNO SS =% OR FXUF 1.00/10.00	(800)356-8000
277-03123	2WNO SS =% OR UFXUF 1.25/16.00	(800)356-8000
277-03124	2WNO SS =% OR UFXUF 1.50/25.00	(800)356-8000
277-03125	2WNO SS =% OR UFXUF 2.00/40.00	(800)356-8000
277-03126	2WNC SS =% OR FXF 0.50/1.00	(800)356-8000
277-03127	2WNC SS =% OR FXF 0.50/1.60	(800)356-8000
277-03128	2WNC SS =% OR FXF 0.50/2.50	(800)356-8000
277-03129	2WNC SS =% OR FXF 0.50/4.00	(800)356-8000
277-03130	2WNC SS =% OR FXF 0.75/6.30	(800)356-8000
277-03131	2WNC SS =% OR FXF 1.00/10.00	(800)356-8000
277-03132	2WNC SS =% OR FXF 1.25/16.00	(800)356-8000
277-03133	2WNC SS =% OR FXF 1.50/25.00	(800)356-8000
277-03134	2WNC SS =% OR FXF 2.00/40.00	(800)356-8000
277-03135	2WNC SS =% OR FXUF 0.50/1.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
277-03136	2WNC SS =% OR FXUF 0.50/1.60	(800)356-8000
277-03137	2WNC SS =% OR FXUF 0.50/2.50	(800)356-8000
277-03138	2WNC SS =% OR FXUF 0.50/4.00	(800)356-8000
277-03139	2WNC SS =% OR FXUF 0.75/6.30	(800)356-8000
277-03140	2WNC SS =% OR FXUF 1.00/10.00	(800)356-8000
277-03141	2WNC SS =% OR UFXUF 1.25/16.00	(800)356-8000
277-03142	2WNC SS =% OR UFXUF 1.50/25.00	(800)356-8000
277-03143	2WNC SS =% OR UFXUF 2.00/40.00	(800)356-8000
277-03144	3WMX SS =% OR FFX 0.50/1.00	(800)356-8000
277-03145	3WMX SS =% OR FFX 0.50/1.60	(800)356-8000
277-03146	3WMX SS =% OR FFX 0.50/2.50	(800)356-8000
277-03147	3WMX SS =% OR FFX 0.50/4.00	(800)356-8000
277-03148	3WMX SS =% OR FFX 0.75/6.30	(800)356-8000
277-03149	3WMX SS =% OR FFX 1.00/10.00	(800)356-8000
277-03150	3WMX SS =% OR FFX 1.25/16.00	(800)356-8000
277-03151	3WMX SS =% OR FFX 1.50/25.00	(800)356-8000
277-03152	3WMX SS =% OR FFX 2.00/40.00	(800)356-8000
277-03153	3WMX SS =% OR UFXUF 0.50/1.00	(800)356-8000
277-03154	3WMX SS =% OR UFXUF 0.50/1.60	(800)356-8000
277-03155	3WMX SS =% OR UFXUF 0.50/2.50	(800)356-8000
277-03156	3WMX SS =% OR UFXUF 0.50/4.00	(800)356-8000
277-03157	3WMX SS =% OR UFXUF 0.75/6.30	(800)356-8000
277-03158	3WMX SS =% OR UFXUF 1.00/10.00	(800)356-8000
277-03159	3WMX SS =% OR UFXUF 1.25/16.00	(800)356-8000
277-03160	3WMX SS =% OR UFXUF 1.50/25.00	(800)356-8000
277-03161	3WMX SS =% OR UFXUF 2.00/40.00	(800)356-8000
277-03162	2WNO BZ =% OR FFX 0.50/1.00	(800)356-8000
277-03163	2WNO BZ =% OR FFX 0.50/1.60	(800)356-8000
277-03164	2WNO BZ =% OR FFX 0.50/2.50	(800)356-8000
277-03165	2WNO BZ =% OR FFX 0.50/4.00	(800)356-8000
277-03166	2WNO BZ =% OR FFX 0.75/6.30	(800)356-8000
277-03167	2WNO BZ =% OR FFX 1.00/10.00	(800)356-8000
277-03168	2WNO BZ =% OR FFX 1.25/16.00	(800)356-8000
277-03169	2WNO BZ =% OR FFX 1.50/25.00	(800)356-8000
277-03170	2WNO BZ =% OR FFX 2.00/40.00	(800)356-8000
277-03171	2WNO BZ =% OR FXUF 0.50/1.00	(800)356-8000
277-03172	2WNO BZ =% OR FXUF 0.50/1.60	(800)356-8000
277-03173	2WNO BZ =% OR FXUF 0.50/2.50	(800)356-8000
277-03174	2WNO BZ =% OR FXUF 0.50/4.00	(800)356-8000
277-03175	2WNO BZ =% OR FXUF 0.75/6.30	(800)356-8000
277-03176	2WNO BZ =% OR FXUF 1.00/10.00	(800)356-8000
277-03177	2WNO BZ =% OR UFXUF 1.25/16.00	(800)356-8000
277-03178	2WNO BZ =% OR UFXUF 1.50/25.00	(800)356-8000
277-03179	2WNO BZ =% OR UFXUF 2.00/40.00	(800)356-8000
277-03180	2WNC BZ =% OR FFX 0.50/1.00	(800)356-8000
277-03181	2WNC BZ =% OR FFX 0.50/1.60	(800)356-8000
277-03182	2WNC BZ =% OR FFX 0.50/2.50	(800)356-8000
277-03183	2WNC BZ =% OR FFX 0.50/4.00	(800)356-8000
277-03184	2WNC BZ =% OR FFX 0.75/6.30	(800)356-8000
277-03185	2WNC BZ =% OR FFX 1.00/10.00	(800)356-8000
277-03186	2WNC BZ =% OR FFX 1.25/16.00	(800)356-8000
277-03187	2WNC BZ =% OR FFX 1.50/25.00	(800)356-8000
277-03188	WNC BZ =% OR FFX 2.00/40.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
277-03189	2WNC BZ =% OR FXUF 0.50/1.00	(800)356-8000
277-03190	2WNC BZ =% OR FXUF 0.50/1.60	(800)356-8000
277-03191	2WNC BZ =% OR FXUF 0.50/2.50	(800)356-8000
277-03192	2WNC BZ =% OR FXUF 0.50/4.00	(800)356-8000
277-03193	2WNC BZ =% OR FXUF 0.75/6.30	(800)356-8000
277-03194	2WNC BZ =% OR FXUF 1.00/10.00	(800)356-8000
277-03195	2WNC BZ =% OR UFXUF 1.25/16.00	(800)356-8000
277-03196	2WNC BZ =% OR UFXUF 1.50/25.00	(800)356-8000
277-03197	2WNC BZ =% OR UFXUF 2.00/40.00	(800)356-8000
277-03198	3WMX BZ =% OR FFX 0.50/1.00	(800)356-8000
277-03199	3WMX BZ =% OR FFX 0.50/1.60	(800)356-8000
277-03200	3WMX BZ =% OR FFX 0.50/2.50	(800)356-8000
277-03201	3WMX BZ =% OR FFX 0.50/4.00	(800)356-8000
277-03202	3WMX BZ =% OR FFX 0.75/6.30	(800)356-8000
277-03203	3WMX BZ =% OR FFX 1.00/10.00	(800)356-8000
277-03204	3WMX BZ =% OR FFX 1.25/16.00	(800)356-8000
277-03205	3WMX BZ =% OR FFX 1.50/25.00	(800)356-8000
277-03206	3WMX BZ =% OR FFX 2.00/40.00	(800)356-8000
277-03207	3WMX BZ =% OR UFXUF 0.50/1.00	(800)356-8000
277-03208	3WMX BZ =% OR UFXUF 0.50/1.60	(800)356-8000
277-03209	3WMX BZ =% OR UFXUF 0.50/2.50	(800)356-8000
277-03210	3WMX BZ =% OR UFXUF 0.50/4.00	(800)356-8000
277-03211	3WMX BZ =% OR UFXUF 0.75/6.30	(800)356-8000
277-03212	3WMX BZ =% OR UFXUF 1.00/10.00	(800)356-8000
277-03213	3WMX BZ =% OR UFXUF 1.25/16.00	(800)356-8000
277-03214	3WMX BZ =% OR UFXUF 1.50/25.00	(800)356-8000
277-03215	3WMX BZ =% OR UFXUF 2.00/40.00	(800)356-8000
277-03216	2WNO SS LN OR FXUM 0.50/1.00	(800)356-8000
277-03217	2WNO SS LN OR FXUM 0.50/1.60	(800)356-8000
277-03218	2WNO SS LN OR FXUM 0.50/2.50	(800)356-8000
277-03219	2WNO SS LN OR FXUM 0.50/4.00	(800)356-8000
277-03220	2WNO SS LN OR FXUM 0.75/6.30	(800)356-8000
277-03221	2WNO SS LN OR FXUM 1.00/10.00	(800)356-8000
277-03225	2WNC SS LN OR FXUM 0.50/1.0	(800)356-8000
277-03226	2WNC SS LN OR FXUM 0.50/1.60	(800)356-8000
277-03227	2WNC SS LN OR FXUM 0.50/2.50	(800)356-8000
277-03228	2WNC SS LN OR FXUM 0.50/4.00	(800)356-8000
277-03229	2WNC SS LN OR FXUM 0.75/6.30	(800)356-8000
277-03230	2WNC SS LN OR FXUM 1.00/10.00	(800)356-8000
277-03234	2WNO SS LN VR FXUM 0.50/1.00	(800)356-8000
277-03235	2WNO SS LN VR FXUM 0.50/1.60	(800)356-8000
277-03236	2WNO SS LN VR FXUM 0.50/2.50	(800)356-8000
277-03237	2WNO SS LN VR FXUM 0.50/4.00	(800)356-8000
277-03238	2WNO SS LN VR FXUM 0.75/6.30	(800)356-8000
277-03239	2WNO SS LN VR FXUM 1.00/10.00	(800)356-8000
277-03243	2WNC SS LN VR FXUM 0.50/1.00	(800)356-8000
277-03244	2WNC SS LN VR FXUM 0.50/1.60	(800)356-8000
277-03245	2WNC SS LN VR FXUM 0.50/2.50	(800)356-8000
277-03246	2WNC SS LN VR FXUM 0.50/4.00	(800)356-8000
277-03247	2WNC SS LN VR FXUM 0.75/6.30	(800)356-8000
277-03248	2WNC SS LN VR FXUM 1.00/10.00	(800)356-8000
277-03252	2WNO SS =% OR FXUM 0.50/1.00	(800)356-8000
277-03253	2WNO SS =% OR FXUM 0.50/1.60	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
277-03254	2WNO SS =% OR FXUM 0.50/2.50	(800)356-8000
277-03255	2WNO SS =% OR FXUM 0.50/4.00	(800)356-8000
277-03256	2WNO SS =% OR FXUM 0.75/6.30	(800)356-8000
277-03257	2WNO SS =% OR FXUM 1.00/10.00	(800)356-8000
277-03261	2WNC SS =% OR FXUM 0.50/1.00	(800)356-8000
277-03262	2WNC SS =% OR FXUM 0.50/1.60	(800)356-8000
277-03263	2WNC SS =% OR FXUM 0.50/2.50	(800)356-8000
277-03264	2WNC SS =% OR FXUM 0.50/4.00	(800)356-8000
277-03265	2WNC SS =% OR FXUM 0.75/6.30	(800)356-8000
277-03266	2WNC SS =% OR FXUM 1.00/10.00	(800)356-8000
277-03270	2WNO BZ =% OR FXUM 0.50/1.00	(800)356-8000
277-03271	2WNO BZ =% OR FXUM 0.50/1.60	(800)356-8000
277-03272	2WNO BZ =% OR FXUM 0.50/2.50	(800)356-8000
277-03273	2WNO BZ =% OR FXUM 0.50/4.00	(800)356-8000
277-03274	2WNO BZ =% OR FXUM 0.75/6.30	(800)356-8000
277-03275	2WNO BZ =% OR FXUM 1.00/10.00	(800)356-8000
277-03279	2WNC BZ =% OR FXUM 0.50/1.00	(800)356-8000
277-03280	2WNC BZ =% OR FXUM 0.50/1.60	(800)356-8000
277-03281	2WNC BZ =% OR FXUM 0.50/2.50	(800)356-8000
277-03282	2WNC BZ =% OR FXUM 0.50/4.00	(800)356-8000
277-03283	2WNC BZ =% OR FXUM 0.75/6.30	(800)356-8000
277-03284	2WNC BZ =% OR FXUM 1.00/10.00	(800)356-8000
277-05920	2.5"250 SS=%,OR,MM,NO+59901050	(800)356-8000
277-05921	3" 250#SS=%,OR,MM,NO+59901050	(800)356-8000
277-05930	2.5"250#SS=%,OR,MM,NC+59901050	(800)356-8000
277-05931	3" 250#SS=%,OR,MM,NC+59901050	(800)356-8000
277-05940	2.5"250#BZ=%,OR,MM,NO+59901050	(800)356-8000
277-05941	3" 250#BZ=%,OR,MM,NO+59901050	(800)356-8000
277-05950	2.5"250#BZ=%,OR,MM,NC+59901050	(800)356-8000
277-05951	3" 250#BZ=%,OR,MM,NC+59901050	(800)356-8000
277-05960	2.5"125#SS=%,OR,MM,NO+59901050	(800)356-8000
277-05961	3" 125#SS=%,OR,MM,NO+59901050	(800)356-8000
277-05970	2.5"125#SS=%,OR,MM,NC+59901050	(800)356-8000
277-05971	3" 125#SS=%,OR,MM,NC+59901050	(800)356-8000
277-05980	2.5"125#BZ=%,OR,MM,NO+59901050	(800)356-8000
277-05981	3" 125#BZ=%,OR,MM,NO+59901050	(800)356-8000
277-05990	2.5"125#BZ=%,OR,MM,NC+59901050	(800)356-8000
277-05991	3" 125#BZ=%,OR,MM,NC+59901050	(800)356-8000
277-06040	2.5"125#SSLN,VR,MM,NO+59901050	(800)356-8000
277-06041	3" 125#SSLN,VR,MM,NO+59901050	(800)356-8000
277-06050	2.5"125#SSLN,VR,MM,NC+59901050	(800)356-8000
277-06051	3" 125#SSLN,VR,MM,NC+59901050	(800)356-8000
277-06060	2.5"125#SSLN,OR,MM,NO+59901050	(800)356-8000
277-06061	3" 125#SSLN,OR,MM,NO+59901050	(800)356-8000
277-06070	2.5"125#SSLN,OR,MM,NC+59901050	(800)356-8000
277-06071	3" 125#SSLN,OR,MM,NC+59901050	(800)356-8000
277-06120	2.5"250#SSLN,VR,MM,NO+59901050	(800)356-8000
277-06121	3" 250#SSLN,VR,MM,NO+59901050	(800)356-8000
277-06130	2.5"250#SSLN,VR,MM,NC+59901050	(800)356-8000
277-06131	3" 250#SSLN,VR,MM,NC+59901050	(800)356-8000
277-06140	2.5"250#SSLN,OR,MM,NO+59901050	(800)356-8000
277-06141	3" 250#SSLN,OR,MM,NO+59901050	(800)356-8000
277-06150	2.5"250#SSLN,OR,MM,NC+59901050	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
277-06151	3" 250#SSLN,OR,MM,NC+59901050	(800)356-8000
277-06160	2.5"125#BZ=%,OR,MM,WM+59901050	(800)356-8000
277-06161	3" 125#BZ=%,OR,MM,WM+59901050	(800)356-8000
277-06165	2.5"125#SS=%,OR,MM,WM+59901050	(800)356-8000
277-06166	3" 125#SS=%,OR,MM,WM+59901050	(800)356-8000
277-06170	2.5"250#BZ=%,OR,MM,WM+59901050	(800)356-8000
277-06171	3" 250#BZ=%,OR,MM,WM+59901050	(800)356-8000
277-06175	2.5"250#SS=%,OR,MM,WM+59901050	(800)356-8000
277-06176	3" 250#SS=%,OR,MM,WM+59901050	(800)356-8000
278-03054	2WNO SS LN VR FXF 0.50/1.00	(800)356-8000
278-03055	2WNO SS LN VR FXF 0.50/1.60	(800)356-8000
278-03056	2WNO SS LN VR FXF 0.50/2.50	(800)356-8000
278-03057	2WNO SS LN VR FXF 0.50/4.00	(800)356-8000
278-03058	2WNO SS LN VR FXF 0.75/6.30	(800)356-8000
278-03059	2WNO SS LN VR FXF 1.00/10.00	(800)356-8000
278-03060	2WNO SS LN VR FXF 1.25/16.00	(800)356-8000
278-03061	2WNO SS LN VR FXF 1.50/25.00	(800)356-8000
278-03062	2WNO SS LN VR FXF 2.00/40.00	(800)356-8000
278-03063	2WNO SS LN VR FXUF 0.50/1.00	(800)356-8000
278-03064	2WNO SS LN VR FXUF 0.50/1.60	(800)356-8000
278-03065	2WNO SS LN VR FXUF 0.50/2.50	(800)356-8000
278-03066	2WNO SS LN VR FXUF 0.50/4.00	(800)356-8000
278-03067	2WNO SS LN VR FXUF 0.75/6.30	(800)356-8000
278-03068	2WNO SS LN VR FXUF 1.00/10.00	(800)356-8000
278-03069	2WNO SS LN VR UFXUF 1.25/16.00	(800)356-8000
278-03070	2WNO SS LN VR UFXUF 1.50/25.00	(800)356-8000
278-03071	2WNO SS LN VR UFXUF 2.00/40.00	(800)356-8000
278-03072	2WNC SS LN VR FXF 0.50/1.00	(800)356-8000
278-03073	2WNC SS LN VR FXF 0.50/1.60	(800)356-8000
278-03074	2WNC SS LN VR FXF 0.50/2.50	(800)356-8000
278-03075	2WNC SS LN VR FXF 0.50/4.00	(800)356-8000
278-03076	2WNC SS LN VR FXF 0.75/6.30	(800)356-8000
278-03077	2WNC SS LN VR FXF 1.00/10.00	(800)356-8000
278-03078	2WNC SS LN VR FXF 1.25/16.00	(800)356-8000
278-03079	2WNC SS LN VR FXF 1.50/25.00	(800)356-8000
278-03080	2WNC SS LN VR FXF 2.00/40.00	(800)356-8000
278-03081	2WNC SS LN VR FXUF 0.50/1.00	(800)356-8000
278-03082	2WNC SS LN VR FXUF 0.50/1.60	(800)356-8000
278-03083	2WNC SS LN VR FXUF 0.50/2.50	(800)356-8000
278-03084	2WNC SS LN VR FXUF 0.50/4.00	(800)356-8000
278-03085	2WNC SS LN VR FXUF 0.75/6.30	(800)356-8000
278-03086	2WNC SS LN VR FXUF 1.00/10.00	(800)356-8000
278-03087	2WNC SS LN VR UFXUF 1.25/16.00	(800)356-8000
278-03088	2WNC SS LN VR UFXUF 1.50/25.00	(800)356-8000
278-03089	2WNC SS LN VR UFXUF 2.00/40.00	(800)356-8000
278-03234	2WNO SS LN VR FXUM 0.50/1.00	(800)356-8000
278-03235	2WNO SS LN VR FXUM 0.50/1.60	(800)356-8000
278-03236	2WNO SS LN VR FXUM 0.50/2.50	(800)356-8000
278-03237	2WNO SS LN VR FXUM 0.50/4.00	(800)356-8000
278-03238	2WNO SS LN VR FXUM 0.75/6.30	(800)356-8000
278-03239	2WNO SS LN VR FXUM 1.00/10.00	(800)356-8000
278-03243	2WNC SS LN VR FXUM 0.50/1.00	(800)356-8000
278-03244	2WNC SS LN VR FXUM 0.50/1.60	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
278-03245	2WNC SS LN VR FXUM 0.50/2.50	(800)356-8000
278-03246	2WNC SS LN VR FXUM 0.50/4.00	(800)356-8000
278-03247	2WNC SS LN VR FXUM 0.75/6.30	(800)356-8000
278-03248	2WNC SS LN VR FXUM 1.00/10.00	(800)356-8000
278-06040	2.5"125#SSLN,VR,MM,NO+59901051	(800)356-8000
278-06041	3" 125#SSLN,VR,MM,NO+59901051	(800)356-8000
278-06050	2.5"125#SSLN,VR,MM,NC+59901051	(800)356-8000
278-06051	3" 125#SSLN,VR,MM,NC+59901051	(800)356-8000
278-06120	2.5"250#SSLN,VR,MM,NO+59901051	(800)356-8000
278-06121	3" 250#SSLN,VR,MM,NO+59901051	(800)356-8000
278-06130	2.5"250#SSLN,VR,MM,NO+59901051	(800)356-8000
278-06131	3" 250#SSLN,VR,MM,NO+59901051	(800)356-8000
279-05920	2.5"250#SS=%,OR,MM,NO+59901010	(800)356-8000
279-05921	3" 250#SS=%,OR,MM,NO+59901010	(800)356-8000
279-05930	2.5"250#SS=%,OR,MM,NC+59901010	(800)356-8000
279-05931	3" 250#SS=%,OR,MM,NC+59901010	(800)356-8000
279-05940	2.5"250#BZ=%,OR,MM,NO+59901010	(800)356-8000
279-05941	3" 250#BZ=%,OR,MM,NO+59901010	(800)356-8000
279-05950	2.5"250#BZ=%,OR,MM,NC+59901010	(800)356-8000
279-05951	3" 250#BZ=%,OR,MM,NC+59901010	(800)356-8000
279-05960	2.5"125#SS=%,OR,MM,NO+59901010	(800)356-8000
279-05961	3" 125#SS=%,OR,MM,NO+59901010	(800)356-8000
279-05970	2.5"125#SS=%,OR,MM,NC+59901010	(800)356-8000
279-05971	3" 125#SS=%,OR,MM,NC+59901010	(800)356-8000
279-05980	2.5"125#BZ=%,OR,MM,NO+59901010	(800)356-8000
279-05981	3" 125#BZ=%,OR,MM,NO+59901010	(800)356-8000
279-05990	2.5"125#BZ=%,OR,MM,NC+59901010	(800)356-8000
279-05991	3" 125#BZ=%,OR,MM,NC+59901010	(800)356-8000
279-06040	2.5"125#SSLN,VR,MM,NO+59901010	(800)356-8000
279-06041	3" 125#SSLN,VR,MM,NO+59901010	(800)356-8000
279-06050	2.5"125#SSLN,VR,MM,NC+59901010	(800)356-8000
279-06051	3" 125#SSLN,VR,MM,NC+59901010	(800)356-8000
279-06060	2.5"125#SSLN,OR,MM,NO+59901010	(800)356-8000
279-06061	3" 125#SSLN,OR,MM,NO+59901010	(800)356-8000
279-06070	2.5"125#SSLN,OR,MM,NC+59901010	(800)356-8000
279-06071	3" 125#SSLN,OR,MM,NC+59901010	(800)356-8000
279-06120	2.5"250#SSLN,VR,MM,NO+59901010	(800)356-8000
279-06121	3" 250#SSLN,VR,MM,NO+59901010	(800)356-8000
279-06130	2.5"250#SSLN,VR,MM,NC+59901010	(800)356-8000
279-06131	3" 250#SSLN,VR,MM,NC+59901010	(800)356-8000
279-06140	2.5"250#SSLN,OR,MM,NO+59901010	(800)356-8000
279-06141	3" 250#SSLN,OR,MM,NO+59901010	(800)356-8000
279-06150	2.5"250#SSLN,OR,MM,NC+59901010	(800)356-8000
279-06151	3" 250#SSLN,OR,MM,NC+59901010	(800)356-8000
279-06160	2.5"125#BZ=%,OR,MM,WM+59901010	(800)356-8000
279-06161	3" 125#BZ=%,OR,MM,WM+59901010	(800)356-8000
279-06165	2.5"125#SS=%,OR,MM,WM+59901010	(800)356-8000
279-06166	3" 125#SS=%,OR,MM,WM+59901010	(800)356-8000
279-06170	2.5"250#BZ=%,OR,MM,WM+59901010	(800)356-8000
279-06171	3" 250#BZ=%,OR,MM,WM+59901010	(800)356-8000
279-06175	2.5"250#SS=%,OR,MM,WM+59901010	(800)356-8000
279-06176	3" 250#SS=%,OR,MM,WM+59901010	(800)356-8000
281-05922	4"N.O.250 SS,=%,OR MM+59901000	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
281-05923	5"N.O,250 SS,=%,OR MM+59901000	(800)356-8000
281-05924	6"N.O,250 SS,=%,OR MM+59901000	(800)356-8000
281-05932	4"N.C,250 SS,=%,OR MM+59901000	(800)356-8000
281-05933	5"N.C,250 SS,=%,OR MM+59901000	(800)356-8000
281-05934	6"N.C,250 SS,=%,OR MM+59901000	(800)356-8000
281-05942	4"N.O,250 BZ,=%,OR MM+59901000	(800)356-8000
281-05943	5"N.O,250 BZ,=%,OR MM+59901000	(800)356-8000
281-05944	6"N.O,250 BZ,=%,OR MM+59901000	(800)356-8000
281-05952	4"N.C,250 BZ,=%,OR MM+59901000	(800)356-8000
281-05953	5"N.C,250 BZ,=%,OR MM+59901000	(800)356-8000
281-05954	6"N.C,250 BZ,=%,OR MM+59901000	(800)356-8000
281-05962	4"N.O,125 SS,=%,OR MM+59901000	(800)356-8000
281-05963	5"N.O,125 SS,=%,OR MM+59901000	(800)356-8000
281-05964	6"N.O,125 SS,=%,OR MM+59901000	(800)356-8000
281-05972	4"N.C,125 SS,=%,OR MM+59901000	(800)356-8000
281-05973	5"N.C,125 SS,=%,OR MM+59901000	(800)356-8000
281-05974	6"N.C,125 SS,=%,OR MM+59901000	(800)356-8000
281-05982	4"N.O,125 BZ,=%,OR MM+59901000	(800)356-8000
281-05983	5"N.O,125 BZ,=%,OR MM+59901000	(800)356-8000
281-05984	6"N.O,125 BZ,=%,OR MM+59901000	(800)356-8000
281-05992	4"N.C,125 BZ,=%,OR MM+59901000	(800)356-8000
281-05993	5"N.C,125 BZ,=%,OR MM+59901000	(800)356-8000
281-05994	6"N.C,125 BZ,=%,OR MM+59901000	(800)356-8000
281-06042	4"N.O,125 SS,LN,VR MM+59901000	(800)356-8000
281-06043	5"N.O,125 SS,LN,VR MM+59901000	(800)356-8000
281-06044	6"N.O,125 SS,LN,VR MM+59901000	(800)356-8000
281-06052	4"N.C,125 SS,LN,VR MM+59901000	(800)356-8000
281-06053	5"N.C,125 SS,LN,VR MM+59901000	(800)356-8000
281-06054	6"N.C,125 SS,LN,VR MM+59901000	(800)356-8000
281-06062	4"N.O,125 SS,LN,OR MM+59901000	(800)356-8000
281-06063	5"N.O,125 SS,LN,OR MM+59901000	(800)356-8000
281-06064	6"N.O,125 SS,LN,OR MM+59901000	(800)356-8000
281-06072	4"N.C,125 SS,LN,OR MM+59901000	(800)356-8000
281-06073	5"N.C,125 SS,LN,OR MM+59901000	(800)356-8000
281-06074	6"N.C,125 SS,LN,OR MM+59901000	(800)356-8000
281-06122	4"N.O,250 SS,LN,VR,MM+59901000	(800)356-8000
281-06123	5"N.O,250 SS,LN,VR,MM+59901000	(800)356-8000
281-06124	6"N.O,250 SS,LN,VR,MM+59901000	(800)356-8000
281-06132	4"N.C,250 SS,LN,VR,MM+59901000	(800)356-8000
281-06133	5"N.C,250 SS,LN,VR,MM+59901000	(800)356-8000
281-06134	6"N.C,250 SS,LN,VR,MM+59901000	(800)356-8000
281-06142	4"N.O,250 SS,LN,OR,MM+59901000	(800)356-8000
281-06143	5"N.O,250 SS,LN,OR,MM+59901000	(800)356-8000
281-06144	6"N.O,250 SS,LN,OR,MM+59901000	(800)356-8000
281-06152	4"N.C,250 SS,LN,OR,MM+59901000	(800)356-8000
281-06153	5"N.C,250 SS,LN,OR,MM+59901000	(800)356-8000
281-06154	6"N.C,250 SS,LN,OR,MM+59901000	(800)356-8000
281-06162	4"W.M,125 BZ,=%,OR,MM+59901000	(800)356-8000
281-06163	5"W.M,125 BZ,=%,OR,MM+59901000	(800)356-8000
281-06164	6"W.M,125 BZ,=%,OR,MM+59901000	(800)356-8000
281-06167	4"W.M,125,SS,=%,OR,MM+59901000	(800)356-8000
281-06168	5"W.M,125,SS,=%,OR,MM+59901000	(800)356-8000
281-06169	6"W.M,125,SS,=%,OR,MM+59901000	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
281-06172	4"W.M,250,BZ,=%,OR,MM+59901000	(800)356-8000
281-06173	5"W.M,250,BZ,=%,OR,MM+59901000	(800)356-8000
281-06174	6"W.M,250,BZ,=%,OR,MM+59901000	(800)356-8000
281-06177	4"W.M,250,SS,=%,OR,MM+59901000	(800)356-8000
281-06178	5"W.M,250,SS,=%,OR,MM+59901000	(800)356-8000
281-06179	6"W.M,250,SS,=%,OR,MM+59901000	(800)356-8000
283-03000	2WNO SS LN OR FXF 0.50/1.00	(800)356-8000
283-03001	2WNO SS LN OR FXF 0.50/1.60	(800)356-8000
283-03002	2WNO SS LN OR FXF 0.50/2.50	(800)356-8000
283-03003	2WNO SS LN OR FXF 0.50/4.00	(800)356-8000
283-03004	2WNO SS LN OR FXF 0.75/6.30	(800)356-8000
283-03005	2WNO SS LN OR FXF 1.00/10.00	(800)356-8000
283-03006	2WNO SS LN OR FXF 1.25/16.00	(800)356-8000
283-03007	2WNO SS LN OR FXF 1.50/25.00	(800)356-8000
283-03008	2WNO SS LN OR FXF 2.00/40.00	(800)356-8000
283-03009	2WNO SS LN OR FXUF 0.50/1.00	(800)356-8000
283-03010	2WNO SS LN OR FXUF 0.50/1.60	(800)356-8000
283-03011	2WNO SS LN OR FXUF 0.50/2.50	(800)356-8000
283-03012	2WNO SS LN OR FXUF 0.50/4.00	(800)356-8000
283-03013	2WNO SS LN OR FXUF 0.75/6.30	(800)356-8000
283-03014	2WNO SS LN OR FXUF 1.00/10.00	(800)356-8000
283-03015	2WNO SS LN OR UFXUF 1.25/16.00	(800)356-8000
283-03016	2WNO SS LN OR UFXUF 1.50/25.00	(800)356-8000
283-03017	2WNO SS LN OR UFXUF 2.00/40.00	(800)356-8000
283-03018	2WNC SS LN OR FXF 0.50/1.00	(800)356-8000
283-03019	2WNC SS LN OR FXF 0.50/1.60	(800)356-8000
283-03020	2WNC SS LN OR FXF 0.50/2.50	(800)356-8000
283-03021	2WNC SS LN OR FXF 0.50/4.00	(800)356-8000
283-03022	2WNC SS LN OR FXF 0.75/6.30	(800)356-8000
283-03023	2WNC SS LN OR FXF 1.00/10.00	(800)356-8000
283-03024	2WNC SS LN OR FXF 1.25/16.00	(800)356-8000
283-03025	2WNC SS LN OR FXF 1.50/25.00	(800)356-8000
283-03026	2WNC SS LN OR FXF 2.00/40.00	(800)356-8000
283-03027	2WNC SS LN OR FXUF 0.50/1.00	(800)356-8000
283-03028	2WNC SS LN OR FXUF 0.50/1.60	(800)356-8000
283-03029	2WNC SS LN OR FXUF 0.50/2.50	(800)356-8000
283-03030	2WNC SS LN OR FXUF 0.50/4.00	(800)356-8000
283-03031	2WNC SS LN OR FXUF 0.75/6.30	(800)356-8000
283-03032	2WNC SS LN OR FXUF 1.00/10.00	(800)356-8000
283-03033	2WNC SS LN OR UFXUF 1.25/16.00	(800)356-8000
283-03034	2WNC SS LN OR UFXUF 1.50/25.00	(800)356-8000
283-03035	2WNC SS LN OR UFXUF 2.00/40.00	(800)356-8000
283-03054	2WNO SS LN VR FXF 0.50/1.00	(800)356-8000
283-03055	2WNO SS LN VR FXF 0.50/1.60	(800)356-8000
283-03056	2WNO SS LN VR FXF 0.50/2.50	(800)356-8000
283-03057	2WNO SS LN VR FXF 0.50/4.00	(800)356-8000
283-03058	2WNO SS LN VR FXF 0.75/6.30	(800)356-8000
283-03059	2WNO SS LN VR FXF 1.00/10.00	(800)356-8000
283-03060	2WNO SS LN VR FXF 1.25/16.00	(800)356-8000
283-03061	2WNO SS LN VR FXF 1.50/25.00	(800)356-8000
283-03062	2WNO SS LN VR FXF 2.00/40.00	(800)356-8000
283-03063	2WNO SS LN VR FXUF 0.50/1.00	(800)356-8000
283-03064	2WNO SS LN VR FXUF 0.50/1.60	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
283-03065	2WNO SS LN VR FXUF 0.50/2.50	(800)356-8000
283-03066	2WNO SS LN VR FXUF 0.50/4.00	(800)356-8000
283-03067	2WNO SS LN VR FXUF 0.75/6.30	(800)356-8000
283-03068	2WNO SS LN VR FXUF 1.00/10.00	(800)356-8000
283-03069	2WNO SS LN VR UFXUF 1.25/16.00	(800)356-8000
283-03070	2WNO SS LN VR UFXUF 1.50/25.00	(800)356-8000
283-03071	2WNO SS LN VR UFXUF 2.00/40.00	(800)356-8000
283-03072	2WNC SS LN VR FXF 0.50/1.00	(800)356-8000
283-03073	2WNC SS LN VR FXF 0.50/1.60	(800)356-8000
283-03074	2WNC SS LN VR FXF 0.50/2.50	(800)356-8000
283-03075	2WNC SS LN VR FXF 0.50/4.00	(800)356-8000
283-03076	2WNC SS LN VR FXF 0.75/6.30	(800)356-8000
283-03077	2WNC SS LN VR FXF 1.00/10.00	(800)356-8000
283-03078	2WNC SS LN VR FXF 1.25/16.00	(800)356-8000
283-03079	2WNC SS LN VR FXF 1.50/25.00	(800)356-8000
283-03080	2WNC SS LN VR FXF 2.00/40.00	(800)356-8000
283-03081	2WNC SS LN VR FXUF 0.50/1.00	(800)356-8000
283-03082	2WNC SS LN VR FXUF 0.50/1.60	(800)356-8000
283-03083	2WNC SS LN VR FXUF 0.50/2.50	(800)356-8000
283-03084	2WNC SS LN VR FXUF 0.50/4.00	(800)356-8000
283-03085	2WNC SS LN VR FXUF 0.75/6.30	(800)356-8000
283-03086	2WNC SS LN VR FXUF 1.00/10.00	(800)356-8000
283-03087	2WNC SS LN VR UFXUF 1.25/16.00	(800)356-8000
283-03088	2WNC SS LN VR UFXUF 1.50/25.00	(800)356-8000
283-03089	2WNC SS LN VR UFXUF 2.00/40.00	(800)356-8000
283-03108	2WNO SS =% OR FXF 0.50/1.00	(800)356-8000
283-03109	2WNO SS =% OR FXF 0.50/1.60	(800)356-8000
283-03110	2WNO SS =% OR FXF 0.50/2.50	(800)356-8000
283-03111	2WNO SS =% OR FXF 0.50/4.00	(800)356-8000
283-03112	2WNO SS =% OR FXF 0.75/6.30	(800)356-8000
283-03113	2WNO SS =% OR FXF 1.00/10.00	(800)356-8000
283-03114	2WNO SS =% OR FXF 1.25/16.00	(800)356-8000
283-03115	2WNO SS =% OR FXF 1.50/25.00	(800)356-8000
283-03116	2WNO SS =% OR FXF 2.00/40.00	(800)356-8000
283-03117	2WNO SS =% OR FXUF 0.50/1.00	(800)356-8000
283-03118	2WNO SS =% OR FXUF 0.50/1.60	(800)356-8000
283-03119	2WNO SS =% OR FXUF 0.50/2.50	(800)356-8000
283-03120	2WNO SS =% OR FXUF 0.50/4.00	(800)356-8000
283-03121	2WNO SS =% OR FXUF 0.75/6.30	(800)356-8000
283-03122	2WNO SS =% OR FXUF 1.00/10.00	(800)356-8000
283-03123	2WNO SS =% OR UFXUF 1.25/16.00	(800)356-8000
283-03124	2WNO SS =% OR UFXUF 1.50/25.00	(800)356-8000
283-03125	2WNO SS =% OR UFXUF 2.00/40.00	(800)356-8000
283-03126	2WNC SS =% OR FXF 0.50/1.00	(800)356-8000
283-03127	2WNC SS =% OR FXF 0.50/1.60	(800)356-8000
283-03128	2WNC SS =% OR FXF 0.50/2.50	(800)356-8000
283-03129	2WNC SS =% OR FXF 0.50/4.00	(800)356-8000
283-03130	2WNC SS =% OR FXF 0.75/6.30	(800)356-8000
283-03131	2WNC SS =% OR FXF 1.00/10.00	(800)356-8000
283-03132	2WNC SS =% OR FXF 1.25/16.00	(800)356-8000
283-03133	2WNC SS =% OR FXF 1.50/25.00	(800)356-8000
283-03134	2WNC SS =% OR FXF 2.00/40.00	(800)356-8000
283-03135	2WNC SS =% OR FXUF 0.50/1.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
283-03136	2WNC SS =% OR FXUF 0.50/1.60	(800)356-8000
283-03137	2WNC SS =% OR FXUF 0.50/2.50	(800)356-8000
283-03138	2WNC SS =% OR FXUF 0.50/4.00	(800)356-8000
283-03139	2WNC SS =% OR FXUF 0.75/6.30	(800)356-8000
283-03140	2WNC SS =% OR FXUF 1.00/10.00	(800)356-8000
283-03141	2WNC SS =% OR UFXUF 1.25/16.00	(800)356-8000
283-03142	2WNC SS =% OR UFXUF 1.50/25.00	(800)356-8000
283-03143	2WNC SS =% OR UFXUF 2.00/40.00	(800)356-8000
283-03144	3WMX SS =% OR FFX 0.50/1.00	(800)356-8000
283-03145	3WMX SS =% OR FFX 0.50/1.60	(800)356-8000
283-03146	3WMX SS =% OR FFX 0.50/2.50	(800)356-8000
283-03147	3WMX SS =% OR FFX 0.50/4.00	(800)356-8000
283-03148	3WMX SS =% OR FFX 0.75/6.30	(800)356-8000
283-03149	3WMX SS =% OR FFX 1.00/10.00	(800)356-8000
283-03150	3WMX SS =% OR FFX 1.25/16.00	(800)356-8000
283-03151	3WMX SS =% OR FFX 1.50/25.00	(800)356-8000
283-03152	3WMX SS =% OR FFX 2.00/40.00	(800)356-8000
283-03153	3WMX SS =% OR UFXUF 0.50/1.00	(800)356-8000
283-03154	3WMX SS =% OR UFXUF 0.50/1.60	(800)356-8000
283-03155	3WMX SS =% OR UFXUF 0.50/2.50	(800)356-8000
283-03156	3WMX SS =% OR UFXUF 0.50/4.00	(800)356-8000
283-03157	3WMX SS =% OR UFXUF 0.75/6.30	(800)356-8000
283-03158	3WMX SS =% OR UFXUF 1.00/10.00	(800)356-8000
283-03159	3WMX SS =% OR UFXUF 1.25/16.00	(800)356-8000
283-03160	3WMX SS =% OR UFXUF 1.50/25.00	(800)356-8000
283-03161	3WMX SS =% OR UFXUF 2.00/40.00	(800)356-8000
283-03162	2WNO BZ =% OR FFX 0.50/1.00	(800)356-8000
283-03163	2WNO BZ =% OR FFX 0.50/1.60	(800)356-8000
283-03164	2WNO BZ =% OR FFX 0.50/2.50	(800)356-8000
283-03165	2WNO BZ =% OR FFX 0.50/4.00	(800)356-8000
283-03166	2WNO BZ =% OR FFX 0.75/6.30	(800)356-8000
283-03167	2WNO BZ =% OR FFX 1.00/10.00	(800)356-8000
283-03168	2WNO BZ =% OR FFX 1.25/16.00	(800)356-8000
283-03169	2WNO BZ =% OR FFX 1.50/25.00	(800)356-8000
283-03170	2WNO BZ =% OR FFX 2.00/40.00	(800)356-8000
283-03171	2WNO BZ =% OR FXUF 0.50/1.00	(800)356-8000
283-03172	2WNO BZ =% OR FXUF 0.50/1.60	(800)356-8000
283-03173	2WNO BZ =% OR FXUF 0.50/2.50	(800)356-8000
283-03174	2WNO BZ =% OR FXUF 0.50/4.00	(800)356-8000
283-03175	2WNO BZ =% OR FXUF 0.75/6.30	(800)356-8000
283-03176	2WNO BZ =% OR FXUF 1.00/10.00	(800)356-8000
283-03177	2WNO BZ =% OR UFXUF 1.25/16.00	(800)356-8000
283-03178	2WNO BZ =% OR UFXUF 1.50/25.00	(800)356-8000
283-03179	2WNO BZ =% OR UFXUF 2.00/40.00	(800)356-8000
283-03180	2WNC BZ =% OR FFX 0.50/1.00	(800)356-8000
283-03181	2WNC BZ =% OR FFX 0.50/1.60	(800)356-8000
283-03182	2WNC BZ =% OR FFX 0.50/2.50	(800)356-8000
283-03183	2WNC BZ =% OR FFX 0.50/4.00	(800)356-8000
283-03184	2WNC BZ =% OR FFX 0.75/6.30	(800)356-8000
283-03185	2WNC BZ =% OR FFX 1.00/10.00	(800)356-8000
283-03186	2WNC BZ =% OR FFX 1.25/16.00	(800)356-8000
283-03187	2WNC BZ =% OR FFX 1.50/25.00	(800)356-8000
283-03188	2WNC BZ =% OR FFX 2.00/40.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
283-03189	2WNC BZ =% OR FXUF 0.50/1.00	(800)356-8000
283-03190	2WNC BZ =% OR FXUF 0.50/1.60	(800)356-8000
283-03191	2WNC BZ =% OR FXUF 0.50/2.50	(800)356-8000
283-03192	2WNC BZ =% OR FXUF 0.50/4.00	(800)356-8000
283-03193	2WNC BZ =% OR FXUF 0.75/6.30	(800)356-8000
283-03194	2WNC BZ =% OR FXUF 1.00/10.00	(800)356-8000
283-03195	2WNC BZ =% OR UFXUF 1.25/16.00	(800)356-8000
283-03196	2WNC BZ =% OR UFXUF 1.50/25.00	(800)356-8000
283-03197	2WNC BZ =% OR UFXUF 2.00/40.00	(800)356-8000
283-03198	3WMX BZ =% OR FFX 0.50/1.00	(800)356-8000
283-03199	3WMX BZ =% OR FFX 0.50/1.60	(800)356-8000
283-03200	3WMX BZ =% OR FFX 0.50/2.50	(800)356-8000
283-03201	3WMX BZ =% OR FFX 0.50/4.00	(800)356-8000
283-03202	3WMX BZ =% OR FFX 0.75/6.30	(800)356-8000
283-03203	3WMX BZ =% OR FFX 1.00/10.00	(800)356-8000
283-03204	3WMX BZ =% OR FFX 1.25/16.00	(800)356-8000
283-03205	3WMX BZ =% OR FFX 1.50/25.00	(800)356-8000
283-03206	3WMX BZ =% OR FFX 2.00/40.00	(800)356-8000
283-03207	3WMX BZ =% OR UFXUF 0.50/1.00	(800)356-8000
283-03208	3WMX BZ =% OR UFXUF 0.50/1.60	(800)356-8000
283-03209	3WMX BZ =% OR UFXUF 0.50/2.50	(800)356-8000
283-03210	3WMX BZ =% OR UFXUF 0.50/4.00	(800)356-8000
283-03211	3WMX BZ =% OR UFXUF 0.75/6.30	(800)356-8000
283-03212	3WMX BZ =% OR UFXUF 1.00/10.00	(800)356-8000
283-03213	3WMX BZ =% OR UFXUF 1.25/16.00	(800)356-8000
283-03214	3WMX BZ =% OR UFXUF 1.50/25.00	(800)356-8000
283-03215	3WMX BZ =% OR UFXUF 2.00/40.00	(800)356-8000
283-03216	2WNO SS LN OR FXUM 0.50/1.00	(800)356-8000
283-03217	2WNO SS LN OR FXUM 0.50/1.60	(800)356-8000
283-03218	2WNO SS LN OR FXUM 0.50/2.50	(800)356-8000
283-03219	2WNO SS LN OR FXUM 0.50/4.00	(800)356-8000
283-03220	2WNO SS LN OR FXUM 0.75/6.30	(800)356-8000
283-03221	2WNO SS LN OR FXUM 1.00/10.00	(800)356-8000
283-03225	2WNC SS LN OR FXUM 0.50/1.00	(800)356-8000
283-03226	2WNC SS LN OR FXUM 0.50/1.60	(800)356-8000
283-03227	2WNC SS LN OR FXUM 0.50/2.50	(800)356-8000
283-03228	2WNC SS LN OR FXUM 0.50/4.00	(800)356-8000
283-03229	2WNC SS LN OR FXUM 0.75/6.30	(800)356-8000
283-03230	2WNC SS LN OR FXUM 1.00/10.00	(800)356-8000
283-03234	2WNO SS LN VR FXUM 0.50/1.00	(800)356-8000
283-03235	2WNO SS LN VR FXUM 0.50/1.60	(800)356-8000
283-03236	2WNO SS LN VR FXUM 0.50/2.50	(800)356-8000
283-03237	2WNO SS LN VR FXUM 0.50/4.00	(800)356-8000
283-03238	2WNO SS LN VR FXUM 0.75/6.30	(800)356-8000
283-03239	2WNO SS LN VR FXUM 1.00/10.00	(800)356-8000
283-03243	2WNC SS LN VR FXUM 0.50/1.00	(800)356-8000
283-03244	2WNC SS LN VR FXUM 0.50/1.60	(800)356-8000
283-03245	2WNC SS LN VR FXUM 0.50/2.50	(800)356-8000
283-03246	2WNC SS LN VR FXUM 0.50/4.00	(800)356-8000
283-03247	2WNC SS LN VR FXUM 0.75/6.30	(800)356-8000
283-03248	2WNC SS LN VR FXUM 1.00/10.00	(800)356-8000
283-03252	2WNO SS =% OR FXUM 0.50/1.00	(800)356-8000
283-03253	2WNO SS =% OR FXUM 0.50/1.60	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
283-03254	2WNO SS =% OR FXUM 0.50/2.50	(800)356-8000
283-03255	2WNO SS =% OR FXUM 0.50/4.00	(800)356-8000
283-03256	2WNO SS =% OR FXUM 0.75/6.30	(800)356-8000
283-03257	2WNO SS =% OR FXUM 1.00/10.00	(800)356-8000
283-03261	2WNC SS =% OR FXUM 0.50/1.00	(800)356-8000
283-03262	2WNC SS =% OR FXUM 0.50/1.60	(800)356-8000
283-03263	2WNC SS =% OR FXUM 0.50/2.50	(800)356-8000
283-03264	2WNC SS =% OR FXUM 0.50/4.00	(800)356-8000
283-03265	2WNC SS =% OR FXUM 0.75/6.30	(800)356-8000
283-03266	2WNC SS =% OR FXUM 1.00/10.00	(800)356-8000
283-03270	2WNO BZ =% OR FXUM 0.50/1.00	(800)356-8000
283-03271	2WNO BZ =% OR FXUM 0.50/1.60	(800)356-8000
283-03272	2WNO BZ =% OR FXUM 0.50/2.50	(800)356-8000
283-03273	2WNO BZ =% OR FXUM 0.50/4.00	(800)356-8000
283-03274	2WNO BZ =% OR FXUM 0.75/6.30	(800)356-8000
283-03275	2WNO BZ =% OR FXUM 1.00/10.00	(800)356-8000
283-03279	2WNC BZ =% OR FXUM 0.50/1.00	(800)356-8000
283-03280	2WNC BZ =% OR FXUM 0.50/1.60	(800)356-8000
283-03281	2WNC BZ =% OR FXUM 0.50/2.50	(800)356-8000
283-03282	2WNC BZ =% OR FXUM 0.50/4.00	(800)356-8000
283-03283	2WNC BZ =% OR FXUM 0.75/6.30	(800)356-8000
283-03284	2WNC BZ =% OR FXUM 1.00/10.00	(800)356-8000
283-05920	2.5"NO,250,SS=%OR,MM+59901050P	(800)356-8000
283-05921	3"N.O.250SS,=%,OR,MM+59901050P	(800)356-8000
283-05930	2.5"NC,250,SS=%OR,MM+59901050P	(800)356-8000
283-05931	3"N.C,250,SS=%OR,MM+59901050P	(800)356-8000
283-05940	2.5"NO,250,BZ=%OR,MM+59901050P	(800)356-8000
283-05941	3"N.O,250,BZ=%OR,MM+59901050P	(800)356-8000
283-05950	2.5"NC,250,BZ=%OR,MM+59901050P	(800)356-8000
283-05951	3"N.C,250,BZ=%OR,MM+59901050P	(800)356-8000
283-05960	2.5"NO,125,SS=%OR,MM+59901050P	(800)356-8000
283-05961	3"N.O,125,SS=%OR,MM+59901050P	(800)356-8000
283-05970	2.5"NC,125,SS=%OR,MM+59901050P	(800)356-8000
283-05971	3"N.C,125,SS=%OR,MM+59901050P	(800)356-8000
283-05980	2.5"NO,125,BZ=%OR,MM+59901050P	(800)356-8000
283-05981	3"N.O,125,BZ=%OR,MM+59901050P	(800)356-8000
283-05990	2.5"NC,125,BZ=%OR,MM+59901050P	(800)356-8000
283-05991	3"N.C,125,BZ=%OR,MM+59901050P	(800)356-8000
283-06040	2.5"NO,125,SSLNVR,MM+59901050P	(800)356-8000
283-06041	3"N.O,125,SSLNVR,MM+59901050P	(800)356-8000
283-06050	2.5"NC,125,SSLNVR,MM+59901050P	(800)356-8000
283-06051	3"N.C,125,SSLNVR,MM+59901050P	(800)356-8000
283-06060	2.5"NO,125,SSLNOR,MM+59901050P	(800)356-8000
283-06061	3"N.O,125,SSLNOR,MM+59901050P	(800)356-8000
283-06070	2.5"NC,125,SSLNOR,MM+59901050P	(800)356-8000
283-06071	3"N.C,125,SSLNOR,MM+59901050P	(800)356-8000
283-06120	2.5"NO,250,SSLNVR,MM+59901050P	(800)356-8000
283-06121	3"N.O,250,SSLNVR,MM+59901050P	(800)356-8000
283-06130	2.5"NC,250,SSLNVR,MM+59901050P	(800)356-8000
283-06131	3"N.C,250,SSLNVR,MM+59901050P	(800)356-8000
283-06140	2.5"NO,250,SSLNOR,MM+59901050P	(800)356-8000
283-06141	3"N.O,250,SSLNOR,MM+59901050P	(800)356-8000
283-06150	2.5"NC,250,SSLNOR,MM+59901050P	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
283-06151	3"N.C,250,SSLNOR,MM+59901050P	(800)356-8000
283-06160	2.5"WM,125,BZ=%OR,MM+59901050P	(800)356-8000
283-06161	3"W.M,125,BZ=%OR,MM+59901050P	(800)356-8000
283-06165	2.5"WM,125,SS=%OR,MM+59901050P	(800)356-8000
283-06166	3"W.M,125,SS=%OR,MM+59901050P	(800)356-8000
283-06170	2.5"WM,250,BZ=%OR,MM+59901050P	(800)356-8000
283-06171	3"W.M,250,BZ=%OR,MM+59901050P	(800)356-8000
283-06175	2.5"WM,250,SS=%OR,MM+59901050P	(800)356-8000
283-06176	3"W.M,250,SS=%OR,MM+59901050P	(800)356-8000
284-03054	2WNO SS LN VR FXF 0.50/1.60	(800)356-8000
284-03055	2WNO SS LN VR FXF 0.50/1.60	(800)356-8000
284-03056	2WNO SS LN VR FXF 0.50/2.50	(800)356-8000
284-03057	2WNO SS LN VR FXF 0.50/4.00	(800)356-8000
284-03058	2WNO SS LN VR FXF 0.75/6.30	(800)356-8000
284-03059	2WNO SS LN VR FXF 1.00/10.00	(800)356-8000
284-03060	2WNO SS LN VR FXF 1.25/16.00	(800)356-8000
284-03061	2WNO SS LN VR FXF 1.50/25.00	(800)356-8000
284-03062	2WNO SS LN VR FXF 2.00/40.00	(800)356-8000
284-03063	2WNO SS LN VR FXUF 0.50/1.00	(800)356-8000
284-03064	2WNO SS LN VR FXUF 0.50/1.60	(800)356-8000
284-03065	2WNO SS LN VR FXUF 0.50/2.50	(800)356-8000
284-03066	2WNO SS LN VR FXUF 0.50/4.00	(800)356-8000
284-03067	2WNO SS LN VR FXUF 0.75/6.30	(800)356-8000
284-03068	2WNO SS LN VR FXUF 1.00/10.00	(800)356-8000
284-03069	2WNO SS LN VR UFXUF 1.25/16.00	(800)356-8000
284-03070	2WNO SS LN VR UFXUF 1.50/25.00	(800)356-8000
284-03071	2WNO SS LN VR UFXUF 2.00/40.00	(800)356-8000
284-03072	2WNC SS LN VR FXF 0.50/1.00	(800)356-8000
284-03073	2WNC SS LN VR FXF 0.50/1.60	(800)356-8000
284-03074	2WNC SS LN VR FXF 0.50/2.50	(800)356-8000
284-03075	2WNC SS LN VR FXF 0.50/4.00	(800)356-8000
284-03076	2WNC SS LN VR FXF 0.75/6.30	(800)356-8000
284-03077	2WNC SS LN VR FXF 1.00/10.00	(800)356-8000
284-03078	2WNC SS LN VR FXF 1.25/16.00	(800)356-8000
284-03079	2WNC SS LN VR FXF 1.50/25.00	(800)356-8000
284-03080	2WNC SS LN VR FXF 2.00/40.00	(800)356-8000
284-03081	2WNC SS LN VR FXUF 0.50/1.00	(800)356-8000
284-03082	2WNC SS LN VR FXUF 0.50/1.60	(800)356-8000
284-03083	2WNC SS LN VR FXUF 0.50/2.50	(800)356-8000
284-03084	2WNC SS LN VR FXUF 0.50/4.00	(800)356-8000
284-03085	2WNC SS LN VR FXUF 0.75/6.30	(800)356-8000
284-03086	2WNC SS LN VR FXUF 1.00/10.00	(800)356-8000
284-03087	2WNC SS LN VR UFXUF 1.25/16.00	(800)356-8000
284-03088	2WNC SS LN VR UFXUF 1.50/25.00	(800)356-8000
284-03089	2WNC SS LN VR UFXUF 2.00/40.00	(800)356-8000
284-03234	2WNO SS LN VR FXUM 0.50/1.00	(800)356-8000
284-03235	2WNO SS LN VR FXUM 0.50/1.60	(800)356-8000
284-03236	2WNO SS LN VR FXUM 0.50/2.50	(800)356-8000
284-03237	2WNO SS LN VR FXUM 0.50/4.00	(800)356-8000
284-03238	2WNO SS LN VR FXUM 0.75/6.30	(800)356-8000
284-03239	2WNO SS LN VR FXUM 1.00/10.00	(800)356-8000
284-03243	2WNC SS LN VR FXUM 0.50/1.00	(800)356-8000
284-03244	2WNC SS LN VR FXUM 0.50/1.60	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
284-03245	2WNC SS LN VR FXUM 0.50/2.50	(800)356-8000
284-03246	2WNC SS LN VR FXUM 0.50/4.00	(800)356-8000
284-03247	2WNC SS LN VR FXUM 0.75/6.30	(800)356-8000
284-03248	2WNC SS LN VR FXUM 1.00/10.00	(800)356-8000
284-06040	2.5"NO,125,SSLNVR,MM+59901051P	(800)356-8000
284-06041	3"N.O,125,SSLNVR,MM+59901051P	(800)356-8000
284-06050	2.5"NC,125,SSLNVR,MM+59901051P	(800)356-8000
284-06051	3"N.C,125,SSLNVR,MM+59901051P	(800)356-8000
284-06120	2.5"NO,250,SSLNVR,MM+59901051P	(800)356-8000
284-06121	3"N.O,250,SSLNVR,MM+59901051P	(800)356-8000
284-06130	2.5"NC,250,SSLNVR,MM+59901051P	(800)356-8000
284-06131	3"N.C,250,SSLNVR,MM+59901051P	(800)356-8000
285-05920	2.5"NO,250,SS=%OR,MM+59901010P	(800)356-8000
285-05921	3"N.O,250,SS=%OR,MM+59901010P	(800)356-8000
285-05930	2.5"NC,250,SS=%OR,MM+59901010P	(800)356-8000
285-05931	3"N.C,250,SS=%OR,MM+59901010P	(800)356-8000
285-05940	2.5"NO,250,BZ=%OR,MM+59901010P	(800)356-8000
285-05941	3"N.O,250,BZ=%OR,MM+59901010P	(800)356-8000
285-05950	2.5"NC,250,BZ=%OR,MM+59901010P	(800)356-8000
285-05951	3"N.C,250,BZ=%OR,MM+59901010P	(800)356-8000
285-05960	2.5"NO,125,SS=%OR,MM+59901010P	(800)356-8000
285-05961	3"N.O,125,SS=%OR,MM+59901010P	(800)356-8000
285-05970	2.5"NC,125,SS=%OR,MM+59901010P	(800)356-8000
285-05971	3"N.C,125,SS=%OR,MM+59901010P	(800)356-8000
285-05980	2.5"NO,125,BZ=%OR,MM+59901010P	(800)356-8000
285-05981	3"N.O,125,BZ=%OR,MM+59901010P	(800)356-8000
285-05990	2.5"NC,125,BZ=%OR,MM+59901010P	(800)356-8000
285-05991	3"N.C,125,BZ=%OR,MM+59901010P	(800)356-8000
285-06040	2.5"NO,125,SSLNVR,MM+59901010P	(800)356-8000
285-06041	3"N.O,125,SSLNVR,MM+59901010P	(800)356-8000
285-06050	2.5"NC,125,SSLNVR,MM+59901010P	(800)356-8000
285-06051	3"N.C,125,SSLNVR,MM+59901010P	(800)356-8000
285-06060	2.5"NO,125,SSLNOR,MM+59901010P	(800)356-8000
285-06061	3"N.O,125,SSLNOR,MM+59901010P	(800)356-8000
285-06070	2.5"NC,125,SSLNOR,MM+59901010P	(800)356-8000
285-06071	3"N.C,125,SSLNOR,MM+59901010P	(800)356-8000
285-06120	2.5"NO,250,SSLNVR,MM+59901010P	(800)356-8000
285-06121	3"N.O,250,SSLNVR,MM+59901010P	(800)356-8000
285-06130	2.5"NC,250,SSLNVR,MM+59901010P	(800)356-8000
285-06131	3"N.C,250,SSLNVR,MM+59901010P	(800)356-8000
285-06140	2.5"NO,250,SSLNOR,MM+59901010P	(800)356-8000
285-06141	3"N.O,250,SSLNOR,MM+59901010P	(800)356-8000
285-06150	2.5"NC,250,SSLNOR,MM+59901010P	(800)356-8000
285-06151	3"N.C,250,SSLNOR,MM+59901010P	(800)356-8000
285-06160	2.5"WM,125,BZ=%OR,MM+59901010P	(800)356-8000
285-06161	3"W.M,125,BZ=%OR,MM+59901010P	(800)356-8000
285-06165	2.5".M,125,SS=%OR,MM+59901010P	(800)356-8000
285-06166	3"W.M,125,SS=%OR,MM+59901010P	(800)356-8000
285-06170	2.5"WM,250,BZ=%OR,MM+59901010P	(800)356-8000
285-06171	3"W.M,250,BZ=%OR,MM+59901010P	(800)356-8000
285-06175	2.5"WM,250,SS=%OR,MM+59901010P	(800)356-8000
285-06176	3"W.M,250,SS=%OR,MM+59901010P	(800)356-8000
287-05922	4"N.O,250,SS=%,OR,MM+59901000P	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
287-05923	5"N.O,250,SS=%,OR,MM+59901000P	(800)356-8000
287-05924	6"N.O,250,SS=%,OR,MM+59901000P	(800)356-8000
287-05932	4"N.C,250,SS=%,OR,MM+59901000P	(800)356-8000
287-05933	5"N.C,250,SS=%,OR,MM+59901000P	(800)356-8000
287-05934	6"N.C,250,SS=%,OR,MM+59901000P	(800)356-8000
287-05942	4"N.O,250,BZ=%,OR,MM+59901000P	(800)356-8000
287-05943	5"N.O,250,BZ=%,OR,MM+59901000P	(800)356-8000
287-05944	6"N.O,250,BZ=%,OR,MM+59901000P	(800)356-8000
287-05952	4"N.C,250,BZ=%,OR,MM+59901000P	(800)356-8000
287-05953	5"N.C,250,BZ=%,OR,MM+59901000P	(800)356-8000
287-05954	6"N.C,250,BZ=%,OR,MM+59901000P	(800)356-8000
287-05962	4"N.O,125,SS=%,OR,MM+59901000P	(800)356-8000
287-05963	5"N.O,125,SS=%,OR,MM+59901000P	(800)356-8000
287-05964	6"N.O,125,SS=%,OR,MM+59901000P	(800)356-8000
287-05972	4"N.C,125,SS=%,OR,MM+59901000P	(800)356-8000
287-05973	5"N.C,125,SS=%,OR,MM+59901000P	(800)356-8000
287-05974	6"N.C,125,SS=%,OR,MM+59901000P	(800)356-8000
287-05982	4"N.O,125,BZ=%,OR,MM+59901000P	(800)356-8000
287-05983	5"N.O,125,BZ=%,OR,MM+59901000P	(800)356-8000
287-05984	6"N.O,125,BZ=%,OR,MM+59901000P	(800)356-8000
287-05992	4"N.C,125,BZ=%,OR,MM+59901000P	(800)356-8000
287-05993	5"N.C,125,BZ=%,OR,MM+59901000P	(800)356-8000
287-05994	6"N.C,125,BZ=%,OR,MM+59901000P	(800)356-8000
287-06042	4"N.O,125,SSLN,VR,MM+59901000P	(800)356-8000
287-06043	5"N.O,125,SSLN,VR,MM+59901000P	(800)356-8000
287-06044	6"N.O,125,SSLN,VR,MM+59901000P	(800)356-8000
287-06052	4"N.C,125,SSLN,VR,MM+59901000P	(800)356-8000
287-06053	5"N.C,125,SSLN,VR,MM+59901000P	(800)356-8000
287-06054	6"N.C,125,SSLN,VR,MM+59901000P	(800)356-8000
287-06062	4"N.O,125,SSLN,OR,MM+59901000P	(800)356-8000
287-06063	5"N.O,125,SSLN,OR,MM+59901000P	(800)356-8000
287-06064	6"N.O,125,SSLN,OR,MM+59901000P	(800)356-8000
287-06072	4"N.C,125,SSLN,OR,MM+59901000P	(800)356-8000
287-06073	5"N.C,125,SSLN,OR,MM+59901000P	(800)356-8000
287-06074	6"N.C,125,SSLN,OR,MM+59901000P	(800)356-8000
287-06122	4"N.O,250,SSLN,VR,MM+59901000P	(800)356-8000
287-06123	5"N.O,250,SSLN,VR,MM+59901000P	(800)356-8000
287-06124	6"N.O,250,SSLN,VR,MM+59901000P	(800)356-8000
287-06132	4"N.C,250,SSLN,VR,MM+59901000P	(800)356-8000
287-06133	5"N.C,250,SSLN,VR,MM+59901000P	(800)356-8000
287-06134	6"N.C,250,SSLN,VR,MM+59901000P	(800)356-8000
287-06142	4"N.O,250,SSLN,OR,MM+59901000P	(800)356-8000
287-06143	5"N.O,250,SSLN,OR,MM+59901000P	(800)356-8000
287-06144	6"N.O,250,SSLN,OR,MM+59901000P	(800)356-8000
287-06152	4"N.C,250,SSLN,OR,MM+59901000P	(800)356-8000
287-06153	5"N.C,250,SSLN,OR,MM+59901000P	(800)356-8000
287-06154	6"N.C,250,SSLN,OR,MM+59901000P	(800)356-8000
287-06162	4"W.M,125,BZ=%,OR,MM+59901000P	(800)356-8000
287-06163	5"W.M,125,BZ=%,OR,MM+59901000P	(800)356-8000
287-06164	6"W.M,125,BZ=%,OR,MM+59901000P	(800)356-8000
287-06167	4"W.M,125,SS=%,OR,MM+59901000P	(800)356-8000
287-06168	5"W.M,125,SS=%,OR,MM+59901000P	(800)356-8000
287-06169	6"W.M,125,SS=%,OR,MM+59901000P	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
287-06172	4"W.M,250,BZ=%,OR,MM+59901000P	(800)356-8000
287-06173	5"W.M,250,BZ=%,OR,MM+59901000P	(800)356-8000
287-06174	6"W.M,250,BZ=%,OR,MM+59901000P	(800)356-8000
287-06177	4"W.M,250,SS=%,OR,MM+59901000P	(800)356-8000
287-06178	5"W.M,250,SS=%,OR,MM+59901000P	(800)356-8000
287-06179	6"W.M,250,SS=%,OR,MM+59901000P	(800)356-8000
289-05920	2.5"N.O,250,SS=%,OR+SKB82.51U	(800)356-8000
289-05921	3" N.O,250,SS=%,OR+SKB82.51U	(800)356-8000
289-05930	2.5"N.C,250,SS=%,OR+SKB82.51U	(800)356-8000
289-05931	3"N.C,250,SS=%,OR+SKB82.51U	(800)356-8000
289-05940	2.5"N.O,250,BZ=%,OR+SKB82.51U	(800)356-8000
289-05941	3" N.O,250,BZ=%,OR+SKB82.51U	(800)356-8000
289-05950	2.5"N.C,250,BZ=%,OR+SKB82.51U	(800)356-8000
289-05951	3" N.C,250,BZ=%,OR+SKB82.51U	(800)356-8000
289-05960	2.5"N.O,125,SS=%,OR+SKB82.51U	(800)356-8000
289-05961	3" N.O,125,SS=%,OR+SKB82.51U	(800)356-8000
289-05970	2.5"N.C,125,SS=%,OR+SKB82.51U	(800)356-8000
289-05971	3" N.C,125,SS=%,OR+SKB82.51U	(800)356-8000
289-05980	2.5"N.O,125,BZ=%,OR+SKB82.51U	(800)356-8000
289-05981	3" N.O,125,BZ=%,OR+SKB82.51U	(800)356-8000
289-05990	2.5"N.C,125,BZ=%,OR+SKB82.51U	(800)356-8000
289-05991	3" N.C,125,BZ=%,OR+SKB82.51U	(800)356-8000
289-06040	2.5"N.O,125,SSLN,VR+SKB82.51U	(800)356-8000
289-06041	3" N.O,125,SSLN,VR+SKB82.51U	(800)356-8000
289-06050	2.5"N.C,125,SSLN,VR+SKB82.51U	(800)356-8000
289-06051	3" N.C,125,SSLN,VR+SKB82.51U	(800)356-8000
289-06060	2.5"N.O,125,SSLN,OR+SKB82.51U	(800)356-8000
289-06061	3" N.O,125,SSLN,OR+SKB82.51U	(800)356-8000
289-06070	2.5"N.C,125,SSLN,OR+SKB82.51U	(800)356-8000
289-06071	3" N.C,125,SSLN,OR+SKB82.51U	(800)356-8000
289-06120	2.5"N.O,250,SSLN,VR+SKB82.51U	(800)356-8000
289-06121	3" N.O,250,SSLN,VR+SKB82.51U	(800)356-8000
289-06130	2.5"N.C,250,SSLN,VR+SKB82.51U	(800)356-8000
289-06131	3" N.C,250,SSLN,VR+SKB82.51U	(800)356-8000
289-06140	2.5"N.O,250,SSLN,OR+SKB82.51U	(800)356-8000
289-06141	3" N.O,250,SSLN,OR+SKB82.51U	(800)356-8000
289-06150	2.5"N.C,250,SSLN,OR+SKB82.51U	(800)356-8000
289-06151	3" N.C,250,SSLN,OR+SKB82.51U	(800)356-8000
289-06160	2.5"W.M,125,BZ=%,OR+SKB82.51U	(800)356-8000
289-06161	3" W.M,125,BZ=%,OR+SKB82.51U	(800)356-8000
289-06165	2.5"W.M,125,SS=%,OR+SKB82.51U	(800)356-8000
289-06166	3" W.M,125,SS=%,OR+SKB82.51U	(800)356-8000
289-06170	2.5"W.M,250,BZ=%,OR+SKB82.51U	(800)356-8000
289-06171	3" W.M,250,BZ=%,OR+SKB82.51U	(800)356-8000
289-06175	2.5"W.M,250,SS=%,OR+SKB82.51U	(800)356-8000
289-06176	3" W.M,250,SS=%,OR+SKB82.51U	(800)356-8000
290-05920	2.5"N.O,250,SS=%,OR+SKB82.50U	(800)356-8000
290-05921	3" N.O,250,SS=%,OR+SKB82.50U	(800)356-8000
290-05930	2.5"N.C,250,SS=%,OR+SKB82.50U	(800)356-8000
290-05931	3" N.C,250,SS=%,OR+SKB82.50U	(800)356-8000
290-05940	2.5"N.O,250,BZ=%,OR+SKB82.50U	(800)356-8000
290-05941	3" N.O,250,BZ=%,OR+SKB82.50U	(800)356-8000
290-05950	2.5"N.C,250,BZ=%,OR+SKB82.50U	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
290-05951	3" N.C,250,BZ=%,OR+SKB82.50U	(800)356-8000
290-05960	2.5"N.O,125,SS=%,OR+SKB82.50U	(800)356-8000
290-05961	3" N.O,125,SS=%,OR+SKB82.50U	(800)356-8000
290-05970	2.5"N.C,125,SS=%,OR+SKB82.50U	(800)356-8000
290-05971	3" N.C,125,SS=%,OR+SKB82.50U	(800)356-8000
290-05980	2.5"N.O,125,BZ=%,OR+SKB82.50U	(800)356-8000
290-05981	3" N.O,125,BZ=%,OR+SKB82.50U	(800)356-8000
290-05990	2.5"N.C,125,BZ=%,OR+SKB82.50U	(800)356-8000
290-05991	3" N.C,125,BZ=%,OR+SKB82.50U	(800)356-8000
290-06040	2.5"N.O,125,SSLN,VR+SKB82.50U	(800)356-8000
290-06041	3" N.O,125,SSLN,VR+SKB82.50U	(800)356-8000
290-06050	2.5"N.C,125,SSLN,VR+SKB82.50U	(800)356-8000
290-06051	3" N.C,125,SSLN,VR+SKB82.50U	(800)356-8000
290-06060	2.5"N.O,125,SSLN,OR+SKB82.50U	(800)356-8000
290-06061	3" N.O,125,SSLN,OR+SKB82.50U	(800)356-8000
290-06070	2.5"N.C,125,SSLN,OR+SKB82.50U	(800)356-8000
290-06071	3" N.C,125,SSLN,OR+SKB82.50U	(800)356-8000
290-06120	2.5"N.O,250,SSLN,VR+SKB82.50U	(800)356-8000
290-06121	3" N.O,250,SSLN,VR+SKB82.50U	(800)356-8000
290-06130	2.5"N.C,250,SSLN,VR+SKB82.50U	(800)356-8000
290-06131	3" N.C,250,SSLN,VR+SKB82.50U	(800)356-8000
290-06140	2.5"N.O,250,SSLN,OR+SKB82.50U	(800)356-8000
290-06141	3" N.O,250,SSLN,OR+SKB82.50U	(800)356-8000
290-06150	2.5"N.C,250,SSLN,OR+SKB82.50U	(800)356-8000
290-06151	3" N.C,250,SSLN,OR+SKB82.50U	(800)356-8000
290-06160	2.5"W.M,125,BZ=%,OR+SKB82.50U	(800)356-8000
290-06161	3" W.M,125,BZ=%,OR+SKB82.50U	(800)356-8000
290-06165	2.5"W.M,125,SS=%,OR+SKB82.50U	(800)356-8000
290-06166	3" W.M,125,SS=%,OR+SKB82.50U	(800)356-8000
290-06170	2.5"W.M,250,BZ=%,OR+SKB82.50U	(800)356-8000
290-06171	3" W.M,250,BZ=%,OR+SKB82.50U	(800)356-8000
290-06175	2.5"W.M,250,SS=%,OR+SKB82.50U	(800)356-8000
290-06176	3" W.M,250,SS=%,OR+SKB82.50U	(800)356-8000
291-05920	2.5"N.O,250,SS=%,OR,MM+SKB62U	(800)356-8000
291-05921	3" N.O,250,SS=%,OR,MM+SKB62U	(800)356-8000
291-05930	2.5"N.C,250,SS=%,OR,MM+SKB62U	(800)356-8000
291-05931	3"N.C,250,SS=%,OR,MM+SKB62U	(800)356-8000
291-05940	2.5"N.O,250,BZ=%,OR,MM+SKB62U	(800)356-8000
291-05941	3" N.O,250,BZ=%,OR,MM+SKB62U	(800)356-8000
291-05950	2.5"N.C,250,BZ=%,OR,MM+SKB62U	(800)356-8000
291-05951	3" N.C,250,BZ=%,OR,MM+SKB62U	(800)356-8000
291-05960	2.5"N.O,125,SS=%,OR,MM+SKB62U	(800)356-8000
291-05961	3" N.O,125,SS=%,OR,MM+SKB62U	(800)356-8000
291-05970	2.5"N.C,125,SS=%,OR,MM+SKB62U	(800)356-8000
291-05971	3" N.C,125,SS=%,OR,MM+SKB62U	(800)356-8000
291-05980	2.5"N.O,125,BZ=%,OR,MM+SKB62U	(800)356-8000
291-05981	3" N.O,125,BZ=%,OR,MM+SKB62U	(800)356-8000
291-05990	2.5"N.C,125,BZ=%,OR,MM+SKB62U	(800)356-8000
291-05991	3" N.C,125,BZ=%,OR,MM+SKB62U	(800)356-8000
291-06040	2.5"N.O,125,SSLN,VR,MM+SKB62U	(800)356-8000
291-06041	3" N.O,125,SSLN,VR,MM+SKB62U	(800)356-8000
291-06050	2.5"N.C,125,SSLN,VR,MM+SKB62U	(800)356-8000
291-06051	3" N.C,125,SSLN,VR,MM+SKB62U	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
291-06060	2.5"N.O,125,SSLN,OR,MM+SKB62U	(800)356-8000
291-06061	3" N.O,125,SSLN,OR,MM+SKB62U	(800)356-8000
291-06070	2.5"N.C,125,SSLN,OR,MM+SKB62U	(800)356-8000
291-06071	3" N.C,125,SSLN,OR,MM+SKB62U	(800)356-8000
291-06120	2.5"N.O,250,SSLN,VR,MM+SKB62U	(800)356-8000
291-06121	3" N.C,250,SSLN,VR,MM+SKB62U	(800)356-8000
291-06130	2.5"N.C,250,SSLN,VR,MM+SKB62U	(800)356-8000
291-06131	3" N.C,250,SSLN,VR,MM+SKB62U	(800)356-8000
291-06140	2.5"N.O,250,SSLN,OR,MM+SKB62U	(800)356-8000
291-06141	3" N.O,250,SSLN,OR,MM+SKB62U	(800)356-8000
291-06150	2.5"N.C,250,SSLN,OR,MM+SKB62U	(800)356-8000
291-06151	3" N.C,250,SSLN,OR,MM+SKB62U	(800)356-8000
291-06160	2.5"W.M,125,BZ=%,OR,MM+SKB62U	(800)356-8000
291-06161	3" W.M,125,BZ=%,OR,MM+SKB62U	(800)356-8000
291-06165	2.5"W.M,125,SS=%,OR,MM+SKB62U	(800)356-8000
291-06166	3" W.M,125,SS=%,OR,MM+SKB62U	(800)356-8000
291-06170	2.5"W.M,250,BZ=%,OR,MM+SKB62U	(800)356-8000
291-06171	3" W.M,250,BZ=%,OR,MM+SKB62U	(800)356-8000
291-06175	2.5"W.M,250,SS=%,OR,MM+SKB62U	(800)356-8000
291-06176	3" W.M,250,SS=%,OR,MM+SKB62U	(800)356-8000
292-05922	4"N.O,250,SS=%,OR,MM+SKC82.61U	(800)356-8000
292-05923	5"N.O,250,SS=%,OR,MM+SKC82.61U	(800)356-8000
292-05924	6"N.O,250,SS=%,OR,MM+SKC82.61U	(800)356-8000
292-05932	4"N.C,250,SS=%,OR,MM+SKC82.61U	(800)356-8000
292-05933	5"N.C,250,SS=%,OR,MM+SKC82.61U	(800)356-8000
292-05934	6"N.C,250,SS=%,OR,MM+SKC82.61U	(800)356-8000
292-05942	4"N.O,250,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-05943	5"N.O,250,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-05944	6"N.O,250,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-05952	4"N.C,250,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-05953	5"N.C,250,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-05954	6"N.C,250,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-05962	4"N.O,125,SS=%,OR,MM+SKC82.61U	(800)356-8000
292-05963	5"N.O,125,SS=%,OR,MM+SKC82.61U	(800)356-8000
292-05964	6"N.O,125,SS=%,OR,MM+SKC82.61U	(800)356-8000
292-05972	4"N.C,125,SS=%,OR,MM+SKC82.61U	(800)356-8000
292-05973	5"N.C,125,SS=%,OR,MM+SKC82.61U	(800)356-8000
292-05974	6"N.C,125,SS=%,OR,MM+SKC82.61U	(800)356-8000
292-05982	4"N.O,125,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-05983	5"N.O,125,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-05984	6"N.O,125,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-05992	4"N.C,125,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-05993	5"N.C,125,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-05994	6"N.C,125,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-06042	4"N.O,125,SSLN,VR,MM+SKC82.61U	(800)356-8000
292-06043	5"N.O,125,SSLN,VR,MM+SKC82.61U	(800)356-8000
292-06044	6"N.O,125,SSLN,VR,MM+SKC82.61U	(800)356-8000
292-06052	4"N.C,125,SSLN,VR,MM+SKC82.61U	(800)356-8000
292-06053	5"N.C,125,SSLN,VR,MM+SKC82.61U	(800)356-8000
292-06054	6"N.C,125,SSLN,VR,MM+SKC82.61U	(800)356-8000
292-06062	4"N.O,125,SSLN,OR,MM+SKC82.61U	(800)356-8000
292-06063	5"N.O,125,SSLN,OR,MM+SKC82.61U	(800)356-8000
292-06064	6"N.O,125,SSLN,OR,MM+SKC82.61U	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
292-06072	4"N.C,125,SSLN,OR,MM+SKC82.61U	(800)356-8000
292-06073	5"N.C,125,SSLN,OR,MM+SKC82.61U	(800)356-8000
292-06074	6"N.C,125,SSLN,OR,MM+SKC82.61U	(800)356-8000
292-06122	4"N.O,250,SSLN,VR,MM+SKC82.61U	(800)356-8000
292-06123	5"N.O,250,SSLN,VR,MM+SKC82.61U	(800)356-8000
292-06124	6"N.O,250,SSLN,VR,MM+SKC82.61U	(800)356-8000
292-06132	4"N.C,250,SSLN,VR,MM+SKC82.61U	(800)356-8000
292-06133	5"N.C,250,SSLN,VR,MM+SKC82.61U	(800)356-8000
292-06134	6"N.C,250,SSLN,VR,MM+SKC82.61U	(800)356-8000
292-06142	4"N.O,250,SSLN,OR,MM+SKC82.61U	(800)356-8000
292-06143	5"N.O,250,SSLN,OR,MM+SKC82.61U	(800)356-8000
292-06144	6"N.O,250,SSLN,OR,MM+SKC82.61U	(800)356-8000
292-06152	4"N.C,250,SSLN,OR,MM+SKC82.61U	(800)356-8000
292-06153	5"N.C,250,SSLN,OR,MM+SKC82.61U	(800)356-8000
292-06154	6"N.C,250,SSLN,OR,MM+SKC82.61U	(800)356-8000
292-06162	4"W.M,125,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-06163	5"W.M,125,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-06164	6"W.M,125,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-06167	4"W.M,125,SS=%,OR,MM+SKC82.61U	(800)356-8000
292-06168	5"W.M,125,SS=%,OR,MM+SKC82.61U	(800)356-8000
292-06169	6"W.M,125,SS=%,OR,MM+SKC82.61U	(800)356-8000
292-06172	4"W.M,250,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-06173	5"W.M,250,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-06174	6"W.M,250,BZ=%,OR,MM+SKC82.61U	(800)356-8000
292-06177	4"W.M,250,SS=%,OR,MM+SKC82.61U	(800)356-8000
292-06178	5"W.M,250,SS=%,OR,MM+SKC82.61U	(800)356-8000
292-06179	6"W.M,250,SS=%,OR,MM+SKC82.61U	(800)356-8000
293-05922	4"N.O,250,SS=%,OR,MM+SKC82.60U	(800)356-8000
293-05923	5"N.O,250,SS=%,OR,MM+SKC82.60U	(800)356-8000
293-05924	6"N.O,250,SS=%,OR,MM+SKC82.60U	(800)356-8000
293-05932	4"N.C,250,SS=%,OR,MM+SKC82.60U	(800)356-8000
293-05933	5"N.C,250,SS=%,OR,MM+SKC82.60U	(800)356-8000
293-05934	6"N.C,250,SS=%,OR,MM+SKC82.60U	(800)356-8000
293-05942	4"N.O,250,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-05943	5"N.O,250,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-05944	6"N.O,250,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-05952	4"N.C,250,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-05953	5"N.C,250,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-05954	6"N.C,250,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-05962	4"N.O,125,SS=%,OR,MM+SKC82.60U	(800)356-8000
293-05963	5"N.O,125,SS=%,OR,MM+SKC82.60U	(800)356-8000
293-05964	6"N.O,125,SS=%,OR,MM+SKC82.60U	(800)356-8000
293-05972	4"N.C,125,SS=%,OR,MM+SKC82.60U	(800)356-8000
293-05973	5"N.C,125,SS=%,OR,MM+SKC82.60U	(800)356-8000
293-05974	6"N.C,125,SS=%,OR,MM+SKC82.60U	(800)356-8000
293-05982	4"N.O,125,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-05983	5"N.O,125,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-05984	6"N.O,125,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-05992	4"N.C,125,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-05993	5"N.C,125,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-05994	6"N.C,125,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-06042	4"N.O,125,SSLN,VR,MM+SKC82.60U	(800)356-8000
293-06043	5"N.O,125,SSLN,VR,MM+SKC82.60U	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
293-06044	6"N.O,125,SSLN,VR,MM+SKC82.60U	(800)356-8000
293-06052	4"N.C,125,SSLN,VR,MM+SKC82.60U	(800)356-8000
293-06053	5"N.C,125,SSLN,VR,MM+SKC82.60U	(800)356-8000
293-06054	6"N.C,125,SSLN,VR,MM+SKC82.60U	(800)356-8000
293-06062	4"N.O,125,SSLN,OR,MM+SKC82.60U	(800)356-8000
293-06063	5"N.O,125,SSLN,OR,MM+SKC82.60U	(800)356-8000
293-06064	6"N.O,125,SSLN,OR,MM+SKC82.60U	(800)356-8000
293-06072	4"N.C,125,SSLN,OR,MM+SKC82.60U	(800)356-8000
293-06073	5"N.C,125,SSLN,OR,MM+SKC82.60U	(800)356-8000
293-06074	6"N.C,125,SSLN,OR,MM+SKC82.60U	(800)356-8000
293-06122	4"N.O,250,SSLN,VR,MM+SKC82.60U	(800)356-8000
293-06123	5"N.O,250,SSLN,VR,MM+SKC82.60U	(800)356-8000
293-06124	6"N.O,250,SSLN,VR,MM+SKC82.60U	(800)356-8000
293-06132	4"N.C,250,SSLN,VR,MM+SKC82.60U	(800)356-8000
293-06133	5"N.C,250,SSLN,VR,MM+SKC82.60U	(800)356-8000
293-06134	6"N.C,250,SSLN,VR,MM+SKC82.60U	(800)356-8000
293-06142	4"N.O,250,SSLN,OR,MM+SKC82.60U	(800)356-8000
293-06143	5"N.O,250,SSLN,OR,MM+SKC82.60U	(800)356-8000
293-06144	6"N.O,250,SSLN,OR,MM+SKC82.60U	(800)356-8000
293-06152	4"N.C,250,SSLN,OR,MM+SKC82.60U	(800)356-8000
293-06153	5"N.C,250,SSLN,OR,MM+SKC82.60U	(800)356-8000
293-06154	6"N.C,250,SSLN,OR,MM+SKC82.60U	(800)356-8000
293-06162	4"W.M,125,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-06163	5"W.M,125,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-06164	6"W.M,125,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-06167	4"W.M,125,SS=%,OR,MM+SKC82.60U	(800)356-8000
293-06168	5"W.M,125,SS=%,OR,MM+SKC82.60U	(800)356-8000
293-06169	6"W.M,125,SS=%,OR,MM+SKC82.60U	(800)356-8000
293-06172	4"W.M,250,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-06173	5"W.M,250,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-06174	6"W.M,250,BZ=%,OR,MM+SKC82.60U	(800)356-8000
293-06177	4"W.M,250,SS=%,OR,MM+SKC82.60U	(800)356-8000
293-06178	5"W.M,250,SS=%,OR,MM+SKC82.60U	(800)356-8000
293-06179	6"W.M,250,SS=%,OR,MM+SKC82.60U	(800)356-8000
294-05922	4"N.O,250,SS=%,OR,MM+SKC62U	(800)356-8000
294-05923	5"N.O,250,SS=%,OR,MM+SKC62U	(800)356-8000
294-05924	6"N.O,250,SS=%,OR,MM+SKC62U	(800)356-8000
294-05932	4"N.C,250,SS=%,OR,MM+SKC62U	(800)356-8000
294-05933	5"N.C,250,SS=%,OR,MM+SKC62U	(800)356-8000
294-05934	6"N.C,250,SS=%,OR,MM+SKC62U	(800)356-8000
294-05942	4"N.O,250,BZ=%,OR,MM+SKC62U	(800)356-8000
294-05943	5"N.O,250,BZ=%,OR,MM+SKC62U	(800)356-8000
294-05944	6"N.O,250,BZ=%,OR,MM+SKC62U	(800)356-8000
294-05952	4"N.C,250,BZ=%,OR,MM+SKC62U	(800)356-8000
294-05953	5"N.C,250,BZ=%,OR,MM+SKC62U	(800)356-8000
294-05954	6"N.C,250,BZ=%,OR,MM+SKC62U	(800)356-8000
294-05962	4"N.O,125,SS=%,OR,MM+SKC62U	(800)356-8000
294-05963	5"N.O,125,SS=%,OR,MM+SKC62U	(800)356-8000
294-05964	6"N.O,125,SS=%,OR,MM+SKC62U	(800)356-8000
294-05972	4"N.C,125,SS=%,OR,MM+SKC62U	(800)356-8000
294-05973	5"N.C,125,SS=%,OR,MM+SKC62U	(800)356-8000
294-05974	6"N.C,125,SS=%,OR,MM+SKC62U	(800)356-8000
294-05982	4"N.O,125,BZ=%,OR,MM+SKC62U	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
294-05983	5"N.O,125,BZ=%,OR,MM+SKC62U	(800)356-8000
294-05984	6"N.O,125,BZ=%,OR,MM+SKC62U	(800)356-8000
294-05992	4"N.C,125,BZ=%,OR,MM+SKC62U	(800)356-8000
294-05993	5"N.C,125,BZ=%,OR,MM+SKC62U	(800)356-8000
294-05994	6"N.C,125,BZ=%,OR,MM+SKC62U	(800)356-8000
294-06042	4"N.O,125,SSLN,VR,MM+SKC62U	(800)356-8000
294-06043	5"N.O,125,SSLN,VR,MM+SKC62U	(800)356-8000
294-06044	6"N.O,125,SSLN,VR,MM+SKC62U	(800)356-8000
294-06052	4"N.C,125,SSLN,VR,MM+SKC62U	(800)356-8000
294-06053	5"N.C,125,SSLN,VR,MM+SKC62U	(800)356-8000
294-06054	6"N.C,125,SSLN,VR,MM+SKC62U	(800)356-8000
294-06062	4"N.O,125,SSLN,OR,MM+SKC62U	(800)356-8000
294-06063	5"N.O,125,SSLN,OR,MM+SKC62U	(800)356-8000
294-06064	6"N.O,125,SSLN,OR,MM+SKC62U	(800)356-8000
294-06072	4"N.C,125,SSLN,OR,MM+SKC62U	(800)356-8000
294-06073	5"N.C,125,SSLN,OR,MM+SKC62U	(800)356-8000
294-06074	6"N.C,125,SSLN,OR,MM+SKC62U	(800)356-8000
294-06122	4"N.O,250,SSLN,VR,MM+SKC62U	(800)356-8000
294-06123	5"N.O,250,SSLN,VR,MM+SKC62U	(800)356-8000
294-06124	6"N.O,250,SSLN,VR,MM+SKC62U	(800)356-8000
294-06132	4"N.C,250,SSLN,VR,MM+SKC62U	(800)356-8000
294-06133	5"N.C,250,SSLN,VR,MM+SKC62U	(800)356-8000
294-06134	6"N.C,250,SSLN,VR,MM+SKC62U	(800)356-8000
294-06142	4"N.O,250,SSLN,OR,MM+SKC62U	(800)356-8000
294-06143	5"N.O,250,SSLN,OR,MM+SKC62U	(800)356-8000
294-06144	6"N.O,250,SSLN,OR,MM+SKC62U	(800)356-8000
294-06152	4"N.C,250,SSLN,OR,MM+SKC62U	(800)356-8000
294-06153	5"N.C,250,SSLN,OR,MM+SKC62U	(800)356-8000
294-06154	6"N.C,250,SSLN,OR,MM+SKC62U	(800)356-8000
294-06162	4"W.M,125,BZ=%,OR,MM+SKC62U	(800)356-8000
294-06163	5"W.M,125,BZ=%,OR,MM+SKC62U	(800)356-8000
294-06164	6"W.M,125,BZ=%,OR,MM+SKC62U	(800)356-8000
294-06167	4"W.M,125,SS=%,OR,MM+SKC62U	(800)356-8000
294-06168	5"W.M,125,SS=%,OR,MM+SKC62U	(800)356-8000
294-06169	6"W.M,125,SS=%,OR,MM+SKC62U	(800)356-8000
294-06172	4"W.M,250,BZ=%,OR,MM+SKC62U	(800)356-8000
294-06173	5"W.M,250,BZ=%,OR,MM+SKC62U	(800)356-8000
294-06174	6"W.M,250,BZ=%,OR,MM+SKC62U	(800)356-8000
294-06177	4"W.M,250,SS=%,OR,MM+SKC62U	(800)356-8000
294-06178	5"W.M,250,SS=%,OR,MM+SKC62U	(800)356-8000
294-06179	6"W.M,250,SS=%,OR,MM+SKC62U	(800)356-8000
295-03000	2WNO SS LN OR FXF 0.50/1.00	(800)356-8000
295-03001	2WNO SS LN OR FXF 0.50/1.60	(800)356-8000
295-03002	2WNO SS LN OR FXF 0.50/2.50	(800)356-8000
295-03003	2WNO SS LN OR FXF 0.50/4.00	(800)356-8000
295-03004	2WNO SS LN OR FXF 0.75/6.30	(800)356-8000
295-03005	2WNO SS LN OR FXF 1.00/10.00	(800)356-8000
295-03006	2WNO SS LN OR FXF 1.25/16.00	(800)356-8000
295-03007	2WNO SS LN OR FXF 1.50/25.00	(800)356-8000
295-03008	2WNO SS LN OR FXF 2.00/40.00	(800)356-8000
295-03009	2WNO SS LN OR FXUF 0.50/1.00	(800)356-8000
295-03010	2WNO SS LN OR FXUF 0.50/1.60	(800)356-8000
295-03011	2WNO SS LN OR FXUF 0.50/2.50	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
295-03012	2WNO SS LN OR FXUF 0.50/4.00	(800)356-8000
295-03013	2WNO SS LN OR FXUF 0.75/6.30	(800)356-8000
295-03014	2WNO SS LN OR FXUF 1.00/10.00	(800)356-8000
295-03015	2WNO SS LN OR UFXUF 1.25/16.00	(800)356-8000
295-03016	2WNO SS LN OR UFXUF 1.50/25.00	(800)356-8000
295-03017	2WNO SS LN OR UFXUF 2.00/40.00	(800)356-8000
295-03018	2WNC SS LN OR FFX 0.50/1.00	(800)356-8000
295-03019	2WNC SS LN OR FFX 0.50/1.60	(800)356-8000
295-03020	2WNC SS LN OR FFX 0.50/2.50	(800)356-8000
295-03021	2WNC SS LN OR FFX 0.50/4.00	(800)356-8000
295-03022	2WNC SS LN OR FFX 0.75/6.30	(800)356-8000
295-03023	2WNC SS LN OR FFX 1.00/10.00	(800)356-8000
295-03024	2WNC SS LN OR FFX 1.25/16.00	(800)356-8000
295-03025	2WNC SS LN OR FFX 1.50/25.00	(800)356-8000
295-03026	2WNC SS LN OR FFX 2.00/40.00	(800)356-8000
295-03027	2WNC SS LN OR FXUF 0.50/1.00	(800)356-8000
295-03028	2WNC SS LN OR FXUF 0.50/1.60	(800)356-8000
295-03029	2WNC SS LN OR FXUF 0.50/2.50	(800)356-8000
295-03030	2WNC SS LN OR FXUF 0.50/4.00	(800)356-8000
295-03031	2WNC SS LN OR FXUF 0.75/6.30	(800)356-8000
295-03032	2WNC SS LN OR FXUF 1.00/10.00	(800)356-8000
295-03033	2WNC SS LN OR UFXUF 1.25/16.00	(800)356-8000
295-03034	2WNC SS LN OR UFXUF 1.50/25.00	(800)356-8000
295-03035	2WNC SS LN OR UFXUF 2.00/40.00	(800)356-8000
295-03054	2WNO SS LN VR FFX 0.50/1.00	(800)356-8000
295-03055	2WNO SS LN VR FFX 0.50/1.60	(800)356-8000
295-03056	2WNO SS LN VR FFX 0.50/2.50	(800)356-8000
295-03057	2WNO SS LN VR FFX 0.50/4.00	(800)356-8000
295-03058	2WNO SS LN VR FFX 0.75/6.30	(800)356-8000
295-03059	2WNO SS LN VR FFX 1.00/10.00	(800)356-8000
295-03060	2WNO SS LN VR FFX 1.25/16.00	(800)356-8000
295-03061	2WNO SS LN VR FFX 1.50/25.00	(800)356-8000
295-03062	2WNO SS LN VR FFX 2.00/40.00	(800)356-8000
295-03063	2WNO SS LN VR FXUF 0.50/1.00	(800)356-8000
295-03064	2WNO SS LN VR FXUF 0.50/1.60	(800)356-8000
295-03065	2WNO SS LN VR FXUF 0.50/2.50	(800)356-8000
295-03066	2WNO SS LN VR FXUF 0.50/4.00	(800)356-8000
295-03067	2WNO SS LN VR FXUF 0.75/6.30	(800)356-8000
295-03068	2WNO SS LN VR FXUF 1.00/10.00	(800)356-8000
295-03069	2WNO SS LN VR UFXUF 1.25/16.00	(800)356-8000
295-03070	2WNO SS LN VR UFXUF 1.50/25.00	(800)356-8000
295-03071	2WNO SS LN VR UFXUF 2.00/40.00	(800)356-8000
295-03072	2WNC SS LN VR FFX 0.50/1.00	(800)356-8000
295-03073	2WNC SS LN VR FFX 0.50/1.60	(800)356-8000
295-03074	2WNC SS LN VR FFX 0.50/2.50	(800)356-8000
295-03075	2WNC SS LN VR FFX 0.50/4.00	(800)356-8000
295-03076	2WNC SS LN VR FFX 0.75/6.30	(800)356-8000
295-03077	2WNC SS LN VR FFX 1.00/10.00	(800)356-8000
295-03078	2WNC SS LN VR FFX 1.25/16.00	(800)356-8000
295-03079	2WNC SS LN VR FFX 1.50/25.00	(800)356-8000
295-03080	2WNC SS LN VR FFX 2.00/40.00	(800)356-8000
295-03081	2WNC SS LN VR FXUF 0.50/1.00	(800)356-8000
295-03082	2WNC SS LN VR FXUF 0.50/1.60	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
295-03083	2WNC SS LN VR FXUF 0.50/2.50	(800)356-8000
295-03084	2WNC SS LN VR FXUF 0.50/4.00	(800)356-8000
295-03085	2WNC SS LN VR FXUF 0.75/6.30	(800)356-8000
295-03086	2WNC SS LN VR FXUF 1.00/10.00	(800)356-8000
295-03087	2WNC SS LN VR UFXUF 1.25/16.00	(800)356-8000
295-03088	2WNC SS LN VR UFXUF 1.50/25.00	(800)356-8000
295-03089	2WNC SS LN VR UFXUF 2.00/40.00	(800)356-8000
295-03108	2WNO SS =% OR FXF 0.50/1.00	(800)356-8000
295-03109	2WNO SS =% OR FXF 0.50/1.60	(800)356-8000
295-03110	2WNO SS =% OR FXF 0.50/2.50	(800)356-8000
295-03111	2WNO SS =% OR FXF 0.50/4.00	(800)356-8000
295-03112	2WNO SS =% OR FXF 0.75/6.30	(800)356-8000
295-03113	2WNO SS =% OR FXF 1.00/10.00	(800)356-8000
295-03114	2WNO SS =% OR FXF 1.25/16.00	(800)356-8000
295-03115	2WNO SS =% OR FXF 1.50/25.00	(800)356-8000
295-03116	2WNO SS =% OR FXF 2.00/40.00	(800)356-8000
295-03117	2WNO SS =% OR FXUF 0.50/1.00	(800)356-8000
295-03118	2WNO SS =% OR FXUF 0.50/1.60	(800)356-8000
295-03119	2WNO SS =% OR FXUF 0.50/2.50	(800)356-8000
295-03120	2WNO SS =% OR FXUF 0.50/4.00	(800)356-8000
295-03121	2WNO SS =% OR FXUF 0.75/6.30	(800)356-8000
295-03122	2WNO SS =% OR FXUF 1.00/10.00	(800)356-8000
295-03123	2WNO SS =% OR UFXUF 1.25/16.00	(800)356-8000
295-03124	2WNO SS =% OR UFXUF 1.50/25.00	(800)356-8000
295-03125	2WNO SS =% OR UFXUF 2.00/40.00	(800)356-8000
295-03126	2WNC SS =% OR FXF 0.50/1.00	(800)356-8000
295-03127	2WNC SS =% OR FXF 0.50/1.60	(800)356-8000
295-03128	2WNC SS =% OR FXF 0.50/2.50	(800)356-8000
295-03129	2WNC SS =% OR FXF 0.50/4.00	(800)356-8000
295-03130	2WNC SS =% OR FXF 0.75/6.30	(800)356-8000
295-03131	2WNC SS =% OR FXF 1.00/10.00	(800)356-8000
295-03132	2WNC SS =% OR FXF 1.25/16.00	(800)356-8000
295-03133	2WNC SS =% OR FXF 1.50/25.00	(800)356-8000
295-03134	2WNC SS =% OR FXF 2.00/40.00	(800)356-8000
295-03135	2WNC SS =% OR FXUF 0.50/1.00	(800)356-8000
295-03136	2WNC SS =% OR FXUF 0.50/1.60	(800)356-8000
295-03137	2WNC SS =% OR FXUF 0.50/2.50	(800)356-8000
295-03138	2WNC SS =% OR FXUF 0.50/4.00	(800)356-8000
295-03139	2WNC SS =% OR FXUF 0.75/6.30	(800)356-8000
295-03140	2WNC SS =% OR FXUF 1.00/10.00	(800)356-8000
295-03141	2WNC SS =% OR UFXUF 1.25/16.00	(800)356-8000
295-03142	2WNC SS =% OR UFXUF 1.50/25.00	(800)356-8000
295-03143	2WNC SS =% OR UFXUF 2.00/40.00	(800)356-8000
295-03144	3WMX SS =% OR FXF 0.50/1.00	(800)356-8000
295-03145	3WMX SS =% OR FXF 0.50/1.60	(800)356-8000
295-03146	3WMX SS =% OR FXF 0.50/2.50	(800)356-8000
295-03147	3WMX SS =% OR FXF 0.50/4.00	(800)356-8000
295-03148	3WMX SS =% OR FXF 0.75/6.30	(800)356-8000
295-03149	3WMX SS =% OR FXF 1.00/10.00	(800)356-8000
295-03150	3WMX SS =% OR FXF 1.25/16.00	(800)356-8000
295-03151	3WMX SS =% OR FXF 1.50/25.00	(800)356-8000
295-03152	3WMX SS =% OR FXF 2.00/40.00	(800)356-8000
295-03153	3WMX SS =% OR UFXUF 0.50/1.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
295-03154	3WMX SS =% OR UFXUF 0.50/1.60	(800)356-8000
295-03155	3WMX SS =% OR UFXUF 0.50/2.50	(800)356-8000
295-03156	3WMX SS =% OR UFXUF 0.50/4.00	(800)356-8000
295-03157	3WMX SS =% OR UFXUF 0.75/6.30	(800)356-8000
295-03158	3WMX SS =% OR UFXUF 1.00/10.00	(800)356-8000
295-03159	3WMX SS =% OR UFXUF 1.25/16.00	(800)356-8000
295-03160	3WMX SS =% OR UFXUF 1.50/25.00	(800)356-8000
295-03161	3WMX SS =% OR UFXUF 2.00/40.00	(800)356-8000
295-03162	2WNO BZ =% OR FFX 0.50/1.00	(800)356-8000
295-03163	2WNO BZ =% OR FFX 0.50/1.60	(800)356-8000
295-03164	2WNO BZ =% OR FFX 0.50/2.50	(800)356-8000
295-03165	2WNO BZ =% OR FFX 0.50/4.00	(800)356-8000
295-03166	2WNO BZ =% OR FFX 0.75/6.30	(800)356-8000
295-03167	2WNO BZ =% OR FFX 1.00/10.00	(800)356-8000
295-03168	2WNO BZ =% OR FFX 1.25/16.00	(800)356-8000
295-03169	2WNO BZ =% OR FFX 1.50/25.00	(800)356-8000
295-03170	2WNO BZ =% OR FFX 2.00/40.00	(800)356-8000
295-03171	2WNO BZ =% OR FXUF 0.50/1.00	(800)356-8000
295-03172	2WNO BZ =% OR FXUF 0.50/1.60	(800)356-8000
295-03173	2WNO BZ =% OR FXUF 0.50/2.50	(800)356-8000
295-03174	2WNO BZ =% OR FXUF 0.50/4.00	(800)356-8000
295-03175	2WNO BZ =% OR FXUF 0.75/6.30	(800)356-8000
295-03176	2WNO BZ =% OR FXUF 1.00/10.00	(800)356-8000
295-03177	2WNO BZ =% OR UFXUF 1.25/16.00	(800)356-8000
295-03178	2WNO BZ =% OR UFXUF 1.50/25.00	(800)356-8000
295-03179	2WNO BZ =% OR UFXUF 2.00/40.00	(800)356-8000
295-03180	2WNC BZ =% OR FFX 0.50/1.00	(800)356-8000
295-03181	2WNC BZ =% OR FFX 0.50/1.60	(800)356-8000
295-03182	2WNC BZ =% OR FFX 0.50/2.50	(800)356-8000
295-03183	2WNC BZ =% OR FFX 0.50/4.00	(800)356-8000
295-03184	2WNC BZ =% OR FFX 0.75/6.30	(800)356-8000
295-03185	2WNC BZ =% OR FFX 1.00/10.00	(800)356-8000
295-03186	2WNC BZ =% OR FFX 1.25/16.00	(800)356-8000
295-03187	2WNC BZ =% OR FFX 1.50/25.00	(800)356-8000
295-03188	2WNC BZ =% OR FFX 2.00/40.00	(800)356-8000
295-03189	2WNC BZ =% OR FXUF 0.50/1.00	(800)356-8000
295-03190	2WNC BZ =% OR FXUF 0.50/1.60	(800)356-8000
295-03191	2WNC BZ =% OR FXUF 0.50/2.50	(800)356-8000
295-03192	2WNC BZ =% OR FXUF 0.50/4.00	(800)356-8000
295-03193	2WNC BZ =% OR FXUF 0.75/6.30	(800)356-8000
295-03194	2WNC BZ =% OR FXUF 1.00/10.00	(800)356-8000
295-03195	2WNC BZ =% OR UFXUF 1.25/16.00	(800)356-8000
295-03196	2WNC BZ =% OR UFXUF 1.50/25.00	(800)356-8000
295-03197	2WNC BZ =% OR UFXUF 2.00/40.00	(800)356-8000
295-03198	3WMX BZ =% OR FFX 0.50/1.00	(800)356-8000
295-03199	3WMX BZ =% OR FFX 0.50/1.60	(800)356-8000
295-03200	3WMX BZ =% OR FFX 0.50/2.50	(800)356-8000
295-03201	3WMX BZ =% OR FFX 0.50/4.00	(800)356-8000
295-03202	3WMX BZ =% OR FFX 0.75/6.30	(800)356-8000
295-03203	3WMX BZ =% OR FFX 1.00/10.00	(800)356-8000
295-03204	3WMX BZ =% OR FFX 1.25/16.00	(800)356-8000
295-03205	3WMX BZ =% OR FFX 1.50/25.00	(800)356-8000
295-03206	3WMX BZ =% OR FFX 2.00/40.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
295-03207	3WMX BZ =% OR UFXUF 0.50/1.00	(800)356-8000
295-03208	3WMX BZ =% OR UFXUF 0.50/1.60	(800)356-8000
295-03209	3WMX BZ =% OR UFXUF 0.50/2.50	(800)356-8000
295-03210	3WMX BZ =% OR UFXUF 0.50/4.00	(800)356-8000
295-03211	3WMX BZ =% OR UFXUF 0.75/6.30	(800)356-8000
295-03212	3WMX BZ =% OR UFXUF 1.00/10.00	(800)356-8000
295-03213	3WMX BZ =% OR UFXUF 1.25/16.00	(800)356-8000
295-03214	3WMX BZ =% OR UFXUF 1.50/25.00	(800)356-8000
295-03215	3WMX BZ =% OR UFXUF 2.00/40.00	(800)356-8000
295-03216	2WNO SS LN OR FXUM 0.50/1.00	(800)356-8000
295-03217	2WNO SS LN OR FXUM 0.50/1.60	(800)356-8000
295-03218	2WNO SS LN OR FXUM 0.50/2.50	(800)356-8000
295-03219	2WNO SS LN OR FXUM 0.50/4.00	(800)356-8000
295-03220	2WNO SS LN OR FXUM 0.75/6.30	(800)356-8000
295-03221	2WNO SS LN OR FXUM 1.00/10.00	(800)356-8000
295-03225	2WNC SS LN OR FXUM 0.50/1.00	(800)356-8000
295-03226	2WNC SS LN OR FXUM 0.50/1.60	(800)356-8000
295-03227	2WNC SS LN OR FXUM 0.50/2.50	(800)356-8000
295-03228	2WNC SS LN OR FXUM 0.50/4.00	(800)356-8000
295-03229	2WNC SS LN OR FXUM 0.75/6.30	(800)356-8000
295-03230	2WNC SS LN OR FXUM 1.00/10.00	(800)356-8000
295-03234	2WNO SS LN VR FXUM 0.50/1.00	(800)356-8000
295-03235	2WNO SS LN VR FXUM 0.50/1.60	(800)356-8000
295-03236	2WNO SS LN VR FXUM 0.50/2.50	(800)356-8000
295-03237	2WNO SS LN VR FXUM 0.50/4.00	(800)356-8000
295-03238	2WNO SS LN VR FXUM 0.75/6.30	(800)356-8000
295-03239	2WNO SS LN VR FXUM 1.00/10.00	(800)356-8000
295-03243	2WNC SS LN VR FXUM 0.50/1.00	(800)356-8000
295-03244	2WNC SS LN VR FXUM 0.50/1.60	(800)356-8000
295-03245	2WNC SS LN VR FXUM 0.50/2.50	(800)356-8000
295-03246	2WNC SS LN VR FXUM 0.50/4.00	(800)356-8000
295-03247	2WNC SS LN VR FXUM 0.75/6.30	(800)356-8000
295-03248	2WNC SS LN VR FXUM 1.00/10.00	(800)356-8000
295-03252	2WNO SS =% OR FXUM 0.50/1.00	(800)356-8000
295-03253	2WNO SS =% OR FXUM 0.50/1.60	(800)356-8000
295-03254	2WNO SS =% OR FXUM 0.50/2.50	(800)356-8000
295-03255	2WNO SS =% OR FXUM 0.50/4.00	(800)356-8000
295-03256	2WNO SS =% OR FXUM 0.75/6.30	(800)356-8000
295-03257	2WNO SS =% OR FXUM 1.00/10.00	(800)356-8000
295-03261	2WNC SS =% OR FXUM 0.50/1.00	(800)356-8000
295-03262	2WNC SS =% OR FXUM 0.50/1.60	(800)356-8000
295-03263	2WNC SS =% OR FXUM 0.50/2.50	(800)356-8000
295-03264	2WNC SS =% OR FXUM 0.50/4.00	(800)356-8000
295-03265	2WNC SS =% OR FXUM 0.75/6.30	(800)356-8000
295-03266	2WNC SS =% OR FXUM 1.00/10.00	(800)356-8000
295-03270	2WNO BZ =% OR FXUM 0.50/1.00	(800)356-8000
295-03271	2WNO BZ =% OR FXUM 0.50/1.60	(800)356-8000
295-03272	2WNO BZ =% OR FXUM 0.50/2.50	(800)356-8000
295-03273	2WNO BZ =% OR FXUM 0.50/4.00	(800)356-8000
295-03274	2WNO BZ =% OR FXUM 0.75/6.30	(800)356-8000
295-03275	2WNO BZ =% OR FXUM 1.00/10.00	(800)356-8000
295-03279	2WNC BZ =% OR FXUM 0.50/1.00	(800)356-8000
295-03280	2WNC BZ =% OR FXUM 0.50/1.60	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
295-03281	2WNC BZ =% OR FXUM 0.50/2.50	(800)356-8000
295-03282	2WNC BZ =% OR FXUM 0.50/4.00	(800)356-8000
295-03283	2WNC BZ =% OR FXUM 0.75/6.30	(800)356-8000
295-03284	2WNC BZ =% OR FXUM 1.00/10.00	(800)356-8000
295-05920	2.5"NO,250,SS=%,OR,MM+59910021	(800)356-8000
295-05921	3"N.O ,250,SS=%,OR,MM+59910021	(800)356-8000
295-05930	2.5"NC,250,SS=%,OR,MM+59910021	(800)356-8000
295-05931	3"N.C ,250,SS=%,OR,MM+59910021	(800)356-8000
295-05940	2.5"NO,250,BZ=%,OR,MM+59910021	(800)356-8000
295-05941	3"N.O ,250,BZ=%,OR,MM+59910021	(800)356-8000
295-05950	2.5"NC,250,BZ=%,OR,MM+59910021	(800)356-8000
295-05951	3"N.C ,250,BZ=%,OR,MM+59910021	(800)356-8000
295-05960	2.5"NO,125,SS=%,OR,MM+59910021	(800)356-8000
295-05961	3"N.O ,125,SS=%,OR,MM+59910021	(800)356-8000
295-05970	2.5"NC,125,SS=%,OR,MM+59910021	(800)356-8000
295-05971	3"N.C ,125,SS=%,OR,MM+59910021	(800)356-8000
295-05980	2.5"NO,125,BZ=%,OR,MM+59910021	(800)356-8000
295-05981	3"N.O ,125,BZ=%,OR,MM+59910021	(800)356-8000
295-05990	2.5"NC,125,BZ=%,OR,MM+59910021	(800)356-8000
295-05991	3"N.C,125,BZ=%,OR,MM+59910021	(800)356-8000
295-06040	2.5"NO,125,SSLN,VR,MM+59910021	(800)356-8000
295-06041	3"N.O ,125,SSLN,VR,MM+59910021	(800)356-8000
295-06050	2.5"NC,125,SSLN,VR,MM+59910021	(800)356-8000
295-06051	3"N.C ,125,SSLN,VR,MM+59910021	(800)356-8000
295-06060	2.5"NO,125,SSLN,OR,MM+59910021	(800)356-8000
295-06061	3"N.O ,125,SSLN,OR,MM+59910021	(800)356-8000
295-06070	2.5"NC,125,SSLN,OR,MM+59910021	(800)356-8000
295-06071	3"N.C ,125,SSLN,OR,MM+59910021	(800)356-8000
295-06120	2.5"NO,250,SSLN,VR,MM+59910021	(800)356-8000
295-06121	3"N.O ,250,SSLN,VR,MM+59910021	(800)356-8000
295-06130	2.5"NC,250,SSLN,VR,MM+59910021	(800)356-8000
295-06131	3"N.C ,250,SSLN,VR,MM+59910021	(800)356-8000
295-06140	2.5"NO,250,SSLN,OR,MM+59910021	(800)356-8000
295-06141	3"N.O ,250,SSLN,OR,MM+59910021	(800)356-8000
295-06150	2.5"NC,250,SSLN,OR,MM+59910021	(800)356-8000
295-06151	3"N.C ,250,SSLN,OR,MM+59910021	(800)356-8000
295-06160	2.5"WM,125,BZ=%,OR,MM+59910021	(800)356-8000
295-06161	3"W.M ,125,BZ=%,OR,MM+59910021	(800)356-8000
295-06165	2.5"WM,125,SS=%,OR,MM+59910021	(800)356-8000
295-06166	3"W.M ,125,SS=%,OR,MM+59910021	(800)356-8000
295-06170	2.5"WM,250,BZ=%,OR,MM+59910021	(800)356-8000
295-06171	3"W.M,250,BZ=%,OR,MM+59910021	(800)356-8000
295-06175	2.5"WM,250,SS=%,OR,MM+59910021	(800)356-8000
295-06176	3"W.M,250,SS=%,OR,MM+59910021	(800)356-8000
296-03000	2WNO SS LN OR FFX 0.50/1.00	(800)356-8000
296-03001	2WNO SS LN OR FFX 0.50/1.60	(800)356-8000
296-03002	2WNO SS LN OR FFX 0.50/2.50	(800)356-8000
296-03003	2WNO SS LN OR FFX 0.50/4.00	(800)356-8000
296-03004	2WNO SS LN OR FFX 0.75/6.30	(800)356-8000
296-03005	2WNO SS LN OR FFX 1.00/10.00	(800)356-8000
296-03006	2WNO SS LN OR FFX 1.25/16.00	(800)356-8000
296-03007	2WNO SS LN OR FFX 1.50/25.00	(800)356-8000
296-03008	2WNO SS LN OR FFX 2.00/40.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
296-03009	2WNO SS LN OR FXUF 0.50/1.00	(800)356-8000
296-03010	2WNO SS LN OR FXUF 0.50/1.60	(800)356-8000
296-03011	2WNO SS LN OR FXUF 0.50/2.50	(800)356-8000
296-03012	2WNO SS LN OR FXUF 0.50/4.00	(800)356-8000
296-03013	2WNO SS LN OR FXUF 0.75/6.30	(800)356-8000
296-03014	2WNO SS LN OR FXUF 1.00/10.00	(800)356-8000
296-03015	2WNO SS LN OR UFXUF 1.25/16.00	(800)356-8000
296-03016	2WNO SS LN OR UFXUF 1.50/25.00	(800)356-8000
296-03017	2WNO SS LN OR UFXUF 2.00/40.00	(800)356-8000
296-03018	2WNC SS LN OR FXF 0.50/1.00	(800)356-8000
296-03019	2WNC SS LN OR FXF 0.50/1.60	(800)356-8000
296-03020	2WNC SS LN OR FXF 0.50/2.50	(800)356-8000
296-03021	2WNC SS LN OR FXF 0.50/4.00	(800)356-8000
296-03022	2WNC SS LN OR FXF 0.75/6.30	(800)356-8000
296-03023	2WNC SS LN OR FXF 1.00/10.00	(800)356-8000
296-03024	2WNC SS LN OR FXF 1.25/16.00	(800)356-8000
296-03025	2WNC SS LN OR FXF 1.50/25.00	(800)356-8000
296-03026	2WNC SS LN OR FXF 2.00/40.00	(800)356-8000
296-03027	2WNC SS LN OR FXUF 0.50/1.00	(800)356-8000
296-03028	2WNC SS LN OR FXUF 0.50/1.60	(800)356-8000
296-03029	2WNC SS LN OR FXUF 0.50/2.50	(800)356-8000
296-03030	2WNC SS LN OR FXUF 0.50/4.00	(800)356-8000
296-03031	2WNC SS LN OR FXUF 0.75/6.30	(800)356-8000
296-03032	2WNC SS LN OR FXUF 1.00/10.00	(800)356-8000
296-03033	2WNC SS LN OR UFXUF 1.25/16.00	(800)356-8000
296-03034	2WNC SS LN OR UFXUF 1.50/25.00	(800)356-8000
296-03035	2WNC SS LN OR UFXUF 2.00/40.00	(800)356-8000
296-03054	2WNO SS LN VR FXF 0.50/1.00	(800)356-8000
296-03055	2WNO SS LN VR FXF 0.50/1.60	(800)356-8000
296-03056	2WNO SS LN VR FXF 0.50/2.50	(800)356-8000
296-03057	2WNO SS LN VR FXF 0.50/4.00	(800)356-8000
296-03058	2WNO SS LN VR FXF 0.75/6.30	(800)356-8000
296-03059	2WNO SS LN VR FXF 1.00/10.00	(800)356-8000
296-03060	2WNO SS LN VR FXF 1.25/16.00	(800)356-8000
296-03061	2WNO SS LN VR FXF 1.50/25.00	(800)356-8000
296-03062	2WNO SS LN VR FXF 2.00/40.00	(800)356-8000
296-03063	2WNO SS LN VR FXUF 0.50/1.00	(800)356-8000
296-03064	2WNO SS LN VR FXUF 0.50/1.60	(800)356-8000
296-03065	2WNO SS LN VR FXUF 0.50/2.50	(800)356-8000
296-03066	2WNO SS LN VR FXUF 0.50/4.00	(800)356-8000
296-03067	2WNO SS LN VR FXUF 0.75/6.30	(800)356-8000
296-03068	2WNO SS LN VR FXUF 1.00/10.00	(800)356-8000
296-03069	2WNO SS LN VR UFXUF 1.25/16.00	(800)356-8000
296-03070	2WNO SS LN VR UFXUF 1.50/25.00	(800)356-8000
296-03071	2WNO SS LN VR UFXUF 2.00/40.00	(800)356-8000
296-03072	2WNC SS LN VR FXF 0.50/1.00	(800)356-8000
296-03073	2WNC SS LN VR FXF 0.50/1.60	(800)356-8000
296-03074	2WNC SS LN VR FXF 0.50/2.50	(800)356-8000
296-03075	2WNC SS LN VR FXF 0.50/4.00	(800)356-8000
296-03076	2WNC SS LN VR FXF 0.75/6.30	(800)356-8000
296-03077	2WNC SS LN VR FXF 1.00/10.00	(800)356-8000
296-03078	2WNC SS LN VR FXF 1.25/16.00	(800)356-8000
296-03079	2WNC SS LN VR FXF 1.50/25.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
296-03080	2WNC SS LN VR FXF 2.00/40.00	(800)356-8000
296-03081	2WNC SS LN VR FXUF 0.50/1.00	(800)356-8000
296-03082	2WNC SS LN VR FXUF 0.50/1.60	(800)356-8000
296-03083	2WNC SS LN VR FXUF 0.50/2.50	(800)356-8000
296-03084	2WNC SS LN VR FXUF 0.50/4.00	(800)356-8000
296-03085	2WNC SS LN VR FXUF 0.75/6.30	(800)356-8000
296-03086	2WNC SS LN VR FXUF 1.00/10.00	(800)356-8000
296-03087	2WNC SS LN VR UFXUF 1.25/16.00	(800)356-8000
296-03088	2WNC SS LN VR UFXUF 1.50/25.00	(800)356-8000
296-03089	2WNC SS LN VR UFXUF 2.00/40.00	(800)356-8000
296-03108	2WNO SS =% OR FXF 0.50/1.00	(800)356-8000
296-03109	2WNO SS =% OR FXF 0.50/1.60	(800)356-8000
296-03110	2WNO SS =% OR FXF 0.50/2.50	(800)356-8000
296-03111	2WNO SS =% OR FXF 0.50/4.00	(800)356-8000
296-03112	2WNO SS =% OR FXF 0.75/6.30	(800)356-8000
296-03113	2WNO SS =% OR FXF 1.00/10.00	(800)356-8000
296-03114	2WNO SS =% OR FXF 1.25/16.00	(800)356-8000
296-03115	2WNO SS =% OR FXF 1.50/25.00	(800)356-8000
296-03116	2WNO SS =% OR FXF 2.00/40.00	(800)356-8000
296-03117	2WNO SS =% OR FXUF 0.50/1.00	(800)356-8000
296-03118	2WNO SS =% OR FXUF 0.50/1.60	(800)356-8000
296-03119	2WNO SS =% OR FXUF 0.50/2.50	(800)356-8000
296-03120	2WNO SS =% OR FXUF 0.50/4.00	(800)356-8000
296-03121	2WNO SS =% OR FXUF 0.75/6.30	(800)356-8000
296-03122	2WNO SS =% OR FXUF 1.00/10.00	(800)356-8000
296-03123	2WNO SS =% OR UFXUF 1.25/16.00	(800)356-8000
296-03124	2WNO SS =% OR UFXUF 1.50/25.00	(800)356-8000
296-03125	2WNO SS =% OR UFXUF 2.00/40.00	(800)356-8000
296-03126	2WNC SS =% OR FXF 0.50/1.00	(800)356-8000
296-03127	2WNC SS =% OR FXF 0.50/1.60	(800)356-8000
296-03128	2WNC SS =% OR FXF 0.50/2.50	(800)356-8000
296-03129	2WNC SS =% OR FXF 0.50/4.00	(800)356-8000
296-03130	2WNC SS =% OR FXF 0.75/6.30	(800)356-8000
296-03131	2WNC SS =% OR FXF 1.00/10.00	(800)356-8000
296-03132	2WNC SS =% OR FXF 1.25/16.00	(800)356-8000
296-03133	2WNC SS =% OR FXF 1.50/25.00	(800)356-8000
296-03134	2WNC SS =% OR FXF 2.00/40.00	(800)356-8000
296-03135	2WNC SS =% OR FXUF 0.50/1.00	(800)356-8000
296-03136	2WNC SS =% OR FXUF 0.50/1.60	(800)356-8000
296-03137	2WNC SS =% OR FXUF 0.50/2.50	(800)356-8000
296-03138	2WNC SS =% OR FXUF 0.50/4.00	(800)356-8000
296-03139	2WNC SS =% OR FXUF 0.75/6.30	(800)356-8000
296-03140	2WNC SS =% OR FXUF 1.00/10.00	(800)356-8000
296-03141	2WNC SS =% OR UFXUF 1.25/16.00	(800)356-8000
296-03142	2WNC SS =% OR UFXUF 1.50/25.00	(800)356-8000
296-03143	2WNC SS =% OR UFXUF 2.00/40.00	(800)356-8000
296-03144	3WMX SS =% OR FXF 0.50/1.00	(800)356-8000
296-03145	3WMX SS =% OR FXF 0.50/1.60	(800)356-8000
296-03146	3WMX SS =% OR FXF 0.50/2.50	(800)356-8000
296-03147	3WMX SS =% OR FXF 0.50/4.00	(800)356-8000
296-03148	3WMX SS =% OR FXF 0.75/6.30	(800)356-8000
296-03149	3WMX SS =% OR FXF 1.00/10.00	(800)356-8000
296-03150	3WMX SS =% OR FXF 1.25/16.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
296-03151	3WMX SS =% OR FXF 1.50/25.00	(800)356-8000
296-03152	3WMX SS =% OR FXF 2.00/40.00	(800)356-8000
296-03153	3WMX SS =% OR UFXUF 0.50/1.00	(800)356-8000
296-03154	3WMX SS =% OR UFXUF 0.50/1.60	(800)356-8000
296-03155	3WMX SS =% OR UFXUF 0.50/2.50	(800)356-8000
296-03156	3WMX SS =% OR UFXUF 0.50/4.00	(800)356-8000
296-03157	3WMX SS =% OR UFXUF 0.75/6.30	(800)356-8000
296-03158	3WMX SS =% OR UFXUF 1.00/10.00	(800)356-8000
296-03159	3WMX SS =% OR UFXUF 1.25/16.00	(800)356-8000
296-03160	3WMX SS =% OR UFXUF 1.50/25.00	(800)356-8000
296-03161	3WMX SS =% OR UFXUF 2.00/40.00	(800)356-8000
296-03162	2WNO BZ =% OR FXF 0.50/1.00	(800)356-8000
296-03163	2WNO BZ =% OR FXF 0.50/1.60	(800)356-8000
296-03164	2WNO BZ =% OR FXF 0.50/2.50	(800)356-8000
296-03165	2WNO BZ =% OR FXF 0.50/4.00	(800)356-8000
296-03166	2WNO BZ =% OR FXF 0.75/6.30	(800)356-8000
296-03167	2WNO BZ =% OR FXF 1.00/10.00	(800)356-8000
296-03168	2WNO BZ =% OR FXF 1.25/16.00	(800)356-8000
296-03169	2WNO BZ =% OR FXF 1.50/25.00	(800)356-8000
296-03170	2WNO BZ =% OR FXF 2.00/40.00	(800)356-8000
296-03171	2WNO BZ =% OR FXUF 0.50/1.00	(800)356-8000
296-03172	2WNO BZ =% OR FXUF 0.50/1.60	(800)356-8000
296-03173	2WNO BZ =% OR FXUF 0.50/2.50	(800)356-8000
296-03174	2WNO BZ =% OR FXUF 0.50/4.00	(800)356-8000
296-03175	2WNO BZ =% OR FXUF 0.75/6.30	(800)356-8000
296-03176	2WNO BZ =% OR FXUF 1.00/10.00	(800)356-8000
296-03177	2WNO BZ =% OR UFXUF 1.25/16.00	(800)356-8000
296-03178	2WNO BZ =% OR UFXUF 1.50/25.00	(800)356-8000
296-03179	2WNO BZ =% OR UFXUF 2.00/40.00	(800)356-8000
296-03180	2WNC BZ =% OR FXF 0.50/1.00	(800)356-8000
296-03181	2WNC BZ =% OR FXF 0.50/1.60	(800)356-8000
296-03182	2WNC BZ =% OR FXF 0.50/2.50	(800)356-8000
296-03183	2WNC BZ =% OR FXF 0.50/4.00	(800)356-8000
296-03184	2WNC BZ =% OR FXF 0.75/6.30	(800)356-8000
296-03185	2WNC BZ =% OR FXF 1.00/10.00	(800)356-8000
296-03186	2WNC BZ =% OR FXF 1.25/16.00	(800)356-8000
296-03187	2WNC BZ =% OR FXF 1.50/25.00	(800)356-8000
296-03188	2WNC BZ =% OR FXF 2.00/40.00	(800)356-8000
296-03189	2WNC BZ =% OR FXUF 0.50/1.00	(800)356-8000
296-03190	2WNC BZ =% OR FXUF 0.50/1.60	(800)356-8000
296-03191	2WNC BZ =% OR FXUF 0.50/2.50	(800)356-8000
296-03192	2WNC BZ =% OR FXUF 0.50/4.00	(800)356-8000
296-03193	2WNC BZ =% OR FXUF 0.75/6.30	(800)356-8000
296-03194	2WNC BZ =% OR FXUF 1.00/10.00	(800)356-8000
296-03195	2WNC BZ =% OR UFXUF 1.25/16.00	(800)356-8000
296-03196	2WNC BZ =% OR UFXUF 1.50/25.00	(800)356-8000
296-03197	2WNC BZ =% OR UFXUF 2.00/40.00	(800)356-8000
296-03198	3WMX BZ =% OR FXF 0.50/1.00	(800)356-8000
296-03199	3WMX BZ =% OR FXF 0.50/1.60	(800)356-8000
296-03200	3WMX BZ =% OR FXF 0.50/2.50	(800)356-8000
296-03201	3WMX BZ =% OR FXF 0.50/4.00	(800)356-8000
296-03202	3WMX BZ =% OR FXF 0.75/6.30	(800)356-8000
296-03203	3WMX BZ =% OR FXF 1.00/10.00	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
296-03204	3WMX BZ =% OR FXF 1.25/16.00	(800)356-8000
296-03205	3WMX BZ =% OR FXF 1.50/25.00	(800)356-8000
296-03206	3WMX BZ =% OR FXF 2.00/40.00	(800)356-8000
296-03207	3WMX BZ =% OR UFXUF 0.50/1.00	(800)356-8000
296-03208	3WMX BZ =% OR UFXUF 0.50/1.60	(800)356-8000
296-03209	3WMX BZ =% OR UFXUF 0.50/2.50	(800)356-8000
296-03210	3WMX BZ =% OR UFXUF 0.50/4.00	(800)356-8000
296-03211	3WMX BZ =% OR UFXUF 0.75/6.30	(800)356-8000
296-03212	3WMX BZ =% OR UFXUF 1.00/10.00	(800)356-8000
296-03213	3WMX BZ =% OR UFXUF 1.25/16.00	(800)356-8000
296-03214	3WMX BZ =% OR UFXUF 1.50/25.00	(800)356-8000
296-03215	3WMX BZ =% OR UFXUF 2.00/40.00	(800)356-8000
296-03216	2WNO SS LN OR FXUM 0.50/1.00	(800)356-8000
296-03217	2WNO SS LN OR FXUM 0.50/1.60	(800)356-8000
296-03218	2WNO SS LN OR FXUM 0.50/2.50	(800)356-8000
296-03219	2WNO SS LN OR FXUM 0.50/4.00	(800)356-8000
296-03220	2WNO SS LN OR FXUM 0.75/6.30	(800)356-8000
296-03221	2WNO SS LN OR FXUM 1.00/10.00	(800)356-8000
296-03225	2WNC SS LN OR FXUM 0.50/1.00	(800)356-8000
296-03226	2WNC SS LN OR FXUM 0.50/1.60	(800)356-8000
296-03227	2WNC SS LN OR FXUM 0.50/2.50	(800)356-8000
296-03228	2WNC SS LN OR FXUM 0.50/4.00	(800)356-8000
296-03229	2WNC SS LN OR FXUM 0.75/6.30	(800)356-8000
296-03230	2WNC SS LN OR FXUM 1.00/10.00	(800)356-8000
296-03234	2WNO SS LN VR FXUM 0.50/1.00	(800)356-8000
296-03235	2WNO SS LN VR FXUM 0.50/1.60	(800)356-8000
296-03236	2WNO SS LN VR FXUM 0.50/2.50	(800)356-8000
296-03237	2WNO SS LN VR FXUM 0.50/4.00	(800)356-8000
296-03238	2WNO SS LN VR FXUM 0.75/6.30	(800)356-8000
296-03239	2WNO SS LN VR FXUM 1.00/10.00	(800)356-8000
296-03243	2WNC SS LN VR FXUM 0.50/1.00	(800)356-8000
296-03244	2WNC SS LN VR FXUM 0.50/1.60	(800)356-8000
296-03245	2WNC SS LN VR FXUM 0.50/2.50	(800)356-8000
296-03246	2WNC SS LN VR FXUM 0.50/4.00	(800)356-8000
296-03247	2WNC SS LN VR FXUM 0.75/6.30	(800)356-8000
296-03248	2WNC SS LN VR FXUM 1.00/10.00	(800)356-8000
296-03252	2WNO SS =% OR FXUM 0.50/1.00	(800)356-8000
296-03253	2WNO SS =% OR FXUM 0.50/1.60	(800)356-8000
296-03254	2WNO SS =% OR FXUM 0.50/2.50	(800)356-8000
296-03255	2WNO SS =% OR FXUM 0.50/4.00	(800)356-8000
296-03256	2WNO SS =% OR FXUM 0.75/6.30	(800)356-8000
296-03257	2WNO SS =% OR FXUM 1.00/10.00	(800)356-8000
296-03261	2WNC SS =% OR FXUM 0.50/1.00	(800)356-8000
296-03262	2WNC SS =% OR FXUM 0.50/1.60	(800)356-8000
296-03263	2WNC SS =% OR FXUM 0.50/2.50	(800)356-8000
296-03264	2WNC SS =% OR FXUM 0.50/4.00	(800)356-8000
296-03265	2WNC SS =% OR FXUM 0.75/6.30	(800)356-8000
296-03266	2WNC SS =% OR FXUM 1.00/10.00	(800)356-8000
296-03270	2WNO BZ =% OR FXUM 0.50/1.00	(800)356-8000
296-03271	2WNO BZ =% OR FXUM 0.50/1.60	(800)356-8000
296-03272	2WNO BZ =% OR FXUM 0.50/2.50	(800)356-8000
296-03273	2WNO BZ =% OR FXUM 0.50/4.00	(800)356-8000
296-03274	2WNO BZ =% OR FXUM 0.75/6.30	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
296-03275	2WNO BZ =% OR FXUM 1.00/10.00	(800)356-8000
296-03279	2WNC BZ =% OR FXUM 0.50/1.00	(800)356-8000
296-03280	2WNC BZ =% OR FXUM 0.50/1.60	(800)356-8000
296-03281	2WNC BZ =% OR FXUM 0.50/2.50	(800)356-8000
296-03282	2WNC BZ =% OR FXUM 0.50/4.00	(800)356-8000
296-03283	2WNC BZ =% OR FXUM 0.75/6.30	(800)356-8000
296-03284	2WNC BZ =% OR FXUM 1.00/10.00	(800)356-8000
296-05920	2.5"NO,250,SS=%,OR,MM+59910022	(800)356-8000
296-05921	3"N.O,250,SS=%,OR,MM+59910022	(800)356-8000
296-05930	2.5"NC,250,SS=%,OR,MM+59910022	(800)356-8000
296-05931	3"N.C,250,SS=%,OR,MM+59910022	(800)356-8000
296-05940	2.5"NO,250,BZ=%,OR,MM+59910022	(800)356-8000
296-05941	3"N.O,250,BZ=%,OR,MM+59910022	(800)356-8000
296-05950	2.5"NC,250,BZ=%,OR,MM+59910022	(800)356-8000
296-05951	3"N.C,250,BZ=%,OR,MM+59910022	(800)356-8000
296-05960	2.5"NO,125,SS=%,OR,MM+59910022	(800)356-8000
296-05961	3"N.O,125,SS=%,OR,MM+59910022	(800)356-8000
296-05970	2.5"NC,125,SS=%,OR,MM+59910022	(800)356-8000
296-05971	3"N.C,125,SS=%,OR,MM+59910022	(800)356-8000
296-05980	2.5"NO,125,BZ=%,OR,MM+59910022	(800)356-8000
296-05981	3"N.O,125,BZ=%,OR,MM+59910022	(800)356-8000
296-05990	2.5"NC,125,BZ=%,OR,MM+59910022	(800)356-8000
296-05991	3"N.C,125,BZ=%,OR,MM+59910022	(800)356-8000
296-06040	2.5"NO,125,SSLN,VR,MM+59910022	(800)356-8000
296-06041	3"N.O,125,SSLN,VR,MM+59910022	(800)356-8000
296-06050	2.5"NC,125,SSLN,VR,MM+59910022	(800)356-8000
296-06051	3"N.C,125,SSLN,VR,MM+59910022	(800)356-8000
296-06060	2.5"NO,125,SSLN,OR,MM+59910022	(800)356-8000
296-06061	3"N.O,125,SSLN,OR,MM+59910022	(800)356-8000
296-06070	2.5"NC,125,SSLN,OR,MM+59910022	(800)356-8000
296-06071	3"N.C,125,SSLN,OR,MM+59910022	(800)356-8000
296-06120	2.5"NO,250,SSLN,VR,MM+59910022	(800)356-8000
296-06121	3"N.O,250,SSLN,VR,MM+59910022	(800)356-8000
296-06130	2.5"NC,250,SSLN,VR,MM+59910022	(800)356-8000
296-06131	3"N.C,250,SSLN,VR,MM+59910022	(800)356-8000
296-06140	2.5"NO,250,SSLN,OR,MM+59910022	(800)356-8000
296-06141	3"N.O,250,SSLN,OR,MM+59910022	(800)356-8000
296-06150	2.5"NC,250,SSLN,OR,MM+59910022	(800)356-8000
296-06151	3"N.C,250,SSLN,OR,MM+59910022	(800)356-8000
296-06160	2.5"WM,125,BZ=%,OR,MM+59910022	(800)356-8000
296-06161	3"W.M,125,BZ=%,OR,MM+59910022	(800)356-8000
296-06165	2.5"WM,125,SS=%,OR,MM+59910022	(800)356-8000
296-06166	3"W.M,125,SS=%,OR,MM+59910022	(800)356-8000
296-06170	2.5"WM,250,BZ=%,OR,MM+59910022	(800)356-8000
296-06171	3"W.M,250,BZ=%,OR,MM+59910022	(800)356-8000
296-06175	2.5"WM,250,SS=%,OR,MM+59910022	(800)356-8000
296-06176	3"W.M,250,SS=%,OR,MM+59910022	(800)356-8000
297-05922	4"N.O,250,SS=%,OR,MM +59910023	(800)356-8000
297-05932	4"N.C,250,SS=%,OR,MM +59910023	(800)356-8000
297-05942	4"N.O,250,BZ=%,OR,MM +59910023	(800)356-8000
297-05952	4"N.C,250,BZ=%,OR,MM +59910023	(800)356-8000
297-05962	4"N.O,125,SS=%,OR,MM +59910023	(800)356-8000
297-05972	4"N.C,125,SS=%,OR,MM +59910023	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
297-05982	4"N.O,125,BZ=%,OR,MM +59910023	(800)356-8000
297-05992	4"N.C,125,BZ=%,OR,MM +59910023	(800)356-8000
297-06042	4"N.O,125,SSLN,VR,MM +59910023	(800)356-8000
297-06052	4"N.C,125,SSLN,VR,MM +59910023	(800)356-8000
297-06062	4"N.O,125,SSLN,OR,MM +59910023	(800)356-8000
297-06072	4"N.C,125,SSLN,OR,MM +59910023	(800)356-8000
297-06122	4"N.O,250,SSLN,OR,MM +59910023	(800)356-8000
297-06132	4"N.C,250,SSLN,VR,MM +59910023	(800)356-8000
297-06142	4"N.O,250,SSLN,OR,MM +59910023	(800)356-8000
297-06152	4"N.C,250,SSLN,OR,MM +59910023	(800)356-8000
297-06162	4"W.M,125,BZ=%,OR,MM +59910023	(800)356-8000
297-06167	4"W.M,125,SS=%,OR,MM +59910023	(800)356-8000
297-06172	4"W.M,250,BZ=%,OR,MM +59910023	(800)356-8000
297-06177	4"W.M,250,SS=%,OR,MM +59910023	(800)356-8000
298-03000	2WNO,SS,LN,FxF,0.5/1.00+GCA161	(800)356-8000
298-03001	2WNO,SS,LN,FxF,0.5/1.6 +GCA161	(800)356-8000
298-03002	2WNO,SS,LN,FxF,0.5/2.5 +GCA161	(800)356-8000
298-03003	2WNO,SS,LN,FxF,0.5/4.00+GCA161	(800)356-8000
298-03004	2WNO,SS,LN,FxF,.75/6.30+GCA161	(800)356-8000
298-03005	2WNO,SS,LN,FxF,1.0/10.0+GCA161	(800)356-8000
298-03006	2WNO,SS,LN,FxF,1.25/16 +GCA161	(800)356-8000
298-03007	2WNO,SS,LN,FxF,1.50/25 +GCA161	(800)356-8000
298-03008	2WNO,SS,LN,FxF,2.00/40 +GCA161	(800)356-8000
298-03009	2WNO,SS,LN,FxUF .50/1.0+GCA161	(800)356-8000
298-03010	2WNO,SS,LN,FxUF .50/1.6+GCA161	(800)356-8000
298-03011	2WNO,SS,LN,FxUF .50/2.5+GCA161	(800)356-8000
298-03012	2WNO,SS,LN,FxUF .50/4.0+GCA161	(800)356-8000
298-03013	2WNO,SS,LN,FxUF,.75/6.3+GCA161	(800)356-8000
298-03014	2WNO,SS,LN,FxUF,1.0/10 +GCA161	(800)356-8000
298-03015	2WNO,SS,LN,UFxUF1.25/16+GCA161	(800)356-8000
298-03016	2WNO,SS,LN,UFxUF1.50/25+GCA161	(800)356-8000
298-03017	2WNO,SS,LN,UFxUF2.00/40+GCA161	(800)356-8000
298-03018	2WNC,SS,LN,FxF,0.5/1.00+GCA161	(800)356-8000
298-03019	2WNC,SS,LN,FxF,0.5/1.60+GCA161	(800)356-8000
298-03020	2WNC,SS,LN,FxF,0.5/2.5 +GCA161	(800)356-8000
298-03021	2WNC,SS,LN,FxF,0.5/4.0 +GCA161	(800)356-8000
298-03022	2WNC,SS,LN,FxF,.75/6.3 +GCA161	(800)356-8000
298-03023	2WNC,SS,LN,FxF,1.0/10.0+GCA161	(800)356-8000
298-03024	2WNC,SS,LN,FxF,1.25/16 +GCA161	(800)356-8000
298-03025	2WNC,SS,LN,FxF,1.50/25 +GCA161	(800)356-8000
298-03026	2WNC,SS,LN,FxF,2.00/40 +GCA161	(800)356-8000
298-03027	2WNC,SS,LN,FxUF .50/1.0+GCA161	(800)356-8000
298-03028	2WNC,SS,LN,FxUF .50/1.6+GCA161	(800)356-8000
298-03029	2WNC,SS,LN,FxUF .50/2.5+GCA161	(800)356-8000
298-03030	2WNC,SS,LN,FxUF .50/4.0+GCA161	(800)356-8000
298-03031	2WNC,SS,LN,FxUF .75/6.3+GCA161	(800)356-8000
298-03032	2WNC,SS,LN,FxUF,1.0/10 +GCA161	(800)356-8000
298-03033	2WNC,SS,LN,UFxUF1.25/16+GCA161	(800)356-8000
298-03034	2WNC,SS,LN,UFxUF1.50/25+GCA161	(800)356-8000
298-03035	2WNC,SS,LN,UFxUF,2.0/40+GCA161	(800)356-8000
298-03054	2WNO,SS,VR,FxF,0.5/1.00+GCA161	(800)356-8000
298-03055	2WNO,SS,VR,FxF,0.5/1.60+GCA161	(800)356-8000
298-03056	2WNO,SS,VR,FxF,0.5/2.50+GCA161	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
298-03057	2WNO,SS,VR,FxF,0.5/4.0 +GCA161	(800)356-8000
298-03058	2WNO,SS,VR,FxF,.75/6.3 +GCA161	(800)356-8000
298-03059	2WNO,SS,VR,FxF,1.0/10.0+GCA161	(800)356-8000
298-03060	2WNO,SS,VR,FxF,1.25/16 +GCA161	(800)356-8000
298-03061	2WNO,SS,VR,FxF,1.50/25 +GCA161	(800)356-8000
298-03062	2WNO,SS,VR,FxF,2.00/40 +GCA161	(800)356-8000
298-03063	2WNO,SS,VR,FxUF,.5/1.0 +GCA161	(800)356-8000
298-03064	2WNO,SS,VR,FxUF,.5/1.6 +GCA161	(800)356-8000
298-03065	2WNO,SS,VR,FxUF,.5/2.5 +GCA161	(800)356-8000
298-03066	2WNO,SS,VR,FxUF,.5/4.0 +GCA161	(800)356-8000
298-03067	2WNO,SS,VR,FxUF,75/6.3 +GCA161	(800)356-8000
298-03068	2WNO,SS,VR,FxUF,1.0/10 +GCA161	(800)356-8000
298-03069	2WNO,SS,VR,UFxUF1.25/16+GCA161	(800)356-8000
298-03070	2WNO,SS,VR,UFxUF1.50/25+GCA161	(800)356-8000
298-03071	2WNO,SS,VR,UFxUF2.00/40+GCA161	(800)356-8000
298-03072	2WNC,SS,VR,FxF,0.50/1.0+GCA161	(800)356-8000
298-03073	2WNC,SS,VR,FxF,0.50/1.6+GCA161	(800)356-8000
298-03074	2WNC,SS,VR,FxF,0.50/2.5+GCA161	(800)356-8000
298-03075	2WNC,SS,VR,FxF,0.50/4.0+GCA161	(800)356-8000
298-03076	2WNC,SS,VR,FxF,0.75/6.3+GCA161	(800)356-8000
298-03077	2WNC,SS,VR,FxF,1.00/10 +GCA161	(800)356-8000
298-03078	2WNC,SS,VR,FxF,1.25/16 +GCA161	(800)356-8000
298-03079	2WNC,SS,VR,FxF,1.50/25 +GCA161	(800)356-8000
298-03080	2WNC,SS,VR,FxF,2.00/40 +GCA161	(800)356-8000
298-03081	2WNC,SS,VR,FxUF,.50/1.0+GCA161	(800)356-8000
298-03082	2WNC,SS,VR,FxUF,.50/1.6+GCA161	(800)356-8000
298-03083	2WNC,SS,VR,FxUF,.50/2.5+GCA161	(800)356-8000
298-03084	2WNC,SS,VR,FxUF,.50/4.0+GCA161	(800)356-8000
298-03085	2WNC,SS,VR,FxUF,.75/6.3+GCA161	(800)356-8000
298-03086	2WNC,SS,VR,FxUF,1.0/10 +GCA161	(800)356-8000
298-03087	2WNC,SS,VR,FxUF,1.25/16+GCA161	(800)356-8000
298-03088	2WNC,SS,VR,FxUF,1.50/25+GCA161	(800)356-8000
298-03089	2WNC,SS,VR,FxUF,2.00/40+GCA161	(800)356-8000
298-03108	2WNO,SS,=%,FxF,.50/1.0+GCA161	(800)356-8000
298-03109	2WNO,SS,=%,FxF,.50/1.6+GCA161	(800)356-8000
298-03110	2WNO,SS,=%,FxF,.50/2.5+GCA161	(800)356-8000
298-03111	2WNO,SS,=%,FxF,.50/4.0+GCA161	(800)356-8000
298-03112	2WNO,SS,=%,FxF,.75/6.3+GCA161	(800)356-8000
298-03113	2WNO,SS,=%,FxF,1.0/10 +GCA161	(800)356-8000
298-03114	2WNO,SS,=%,FxF,1.25/16+GCA161	(800)356-8000
298-03115	2WNO,SS,=%,FxF,1.50/25+GCA161	(800)356-8000
298-03116	2WNO,SS,=%,FxF,2.00/40+GCA161	(800)356-8000
298-03117	2WNO,SS,=%,FxUF,.50/1.0+GCA161	(800)356-8000
298-03118	2WNO,SS,=%,FxUF,.50/1.6+GCA161	(800)356-8000
298-03119	2WNO,SS,=%,FxUF,.50/2.5+GCA161	(800)356-8000
298-03120	2WNO,SS,=%,FxUF,.50/4.0+GCA161	(800)356-8000
298-03121	2WNO,SS,=%,FxUF,.75/6.3+GCA161	(800)356-8000
298-03122	2WNO,SS,=%,FxUF,1.0/10 +GCA161	(800)356-8000
298-03123	2WNO,SS,=%,FUxFU1.25/16+GCA161	(800)356-8000
298-03124	2WNO,SS,=%,FUxFU1.50/25+GCA161	(800)356-8000
298-03125	2WNO,SS,=%,FUxFU2.0/40+GCA161	(800)356-8000
298-03126	2WNC,SS,=%,FxF,.50/1.0+GCA161	(800)356-8000
298-03127	2WNC,SS,=%,FxF,.50/1.6+GCA161	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
298-03128	2WNC,SS,=%,FxF, .50/2.5+GCA161	(800)356-8000
298-03129	2WNC,SS,=%,FxF, .50/4.0+GCA161	(800)356-8000
298-03130	2WNC,SS,=%,FxF, .75/6.3+GCA161	(800)356-8000
298-03131	2WNC,SS,=%,FxF, 1.0/10 +GCA161	(800)356-8000
298-03132	2WNC,SS,=%,FxF, 1.25/16 +GCA161	(800)356-8000
298-03133	2WNC,SS,=%,FxF, 1.50/25 +GCA161	(800)356-8000
298-03134	2WNC,SS,=%,FxF, 2.00/40 +GCA161	(800)356-8000
298-03135	2WNC,SS,=%,FxF, .50/1.0+GCA161	(800)356-8000
298-03136	2WNC,SS,=%,FxF, .50/1.6+GCA161	(800)356-8000
298-03137	2WNC,SS,=%,FxF, .50/2.5+GCA161	(800)356-8000
298-03138	2WNC,SS,=%,FxF, .50/4.0+GCA161	(800)356-8000
298-03139	2WNC,SS,=%,FxF, .75/6.3+GCA161	(800)356-8000
298-03140	2WNC,SS,=%,FxF, 1.0/10 +GCA161	(800)356-8000
298-03141	2WNC,SS,=%,UFxF, 1.25/16+GCA161	(800)356-8000
298-03142	2WNC,SS,=%,UFxF, 1.50/25+GCA161	(800)356-8000
298-03143	2WNC,SS,=%,UFxF, 2.0/40+GCA161	(800)356-8000
298-03144	3WMX,SS,=%,FxF, .50/1.0+GCA161	(800)356-8000
298-03145	3WMX,SS,=%,FxF, .50/1.6+GCA161	(800)356-8000
298-03146	3WMX,SS,=%,FxF, .50/2.5+GCA161	(800)356-8000
298-03147	3WMX,SS,=%,FxF, .50/4.0+GCA161	(800)356-8000
298-03148	3WMX,SS,=%,FxF, .75/6.3+GCA161	(800)356-8000
298-03149	3WMX,SS,=%,FxF, 1.0/10 +GCA161	(800)356-8000
298-03150	3WMX,SS,=%,FxF, 1.25/16 +GCA161	(800)356-8000
298-03151	3WMX,SS,=%,FxF, 1.50/25 +GCA161	(800)356-8000
298-03152	3WMX,SS,=%,FxF, 2.00/40 +GCA161	(800)356-8000
298-03153	3WMX,SS,=%,FxF, .50/1.0+GCA161	(800)356-8000
298-03154	3WMX,SS,=%,FxF, .50/1.6+GCA161	(800)356-8000
298-03155	3WMX,SS,=%,FxF, .50/2.5+GCA161	(800)356-8000
298-03156	3WMX,SS,=%,FxF, .50/4.0+GCA161	(800)356-8000
298-03157	3WMX,SS,=%,FxF, .75/6.3+GCA161	(800)356-8000
298-03158	3WMX,SS,=%,FxF, 1.0/10 +GCA161	(800)356-8000
298-03159	3WMX,SS,=%,UFxF, 1.25/16+GCA161	(800)356-8000
298-03160	3WMX,SS,=%,UFxF, 1.50/25+GCA161	(800)356-8000
298-03161	3WMX,SS,=%,UFxF, 2.0/40+GCA161	(800)356-8000
298-03162	2WNO,BZ,=%,FxF, 0.5/1.00+GCA161	(800)356-8000
298-03163	2WNO,BZ,=%,FxF, 0.5/1.6 +GCA161	(800)356-8000
298-03164	2WNO,BZ,=%,FxF, 0.5/2.5 +GCA161	(800)356-8000
298-03165	2WNO,BZ,=%,FxF, 0.5/4.0 +GCA161	(800)356-8000
298-03166	2WNO,BZ,=%,FxF, .75/6.3 +GCA161	(800)356-8000
298-03167	2WNO,BZ,=%,FxF, 1.0/10 +GCA161	(800)356-8000
298-03168	2WNO,BZ,=%,FxF, 1.25/16 +GCA161	(800)356-8000
298-03169	2WNO,BZ,=%,FxF, 1.50/25 +GCA161	(800)356-8000
298-03170	2WNO,BZ,=%,FxF, 2.00/40 +GCA161	(800)356-8000
298-03171	2WNO,BZ,=%,FxF, .50/1.0+GCA161	(800)356-8000
298-03172	2WNO,BZ,=%,FxF, .50/1.6+GCA161	(800)356-8000
298-03173	2WNO,BZ,=%,FxF, .50/2.5+GCA161	(800)356-8000
298-03174	2WNO,BZ,=%,FxF, .50/4.0+GCA161	(800)356-8000
298-03175	2WNO,BZ,=%,FxF, .75/6.3+GCA161	(800)356-8000
298-03176	2WNO,BZ,=%,FxF, 1.0/10 +GCA161	(800)356-8000
298-03177	2WNO,BZ,=%,UFxF, 1.25/16+GCA161	(800)356-8000
298-03178	2WNO,BZ,=%,UFxF, 1.50/25+GCA161	(800)356-8000
298-03179	2WNO,BZ,=%,UFxF, 2.0/40+GCA161	(800)356-8000
298-03180	2WNC,BZ,=%,FxF, 0.50/1.0+GCA161	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
298-03181	2WNC,BZ,=%,FxF,0.50/1.6+GCA161	(800)356-8000
298-03182	2WNC,BZ,=%,FxF,0.50/2.5+GCA161	(800)356-8000
298-03183	2WNC,BZ,=%,FxF,0.50/4.0+GCA161	(800)356-8000
298-03184	2WNC,BZ,=%,FxF,0.75/6.3+GCA161	(800)356-8000
298-03185	2WNC,BZ,=%,FxF,1.00/10 +GCA161	(800)356-8000
298-03186	2WNC,BZ,=%,FxF,1.25/16 +GCA161	(800)356-8000
298-03187	2WNC,BZ,=%,FxF,1.50/25 +GCA161	(800)356-8000
298-03188	2WNC,BZ,=%,FxF,2.00/40 +GCA161	(800)356-8000
298-03189	2WNC,BZ,=%,FxF, .50/1.0+GCA161	(800)356-8000
298-03190	2WNC,BZ,=%,FxF, .50/1.6+GCA161	(800)356-8000
298-03191	2WNC,BZ,=%,FxF, .50/2.5+GCA161	(800)356-8000
298-03192	2WNC,BZ,=%,FxF, .50/4.0+GCA161	(800)356-8000
298-03193	2WNC,BZ,=%,FxF, .75/6.3+GCA161	(800)356-8000
298-03194	2WNC,BZ,=%,FxF, 1.0/10 +GCA161	(800)356-8000
298-03195	2WNC,BZ,=%,UFxF,1.25/16+GCA161	(800)356-8000
298-03196	2WNC,BZ,=%,UFxF,1.50/25+GCA161	(800)356-8000
298-03197	2WNC,BZ,=%,UFxF,2.0/40+GCA161	(800)356-8000
298-03198	3WMX,BZ,=%,FxF,0.50/1.0+GCA161	(800)356-8000
298-03199	3WMX,BZ,=%,FxF,0.50/1.6+GCA161	(800)356-8000
298-03200	3WMX,BZ,=%,FxF,0.50/2.5+GCA161	(800)356-8000
298-03201	3WMX,BZ,=%,FxF,0.50/4.0+GCA161	(800)356-8000
298-03202	3WMX,BZ,=%,FxF,0.75/6.3+GCA161	(800)356-8000
298-03203	3WMX,BZ,=%,FxF,1.00/10 +GCA161	(800)356-8000
298-03204	3WMX,BZ,=%,FxF,1.25/16 +GCA161	(800)356-8000
298-03205	3WMX,BZ,=%,FxF,1.50/25 +GCA161	(800)356-8000
298-03206	3WMX,BZ,=%,FxF,2.00/40 +GCA161	(800)356-8000
298-03207	3WMX,BZ,=%,FxF, .50/1.0+GCA161	(800)356-8000
298-03208	3WMX,BZ,=%,FxF, .50/1.6+GCA161	(800)356-8000
298-03209	3WMX,BZ,=%,FxF, .50/2.5+GCA161	(800)356-8000
298-03210	3WMX,BZ,=%,FxF, .50/4.0+GCA161	(800)356-8000
298-03211	3WMX,BZ,=%,FxF, .75/6.3+GCA161	(800)356-8000
298-03212	3WMX,BZ,=%,FxF, 1.0/10 +GCA161	(800)356-8000
298-03213	3WMX,BZ,=%,UFxF,1.25/16+GCA161	(800)356-8000
298-03214	3WMX,BZ,=%,UFxF,1.50/25+GCA161	(800)356-8000
298-03215	3WMX,BZ,=%,UFxF,2.0/40+GCA161	(800)356-8000
298-03216	2WNO,SS,LN,FxUM, .50/1.0+GCA161	(800)356-8000
298-03217	2WNO,SS,LN,FxUM, .50/1.6+GCA161	(800)356-8000
298-03218	2WNO,SS,LN,FxUM, .50/2.5+GCA161	(800)356-8000
298-03219	2WNO,SS,LN,FxUM, .50/4.0+GCA161	(800)356-8000
298-03220	2WNO,SS,LN,FxUM, .75/6.3+GCA161	(800)356-8000
298-03221	2WNO,SS,LN,FxUM,1.0/10 +GCA161	(800)356-8000
298-03225	2WNC,SS,LN,FxUM, .50/1.0+GCA161	(800)356-8000
298-03226	2WNC,SS,LN,FxUM, .50/1.6+GCA161	(800)356-8000
298-03227	2WNC,SS,LN,FxUM, .50/2.5+GCA161	(800)356-8000
298-03228	2WNC,SS,LN,FxUM, .50/4.0+GCA161	(800)356-8000
298-03229	2WNC,SS,LN,FxUM, .75/6.3+GCA161	(800)356-8000
298-03230	2WNC,SS,LN,FxUM,1.0/10 +GCA161	(800)356-8000
298-03234	2WNO,SS,VR,FxUM, .50/1.0+GCA161	(800)356-8000
298-03235	2WNO,SS,VR,FxUM, .50/1.6+GCA161	(800)356-8000
298-03236	2WNO,SS,VR,FxUM, .50/2.5+GCA161	(800)356-8000
298-03237	2WNO,SS,VR,FxUM, .50/4.0+GCA161	(800)356-8000
298-03238	2WNO,SS,VR,FxUM, .75/6.3+GCA161	(800)356-8000
298-03239	2WNO,SS,VR,FxUM,1.0/10 +GCA161	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
298-03243	2WNC,SS,VR,FxUM,.50/1.0+GCA161	(800)356-8000
298-03244	2WNC,SS,VR,FxUM,.50/1.6+GCA161	(800)356-8000
298-03245	2WNC,SS,VR,FxUM,.50/2.5+GCA161	(800)356-8000
298-03246	2WNC,SS,VR,FxUM,.50/4.0+GCA161	(800)356-8000
298-03247	2WNC,SS,VR,FxUM,.75/6.3+GCA161	(800)356-8000
298-03248	2WNC,SS,VR,FxUM,1.0/10 +GCA161	(800)356-8000
298-03252	2WNO,SS,=%,FxUM,.50/1.0+GCA161	(800)356-8000
298-03253	2WNO,SS,=%,FxUM,.50/1.6+GCA161	(800)356-8000
298-03254	2WNO,SS,=%,FxUM,.50/2.5+GCA161	(800)356-8000
298-03255	2WNO,SS,=%,FxUM,.50/4.0+GCA161	(800)356-8000
298-03256	2WNO,SS,=%,FxUM,.75/6.3+GCA161	(800)356-8000
298-03257	2WNO,SS,=%,FxUM,1.0/10 +GCA161	(800)356-8000
298-03261	2WNC,SS,=%,FxUM,.50/1.0+GCA161	(800)356-8000
298-03262	2WNC,SS,=%,FxUM,.50/1.6+GCA161	(800)356-8000
298-03263	2WNC,SS,=%,FxUM,.50/2.5+GCA161	(800)356-8000
298-03264	2WNC,SS,=%,FxUM,.50/4.0+GCA161	(800)356-8000
298-03265	2WNC,SS,=%,FxUM,.75/6.3+GCA161	(800)356-8000
298-03266	2WNC,SS,=%,FxUM,1.0/10 +GCA161	(800)356-8000
298-03270	2WNO,BZ,=%,FxUM,.50/1.0+GCA161	(800)356-8000
298-03271	2WNO,BZ,=%,FxUM,.50/1.6+GCA161	(800)356-8000
298-03272	2WNO,BZ,=%,FxUM,.50/2.5+GCA161	(800)356-8000
298-03273	2WNO,BZ,=%,FxUM,.50/4.0+GCA161	(800)356-8000
298-03274	2WNO,BZ,=%,FxUM,.75/6.3+GCA161	(800)356-8000
298-03275	2WNO,BZ,=%,FxUM,1.0/10 +GCA161	(800)356-8000
298-03279	2WNC,BZ,=%,FxUM,.50/1.0+GCA161	(800)356-8000
298-03280	2WNC,BZ,=%,FxUM,.50/1.6+GCA161	(800)356-8000
298-03281	2WNC,BZ,=%,FxUM,.50/2.5+GCA161	(800)356-8000
298-03282	2WNC,BZ,=%,FxUM,.50/4.0+GCA161	(800)356-8000
298-03283	2WNC,BZ,=%,FxUM,.75/6.3+GCA161	(800)356-8000
298-03284	2WNC,BZ,=%,FxUM,1.0/10 +GCA161	(800)356-8000
299-03000	2WNO,SS,LN,FxF,0.5/1.00+GCA121	(800)356-8000
299-03001	2WNO,SS,LN,FxF,0.5/1.6 +GCA121	(800)356-8000
299-03002	2WNO,SS,LN,FxF,0.5/2.5 +GCA121	(800)356-8000
299-03003	2WNO,SS,LN,FxF,0.5/4.0 +GCA121	(800)356-8000
299-03004	2WNO,SS,LN,FxF,.75/6.3 +GCA121	(800)356-8000
299-03005	2WNO,SS,LN,FxF,1.0/10.0+GCA121	(800)356-8000
299-03006	2WNO,SS,LN,FxF,1.25/16 +GCA121	(800)356-8000
299-03007	2WNO,SS,LN,FxF,1.50/25 +GCA121	(800)356-8000
299-03008	2WNO,SS,LN,FxF,2.00/40 +GCA121	(800)356-8000
299-03009	2WNO,SS,LN,FxUF,.50/1.0+GCA121	(800)356-8000
299-03010	2WNO,SS,LN,FxUF,.50/1.6+GCA121	(800)356-8000
299-03011	2WNO,SS,LN,FxUF,.50/2.5+GCA121	(800)356-8000
299-03012	2WNO,SS,LN,FxUF,.50/4.0+GCA121	(800)356-8000
299-03013	2WNO,SS,LN,FxUF,.75/6.3+GCA121	(800)356-8000
299-03014	2WNO,SS,LN,FxUF,1.0/10 +GCA121	(800)356-8000
299-03015	2WNO,SS,LN,UFxUF1.25/16+GCA121	(800)356-8000
299-03016	2WNO,SS,LN,UFxUF1.50/25+GCA121	(800)356-8000
299-03017	2WNO,SS,LN,UFxUF,2.0/40+GCA121	(800)356-8000
299-03018	2WNC,SS,LN,FxF ,.50/1.0+GCA121	(800)356-8000
299-03019	2WNC,SS,LN,FxF ,.50/1.6+GCA121	(800)356-8000
299-03020	2WNC,SS,LN,FxF ,.50/2.5+GCA121	(800)356-8000
299-03021	2WNC,SS,LN,FxF ,.50/4.0+GCA121	(800)356-8000
299-03022	2WNC,SS,LN,FxF ,.75/6.3+GCA121	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
299-03023	2WNC,SS,LN,FxF ,1.0/10 +GCA121	(800)356-8000
299-03024	2WNC,SS,LN,FxF,1.25/16 +GCA121	(800)356-8000
299-03025	2WNC,SS,LN,FxF,1.50/25 +GCA121	(800)356-8000
299-03026	2WNC,SS,LN,FxF, 2.0/40 +GCA121	(800)356-8000
299-03027	2WNC,SS,LN,FxUF, .50/1.0+GCA121	(800)356-8000
299-03028	2WNC,SS,LN,FxUF, .50/1.6+GCA121	(800)356-8000
299-03029	2WNC,SS,LN,FxUF, .50/2.5+GCA121	(800)356-8000
299-03030	2WNC,SS,LN,FxUF, .50/4.0+GCA121	(800)356-8000
299-03031	2WNC,SS,LN,FxUF, .75/6.3+GCA121	(800)356-8000
299-03032	2WNC,SS,LN,FxUF,1.0/10 +GCA121	(800)356-8000
299-03033	2WNC,SS,LN,UFxUF1.25/16+GCA121	(800)356-8000
299-03034	2WNC,SS,LN,UFxUF1.50/25+GCA121	(800)356-8000
299-03035	2WNC,SS,LN,UFxUF,2.0/40+GCA121	(800)356-8000
299-03054	2WNO,SS,VR,FxF,0.5/1.00+GCA121	(800)356-8000
299-03055	2WNO,SS,VR,FxF,0.5/1.6 +GCA121	(800)356-8000
299-03056	2WNO,SS,VR,FxF,0.5/2.5 +GCA121	(800)356-8000
299-03057	2WNO,SS,VR,FxF,0.5/4.0 +GCA121	(800)356-8000
299-03058	2WNO,SS,VR,FxF, .75/6.3 +GCA121	(800)356-8000
299-03059	2WNO,SS,VR,FxF,1.0/10 +GCA121	(800)356-8000
299-03060	2WNO,SS,VR,FxF,1.25/16 +GCA121	(800)356-8000
299-03061	2WNO,SS,VR,FxF,1.50/25 +GCA121	(800)356-8000
299-03062	2WNO,SS,VR,FxF, 2.0/40 +GCA121	(800)356-8000
299-03063	2WNO,SS,VR,FxUF, .50/1.0+GCA121	(800)356-8000
299-03064	2WNO,SS,VR,FxUF, .50/1.6+GCA121	(800)356-8000
299-03065	2WNO,SS,VR,FxUF, .50/2.5+GCA121	(800)356-8000
299-03066	2WNO,SS,VR,FxUF, .50/4.0+GCA121	(800)356-8000
299-03067	2WNO,SS,VR,FxUF, .75/6.3+GCA121	(800)356-8000
299-03068	2WNO,SS,VR,FxUF,1.0/10 +GCA121	(800)356-8000
299-03069	2WNO,SS,VR,FUxFU1.25/16+GCA121	(800)356-8000
299-03070	2WNO,SS,VR,FUxFU1.50/25+GCA121	(800)356-8000
299-03071	2WNO,SS,VR,FUxFU.2.0/40+GCA121	(800)356-8000
299-03072	2WNC,SS,VR,FxF, .50/1.0+GCA121	(800)356-8000
299-03073	2WNC,SS,VR,FxF, .50/1.6+GCA121	(800)356-8000
299-03074	2WNC,SS,VR,FxF, .50/2.5+GCA121	(800)356-8000
299-03075	2WNC,SS,VR,FxF, .50/4.0+GCA121	(800)356-8000
299-03076	2WNC,SS,VR,FxF, .75/6.3+GCA121	(800)356-8000
299-03077	2WNC,SS,VR,FxF,1.0/10 +GCA121	(800)356-8000
299-03078	2WNC,SS,VR,FxF,1.25/16 +GCA121	(800)356-8000
299-03079	2WNC,SS,VR,FxF,1.50/25 +GCA121	(800)356-8000
299-03080	2WNC,SS,VR,FxF,2.00/40 +GCA121	(800)356-8000
299-03081	2WNC,SS,VR,FxUF, .50/1.0+GCA121	(800)356-8000
299-03082	2WNC,SS,VR,FxUF, .50/1.6+GCA121	(800)356-8000
299-03083	2WNC,SS,VR,FxUF, .50/2.5+GCA121	(800)356-8000
299-03084	2WNC,SS,VR,FxUF, .50/4.0+GCA121	(800)356-8000
299-03085	2WNC,SS,VR,FxUF, .75/6.3+GCA121	(800)356-8000
299-03086	2WNC,SS,VR,FxUF,1.0/10 +GCA121	(800)356-8000
299-03087	2WNC,SS,VR,UFxUF1.25/16+GCA121	(800)356-8000
299-03088	2WNC,SS,VR,UFxUF1.50/25+GCA121	(800)356-8000
299-03089	2WNC,SS,VR,UFxUF,2.0/40+GCA121	(800)356-8000
299-03108	2WNO,SS,=%,FxF,0.5/1.00+GCA121	(800)356-8000
299-03109	2WNO,SS,=%,FxF,0.50/1.6+GCA121	(800)356-8000
299-03110	2WNO,SS,=%,FxF,0.50/2.5+GCA121	(800)356-8000
299-03111	2WNO,SS,=%,FxF,0.50/4.0+GCA121	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
299-03112	2WNO,SS,=%,FxF,0.75/6.3+GCA121	(800)356-8000
299-03113	2WNO,SS,=%,FxF, 1.0/10 +GCA121	(800)356-8000
299-03114	2WNO,SS,=%,FxF,1.25/16 +GCA121	(800)356-8000
299-03115	2WNO,SS,=%,FxF,1.50/25 +GCA121	(800)356-8000
299-03116	2WNO,SS,=%,FxF,2.00/40 +GCA121	(800)356-8000
299-03117	2WNO,SS,=%,FxF,50/1.0+GCA121	(800)356-8000
299-03118	2WNO,SS,=%,FxF,50/1.6+GCA121	(800)356-8000
299-03119	2WNO,SS,=%,FxF,50/2.5+GCA121	(800)356-8000
299-03120	2WNO,SS,=%,FxF,50/4.0+GCA121	(800)356-8000
299-03121	2WNO,SS,=%,FxF,75/4.0+GCA121	(800)356-8000
299-03122	2WNO,SS,=%,FxF,1.0/6.3+GCA121	(800)356-8000
299-03123	2WNO,SS,=%,UFxF1.25/16+GCA121	(800)356-8000
299-03124	2WNO,SS,=%,UFxF1.50/25+GCA121	(800)356-8000
299-03125	2WNO,SS,=%,UFxF2.0/40+GCA121	(800)356-8000
299-03126	2WNC,SS,=%,FxF,50/1.0+GCA121	(800)356-8000
299-03127	2WNC,SS,=%,FxF,50/1.6+GCA121	(800)356-8000
299-03128	2WNC,SS,=%,FxF,50/2.5+GCA121	(800)356-8000
299-03129	2WNC,SS,=%,FxF,50/4.0+GCA121	(800)356-8000
299-03130	2WNC,SS,=%,FxF,75/6.3+GCA121	(800)356-8000
299-03131	2WNC,SS,=%,FxF,1.0/10 +GCA121	(800)356-8000
299-03132	2WNC,SS,=%,FxF,1.25/16 +GCA121	(800)356-8000
299-03133	2WNC,SS,=%,FxF,1.50/25 +GCA121	(800)356-8000
299-03134	2WNC,SS,=%,FxF,2.0/40 +GCA121	(800)356-8000
299-03135	2WNC,SS,=%,FxF,50/1.0+GCA121	(800)356-8000
299-03136	2WNC,SS,=%,FxF,50/1.6+GCA121	(800)356-8000
299-03137	2WNC,SS,=%,FxF,50/2.5+GCA121	(800)356-8000
299-03138	2WNC,SS,=%,FxF,50/4.0+GCA121	(800)356-8000
299-03139	2WNC,SS,=%,FxF,75/6.3+GCA121	(800)356-8000
299-03140	2WNC,SS,=%,FxF,1.0/10 +GCA121	(800)356-8000
299-03141	2WNC,SS,=%,UFxF1.25/16+GCA121	(800)356-8000
299-03142	2WNC,SS,=%,UFxF1.50/25+GCA121	(800)356-8000
299-03143	2WNC,SS,=%,UFxF2.0/40+GCA121	(800)356-8000
299-03144	3WMX,SS,=%,FxF,50/1.0+GCA121	(800)356-8000
299-03145	3WMX,SS,=%,FxF,50/1.6+GCA121	(800)356-8000
299-03146	3WMX,SS,=%,FxF,50/2.5+GCA121	(800)356-8000
299-03147	3WMX,SS,=%,FxF,50/4.0+GCA121	(800)356-8000
299-03148	3WMX,SS,=%,FxF,75/6.3+GCA121	(800)356-8000
299-03149	3WMX,SS,=%,FxF,1.0/10 +GCA121	(800)356-8000
299-03150	3WMX,SS,=%,FxF,1.25/16 +GCA121	(800)356-8000
299-03151	3WMX,SS,=%,FxF,1.50/25 +GCA121	(800)356-8000
299-03152	3WMX,SS,=%,FxF,2.0/40 +GCA121	(800)356-8000
299-03153	3WMX,SS,=%,FxF,50/1.0+GCA121	(800)356-8000
299-03154	3WMX,SS,=%,FxF,50/1.6+GCA121	(800)356-8000
299-03155	3WMX,SS,=%,FxF,50/2.5+GCA121	(800)356-8000
299-03156	3WMX,SS,=%,FxF,50/4.0+GCA121	(800)356-8000
299-03157	3WMX,SS,=%,FxF,75/6.3+GCA121	(800)356-8000
299-03158	3WMX,SS,=%,FxF,1.0/10 +GCA121	(800)356-8000
299-03159	3WMX,SS,=%,UFxF1.25/16+GCA121	(800)356-8000
299-03160	3WMX,SS,=%,UFxF1.50/25+GCA121	(800)356-8000
299-03161	3WMX,SS,=%,UFxF2.0/40+GCA121	(800)356-8000
299-03162	2WNO,BZ,=%,FxF,0.5/1.00+GCA121	(800)356-8000
299-03163	2WNO,BZ,=%,FxF,0.5/1.6 +GCA121	(800)356-8000
299-03164	2WNO,BZ,=%,FxF,0.5/2.5 +GCA121	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
299-03165	2WNO,BZ,=%,FxF,0.5/4.0 +GCA121	(800)356-8000
299-03166	2WNO,BZ,=%,FxF,,.75/6.3 +GCA121	(800)356-8000
299-03167	2WNO,BZ,=%,FxF,1.0/10 +GCA121	(800)356-8000
299-03168	2WNO,BZ,=%,FxF,1.25/16 +GCA121	(800)356-8000
299-03169	2WNO,BZ,=%,FxF,1.50/25 +GCA121	(800)356-8000
299-03170	2WNO,BZ,=%,FxF,2.00/40 +GCA121	(800)356-8000
299-03171	2WNO,BZ,=%,FxF,50/1.0+GCA121	(800)356-8000
299-03172	2WNO,BZ,=%,FxF,50/1.6+GCA121	(800)356-8000
299-03173	2WNO,BZ,=%,FxF,50/2.5+GCA121	(800)356-8000
299-03174	2WNO,BZ,=%,FxF,50/4.0+GCA121	(800)356-8000
299-03175	2WNO,BZ,=%,FxF,75/6.3+GCA121	(800)356-8000
299-03176	2WNO,BZ,=%,FxF,1.0/10 +GCA121	(800)356-8000
299-03177	2WNO,BZ,=%,UFxF1.25/16+GCA121	(800)356-8000
299-03178	2WNO,BZ,=%,UFxF1.50/16+GCA121	(800)356-8000
299-03179	2WNO,BZ,=%,UFxF2.0/40+GCA121	(800)356-8000
299-03180	2WNC,BZ,=%,FxF,0.50/1.0+GCA121	(800)356-8000
299-03181	2WNC,BZ,=%,FxF,0.50/1.6+GCA121	(800)356-8000
299-03182	2WNC,BZ,=%,FxF,0.50/2.5+GCA121	(800)356-8000
299-03183	2WNC,BZ,=%,FxF,0.50/4.0+GCA121	(800)356-8000
299-03184	2WNC,BZ,=%,FxF,0.75/6.3+GCA121	(800)356-8000
299-03185	2WNC,BZ,=%,FxF,1.00/10 +GCA121	(800)356-8000
299-03186	2WNC,BZ,=%,FxF,1.25/16 +GCA121	(800)356-8000
299-03187	2WNC,BZ,=%,FxF,1.50/25 +GCA121	(800)356-8000
299-03188	2WNC,BZ,=%,FxF,2.00/40 +GCA121	(800)356-8000
299-03189	2WNC,BZ,=%,FxF,50/1.0+GCA121	(800)356-8000
299-03190	2WNC,BZ,=%,FxF,50/1.6+GCA121	(800)356-8000
299-03191	2WNC,BZ,=%,FxF,50/2.5+GCA121	(800)356-8000
299-03192	2WNC,BZ,=%,FxF,50/4.0+GCA121	(800)356-8000
299-03193	2WNC,BZ,=%,FxF,75/6.3+GCA121	(800)356-8000
299-03194	2WNC,BZ,=%,FxF,1.0/10 +GCA121	(800)356-8000
299-03195	2WNC,BZ,=%,UFxF1.25/16+GCA121	(800)356-8000
299-03196	2WNC,BZ,=%,UFxF1.50/25+GCA121	(800)356-8000
299-03197	2WNC,BZ,=%,UFxF2.0/40+GCA121	(800)356-8000
299-03198	3WMX,BZ,=%,FxF,0.50/1.0+GCA121	(800)356-8000
299-03199	3WMX,BZ,=%,FxF,0.50/1.6+GCA121	(800)356-8000
299-03200	3WMX,BZ,=%,FxF,0.50/2.5+GCA121	(800)356-8000
299-03201	3WMX,BZ,=%,FxF,0.50/4.0+GCA121	(800)356-8000
299-03202	3WMX,BZ,=%,FxF,0.75/6.3+GCA121	(800)356-8000
299-03203	3WMX,BZ,=%,FxF,1.0/10 +GCA121	(800)356-8000
299-03204	3WMX,BZ,=%,FxF,1.25/16 +GCA121	(800)356-8000
299-03205	3WMX,BZ,=%,FxF,1.50/25 +GCA121	(800)356-8000
299-03206	3WMX,BZ,=%,FxF,2.00/40 +GCA121	(800)356-8000
299-03207	3WMX,BZ,=%,FxF,50/1.0+GCA121	(800)356-8000
299-03208	3WMX,BZ,=%,FxF,50/1.6+GCA121	(800)356-8000
299-03209	3WMX,BZ,=%,FxF,50/2.5+GCA121	(800)356-8000
299-03210	3WMX,BZ,=%,FxF,50/4.0+GCA121	(800)356-8000
299-03211	3WMX,BZ,=%,FxF,75/6.3+GCA121	(800)356-8000
299-03212	3WMX,BZ,=%,FxF,1.0/10 +GCA121	(800)356-8000
299-03213	3WMX,BZ,=%,UFxF1.25/16+GCA121	(800)356-8000
299-03214	3WMX,BZ,=%,UFxF1.50/16+GCA121	(800)356-8000
299-03215	3WMX,BZ,=%,FxF,2.00/40+GCA121	(800)356-8000
299-03216	2WNO,SS,LN,FxF,50/1.0+GCA121	(800)356-8000
299-03217	2WNO,SS,LN,FxF,50/1.6+GCA121	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
299-03218	2WNO,SS,LN,FxUF,.50/2.5+GCA121	(800)356-8000
299-03219	2WNO,SS,LN,FxUF,.50/4.0+GCA121	(800)356-8000
299-03220	2WNO,SS,LN,FxUF,.75/6.3+GCA121	(800)356-8000
299-03221	2WNO,SS,LN,FxUF,1.0/10 +GCA121	(800)356-8000
299-03225	2WNC,SS,LN,FxUF,.50/4.0+GCA121	(800)356-8000
299-03226	2WNC,SS,LN,FxUF,.75/6.3+GCA121	(800)356-8000
299-03227	2WNC,SS,LN,FxUF,1.0/10 +GCA121	(800)356-8000
299-03228	2WNC,SS,OR,LN,FxUF,0.50/4.0	(800)356-8000
299-03229	2WNC,SS,FxUM,LN,.75/6.3,OR	(800)356-8000
299-03230	2WNC,SS,LN,FxUM,1.0/10 +GCA121	(800)356-8000
299-03234	2WNO,SS,VR,FxUF,.50/1.0+GCA121	(800)356-8000
299-03235	2WNO,SS,VR,FxUF,.50/1.6+GCA121	(800)356-8000
299-03236	2WNO,SS,VR,FxUF,.50/2.5+GCA121	(800)356-8000
299-03237	2WNO,SS,VR,FxUF,.50/4.0+GCA121	(800)356-8000
299-03238	2WNO,SS,VR,FxUF,.75/6.3+GCA121	(800)356-8000
299-03239	2WNO,SS,VR,FxUF,1.0/10 +GCA121	(800)356-8000
299-03243	2WNC,SS,VR,FxUF,.50/1.0+GCA121	(800)356-8000
299-03244	2WNC,SS,VR,FxUF,.50/1.6+GCA121	(800)356-8000
299-03245	2WNC,SS,VR,FxUF,.50/2.5+GCA121	(800)356-8000
299-03246	2WNC,SS,VR,FxUF,.50/4.0+GCA121	(800)356-8000
299-03247	2WNC,SS,VR,FxUF,.75/6.3+GCA121	(800)356-8000
299-03248	2WNC,SS,VR,FxUF,1.0/10 +GCA121	(800)356-8000
299-03252	2WNO,SS,=%,FxFUF,.50/1.0+GCA121	(800)356-8000
299-03253	2WNO,SS,=%,FxFUF,.50/1.6+GCA121	(800)356-8000
299-03254	2WNO,SS,=%,FxFUF,.50/2.5+GCA121	(800)356-8000
299-03255	2WNO,SS,=%,FxFUF,.50/4.0+GCA121	(800)356-8000
299-03256	2WNO,SS,=%,FxFUF,.75/6.3+GCA121	(800)356-8000
299-03257	2WNO,SS,=%,FxFUF,1.0/10 +GCA121	(800)356-8000
299-03261	2WNC,SS,=%,FxFUF,.50/1.0+GCA121	(800)356-8000
299-03262	2WNC,SS,=%,FxFUF,.50/1.6+GCA121	(800)356-8000
299-03263	2WNC,SS,=%,FxFUF,.50/2.5+GCA121	(800)356-8000
299-03264	2WNC,SS,=%,FxFUF,.50/4.0+GCA121	(800)356-8000
299-03265	2WNC,SS,=%,FxFUF,.75/6.3+GCA121	(800)356-8000
299-03266	2WNC,SS,=%,FxFUF,1.0/10 +GCA121	(800)356-8000
299-03270	2WNO,BZ,=%,FxFUF,.50/1.0+GCA121	(800)356-8000
299-03271	2WNO,BZ,=%,FxFUF,.50/1.6+GCA121	(800)356-8000
299-03272	2WNO,BZ,=%,FxFUF,.50/2.5+GCA121	(800)356-8000
299-03273	2WNO,BZ,=%,FxFUF,.50/4.0+GCA121	(800)356-8000
299-03274	2WNO,BZ,=%,FxFUF,.75/6.3+GCA121	(800)356-8000
299-03275	2WNO,BZ,=%,FxFUF,1.0/10 +GCA121	(800)356-8000
299-03279	2WNC,BZ,=%,FxFUF,.50/1.0+GCA121	(800)356-8000
299-03280	2WNC,BZ,=%,FxFUF,.50/1.6+GCA121	(800)356-8000
299-03281	2WNC,BZ,=%,FxFUF,.50/2.5+GCA121	(800)356-8000
299-03282	2WNC,BZ,=%,FxFUF,.50/4.0+GCA121	(800)356-8000
299-03283	2WNC,BZ,=%,FxFUF,.75/6.3+GCA121	(800)356-8000
299-03284	2WNC,BZ,=%,FxFUF,1.0/10 +GCA121	(800)356-8000
331-033	AP331 UNV MTG PLATE FOR #3	(800)356-8000
331-077	OBS/BY 331-077A ,AP331 RPLMT D	(800)356-8000
331-077A	AP331 DIAPHRAGM FOR #6	(800)356-8000
331-2793	No.6 PNEU ACTUATOR,3-8PSI, P-M	(800)356-8000
331-2794	No.6 PNEU ACTUATOR,3-13PSI,P-M	(800)356-8000
331-2796	No.6 PNEU ACT,3-13PSI,P-M,N-AD	(800)356-8000
331-2856	No.6 PNEU ACTUATOR,8-13PSI,P-M	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
331-2857	No.6 PNEU ACTUATOR,3-8PSI,P-M	(800)356-8000
331-2858	No.6 PNEU ACTUATOR,3-13PSI,P-M	(800)356-8000
331-2882	LRG CAP PNEU ACT W/POSITIONER	(800)356-8000
331-2904	No.4 PNEU ACTUATOR.3-7 PSI, P-	(800)356-8000
331-2905	No.4 PNEU ACTUATOR,3-13 PSI, P	(800)356-8000
331-2906	No.4 PNEU ACTUATOR,5-10 PSI, P	(800)356-8000
331-2909	No.4 PNEU ACT,HESITATION, P-M	(800)356-8000
331-2910	No.4 PNEU ACTUATOR,3-7PSI, FR-	(800)356-8000
331-2911	No.4 PNEU ACTUATOR,3-7PSI, F-M	(800)356-8000
331-2912	No.4 PNEU ACT,3-7PSI,F-M	(800)356-8000
331-2917	No.4 PNEU ACT,5-10 PSI, FR-M	(800)356-8000
331-292	AP331 CLEVIS	(800)356-8000
331-2927	No.4 PNEU ACT,HESITATION, F-M	(800)356-8000
331-2929	No.4 PNEU ACTUATOR,3-7PSI,P-M	(800)356-8000
331-293	AP331 CLEVIS PIN FOR #4,#6	(800)356-8000
331-2930	No.4 PNEU ACTUATOR,3-13PSI,P-M	(800)356-8000
331-2931	No.4 PNEU ACTUATOR,5-10PSI,P-M	(800)356-8000
331-2934	No.4 PNEU ACTUATOR,5-10PSI, F-	(800)356-8000
331-2961	No.4 PNEU ACT,8-13 PSI, P-M	(800)356-8000
331-2963	No.4 PNEU ACT,8-13 PSI, FR-M	(800)356-8000
331-2966	No.4 PNEU ACTUATOR,8-13PSI, F-	(800)356-8000
331-2968	No.4 PNEU ACTUATOR,8-13PSI,P-M	(800)356-8000
331-2969	No.4 ACT 8-13No.PIVOT MT	(800)356-8000
331-2973	No.4 PNEU ACTUATOR,8-13PSI, U-	(800)356-8000
331-2974	No.4 PNEU ACT HESITA SIDE MTG	(800)356-8000
331-2975	No.4 ACT 3-13No.SPRG PIVOT MTG	(800)356-8000
331-2977	#4 PNEU ACT, 5-10PSI, REED	(800)356-8000
331-2998	No.4 PNEU ACT.8-13PSI W/CLEVES	(800)356-8000
331-3000	No.4 PNEU ACTUATOR,3-7PSI, U-M	(800)356-8000
331-3001	No.4 PNEU ACTUATOR,3-13 PSI, U	(800)356-8000
331-3002	No.4 PNEU ACTUATOR,5-10 PSI, U	(800)356-8000
331-3004	No.4 PNEU ACT,HESITATION, U-M	(800)356-8000
331-3011	No.6 PNEU ACTUATOR,8-13 PSI, U	(800)356-8000
331-3012	No.6 PNEU ACTUATOR,3-8 PSI, U-	(800)356-8000
331-3013	No.6 PNEU ACTUATOR,3-13 PSI, U	(800)356-8000
331-3015	4"PNEU ACT,3-7 PSI FIX BALL	(800)356-8000
331-3016	4"PNEU ACT,5-10 PSI FIX BALL	(800)356-8000
331-3017	4"PNEU ACT,8-13 PSI, FIX BALL	(800)356-8000
331-3018	No.4 PNEU ACT,3-13, W/BALL JOIN	(800)356-8000
331-3060	No.6 PNEU ACT, FOR FIRE & SMOKE	(800)356-8000
331-3070	No.6 PNEU ACT,3-13PSI,TANDEM M	(800)356-8000
331-4302	No.3 PNEU ACT 3-7PSI 1 3/4" PV	(800)356-8000
331-4310	No.3PNEU ACT 3-7L 2 3/8" BASIC	(800)356-8000
331-4311	No.3PNEU ACT.3-7LB EXT	(800)356-8000
331-4312	No.3PNEU ACT.3-7,2 3/8 PIVOT	(800)356-8000
331-4313	No.3PNEU ACT 3-7,2 3/8"FIXED	(800)356-8000
331-4314	No.3 PNEU ACT.3-7,2 3/8"FIX CV	(800)356-8000
331-4315	No.3 PNEU ACT 3-7,2 3/8"UNIT V	(800)356-8000
331-4322	No.3 PNEU.ACT.OEM,3-7 ,2 3/4"S	(800)356-8000
331-4323	No.3 ACT 3-7,2 3/4"FIXED MTG	(800)356-8000
331-4325	AP331 #3 ACT.3-7PSI,2 3/4"STRK	(800)356-8000
331-4327	AP331 #3 ACT.3-7,2 3/4",RUSKIN	(800)356-8000
331-4331	No.3 ACT,3-7, FIXED BALL JOINT	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
331-4502	No.3 PNEU ACT 5-10PSI 1 3/4" P	(800)356-8000
331-4510	No.3PNEU ACT 5-10L 2 3/8"BASIC	(800)356-8000
331-4511	No.3PNEU ACT.5-10 EXT SHAFT	(800)356-8000
331-4512	No.3PNEU ACT.5-10 2 3/8"PIVOT	(800)356-8000
331-4513	No.3PNEU ACT 5-10,2 3/8"FIXED	(800)356-8000
331-4514	No.3 PNEU ACT 5-10,2 3/8"FIX C	(800)356-8000
331-4520	No.3PNEU.ACT 5-10L.2 3/4"BASIC	(800)356-8000
331-4522	No.3 PNEU.ACT.OEM,5-10,2 3/4"S	(800)356-8000
331-4523	No.3 ACT,5-10,2 3/4" FIXED MTG	(800)356-8000
331-4525	AP331 #3 ACT.5-10PSI,2 3/4"STR	(800)356-8000
331-4531	No.3 ACT,3-10,FIXED BALL JOINT	(800)356-8000
331-4802	No.3 PNEU ACT 8-13PSI 1 3/4" P	(800)356-8000
331-4810	No.3 PNEU ACT 8-13LB 2 3/8"BAS	(800)356-8000
331-4812	No.3PNEU ACT 8-13,2 3/8"PIVOT	(800)356-8000
331-4813	No.3PNEU ACT 8-13,2 3/8"FIXED	(800)356-8000
331-4814	No.3 PNEU ACT 8-13,2 3/8"FIX C	(800)356-8000
331-4820	No.3PNEU ACT 8-13LB 2 3/4"BASI	(800)356-8000
331-4821	No.3 PNEU ACT.8-13PSI.2-3/4"EX	(800)356-8000
331-4822	No.3 PNEU.ACT 8-13"OEM CESCO	(800)356-8000
331-4823	No.3 ACT,8-13,2-3/4" FIXED MTG	(800)356-8000
331-4824	No.3PNEU ACT 8-13,2 3/4",RUSKI	(800)356-8000
331-4825	AP331 #3 ACT.5-13PSI,2 3/4"STR	(800)356-8000
331-4831	No.3 ACT,8-13,FIXED BALL JOINT	(800)356-8000
331-530	4"PNEU ACT-PIVOT MTG LINK KIT	(800)356-8000
331-535	AP331 CRANK KIT FOR LC ACT	(800)356-8000
331-547	AP331 RPLMT PIVOT SHAFT FOR #4	(800)356-8000
331-565	AP331 RPLMT PVT SFT FOR #4, #6	(800)356-8000
331-569	AP331 FRAME MTG LUG FOR #4,#6	(800)356-8000
331-618	AP331 REMOTE MTG KIT FOR #4,#6	(800)356-8000
331-623	AP331 UNV MTG PLT FOR #4,#6	(800)356-8000
331-623A	BRACKET, UNIVERSAL MOUNTING PL	(800)356-8000
331-627	BALL JOINT CONNECTOR	(800)356-8000
331-631	AP331 1/2" SHAFT EXT FOR#3,4,6	(800)356-8000
331-632	AP331 3/8" SHAFT EXT FOR#3,4,6	(800)356-8000
331-653	AP331 CLEVIS FR-M MTG FOR#4,#6	(800)356-8000
331-656	BALL JOINT CONNECTOR	(800)356-8000
331-657	BALL JOINT CONNECTOR	(800)356-8000
331-671	LINKAGE KIT	(800)356-8000
331-674	MOTOR STEM EXTENDER KIT	(800)356-8000
331-694	BALL JOINT CONNECTOR	(800)356-8000
331-795	AP331 SHAFT CRANK FOR #4	(800)356-8000
331-805	AP331 SHAFT CRANK #3	(800)356-8000
331-807	AP331 HITCH PIN FOR #4,#6	(800)356-8000
331-862	BRONZE BEARING #4 & #6 UNIVERS	(800)356-8000
331-877	AP331 SHAFT CRANK FOR #3	(800)356-8000
331-878	AP331 SHAFT CRANK FOR #3	(800)356-8000
331-879B	U-LINK 1 INPLTD	(800)356-8000
331-880	AP331 HITCH PIN FOR #3	(800)356-8000
331-881	TUBING KIT	(800)356-8000
331-882	AP331 LINKAGE KIT FOR #3(BULK)	(800)356-8000
331-883	AP331 LINKAGE KIT FOR #4(BULK)	(800)356-8000
331-888	AP331 LINKAGE KIT FOR #4	(800)356-8000
331-916	AP331 SIDE MTG BRACKET FOR #4	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
331-918	CLEVIS PIN	(800)356-8000
331-938	AP331 STROKE STOP KIT,ADJ 3-4"	(800)356-8000
331-939	AP331 STROKE STOP KIT,ADJ 2-4"	(800)356-8000
331-941	AP331 DAMPER SHAFT CRANK ASSY	(800)356-8000
331-942	CRANK KIT	(800)356-8000
331-943	CRANK KIT	(800)356-8000
331-945	PIVOT MOUNTING KIT	(800)356-8000
331-946	MOUNTING ACCESSORY KIT	(800)356-8000
331-947	AP331 LINKAGE KIT FOR #4	(800)356-8000
331-952	MOUNTING ACCESSORY KIT	(800)356-8000
331-953	MOUNTING ACCESSORY KIT	(800)356-8000
331-954	AP331 LINKAGE KIT FOR #4	(800)356-8000
331-958	AP331 LINKAGE KIT FOR #4,#6	(800)356-8000
332-2856	No.6 PNEU ACT,8-13PSI,P-M,W/P-	(800)356-8000
332-2961	No.4 PNEU ACT,8-13PSI,P-M,W/P-	(800)356-8000
332-2966	No.4ACT 8-13 PSI W/RELAY	(800)356-8000
332-2973	#4 PNEU ACT,8-13PSI,U-M,W/P-R	(800)356-8000
332-3011	No.6 PNEU ACT,8-13 PSI,U-M,W/P	(800)356-8000
332-3060	No.6 ACTUATOR W/RELAY	(800)356-8000
332-4811	No.3 PNEU ACT.W/RELAY 2 3/8"ST	(800)356-8000
332-4821	No.3 PNEU ACT W/RELAY 2 3/4"ST	(800)356-8000
332-4831	No.3 ACT, FIX MTG BALL CON W/RE	(800)356-8000
333-030	AP331 SHAFT EXT KIT FOR #4,#6	(800)356-8000
333-034	AP331 DMPR BLD ROCKER ARM#4#6	(800)356-8000
333-043-03	1/2" SHAFT EXTENSION ASSEMBLY	(800)356-8000
333-045	331 INSTL KIT #4 #6 BULK PK	(800)356-8000
333-056	LC ACT CYLINDER SEAL RPLMT KIT	(800)356-8000
333-065	SHAFT	(800)356-8000
333-066	LINKAGE & MOUNTING KIT FOR #4	(800)356-8000
333-067	BULK LINKAGE KIT	(800)356-8000
333-071	AP331 RPLMT DIAPHRAGM FOR #4	(800)356-8000
333-072	AP331 RPLMT DIAPHRAGM FOR #4	(800)356-8000
333-078	AP331 CRANK/SCREWS FOR #6	(800)356-8000
333-120	LINKAGE KIT BULK PACK	(800)356-8000
333-121	LINKAGE KIT BULK PACK	(800)356-8000
333-139	PIVOT POST	(800)356-8000
333-142	PISTON CUP & SHAFT ASY.	(800)356-8000
333-148	PIVOT MOUNTING KIT	(800)356-8000
333-176	OFFSET MOUNTING BRACKET	(800)356-8000
333-181	DAMPER SHAFT ASY 1"DIA	(800)356-8000
333-182	DAMPER SHAFT CRANK ASY 5/8"DIA	(800)356-8000
333-183	DAMPER SHAFT CRANK KIT 3/4"DIA	(800)356-8000
333-184	1/2"SHAFT EXTENSION KIT 9"LONG	(800)356-8000
333-191	CLEVIS	(800)356-8000
333-194	1" SHAFT EXTENSION KIT	(800)356-8000
333-197	RETRO-FIT KIT #6 ACTUATOR	(800)356-8000
333-207	CLEVIS	(800)356-8000
333-208	AP331 MTG BRACKET 90 DEGREE	(800)356-8000
333-572	#6 ACT SI 5PK DIAPH REPLACEMEN	(800)356-8000
338-001	60 LB IN MODULATING SP RET ACT	(800)356-8000
338-012	75 LB-IN MODULATING NSR ACT	(800)356-8000
338-014	300 LB-IN MODULATING NSR ACT.	(800)356-8000
338-021	60 LB-IN 2 POSITION SP RET AC	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
338-031	FLOOR MOUNT LINKAGE KIT	(800)356-8000
338-032	FRAME MOUNT LINKAGE KIT	(800)356-8000
338-041	12"DAMPER PUSHROD	(800)356-8000
338-042	15"DAMPER PUSHROD	(800)356-8000
338-043	18"DAMPER PUSHROD	(800)356-8000
338-044	24"DAMPER PUSHROD	(800)356-8000
338-045	36"DAMPER PUSHROD	(800)356-8000
338-046	48"DAMPER PUSHROD	(800)356-8000
338-050	EA338 REPAIR CIRCUIT ASSEMBLY	(800)356-8000
356-0012	TH356 STAT,RGD BLB 0-100F,DA	(800)356-8000
356-0013	TH356 STAT.RIGID BLB,0-100F,RA	(800)356-8000
356-0014	TH356 STAT,RGD BLB,20-40C ,DA	(800)356-8000
356-0015	TH356 STAT.RIGID BLB,20-40C,RA	(800)356-8000
356-0750	TH356 STAT,RGD BLB,30-180F,DA	(800)356-8000
356-090	TH356 ACC, SWIVEL MTG KIT	(800)356-8000
356-1005	TH356 STAT,RIGID BLB,30/180,RA	(800)356-8000
356-1006	TH356 STAT,RGD BULB,100/250,RA	(800)356-8000
356-1007	TH356 STAT,RIGID BLB,0/80C,RA	(800)356-8000
356-1008	TH356 STAT,RGD BULB,40/120C,RA	(800)356-8000
356-106	EXHAUST VALVE ASSEMBLY	(800)356-8000
356-115	TH357 AVERAGING BULB MTG CLIP	(800)356-8000
357-0001	LIM STAT,8'AVG BLB,35/145F	(800)356-8000
357-0003	LIM T'STAT,REM BULB,20/100	(800)356-8000
357-0004	LIM STAT,15" AVG,40'CAP,35/145	(800)356-8000
357-0005	LIM T'STAT,REM BULB,120/230	(800)356-8000
357-001	CAPILLARY MOUNT.CLIP(100/BOX)	(800)356-8000
358-051	LIM T'STAT,WELL FOR RIGID BULB	(800)356-8000
380-024	RL380 CHECK VALVE	(800)356-8000
4 104 5575 8	REPL.COVER KIT FOR SQX 0	(800)356-8000
4 104 5582 8	SKB/C REPAIR WIRE BOX COVER	(800)356-8000
4 104 5634 8	REPL.COVER KIT FOR SKD 0	(800)356-8000
4 224 5611 8	SSB VALVE VISUAL POSITION KIT	(800)356-8000
4 268 5504 8	MANUAL OVERRIDE KIT FOR SKD	(800)356-8000
4 268 5510 8	SKB/C REPAIR MANUAL POS CRANK	(800)356-8000
4 268 8895 0	KNOB	(800)356-8000
4 284 8829 0	SEALING GLAND W/TEFLON PACKING	(800)356-8000
4 431 5543 8	PCB REPAIR KIT FOR SQX62U	(800)356-8000
4 668 5638 8	SKB/C/D REPAIR CIRCUIT BOARD	(800)356-8000
4 668 5641 8	PCB REPAIR KIT(SQX82.00U/03U	(800)356-8000
4 668 5666 8	SQX62U REPAIR PCB	(800)356-8000
4 668 5688 8	PCB REPAIR KIT FOR SQX82...U	(800)356-8000
4 668 5748 8	SKB/B/D62U REPAIR PCB	(800)356-8000
4 668 5751 8	SKB/C/D62UA REPAIR CIRCUIT BOA	(800)356-8000
515-0190	RELIEF VALVE, ASME	(800)356-8000
519-158	CALIBRATION CARD	(800)356-8000
527-969	VARISTOR 250V 1200 A PEAK	(800)356-8000
529-084	VARISTOR25V 50A PE	(800)356-8000
529-170	PEAK	(800)356-8000
531-833	SPRING CLAMP	(800)356-8000
531-ZM100-01	1/2" CONDUIT FITTING KIT FOR Z	(800)356-8000
531-ZM200-01	1/2" CONDUIT FITTING KIT FOR Z	(800)356-8000
533-376	D/PT TEMP SENSOR 20/120F, PLAT	(800)356-8000
533-377R	D/PT TEMP SENSOR,30/250F,PLAT	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
533-380	D/AV TEMP SENSOR 20/120F, PLAT	(800)356-8000
535-040	THERMISTOR PROBE	(800)356-8000
535-042	THERMISTOR PROBE	(800)356-8000
535-043	THERMISTOR PROBE	(800)356-8000
535-431A	TEMP.TRANSMITTER,30F-250F	(800)356-8000
535-431B	TEMP.TRANSMITTER,20F-120F	(800)356-8000
535-431C	TEMP.TRANSMITTER,-58F-122F	(800)356-8000
535-431D	TEMP.TRANSMITTER,20F-70F	(800)356-8000
535-490	D/AV RTD 20/120F 12"PROBE,PLAT	(800)356-8000
535-491	D/AV RTD 20/120F 18"PROBE,PLAT	(800)356-8000
535-492	D/AV RTD 20/120F 24"PROBE,PLAT	(800)356-8000
535-493	D/AV RTD 20/120F 36"PROBE,PLAT	(800)356-8000
535-494	D/AV RTD 20/120F 48"PROBE,PLAT	(800)356-8000
535-495	ADHEVISE RTV	(800)356-8000
535-741	D/PT TEMP 40/150F, THERMISTOR	(800)356-8000
535-935	COMP KIT 100K THERM.	(800)356-8000
536-376	2 PIPE AIR VEL SNSR 6"(152MM)	(800)356-8000
536-378	2 PIPE AIR VEL SNSR 8"(203MM)	(800)356-8000
536-380	2 PIPE AIR VEL SNSR 10"(254MM)	(800)356-8000
536-382	2 PIPE AIR VEL SNSR 12"(305MM)	(800)356-8000
536-384	2 PIPE AIR VEL SNSR 14"(356MM)	(800)356-8000
536-553	THERMISTOR REPLACEMENT PROBE	(800)356-8000
536-752AN	RM SNSR 40/90F BEIGE NO LOGO	(800)356-8000
536-752BN	RM SNSR 40/90F WHITE NO LOGO	(800)356-8000
536-753AN	RM SNSR 20/120F BEIGE NO LOGO	(800)356-8000
536-757	COMP KIT 100 OHM 30/250F	(800)356-8000
536-764	COMP KIT 100 OHM 20/70F	(800)356-8000
536-767	IMM TEMP SENS PLATINUM(30/250)	(800)356-8000
536-768	MRAIR TEMP SENS PLAT -58/122F	(800)356-8000
536-774	MRM TEMP SENSOR 100 OHM PLAT.	(800)356-8000
536-777	MRM TEMP SENS 100K OHM THERM	(800)356-8000
536-778	OUTSIDE AIR TEMP SENS 0-120F	(800)356-8000
536-780	SMT 30/250F SENSOR,PLATINUM EL	(800)356-8000
536-784A	FLUSH MT RM SNSR,100K-PEBBLE	(800)356-8000
536-784B	FLUSH MT RM SNSR,100K-WHITE	(800)356-8000
536-811	100K OHM DUCT TEMP SENSOR	(800)356-8000
536-860	TRUNK INTERFACE 220V/240V	(800)356-8000
536-983A	S1K RM TEMP SNSR 20/120F 100K	(800)356-8000
536-983AN	RM SNSR 20/120F THERM BEIGE NL	(800)356-8000
536-983B	S1K RM TEMP SNSR 20/120F 100K	(800)356-8000
536-983BN	RM SNSR 20/120F THERM WHITE NL	(800)356-8000
536-984	100K OHM NTC THERMISTOR FLUSHM	(800)356-8000
536-994A	FLUSH MOUNT RM SNSR 10K-BEIGE	(800)356-8000
536-994B	FLUSH MOUNT RM SNSR 10K-WHITE	(800)356-8000
538-083	THERMOWELL	(800)356-8000
538-381	MODEM,ITU-T,V.34,300-33.6K bps	(800)356-8000
538-670	TRUNK INTERFACE II W/115V 60HZ	(800)356-8000
538-675	TRUNK INTERFACE II W/230V 50HZ	(800)356-8000
538-735	CONVERTS FIBER INTO RS485	(800)356-8000
538-735E	230V CONVERTS FIBER INTO RS484	(800)356-8000
538-740	CONVERTS 2 FIBERS INTO 485	(800)356-8000
538-740E	230V CONVERTS 2 FIBERS IN R485	(800)356-8000
538-745	INPUT FOR 4 FIBERS	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
538-745E	230V INPUT FOR 4 FIBERS	(800)356-8000
538-750	CONVERTS FIBER INTO RS232	(800)356-8000
538-750E	230V CONVERTS FIBER INTO RS232	(800)356-8000
538-760	TRUNK/RS422 INTERFACE,230V,50H	(800)356-8000
538-764	TRUNK INTERFACE GETLC 220VAC	(800)356-8000
538-785	CABLE,RS232 TO HSTIE	(800)356-8000
538-858	CABLE,RJ11 TO MODEM (25 PIN)	(800)356-8000
538-859	SPORTSTER MODEM 56K BPS DIALUP	(800)356-8000
538-860	MODEM 33600 BPS DIALUP SMA KIT	(800)356-8000
538-861	MODEM 33600BPS LEAS LN SMK KIT	(800)356-8000
538-891	SENSOR,DUCT RH 2%	(800)356-8000
538-892	SENSOR,DUCT RH 2%,NIST 3	(800)356-8000
538-893	SENSOR,DUCT RH 5%,	(800)356-8000
538-894	SENSOR,DUCT RH 2%,TEMP	(800)356-8000
538-895	SENSOR,DUCT RH&T,2%,NIST 3	(800)356-8000
538-896	SENSOR,DUCT RH 5%,TEMP	(800)356-8000
538-897	CALIBRATOR,EASY CAL RH	(800)356-8000
538-994	CABLE TIE KIT	(800)356-8000
538-996	CABLE TIE KIT,ACTUATOR	(800)356-8000
540-143	CABLE 9-PIN FEMALE TO RJ-11	(800)356-8000
540-244	RIGID AVG TEMP SENSOR,18"(7CM)	(800)356-8000
540-245	FLEX AVG TEMP SNSR 3'(91CM)	(800)356-8000
540-246	FLEX AVG TEMP SNSR 6'(183 CM)	(800)356-8000
540-538	SENSOR GUARD KIT-FLUSH MOUNT	(800)356-8000
540-970	CONTROLLER CONTINUITY TESTER	(800)356-8000
540-984	10K OHM NTC THERMISTOR FLUSHMO	(800)356-8000
541-305	REPAIR KIT IMM WELL	(800)356-8000
541-307	IMM WELL REPAIR KIT	(800)356-8000
541-309	IMM WELL REPAIR KIT	(800)356-8000
541-311R	IMM WELL REPAIR KIT RERANGED	(800)356-8000
541-313	IMM WELL REPAIR KIT	(800)356-8000
541-313R	IMM WELL REPAIR KIT RERANGED	(800)356-8000
541-315	HEAD ASSY 4" WELL	(800)356-8000
541-576	BASE ASSY ERSII UNIVERSAL	(800)356-8000
544-023	CONDUIT ADPT 18MM ASSY	(800)356-8000
544-089	SURF MT PIPE SENSOR -40/240F	(800)356-8000
544-339	D/PT TEMP SENSOR,RTD,-40/240F	(800)356-8000
544-342	D/AV TEMP SENSOR,RTD,-40/240F	(800)356-8000
544-343	D/AV SNSR,18",PRB,RTD -40/240F	(800)356-8000
544-344	D/AV SNSR,24"PRB,RTD -40/240F	(800)356-8000
544-345	D/AV SNSR,48"PRB,RTD -40/240F	(800)356-8000
544-374A	FLUSHMT RM SNR,1K,PT RTD-PEBBL	(800)356-8000
544-374B	FLUSHMT RM SNR,1K,PT RTD-WHITE	(800)356-8000
544-433	RTD	(800)356-8000
544-500	CU UNION 1/2"F NPTX1/2TBNG	(800)356-8000
544-501	CU UNION 3/4F NPT 3/4F TBNG	(800)356-8000
544-502	CU ADPTR 1/2F NPT 1/2F TBNG	(800)356-8000
544-503	CU ADPTR 3/4F NPT X 3/4F TBNG	(800)356-8000
544-560	D/P TEMP SENSOR,-20-50C PLATIN	(800)356-8000
544-562	IMM TEMP SENSOR,0C-100C PLATIN	(800)356-8000
544-567	COMP KIT 1000 OHM RTD	(800)356-8000
544-577	IMM TEMP SENS (-40/240F)	(800)356-8000
544-578	O/AIR TEMP SENS (-40/240F)	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
544-634B20	PORT COVER TAB, 20PC BLUE WHIT	(800)356-8000
544-779A	REAR COVER MOUTING KIT(ERS)	(800)356-8000
544-779B	REAR COVER MOUTING KIT(ERS)	(800)356-8000
544-781A	REAR COVER MOUNTING KIT-ERS	(800)356-8000
544-781B	REAR COVER MOUNTING KIT-ERS	(800)356-8000
544-782A	SINGLE GOOF MOUNTING PLATE KIT	(800)356-8000
544-782B	SINGLE GOOF MOUNTING PLATE KIT	(800)356-8000
544-783A	DOUBLE ADAPTER BASE KIT	(800)356-8000
544-783B	DOUBLE ADAPTER BASE KIT	(800)356-8000
544-784	NON-CONDUIT ROUGH IN KIT-DUBLE	(800)356-8000
544-785A	EXTENDER RING KIT (PEBBLE)	(800)356-8000
544-785B	EXTENDER RING KIT(WHITE)	(800)356-8000
544-797A	DOOR KIT (10 PACK)	(800)356-8000
544-797B	DOOR KIT (10 PACK)	(800)356-8000
544-808A	RH,5%RH,BEIGE	(800)356-8000
544-808B	RH,5%RH,WHITE	(800)356-8000
544-811A	RH 2%RH,NIST,BEIGE	(800)356-8000
544-811B	RH 2%RH,NIST,WHITE	(800)356-8000
544-812A	RH 2%RH NIST L3-BEIGE	(800)356-8000
544-812B	RH 2%RH NIST L3-WHITE	(800)356-8000
544-814A	RH&T,1KPT,5%RH,BEIGE	(800)356-8000
544-814B	RH&T,1KPT,5%RH,WHITE	(800)356-8000
544-814BN	RM RH/T 5% WHITE NO LOGO	(800)356-8000
544-818A	RH&T,1KPT,5%RH,STPT DI DD-BEIG	(800)356-8000
544-818B	RH&T,1KPT,5%RH,STPT DI DD-WHIT	(800)356-8000
544-819A	RH&T,1KPT,2%RH,NIST-BEIGE	(800)356-8000
544-819B	RH&T,1KPT,2%RH,NIST-WHITE	(800)356-8000
544-819BN	RM RH/T 2% WHITE NO LOGO	(800)356-8000
544-820A	RH&T,1KPT,2%RH,NIST L3-BEIGE	(800)356-8000
544-820B	RH&T,1KPT,2%RH,NIST L3-WHITE	(800)356-8000
544-822A	RH&T,1KPT,2%RH,DD,DI NIST-BEIG	(800)356-8000
544-822B	RH&T 1KPT 2%RH DD DI NIST-WHTE	(800)356-8000
544-823A	RH&1KPT,2%RH,DI STPT DD NISTL3	(800)356-8000
544-823B	RH&1KPT,2%RH,DI STPT DD NISTL3	(800)356-8000
544-841	XMTR,TEMP 0C TO 100C	(800)356-8000
544-973	1000 OHM PLATINUM FLUSHMOUNT R	(800)356-8000
549-015	JUMPER KIT,MEC REPLACMENT	(800)356-8000
549-501	LOW VOLT I/O TERM BLK KIT,MEC	(800)356-8000
549-502	HI VOLT I/O PWR TERM BLK KIT	(800)356-8000
550-500	TEC RESISTOR KIT	(800)356-8000
556-440	POLYGYR DUCT POINT SENSOR	(800)356-8000
556-441	DUCT SENSOR 8" 1000 OHM NICKEL	(800)356-8000
556-541	POLYGYR IMMERSION TEMP/SENSOR	(800)356-8000
556-542	POLYGYR OUTSIDE AIR SENSOR	(800)356-8000
567-176C	CP567 NAME PLATE,3-1/16"X9/16"	(800)356-8000
567-224	FOR 567 134 & 135 NU-WAY MFG	(800)356-8000
567-225	CP567LOCK&KEY ASSY-ALL CABINET	(800)356-8000
567-263A	CP567 CUSTOM LARGE RPLMT DOOR	(800)356-8000
567-334	CP567 MED SUPPORT LEGS (GRY)	(800)356-8000
567-335	CP567 LRG SUPPORT LEGS (GRY)	(800)356-8000
567-351	CP567 SMALL CABINET (GRAY)	(800)356-8000
567-351A	CUSTOM SMALL PNEUMATIC CABINET	(800)356-8000
567-352	CP567 MEDIUM CABINET (GRAY)	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
567-352A	CUSTOM MEDIUM PNEU CABINET	(800)356-8000
567-353	CP567 LARGE CABINET (GRAY)	(800)356-8000
567-353A	CUSTOM LARGE PNEUMATIC CABINET	(800)356-8000
567-361	CP567 SMALL RPLMT DOOR GRAY	(800)356-8000
567-361A	CUSTOM SMALL REPL DOOR(GRAY)	(800)356-8000
567-362	CP567 MEDIUM RPLMT DOOR-GRAY	(800)356-8000
567-362A	CUSTOM MEDIUM REPL DOOR (GRAY)	(800)356-8000
567-363	CP567 LARGE RPLMT DOOR GRAY	(800)356-8000
567-363A	CUSTOM LG REPLACEMENT DOOR	(800)356-8000
567-371	SM CABINET W/O DR &MTG PLATE	(800)356-8000
567-372	MED CABINET W/O DR &MTG PLATE	(800)356-8000
567-373	LG CABINET W/O DR &MTG PLATE	(800)356-8000
567-381	SMALL PERF MOUNTING PLATE	(800)356-8000
567-382	MED PERF MOUNTING PLATE	(800)356-8000
567-383	LARGE PERF MOUNTING PLATE	(800)356-8000
567-390	CABINET MTG KIT,SMALL DOOR,GRY	(800)356-8000
567-391	SMALL CABINET W/O DOOR,GRAY	(800)356-8000
587-450	2 CHANNEL REPEATER	(800)356-8000
587-455	3 CHANNEL REPEATER	(800)356-8000
587-550A	SIEMENS LON RS SENSING ONLY, N	(800)356-8000
587-550B	SIEMENS LON RS SENSING ONLY, N	(800)356-8000
587-552A	SIEMENS LON RS STPT, NO LOGO	(800)356-8000
587-552B	SIEMENS LON RS STPT, NO LOGO	(800)356-8000
587-554A	SIEMENS LON RS STPT/OVRD, NO L	(800)356-8000
587-554B	SIEMENS LON RS STPT/OVRD, NO L	(800)356-8000
587-557A	SIEMENS LON RS STPT/OVRD/TMP D	(800)356-8000
587-557B	SIEMENS LON RS STPT/OVRD/TMP D	(800)356-8000
587-649P100	TERM.RESISTOR 105,1/4W 100PAC	(800)356-8000
587-691	DUCT TEMP SENSOR, POINT, 10K N	(800)356-8000
587-692	OUTDOOR AIR SENSOR, POINT, 10K	(800)356-8000
587-693	IMMERSION WELL, 10K NTC, 2.5"	(800)356-8000
587-694	DUCT TEMP SENSOR, AVG. 10K NTC	(800)356-8000
587-695	PIPE SENSOR, 10K NTC, SURFACE	(800)356-8000
588-100A	6-WIRE 2-RJ11 RS CABLE 25'PLMN	(800)356-8000
588-100B	6-WIRE 2-RJ11 RS CABLE 50'PLMN	(800)356-8000
588-100C	6-WIRE 2-RJ11 RS CABLE 100'PLM	(800)356-8000
590-088	F'RITE PK KIT1/4"DIA,SPLITRING	(800)356-8000
590-089	VALVE PKG RING KIT	(800)356-8000
590-165A	SILICONE VALVE SEAL,5.30oz	(800)356-8000
590-500	CONDUIT ASSEMBLY KIT FOR SETRA	(800)356-8000
590-501	DIFFERENTIAL PRESSURE SENSOR 5	(800)356-8000
590-502	DIFFERENTIAL PRESSURE SENSOR 2	(800)356-8000
590-503	DIFFERENTIAL PRESSURE SENSOR 1	(800)356-8000
590-504	DIFFERENTIAL PRESSURE SENSOR 0	(800)356-8000
590-505	DIFFERENTIAL PRESSURE SENSOR +	(800)356-8000
590-506	DIFFERENTIAL PRESSURE SENSOR I	(800)356-8000
590-507	DIFFERENTIAL PRESSURE SENSOR I	(800)356-8000
590-508	DIFFERENTIAL PRESSURE SENSOR I	(800)356-8000
590-509	DIFFERENTIAL PRESSURE SENSOR I	(800)356-8000
590-510	DIFFERENTIAL PRESSURE SENSOR I	(800)356-8000
590-743	POPPET ASY.1" 3WAY	(800)356-8000
590-770	PACKING SPACER	(800)356-8000
591-367	2.5 N.O F,RITE RBLD RPK KIT	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
591-368	3 IN N.O.F,RITE RBLD RPR KIT	(800)356-8000
591-369	4 IN N.O.F,RITE RBLD.RPR KIT	(800)356-8000
591-370	2.5 IN N.C.F,RITE RLBD RPR KIT	(800)356-8000
591-380	STEM ASSEMBLY	(800)356-8000
591-380A	STEM ASSEMBLY,	(800)356-8000
591-380B	STEM ASSEMBLY	(800)356-8000
591-380C	STEM ASSEMBLY	(800)356-8000
591-383	3 IN N.C. F,RITE RBLD.RPR KIT	(800)356-8000
591-384	4 IN N.C.F,RITE RBLD.RPR.KIT	(800)356-8000
591-490	PACKING RING 1/4" STEM	(800)356-8000
591-491	PACKING RING 3/8" STEM	(800)356-8000
591-501	F'RITE PK KT,1/4"DIA,EP V-RING	(800)356-8000
591-502	F'RITE PK KT,3/8"DIA,EP V-RING	(800)356-8000
591-691	VF591 2-1/2" REPAIR DISC KIT	(800)356-8000
591-692	VF591 3" REPAIR DISC KIT	(800)356-8000
591-693	VF591 4" REPAIR DISC KIT	(800)356-8000
591-770A	3/4 VLV DISC HOLDER	(800)356-8000
591-771A	1" DISC HOLDER	(800)356-8000
591-772A	1-1/4" DISC HOLDER	(800)356-8000
591-773A	1-1/2" DISC HOLDER	(800)356-8000
591-774A	2" DISC HOLDER	(800)356-8000
591-786	STEM ASSEMBLY	(800)356-8000
591-789	STEM ASSEMBLY	(800)356-8000
591-790	STEM ASSEMBLY	(800)356-8000
591-791	STEM ASSEMBLY	(800)356-8000
591-792	1 1/4 IN VALVE STEM	(800)356-8000
591-793	1 1/2 IN VALVE STEM	(800)356-8000
591-794	VALVE STEM 2 IN VALVE	(800)356-8000
591-815A	STEM ASSEMBLY	(800)356-8000
591-816C	STEM ASSEMBLY	(800)356-8000
591-816E	STEM ASSEMBLY	(800)356-8000
591-817B	STEM ASSEMBLY	(800)356-8000
591-817D	STEM ASSEMBLY	(800)356-8000
591-817E	STEM ASSEMBLY	(800)356-8000
591-843A	STEM ASSEMBLY	(800)356-8000
591-843B	STEM ASSEMBLY	(800)356-8000
591-843C	STEM ASSEMBLY	(800)356-8000
591-843D	STEM ASSEMBLY	(800)356-8000
591-946	SILICONE VLV LUBRICANT	(800)356-8000
591-961	VF591 ACTUATOR RBLD KIT-8"TOP	(800)356-8000
591-962	VF591 ACTUATOR MTG KIT - 8"TOP	(800)356-8000
591-963	3/4" F'RITE,NO/NC,RBLD/RPR KIT	(800)356-8000
591-964	1" F'RITE,NO/NC,RBLD/RPR KIT	(800)356-8000
591-965	1-1/4"F'RITE,NO/NC,RBLD/RPRKIT	(800)356-8000
591-966	1-1/2"F'RITE,NO/NC,RBLD/RPRKIT	(800)356-8000
591-967	2"F'RITE,NO/NC,RBLD/RPR KIT	(800)356-8000
591-974	1"F'RITE, WM, RBLD/RPR KIT	(800)356-8000
591-975	1-1/4"F'RITE, WM, RBLD/RPR KIT	(800)356-8000
591-976	1-1/2"F'RITE, WM, RBLD/RPR KIT	(800)356-8000
591-977	2"F'RITE, WM, RBLD/RPR KIT	(800)356-8000
591-978	2-1/2"F'RITE, WM, RBLD/RPR KIT	(800)356-8000
591-979	3"F'RITE, WM, RBLD/RPR KIT	(800)356-8000
591-980	4"F'RITE, WM, RBLD/RPR KIT	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
591-981	1/2", NO F'RITE RBLD/RPR KIT	(800)356-8000
591-982	3/4", NO F'RITE RBLD/RPR KIT	(800)356-8000
591-983	1", NO F'RITE RBLD/RPR KIT	(800)356-8000
591-984	1-1/4", NO F'RITE RBLD/RPR KIT	(800)356-8000
591-985	1-1/2", NO F'RITE RBLD/RPR KIT	(800)356-8000
591-987	2-1/2", NO F'RITE RBLD/RPR KIT	(800)356-8000
591-988	3", NO F'RITE RBLD/RPR KIT	(800)356-8000
591-989	4", NO F'RITE RBLD/RPR KIT	(800)356-8000
591-990	1/2", NC F'RITE RBLD/RPR KIT	(800)356-8000
591-991	3/4", NC F'RITE RBLD/RPR KIT	(800)356-8000
591-992	1", NC F'RITE RBLD/RPR KIT	(800)356-8000
591-993	1-1/4", NC F'RITE RBLD/RPR KIT	(800)356-8000
591-995	2", NC F'RITE RBLD/RPR KIT	(800)356-8000
591-996	2-1/2", NC F'RITE RBLD/RPR KIT	(800)356-8000
591-997	3", NC F'RITE RBLD/RPR KIT	(800)356-8000
591-998	4", NC F'RITE RBLD/RPR KIT	(800)356-8000
592-007	TEFLON/EP PACKING KIT 1/4"DIA	(800)356-8000
592-008	TEFLON/EP PACKING KIT 3/8"DIA	(800)356-8000
592-010	KIT,591-8071,SS H2O,N.O.1/2"	(800)356-8000
592-011	KIT,591-8072,SS H2O,N.O.3/4"	(800)356-8000
592-012	KIT,591-8073,SS H2O,N.O. 1"	(800)356-8000
592-013	KIT,591-8074,SS,H2O,N.O.1 1/4"	(800)356-8000
592-014	KIT,591-8075,SS,H2O,N.O.1 1/2"	(800)356-8000
592-015	KIT,591-8076,SS,H2O,N.O. 2"	(800)356-8000
592-016	KIT,591-8077,SS,H2O,N.C. 1/2"	(800)356-8000
592-017	KIT,591-8078,SS,H2O,N.C. 3/4"	(800)356-8000
592-018	KIT,591-8079,SS,H2O,N.C.1"	(800)356-8000
592-019	KIT,591-8080,SS,H2O,N.C.1 1/4"	(800)356-8000
592-020	KIT,591-8081,SS,H2O,N.C.1 1/2"	(800)356-8000
592-021	KIT,591-8082,SS,H2O,N.C.2"	(800)356-8000
592-022	KIT,591-7971,SS,STM,N.O 1/2"	(800)356-8000
592-023	KIT,591-7972,SS,STM,N.O. 3/4"	(800)356-8000
592-024	KIT,591-7973,SS,STM,N.O.1"	(800)356-8000
592-025	KIT,591-7974,SS,STM,N.O.1 1/4"	(800)356-8000
592-026	KIT,591-7975,SS,STM,N.O.1 1/2"	(800)356-8000
592-027	KIT,591-7976,SS,STM,N.O.2"	(800)356-8000
592-028	KIT,591-7977,SS,STM,N.C. 1/2"	(800)356-8000
592-029	KIT,591-7978,SS,STM,N.C. 3/4"	(800)356-8000
592-030	KIT,591-7979,SS,STM,N.C.1"	(800)356-8000
592-031	KIT,591-7980,SS,STM,N.C.1 1/4"	(800)356-8000
592-032	KIT,591-7981,SS,STM,N.C.1 1/2"	(800)356-8000
592-033	KIT,591-7982,SS,STM,N.C.2"	(800)356-8000
592-8035	3/4"3WAY VALVE TEFLON DISC	(800)356-8000
594-262	6"NC SD REBUILD KIT 591 029	(800)356-8000
594-263	5"NO SD REBUILD KIT 591 026	(800)356-8000
594-264	6"NO SD REBUILD KIT 591 028	(800)356-8000
594-265	2 1/2"NO ST RBLD KIT 591 034	(800)356-8000
594-266	2 1/2"NO ST RBLD KIT 591 044	(800)356-8000
594-267	3" NO ST REBUILD KIT 591 036	(800)356-8000
594-268	3" NO ST REBUILD KIT 591 046	(800)356-8000
594-269	3" NC ST REBUILD KIT 591 035	(800)356-8000
594-272	3"NC ST REBUILD KIT 591 047	(800)356-8000
594-273	4"NO ST REBUILD KIT 591 038	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
594-274	4"NO ST REBUILD KIT 591 048	(800)356-8000
594-275	4"NC ST REBUILD KIT 591 039	(800)356-8000
594-277	5"NO ST REBUILD KIT 591 040	(800)356-8000
594-278	5"NO.ST REBUILD KIT 591 050	(800)356-8000
594-279	6"NO ST REBUILD KIT 591 042	(800)356-8000
594-280	6"NO ST REBUILD KIT 591 052	(800)356-8000
594-281	5"NC ST REBUILD KIT 591 041	(800)356-8000
594-282	5"NC ST REBUILD KIT 591 051	(800)356-8000
594-283	6"NC ST REBUILD KIT 591 043	(800)356-8000
594-284	6"NC ST REBUILD KIT 591 053	(800)356-8000
594-312	5"3W ST REBUILD KIT 591 083	(800)356-8000
594-313	6"3W BZ.REBUILD KIT 591 079	(800)356-8000
594-314	6"3W ST REBUILD KIT 591 084	(800)356-8000
594-316	3" 3W ST REBUILD KIT 591 081	(800)356-8000
594-319	5" NC F'RITE RBLD/RPK KIT	(800)356-8000
594-320	6" NC F'RITE RBLD/RPK KIT	(800)356-8000
594-321	5" NO F'RITE RBLD/RPK KIT	(800)356-8000
594-322	6" NO F'RITE RBLD/RPK KIT	(800)356-8000
594-323	5" 3W F'RITE RBLD/RPK KIT	(800)356-8000
594-324	6" 3W F'RITE RBLD/RPK KIT	(800)356-8000
594-325	5"NO BL F'RITE RBLD/RPK KIT	(800)356-8000
594-326	6"NO BL F'RITE RBLD/RPK KIT	(800)356-8000
594-327	5"NC BL F'RITE RBLD/RPK KIT	(800)356-8000
594-328	6"NC BL F'RITE RBLD/RPK KIT	(800)356-8000
594-329	8"NO BL F'RITE RBLD/RPK KIT	(800)356-8000
594-330	8"NC BL F'RITE RBLD/RPK KIT	(800)356-8000
594-331	5"CD REPAIR KIT FOR 591 811 VL	(800)356-8000
594-335	5"3W REPAIR KIT FOR 591 856 VL	(800)356-8000
594-818A	STEM ASY	(800)356-8000
598-024	RPLMT PCB ELECTRONIC FLOWRITE	(800)356-8000
598-100	VE598 ASSY KIT 1/8" STROKE	(800)356-8000
598-101	VE598 ASSY KIT 3/16" STROKE	(800)356-8000
598-102	VE598 ASSY KIT 1/4" STROKE	(800)356-8000
598-103	VE598 ASSY KIT 5/16"STROKE	(800)356-8000
598-104	VE598 ASSY KIT 3/8" STROKE	(800)356-8000
598-105	VE598 ASSY KIT 9/16"STROKE	(800)356-8000
598-106	VE598 ASY KIT 5/8" STROKE	(800)356-8000
598-107	VE598 ASSY KIT,3/4" STROKE	(800)356-8000
598-108	VE598 ASSY KIT,1" STROKE	(800)356-8000
598-109	VE598 ASSY KIT,1 1/8"STROKE	(800)356-8000
598-110	VE598 ASSY KIT,1 1/4"STROKE	(800)356-8000
598-111	VE598 ASSY KIT,1 3/8"STROKE	(800)356-8000
598-112	VE598 ASSY KIT,1 1/2"STROKE	(800)356-8000
599-00211	2W,0.5/2.5,NPT ZONE VALVE	(800)356-8000
599-00212	2W,.75/4.1,NPT ZONE VALVE	(800)356-8000
599-00213	2W,1.0/7.0,NPT ZONE VALVE	(800)356-8000
599-00231	3W,0.5/2.5,NPT ZONE VALVE	(800)356-8000
599-00232	3W,.75/4.1,NPT ZONE VALVE	(800)356-8000
599-00233	3W,1.0/7.0,NPT ZONE VALVE	(800)356-8000
599-00305	STEM LOCK RING(10MM)	(800)356-8000
599-00306	STEM LOCK RING(14MM)	(800)356-8000
599-00417	PACKING HEATR SLIP FIT ACTUATR	(800)356-8000
599-00418	PACKNG HEATR CLAMP FIT ACTUATR	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-00423	RELAY MTG KIT,F'RITE 12"ACT	(800)356-8000
599-00426	RELAY MTG KIT, 8"ACT.VUP	(800)356-8000
599-00435	STEM ADAPTOR KIT FOR 8"ACTUATR	(800)356-8000
599-00436	RETAINING KIT FOR 8"&12" ACT.	(800)356-8000
599-00511	2W,0.5/2.5,SWT ZONE VALVE	(800)356-8000
599-00512	2W,.75/4.1,SWT ZONE VALVE	(800)356-8000
599-00513	2W,1.0/7.0,SWT ZONE VALVE	(800)356-8000
599-00531	3W,0.5/2.5,SWT ZONE VALVE	(800)356-8000
599-00532	3W,.75/4.1,SWT ZONE VALVE	(800)356-8000
599-00533	3W,1.0/7.0,SWT ZONE VALVE	(800)356-8000
599-01000	12"PNEUM ACT 3-8PSI 1.5"(40MM)	(800)356-8000
599-01010	12"PNEUM ACT 3-8PSI,3/4"(20MM)	(800)356-8000
599-01050	8"PNEUM ACT 3-5 PSI 20MM	(800)356-8000
599-01051	8"PNEUM ACT,3-8 PSI,20MM H.T.	(800)356-8000
599-01060	8"DIAPHRAGM REPAIR KIT	(800)356-8000
599-01061	8"DIAPHRAGM REPAIR KIT(HIGH T)	(800)356-8000
599-01070	12"DIAPHGRAM REPAIR KIT	(800)356-8000
599-01081	4"PNEUMATIC ACTUATOR,3-8 PSI	(800)356-8000
599-01082	4"PNEUMATIC ACTUATOR,5-10 PSI	(800)356-8000
599-01088	2"ACTUATOR-POWERMITE	(800)356-8000
599-01093	4"ACTUATOR DIAPHRAGM KIT	(800)356-8000
599-01100	1/2"NC,VALVE ASY,.4 Cv,BZ,200N	(800)356-8000
599-01101	1/2"NC,VLV ASY,.4Cv,BZ,200N	(800)356-8000
599-01102	1/2"NC,VLV,.63 Cv,BZ,200N,NPT	(800)356-8000
599-01103	1/2"NC,VLV,.63 Cv,BZ,200N,NPT-	(800)356-8000
599-01104	1/2"NC,VLV,1.0 Cv,BZ,200N,NPT-	(800)356-8000
599-01105	1/2"NC,VLV,1.0 Cv,BZ,200N,NPT-	(800)356-8000
599-01106	1/2"NC,VLV,1.6 Cv,BZ,200N,LINR	(800)356-8000
599-01107	1/2"NC,VLV,1.6 Cv,BZ,200N,LINR	(800)356-8000
599-01108	1/2"NC,VLV,2.5 Cv,BZ,200N,LINR	(800)356-8000
599-01109	1/2"NC,VLV,2.5 Cv,BZ,200N,LINR	(800)356-8000
599-01110	1/2"NC,VLV,4.0 Cv,BZ,200N,LINR	(800)356-8000
599-01111	1/2"NC,VLV,4.0 Cv,BZ,200N,LINR	(800)356-8000
599-01112	3/4"NC,VLV,6.3 Cv,BZ,200N,LINR	(800)356-8000
599-01113	3/4"NC,VLV,6.3 Cv,BZ,200N,LINR	(800)356-8000
599-01114	1"N.C,VLV, 10 Cv,BZ,200N,LINR	(800)356-8000
599-01115	1/2"NO,VLV,0.4 Cv,BZ,200N,LINR	(800)356-8000
599-01116	1/2"NO,VLV,0.4 Cv,BZ,200N,LINR	(800)356-8000
599-01117	1/2"NO,VLV,.63 Cv,BZ,200N,LINR	(800)356-8000
599-01118	1/2"NO,VLV,.63 Cv,BZ,200N,LINR	(800)356-8000
599-01119	1/2"NO,VLV,1.0 Cv,BZ,200N,LINR	(800)356-8000
599-01120	1/2"NO,VLV,1.0 Cv,BZ,200N,LINR	(800)356-8000
599-01121	1/2"NO,VLV,1.6 Cv,BZ,200N,LINR	(800)356-8000
599-01122	1/2"NO,VLV,1.6 Cv,BZ,200N,LINR	(800)356-8000
599-01123	1/2"NO,VLV,2.5 Cv,BZ,200N,LINR	(800)356-8000
599-01124	1/2"NO,VLV,2.5 Cv,BZ,200N,LINR	(800)356-8000
599-01125	1/2"NO,ANG,2.5 Cv,BZ,200N,LINR	(800)356-8000
599-01126	1/2"NO,VLV,4.0 Cv,BZ,200N,LINR	(800)356-8000
599-01127	1/2"NO,VLV,4.0 Cv,BZ,200N,LINR	(800)356-8000
599-01128	1/2"NO,ANG,4.0 Cv,BZ,200N,UNIO	(800)356-8000
599-01129	3/4"NO,VLV,6.3 Cv,BZ,200N,LINR	(800)356-8000
599-01130	3/4"NO,VLV,6.3 Cv,BZ,200N,LINR	(800)356-8000
599-01131	1"N.O,VLV,10.0Cv,BZ,200N,LINR	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-01132	1/2"3W,VLV,0.4 Cv,BZ,200N,LINR	(800)356-8000
599-01133	1/2"3W,VLV,.63 Cv,BZ,200N,LINR	(800)356-8000
599-01134	1/2"3W,VLV,1.0 Cv,BZ,200N,LINR	(800)356-8000
599-01135	1/2"3W,VLV,1.6 Cv,BZ,200N,LINR	(800)356-8000
599-01136	1/2"3W,VLV,2.5 Cv,BZ,200N,LINR	(800)356-8000
599-01137	1/2"3W,VLV,4.0 Cv,BZ,200N,LINR	(800)356-8000
599-01138	3/4"3W,VLV,6.3 Cv,BZ,200N,LINR	(800)356-8000
599-01139	1"3WAY,VLV,10.0Cv,BZ,200N,LINR	(800)356-8000
599-02000	1/2"NC,VLV,O.4 Cv,BZ,NPT-NPT L	(800)356-8000
599-02000B	2WNC,3-8 ,BR,FxF ,0.5/0.4	(800)356-8000
599-02000C	2WNC,8-13,BR,FxF ,0.5/0.4	(800)356-8000
599-02001	1/2"NC,VLV,O.4 Cv,BZ,NPT-UNION	(800)356-8000
599-02001B	2WNC,3-8 ,BR,OR,FxUM ,0.5/0.4	(800)356-8000
599-02001C	2WNC,8-13,BR,OR,FxUM ,0.5/0.4	(800)356-8000
599-02002	1/2"NC,VLV,.63 Cv,BZ,NPT-NPT	(800)356-8000
599-02002B	2WNC,3-8 ,BR,OR,FxF ,0.5/0.63	(800)356-8000
599-02002C	2WNC,8-13,BR,OR,FxF ,0.5/0.63	(800)356-8000
599-02003	1/2"NC,VLV,.63 Cv,BZ,NPT-UNION	(800)356-8000
599-02003B	2WNC,3-8 ,BR,OR,FxUM ,0.5/0.63	(800)356-8000
599-02003C	2WNC,8-13,BR,OR,FxUM ,0.5/0.63	(800)356-8000
599-02004	1/2"NC,VLV,1.0 Cv,BZ,NPT-NPT	(800)356-8000
599-02004B	2WNC,3-8 ,BR,OR,FxF ,0.5/1	(800)356-8000
599-02004C	2WNC,8-13,BR,OR,FxF ,0.5/1	(800)356-8000
599-02005	1/2"NC,VLV,1.0 Cv,BZ,NPT-UNION	(800)356-8000
599-02005B	2WNC,3-8 ,BR,OR,FxUM ,0.5/1	(800)356-8000
599-02005C	2WNC,8-13,BR,OR,FxUM ,0.5/1	(800)356-8000
599-02006	1/2"NC,VLV,1.6 Cv,BZ,NPT-NPT	(800)356-8000
599-02006B	2WNC,3-8 ,BR,OR,FxF ,0.5/1.6	(800)356-8000
599-02006C	2WNC,8-13,BR,OR,FxF ,0.5/1.6	(800)356-8000
599-02007	1/2"NC,VLV,1.6 Cv,BZ,NPT-UNION	(800)356-8000
599-02007B	2WNC,3-8 ,BR,OR,FxUM ,0.5/1.6	(800)356-8000
599-02007C	2WNC,8-13,BR,OR,FxUM ,0.5/1.6	(800)356-8000
599-02008	1/2"NC,VLV,2.5 Cv,BZ,NPT-NPT	(800)356-8000
599-02008B	2WNC,3-8 ,BR,OR,FxF ,0.5/2.5	(800)356-8000
599-02008C	2WNC,8-13,BR,OR,FxF ,0.5/2.5	(800)356-8000
599-02009	1/2"NC,VLV,2.5 Cv,BZ,NPT-UNION	(800)356-8000
599-02009B	2WNC,3-8 ,BR,OR,FxUM ,0.5/2.5	(800)356-8000
599-02009C	2WNC,8-13,BR,OR,FxUM ,0.5/2.5	(800)356-8000
599-02010	1/2"NC,VLV,4.0 Cv,BZ,NPT-NPT	(800)356-8000
599-02010B	2WNC,3-8 ,BR,OR,FxF ,0.5/4	(800)356-8000
599-02010C	2WNC,8-13,BR,OR,FxF ,0.5/4	(800)356-8000
599-02011	1/2"NC,VLV,4.0 Cv,BZ,NPT-UNION	(800)356-8000
599-02011B	2WNC,3-8 ,BR,OR,FxUM ,0.5/4	(800)356-8000
599-02011C	2WNC,8-13,BR,OR,FxUM ,0.5/4	(800)356-8000
599-02012	3/4"NC,VLV,6.3 Cv,BZ,NPT-NPT	(800)356-8000
599-02012B	2WNC,3-8 ,BR,OR,FxF 0.75/6.3	(800)356-8000
599-02012C	2WNC,8-13,BR,OR,FxF 0.75/6.3	(800)356-8000
599-02013	3/4"NC,VLV,6.3 Cv,BZ,NPT-UNION	(800)356-8000
599-02013B	2WNC,3-8 ,BR,OR,FxUM 0.75/6.3	(800)356-8000
599-02013C	2WNC,8-13,BR,OR,FxUM 0.75/6.3	(800)356-8000
599-02014	1"N.C,VLV,10.0Cv,BZ,NPT-NPT	(800)356-8000
599-02014B	2WNC,3-8 ,BR,OR,FxF 1/10	(800)356-8000
599-02014C	2WNC,8-13,BR,OR,FxF 1/10	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-02015	1/2"NC,VLV,0.4 Cv,SS,NPT-NPT	(800)356-8000
599-02015B	2WNC,3-8 ,SS,OR,FxF 0.5/0.4	(800)356-8000
599-02015C	2WNC,8-13,SS,OR,FxF 0.5/0.4	(800)356-8000
599-02016	1/2"NC,VLV,0.4 Cv,SS,NPT-UNION	(800)356-8000
599-02016B	2WNC,3-8 ,SS,OR,FxUM 0.5/0.4	(800)356-8000
599-02016C	2WNC,8-13,SS,OR,FxUM 0.5/0.4	(800)356-8000
599-02017	1/2"NC,VLV,.63 Cv,SS,NPT-NPT	(800)356-8000
599-02017B	2WNC,3-8 ,SS,OR,FxF 0.5/0.63	(800)356-8000
599-02017C	2WNC,8-13 SS,OR,FxF 0.5/0.63	(800)356-8000
599-02018	1/2"NC,VLV,.63 Cv,SS,NPT-UNION	(800)356-8000
599-02018B	2WNC,3-8 SS,OR,FxUM 0.5/0.63	(800)356-8000
599-02018C	2WNC,8-13 SS,OR,FxUM 0.5/0.63	(800)356-8000
599-02019	1/2"NC,VLV,1.0 Cv,SS,NPT-NPT	(800)356-8000
599-02019B	2WNC,3-8 SS,OR,FxF 0.5/1	(800)356-8000
599-02019C	2WNC,8-13 SS,OR,FxF 0.5/1	(800)356-8000
599-02020	1/2"NC,VLV,1.0 Cv,SS,NPT-UNION	(800)356-8000
599-02020B	2WNC,3-8 SS,OR,FxUM 0.5/1	(800)356-8000
599-02020C	2WNC,8-13 SS,OR,FxUM 0.5/1	(800)356-8000
599-02021	1/2"NC,VLV,1.6 Cv,SS,NPT-NPT	(800)356-8000
599-02021B	2WNC,3-8 SS,OR,FxF 0.5/1.6	(800)356-8000
599-02021C	2WNC,8-13 SS,OR,FxF 0.5/1.6	(800)356-8000
599-02022	1/2"NC,VLV,1.6 Cv,SS,NPT-UNION	(800)356-8000
599-02022B	2WNC,3-8 SS,OR,FxUM 0.5/1.6	(800)356-8000
599-02022C	2WNC,8-13 SS,OR,FxUM 0.5/1.6	(800)356-8000
599-02023	1/2"NC,VLV,2.5 Cv,SS,NPT-NPT	(800)356-8000
599-02023B	2WNC,3-8 SS,OR,FxF 0.5/2.5	(800)356-8000
599-02023C	2WNC,8-13 SS,OR,FxF 0.5/2.5	(800)356-8000
599-02024	1/2"NC,VLV,2.5 Cv,SS,NPT-UNION	(800)356-8000
599-02024B	2WNC,3-8 SS,OR,FxUM 0.5/2.5	(800)356-8000
599-02024C	2WNC,8-13 SS,OR,FxUM 0.5/2.5	(800)356-8000
599-02025	1/2"NC,VLV,4.0 Cv,SS,NPT-NPT	(800)356-8000
599-02025B	2WNC,3-8 SS,OR,FxF 0.5/4	(800)356-8000
599-02025C	2WNC,8-13 SS,OR,FxF 0.5/4	(800)356-8000
599-02026	1/2"NC,VLV,4.0 Cv,SS,NPT-UNION	(800)356-8000
599-02026B	2WNC,3-8 SS,OR,FxUM 0.5/4	(800)356-8000
599-02026C	2WNC,8-13 SS,OR,FxUM 0.5/4	(800)356-8000
599-02027	3/4"NC,VLV,6.3 Cv,SS,NPT-NPT	(800)356-8000
599-02027B	2WNC,3-8 SS,OR,FxF 0.75/6.3	(800)356-8000
599-02027C	2WNC,8-13 SS,OR,FxF 0.75/6.3	(800)356-8000
599-02028	3/4"NC,VLV,6.3 Cv,SS,NPT-UNION	(800)356-8000
599-02028B	2WNC,3-8 SS,OR,FxUM 0.75/6.3	(800)356-8000
599-02028C	2WNC,8-13 SS,OR,FxUM 0.75/6.3	(800)356-8000
599-02029	1"N.C,VLV,10.0Cv,SS,NPT-NPT	(800)356-8000
599-02029B	2WNC,3-8 SS,OR,FxF 1/10	(800)356-8000
599-02029C	2WNC,8-13 SS,OR,FxF 1/10	(800)356-8000
599-02030	1/2"NO,VLV,0.4 Cv,BZ,NPT-NPT	(800)356-8000
599-02030A	2WNO,10-15,BR,OR FxF 0.5/0.4	(800)356-8000
599-02030C	2WNO,8-13,BR,OR FxF 0.5/0.4	(800)356-8000
599-02031	1/2"NO,VLV,0.4 Cv,BZ,NPT-UNION	(800)356-8000
599-02031A	2WNO,10-15, BR,OR FxUM 0.5/0.4	(800)356-8000
599-02031C	2WNO,8-13,BR,OR FxUM 0.5/0.4	(800)356-8000
599-02032	1/2"NO,VLV,.63 Cv,BZ,NPT-NPT	(800)356-8000
599-02032A	2WNO,10-15,BR,OR FxF 0.5/0.63	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-02032C	2WNO,8-13,BR,OR FxF 0.5/0.63	(800)356-8000
599-02033	1/2"NO,VLV,.63 Cv,BZ,NPT-UNION	(800)356-8000
599-02033A	2WNO,10-15,BR OR FxUM 0.5/0.63	(800)356-8000
599-02033C	2WNO,8-13,BR,OR FxUM 0.5/0.63	(800)356-8000
599-02034	1/2"NO,VLV,1.0 Cv,BZ,NPT-NPT	(800)356-8000
599-02034A	2WNO,10-15,BR,OR FxF 0.5/1	(800)356-8000
599-02034C	2WNO,8-13,BR OR FxF 0.5/1	(800)356-8000
599-02035	1/2"NO,VLV,1.0 Cv,BZ,NPT-UNION	(800)356-8000
599-02035A	2WNO,10-15,BR,OR FxUM 0.5/1	(800)356-8000
599-02035C	2WNO,8-13,BR,OR FxUM 0.5/1	(800)356-8000
599-02036	1/2"NO,VLV,1.6 Cv,BZ,NPT-NPT	(800)356-8000
599-02036A	2WNO,10-15,BR,OR FxF 0.5/1.6	(800)356-8000
599-02036C	2WNO,8-13,BR,OR FxF 0.5/1.6	(800)356-8000
599-02037	1/2"NO,VLV,1.6 Cv,BZ,NPT-UNION	(800)356-8000
599-02037A	2WNO,10-15,BR,OR FxUM 0.5/1.6	(800)356-8000
599-02037C	2WNO,8-13,BR,OR FxUM 0.5/1.6	(800)356-8000
599-02038	1/2"NO,VLV,2.5 Cv,BZ,NPT-NPT	(800)356-8000
599-02038A	2WNO,10-15,BR,OR FxF 0.5/2.5	(800)356-8000
599-02038C	2WNO,8-13,BR,OR FxF 0.5/2.5	(800)356-8000
599-02039	1/2"NO,VLV,2.5 Cv,BZ,NPT-UNION	(800)356-8000
599-02039A	2WNO,10-15,BR,OR,FxUM,0.5/2.5	(800)356-8000
599-02039C	2WNO,8-13,BR,OR FxUM 0.5/2.5	(800)356-8000
599-02040	1/2"NO,ANG,2.5 Cv,BZ,NPT-UNION	(800)356-8000
599-02040A	2WNO,10-15,BR,OR AFxUM .5/2.5	(800)356-8000
599-02040C	2WNO,8-13,BR,OR AFxUM 0.5/2.5	(800)356-8000
599-02041	1/2"NO,ANG,4.0 Cv,BZ,NPT-NPT	(800)356-8000
599-02041A	2WNO,10-15,BR,OR FxF 0.5/4	(800)356-8000
599-02041C	2WNO,8-13,BR,OR FxF 0.5/4	(800)356-8000
599-02042	1/2"NO,VLV,4.0 Cv,BZ,NPT-UNION	(800)356-8000
599-02042A	2WNO,10-15,BR,OR FxUM 0.5/4	(800)356-8000
599-02042C	2WNO,8-13,BR,OR FxUM 0.5/4	(800)356-8000
599-02043	1/2"NO,ANG,4.0 Cv,BZ,NPT-UNION	(800)356-8000
599-02043A	2WNO,10-15,BR,OR AFxUM 0.5/4	(800)356-8000
599-02043C	2WNO,8-13,BR,OR AFxUM 0.5/4	(800)356-8000
599-02044	3/4"NO,VLV,6.3 Cv,BZ,NPT-NPT	(800)356-8000
599-02044A	2WNO,10-15,BR,OR FxF 0.75/6.3	(800)356-8000
599-02044C	2WNO,8-13,BR,OR FxF 0.75/6.3	(800)356-8000
599-02045	3/4"NO,VLV,6.3 Cv,BZ,NPT-UNION	(800)356-8000
599-02045A	2WNO,10-15,BR,OR FxUM 0.75/6.3	(800)356-8000
599-02045C	2WNO,8-13,BR,OR FxUM 0.75/6.3	(800)356-8000
599-02046	1"N.O,VLV,10.0Cv,BZ,NPT-NPT	(800)356-8000
599-02046A	2WNO,10-15,BR,OR FxF 1/10	(800)356-8000
599-02046C	2WNO,8-13,BR,OR FxF 1/10	(800)356-8000
599-02047	1/2"NO,VLV,0.4 Cv,SS,NPT-NPT	(800)356-8000
599-02047A	2WNO,10-15,SS,OR FxF 0.5/0.4	(800)356-8000
599-02047C	2WNO,8-13,SS,OR FxF 0.5/0.4	(800)356-8000
599-02048	1/2"NO,VLV,0.4 Cv,SS,NPT-UNION	(800)356-8000
599-02048A	2WNO,10-15,SS,OR FxUM 0.5/0.4	(800)356-8000
599-02048C	2WNO,8-13,SS,OR FxUM 0.5/0.4	(800)356-8000
599-02049	1/2"NO,VLV,.63 Cv,SS,NPT-NPT	(800)356-8000
599-02049A	2WNO,10-15,SS,OR FxF 0.5/0.63	(800)356-8000
599-02049C	2WNO,8-13,SS,OR FxF 0.5/0.63	(800)356-8000
599-02050	1/2"NO,VLV,.63 Cv,SS,NPT-UNION	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-02050A	2WNO,10-15,SS,OR FxUM 0.5/0.63	(800)356-8000
599-02050C	2WNO,8-13,SS,OR FxUM 0.5/0.63	(800)356-8000
599-02051	1/2"NO,VLV,1.0 Cv,SS,NPT-NPT	(800)356-8000
599-02051A	2WNO,10-15,SS,OR FxF 0.5/1	(800)356-8000
599-02051C	2WNO,8-13,SS,OR FxF 0.5/1	(800)356-8000
599-02052	1/2"NO,VLV,1.0 Cv,SS,NPT-UNION	(800)356-8000
599-02052A	2WNO,10-15,SS,OR FxUM 0.5/1	(800)356-8000
599-02052C	2WNO,8-13,SS,OR FxUM 0.5/1	(800)356-8000
599-02053	1/2"NO,VLV,1.6 Cv,SS,NPT-NPT	(800)356-8000
599-02053A	2WNO,10-15,SS,OR FxF 0.5/1.6	(800)356-8000
599-02053C	2WNO,8-13,SS,OR FxF 0.5/1.6	(800)356-8000
599-02054	1/2"NO,VLV,1.6 Cv,SS,NPT-UNION	(800)356-8000
599-02054A	2WNO,10-15,SS,OR FxUM 0.5/1.6	(800)356-8000
599-02054C	2WNO,8-13,SS,OR FxUM 0.5/1.6	(800)356-8000
599-02055	1/2"NO,VLV,2.5 Cv,SS,NPT-NPT	(800)356-8000
599-02055A	2WNO,10-15,SS,OR FxF 0.5/2.5	(800)356-8000
599-02055C	2WNO,8-13,SS,OR FxF 0.5/2.5	(800)356-8000
599-02056	1/2"NO,VLV,2.5 Cv,SS,NPT-UNION	(800)356-8000
599-02056A	2WNO,10-15,SS,OR FxUM 0.5/2.5	(800)356-8000
599-02056C	2WNO,8-13,SS,OR FxUM 0.5/2.5	(800)356-8000
599-02057	1/2"NO,ANG,2.5 Cv,SS,NPT-UNION	(800)356-8000
599-02057A	2WNO,10-15,SS,OR AFxUM .5/2.5	(800)356-8000
599-02057C	2WNO,8-13,SS,OR AFxUM .5/2.5	(800)356-8000
599-02058	1/2"NO VLV,4.0 Cv,SS,NPT-NPT	(800)356-8000
599-02058A	2WNO,10-15,SS,OR FxF 0.5/4	(800)356-8000
599-02058C	2WNO,8-13,SS,OR FxF 0.5/4	(800)356-8000
599-02059	1/2"NO VLV,4.0 Cv,SS,NPT-UNION	(800)356-8000
599-02059A	2WNO,10-15,SS,OR FxUM 0.5/4	(800)356-8000
599-02059C	2WNO,8-13,SS,OR FxUM 0.5/4	(800)356-8000
599-02060	1/2"NO,ANG,4.0 Cv,SS,NPT-UNION	(800)356-8000
599-02060A	2WNO,10-15,SS,OR AFxUM 0.5/4	(800)356-8000
599-02060C	2WNO,8-13,SS,OR AFxUM 0.5/4	(800)356-8000
599-02061	3/4"NO,VLV,6.3 Cv,SS,NPT-NPT	(800)356-8000
599-02061A	2WNO,10-15,SS,OR FxF 0.75/6.3	(800)356-8000
599-02061C	2WNO,8-13,SS,OR FxF 0.75/6.3	(800)356-8000
599-02062	3/4"NO,VLV,6.3 Cv,SS,NPT-UNION	(800)356-8000
599-02062A	2WNO,10-15,SS,OR FxUM 0.75/6.3	(800)356-8000
599-02062C	2WNO,8-13,SS,OR FxUM 0.75/6.3	(800)356-8000
599-02063	1"N.0,VLV,10.0Cv,SS,NPT-NPT	(800)356-8000
599-02063A	2WNO,10-15,SS,OR FxF 1/10	(800)356-8000
599-02063C	2WNO,8-13,SS,OR FxF 1/10	(800)356-8000
599-02064	1/2"3W,VLV,0.4 Cv,BZ,NPT-NPT	(800)356-8000
599-02064A	3WMX,10-15,BR,OR FxF 0.5/0.4	(800)356-8000
599-02064B	3WMX,3-8,BR,OR FxF 0.5/0.4	(800)356-8000
599-02065	1/2"3W,VLV,.63 Cv,BZ,NPT-NPT	(800)356-8000
599-02065A	3WMX,10-15,BR,OR FxF 0.5/0.63	(800)356-8000
599-02065B	3WMX,3-8, BR,OR FxF 0.5/0.63	(800)356-8000
599-02066	1/2"3W,VLV,1.0 Cv,BZ,NPT-NPT	(800)356-8000
599-02066A	3WMX,10-15,BR,OR FxF 0.5/1	(800)356-8000
599-02066B	3WMX,3-8 ,BR,OR FxF 0.5/1	(800)356-8000
599-02067	1/2"3W,VLV,1.6 Cv,BZ,NPT-NPT	(800)356-8000
599-02067A	3WMX,10-15,BR,OR FxF 0.5/1.6	(800)356-8000
599-02067B	3WMX,3-8 ,BR,OR FxF 0.5/1.6	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-02068	1/2"3W,VLV,2.5 Cv,BZ,NPT-NPT	(800)356-8000
599-02068A	3WMX,10-15,BR,OR FxF 0.5/2.5	(800)356-8000
599-02068B	3WMX,3-8 ,BR,OR FxF 0.5/2.5	(800)356-8000
599-02069	1/2"3W,VLV,4.0 Cv,BZ,NPT-NPT	(800)356-8000
599-02069A	3WMX,10-15,BR,OR FxF 0.5/4	(800)356-8000
599-02069B	3WMX,3-8 ,BR,OR FxF 0.5/4	(800)356-8000
599-02070	3/4"3W,VLV,6.3 Cv,BZ,NPT-NPT	(800)356-8000
599-02070A	3WMX,10-15,BR,OR FxF 0.75/6.3	(800)356-8000
599-02070B	3WMX,3-8 ,BR,OR FxF 0.75/6.3	(800)356-8000
599-02071	1"3WAY,VLV,10.0Cv,BZ,NPT-NPT	(800)356-8000
599-02071A	3WMX,10-15,BR,OR FxF 1/10	(800)356-8000
599-02071B	3WMX,3-8 ,BR,OR FxF 1/10	(800)356-8000
599-02072	1/2"3W,VLV,0.4 Cv,SS,NPT-NPT	(800)356-8000
599-02072A	3WMX,10-15,SS,OR FxF 0.5/0.4	(800)356-8000
599-02072B	3WMX,3-8 ,SS,OR FxF 0.5/0.4	(800)356-8000
599-02073	1/2"3W,VLV, .63 Cv,SS,NPT-NPT	(800)356-8000
599-02073A	3WMX,10-15,SS,OR FxF 0.5/0.63	(800)356-8000
599-02073B	1/2"3W VLV.SS,.63Cv,LIN,NPTNPT	(800)356-8000
599-02074	1/2"3W,VLV,1.0 Cv,SS,NPT-NPT	(800)356-8000
599-02074A	3WMX,10-15,SS,OR FxF 0.5/1.0	(800)356-8000
599-02074B	1/2"3W VLV.SS,1.0Cv,LIN,NPTNPT	(800)356-8000
599-02075	1/2"3W,VLV,1.6 Cv,SS,NPT-NPT	(800)356-8000
599-02075A	3WMX,10-15,SS,OR FxF 0.5/1.6	(800)356-8000
599-02075B	1/2"3W VLV.SS,1.6Cv,LIN,NPTNPT	(800)356-8000
599-02076	1/2"3W,VLV,2.5 Cv,SS,NPT-NPT	(800)356-8000
599-02076A	3WMX,10-15,SS,OR FxF 0.5/2.5	(800)356-8000
599-02076B	1/2"3W VLV.SS,2.5Cv,LIN,NPTNPT	(800)356-8000
599-02077	1/2"3W,VLV,4.0 Cv,SS,NPT-NPT	(800)356-8000
599-02077A	3WMX,10-15,SS,OR FxF 0.5/4.0	(800)356-8000
599-02077B	1/2"3W VLV.SS,4.5Cv,LIN,NPTNPT	(800)356-8000
599-02078	3/4"3W,VLV,6.3 Cv,SS,NPT-NPT	(800)356-8000
599-02078A	3WMX,10-15,SS,OR FxF 0.75/6.3	(800)356-8000
599-02078B	3/4"3W VLV.SS,6.3Cv,LIN,NPTNPT	(800)356-8000
599-02079	1"3WAY,VLV,10.0Cv,SS,NPT-NPT	(800)356-8000
599-02079A	3WMX,10-15,SS,OR FxF 1/10	(800)356-8000
599-02079B	1"3WAY VLV.SS,10 Cv,LIN,NPTNPT	(800)356-8000
599-02084	2WNO,1.25",BZ,NPT-NPT	(800)356-8000
599-02085	2WNC,1.25",BZ,NPT-NPT	(800)356-8000
599-02086	3WAY,1.25",BZ,NPT-NPT	(800)356-8000
599-02087	2WNO,1.50",BZ,NPT-NPT	(800)356-8000
599-02088	2WNC,1.50",BZ,NPT-NPT	(800)356-8000
599-02089	3WAY,1.50",BZ,NPT-NPT	(800)356-8000
599-02941	1/2" NPT MALE UNION KIT-VUPC	(800)356-8000
599-02942	3/4" NPT MALE UNION KIT-VUPC	(800)356-8000
599-03000	1/2"NC,VLV,SS,250,1.0 Cv,WATER	(800)356-8000
599-03001	1/2"NO,VLV,SS,250,1.6 Cv,LIN.	(800)356-8000
599-03002	1/2"NO,VLV,SS,250,2.5 Cv,LIN.	(800)356-8000
599-03003	1/2"NO,VLV,SS,250,4.0 Cv,LIN.	(800)356-8000
599-03004	3/4"NO,VLV,SS,250,6.3 Cv,LIN.	(800)356-8000
599-03005	1"N.O.VALV,SS,250,10.0 Cv,LIN.	(800)356-8000
599-03006	1 1/4"NO,VLV,SS,250,16.0Cv,LIN	(800)356-8000
599-03007	1 1/2"NO,VLV,SS,250,25.0Cv,LIN	(800)356-8000
599-03008	2"N.O.VALVE, SS,250,40 Cv, LIN	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-03009	1/2"NO.VLV,SS,250,1.0Cv,UNION	(800)356-8000
599-03010	1/2"NO.VLV,SS,250,1.6Cv,UNION	(800)356-8000
599-03011	1/2"NO.VLV,SS,250,2.5Cv,UNION	(800)356-8000
599-03012	1/2"NO.VLV,SS,250,4.0Cv,UNION	(800)356-8000
599-03013	3/4"NO.VLV,SS,250,6.3 Cv,UNION	(800)356-8000
599-03014	1" NO.VLV,SS,250,10.0Cv,UNION	(800)356-8000
599-03015	1 1/4"NO. ,SS,250,16.0Cv,UNION	(800)356-8000
599-03016	1 1/2"NO. ,SS,250,25.0Cv,UNION	(800)356-8000
599-03017	2"N.O.VLVE,SS,250,40.0Cv,UNION	(800)356-8000
599-03018	1/2"NC.VLV,SS,250,1.0 Cv,LIN.	(800)356-8000
599-03019	1/2"NC.VLV,SS,250,1.6 Cv,LIN.	(800)356-8000
599-03020	1/2"NC.VLV,SS,250,2.5 Cv,LIN.	(800)356-8000
599-03021	1/2"NC.VLV,SS,250,4.0 Cv,LIN.	(800)356-8000
599-03022	3/4"NC.VLV,SS,250,6.3 Cv,LIN.	(800)356-8000
599-03023	1" NC.VLV,SS,250,10.0Cv,LIN.	(800)356-8000
599-03024	1 1/4"N.C.,SS,250,16.0Cv,LIN.	(800)356-8000
599-03025	1 1/2"N.C.,SS,250,25.0Cv,LIN.	(800)356-8000
599-03026	2" NC.VLV,SS,250,40.0Cv,LIN.	(800)356-8000
599-03027	1/2"NC.VLV,SS,250,1.0 Cv,UNION	(800)356-8000
599-03028	1/2"NC.VLV,SS,250,1.6 Cv,UNION	(800)356-8000
599-03029	1/2"NC.VLV,SS,250,2.5 Cv,UNION	(800)356-8000
599-03030	1/2"NC.VLV,SS,250,4.0 Cv,UNION	(800)356-8000
599-03031	3/4"NC.VLV,SS,250,6.3 Cv,UNION	(800)356-8000
599-03032	1"N.C.VLV,SS,250,10.0Cv,UNION	(800)356-8000
599-03033	1 1/4"NC. ,SS,250,10.0Cv,UNION	(800)356-8000
599-03034	1 1/2"NC. ,SS,250,10.0Cv,UNION	(800)356-8000
599-03035	2"N.C.VLV,SS,250,40. Cv,UNION	(800)356-8000
599-03054	1/2"NO.VLV,SS,250,1.0 Cv,STEAM	(800)356-8000
599-03055	1/2"NO.VLV,SS,250,1.6 Cv,STEAM	(800)356-8000
599-03056	1/2"NO.VLV,SS,250,2.5 Cv,STEAM	(800)356-8000
599-03057	1/2"NO.VLV,SS,250,4.0 Cv,STEAM	(800)356-8000
599-03058	3/4"NO.VLV,SS,250,6.3 Cv,STEAM	(800)356-8000
599-03059	1"N.O.VLV,SS,250,10.0Cv,STEAM	(800)356-8000
599-03060	1 1/4"N.O.,SS,250,16.0Cv,STEAM	(800)356-8000
599-03061	1 1/2"N.O.,SS,250,16.0Cv,STEAM	(800)356-8000
599-03062	2"N.O.VLV,SS,250,40.0Cv,STEAM	(800)356-8000
599-03063	1/2"NO.SS,250,1.0 Cv STM,UNION	(800)356-8000
599-03064	1/2"NO.SS,250,1.6 Cv STM,UNION	(800)356-8000
599-03065	1/2"NO.SS,250,2.5 Cv STM,UNION	(800)356-8000
599-03066	1/2"NO.SS,250,4.0 Cv STM,UNION	(800)356-8000
599-03067	3/4"NO.SS,250,4.0 Cv STM,UNION	(800)356-8000
599-03068	1"N.O.SS,250,4.0 Cv STM,UNION	(800)356-8000
599-03069	1 1/4"NO,SS,250,16Cv,STM,UNION	(800)356-8000
599-03070	1 1/2"NO,SS,250,25Cv,STM,UNION	(800)356-8000
599-03071	2"N.O.SS,250,40. Cv STM,UNION	(800)356-8000
599-03072	1/2"NC,VLV,SS,250,1.0 Cv,STEAM	(800)356-8000
599-03073	1/2"NC,VLV,SS,250,1.6 Cv,STEAM	(800)356-8000
599-03074	1/2"NC,VLV,SS,250,2.5 Cv,STEAM	(800)356-8000
599-03075	1/2"NC,VLV,SS,250,4.0 Cv,STEAM	(800)356-8000
599-03076	3/4"NC,VLV,SS,250,6.3 Cv,STEAM	(800)356-8000
599-03077	1" NC,VLV,SS,250,10.0Cv,STEAM	(800)356-8000
599-03078	1 1/4"N.C.,SS,250,16.0Cv,STEAM	(800)356-8000
599-03079	1 1/2"N.C.,SS,250,25.0Cv,STEAM	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-03080	2" NC,VLV,SS,250,40. Cv,STEAM	(800)356-8000
599-03081	1/2"NC,UNION,SS,250,1.0 Cv,STM	(800)356-8000
599-03082	1/2"NC,UNION,SS,250,1.6 Cv,STM	(800)356-8000
599-03083	1/2"NC,UNION,SS,250,2.5 Cv,STM	(800)356-8000
599-03084	1/2"NC,UNION,SS,250,4.0 Cv,STM	(800)356-8000
599-03085	3/4"NC,UNION,SS,250,6.3 Cv,STM	(800)356-8000
599-03086	1"N.C,UNION,SS,250,6.3 Cv,STM	(800)356-8000
599-03087	1 1/4"NC.UNI,SS,250,16.0Cv,STM	(800)356-8000
599-03088	1 1/2"NC.UNI,SS,250,16.0Cv,STM	(800)356-8000
599-03089	2"N.C,UNION,SS,250,40. Cv,STM	(800)356-8000
599-03108	1/2"NO,VLV,SS,250,1.0 Cv,=%,HC	(800)356-8000
599-03109	1/2"NO,VLV,SS,250,1.6 Cv,=%,HC	(800)356-8000
599-03110	1/2"NO,VLV,SS,250,2.5 Cv,=%,HC	(800)356-8000
599-03111	1/2"NO,VLV,SS,250,4.0 Cv,=%,HC	(800)356-8000
599-03112	3/4"NO,VLV,SS,250,6.3 Cv,=%,HC	(800)356-8000
599-03113	1"N.O,VLV,SS,250,10.0Cv,=%,HC	(800)356-8000
599-03114	1 1/4"NO,SS,250,16.0 Cv ,=%,HC	(800)356-8000
599-03115	1 1/2"NO,SS,250,25.0 Cv ,=%,HC	(800)356-8000
599-03116	2"N.O,VLV,SS,250,40.0Cv,=%,HC	(800)356-8000
599-03117	1/2"NO,W/U,SS,250,1.0 Cv,=%,HC	(800)356-8000
599-03118	1/2"NO,W/U,SS,250,1.6 Cv,=%,HC	(800)356-8000
599-03119	1/2"NO,W/U,SS,250,2.5 Cv,=%,HC	(800)356-8000
599-03120	1/2"NO,W/U,SS,250,4.0 Cv,=%,HC	(800)356-8000
599-03121	3/4"NO,W/U,SS,250,6.3 Cv,=%,HC	(800)356-8000
599-03122	1"N.O,W/U,SS,250,10.0Cv,=%,HC	(800)356-8000
599-03123	1 1/4"NO,SS,250,16.0Cv,=%,UNIO	(800)356-8000
599-03124	1 1/2"NO,SS,250,16.0Cv,=%,UNIO	(800)356-8000
599-03125	2"N.O,W/U,SS,250,40.0Cv,=%,HC	(800)356-8000
599-03126	1/2"NC,VLV,SS,250,1.0 Cv,=%,WT	(800)356-8000
599-03127	1/2"NC,VLV,SS,250,1.6 Cv,=%,WT	(800)356-8000
599-03128	1/2"NC,VLV,SS,250,2.5 Cv,=%,WT	(800)356-8000
599-03129	1/2"NC,VLV,SS,250,4.0 Cv,=%,WT	(800)356-8000
599-03130	3/4"NC,VLV,SS,250,6.3 Cv,=%,WT	(800)356-8000
599-03131	1"N.C,VLV,SS,250,10.0Cv,=%,WT	(800)356-8000
599-03132	1 1/4"NC,SS,250,16.0Cv,=%,WTR.	(800)356-8000
599-03133	1 1/2"NC,SS,250,25.0Cv,=%,WTR.	(800)356-8000
599-03134	2"N.C,VLV,SS,250,10.0Cv,=%,WT	(800)356-8000
599-03135	1/2"NC,VLV,SS,250,1.0 Cv,=%,UN	(800)356-8000
599-03136	1/2"NC,VLV,SS,250,1.6 Cv,=%,UN	(800)356-8000
599-03137	1/2"NC,VLV,SS,250,2.5 Cv,=%,UN	(800)356-8000
599-03138	1/2"NC,VLV,SS,250,4.0 Cv,=%,UN	(800)356-8000
599-03139	3/4"NC,VLV,SS,250,6.3 Cv,=%,UN	(800)356-8000
599-03140	1"N.C,VLV,SS,250,10.0Cv,=%,UN	(800)356-8000
599-03141	1 1/4"NC,SS,250,16.0Cv,=%,UNIO	(800)356-8000
599-03142	1 1/2"NC,SS,250,25.0Cv,=%,UNIO	(800)356-8000
599-03143	2"NC,VLV,SS,250,40.0Cv,=%,UNIO	(800)356-8000
599-03144	1/2"3W,VLV,SS,250,1.0 Cv,WATER	(800)356-8000
599-03145	1/2"3W,VLV,SS,250,1.6 Cv,WATER	(800)356-8000
599-03146	1/2"3W,VLV,SS,250,2.5 Cv,WATER	(800)356-8000
599-03147	1/2"3W,VLV,SS,250,4.0 Cv,WATER	(800)356-8000
599-03148	3/4"3W,VLV,SS,250,6.3 Cv,WATER	(800)356-8000
599-03149	1" 3W,VLV,SS,250,10.0Cv,WATER	(800)356-8000
599-03150	1 1/4"3W ,SS,250,16.0Cv,WATER	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-03151	1 1/2"3W ,SS,250,25.0Cv,WATER	(800)356-8000
599-03152	2" 3W,VLV,SS,250,10.0Cv,WATER	(800)356-8000
599-03153	1/2"3WAY,SS,FM-UNION,1.0CV	(800)356-8000
599-03154	1/2"3WAY,SS,FM-UNION,1.6CV	(800)356-8000
599-03155	1/2"3WAY,SS,FM-UNION,2.5CV	(800)356-8000
599-03156	1/2"3WAY,SS,FM-UNION,4.0CV	(800)356-8000
599-03157	3/4"3WAY,SS,FM-UNION,6.3CV	(800)356-8000
599-03158	1" 3-WAY,SS,FM-UNION,10.0CV	(800)356-8000
599-03159	1 1/4"3W,SS,FM-UNION,16.0CV	(800)356-8000
599-03160	1 1/2"3W,SS,FM-UNION,25.0CV	(800)356-8000
599-03161	2" 3-WAY,SS,FM-UNION,40.0CV	(800)356-8000
599-03162	1/2"NO,VLV,BZ,250,1.0 Cv,=%,WT	(800)356-8000
599-03163	1/2"NO,VLV,BZ,250,1.6 Cv,=%,HC	(800)356-8000
599-03164	1/2"NO,VLV,BZ,250,2.5 Cv,=%,HC	(800)356-8000
599-03165	1/2"NO,VLV,BZ,250,4.0 Cv,=%,HC	(800)356-8000
599-03166	3/4"NO,VLV,BZ,250,6.3 Cv,=%,HC	(800)356-8000
599-03167	1"N.O,VLV,BZ,250,10.0Cv,=%,HC	(800)356-8000
599-03168	1 1/4"NO,BZ, ,250,16.0Cv,=%,HC	(800)356-8000
599-03169	1 1/2"NO,BZ, ,250,16.0Cv,=%,HC	(800)356-8000
599-03170	2"N.O,VLV,BZ,250,40.0Cv,=%,HC	(800)356-8000
599-03171	1/2"NO,VLV,BZ,250,1.0 Cv,=%,UN	(800)356-8000
599-03172	1/2"NO,VLV,BZ,250,1.6 Cv,=%,UN	(800)356-8000
599-03173	1/2"NO,VLV,BZ,250,2.5 Cv,=%,UN	(800)356-8000
599-03174	1/2"NO,VLV,BZ,250,4.0 Cv,=%,UN	(800)356-8000
599-03175	3/4"NO,VLV,BZ,250,6.3 Cv,=%,UN	(800)356-8000
599-03176	1"N.O,VLV,BZ,250,6.3 Cv,=%,UN	(800)356-8000
599-03177	1 1/4"NO.B.Z ,250,16.0Cv,=%,UN	(800)356-8000
599-03178	1 1/2"NO.B.Z ,250,25.0Cv,=%,UN	(800)356-8000
599-03179	2"N.O,VLV,BZ,250,40.0Cv,=%,UN	(800)356-8000
599-03180	1/2"NC.VLV.BZ,250,1.0 Cv,=%,HC	(800)356-8000
599-03181	1/2"NC.VLV.BZ,250,1.6 Cv,=%,HC	(800)356-8000
599-03182	1/2"NC.VLV.BZ,250,2.5 Cv,=%,HC	(800)356-8000
599-03183	1/2"NC.VLV.BZ,250,4.0 Cv,=%,HC	(800)356-8000
599-03184	3/4"NC.VLV.BZ,250,6.3 Cv,=%,HC	(800)356-8000
599-03185	1"N.C.VLV.BZ,250,10.0Cv,=%,HC	(800)356-8000
599-03186	1 1/4"N.C.B.Z,250,16.0Cv,=%,HC	(800)356-8000
599-03187	1 1/2"N.C.B.Z,250,25.0Cv,=%,HC	(800)356-8000
599-03188	2"N.C.VLV.BZ,250,40.0Cv,=%,HC	(800)356-8000
599-03189	1/2"NC.VLV.BZ,250,1.0 Cv,=%,UN	(800)356-8000
599-03190	1/2"NC.VLV.BZ,250,1.6 Cv,=%,UN	(800)356-8000
599-03191	1/2"NC.VLV.BZ,250,2.5CV H-C	(800)356-8000
599-03192	1/2"NC.VLV.BZ,250,4.0 Cv,=%,UN	(800)356-8000
599-03193	3/4"NC.VLV.BZ,250,6.3 Cv,=%,UN	(800)356-8000
599-03194	1"N.C.VLV.BZ,250,10.0Cv,=%,UN	(800)356-8000
599-03195	1 1/4"N.C.B Z,250,16.0Cv,=%,UN	(800)356-8000
599-03196	1 1/2"N.C.B Z,250,25.0Cv,=%,UN	(800)356-8000
599-03197	2"N.C.VLV.BZ,250,40.0Cv,=%,UN	(800)356-8000
599-03198	1/2"3W.VLV.BZ,250,1.0 Cv,WATER	(800)356-8000
599-03199	1/2"3W.VLV.BZ,250,1.6 Cv,WATER	(800)356-8000
599-03200	1/2"3W.VLV.BZ,250,2.5 Cv,WATER	(800)356-8000
599-03201	1/2"3W.VLV.BZ,250,4.0 Cv,WATER	(800)356-8000
599-03202	3/4"3W.VLV.BZ,250,6.3 Cv,WATER	(800)356-8000
599-03203	1" 3W.VLV.BZ,250,10.0Cv,WATER	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-03204	1 1/4"3WAY,BZ,250,16.0Cv,WATER	(800)356-8000
599-03205	1 1/2"3WAY,BZ,250,25.0Cv,WATER	(800)356-8000
599-03206	2"3W .VLV,BZ,250,40.0Cv,WATER	(800)356-8000
599-03207	1/2"3WAY,BZ,FM-U,FM-U,1.0 CV	(800)356-8000
599-03208	1/2"3WAY,BZ,FM-U,FM-U,1.6 CV	(800)356-8000
599-03209	1/2"3WAY,BZ,FM-U,FM-U,2.5 CV	(800)356-8000
599-03210	1/2"3WAY,BZ,FM-U,FM-U,4.0 CV	(800)356-8000
599-03211	3/4"3WAY,BZ,FM-U,FM-U,6.3 CV	(800)356-8000
599-03212	1" 3 WAY,BZ,FM-U,FM-U,10.0CV	(800)356-8000
599-03213	1 1/4"3W,BZ,FM-U,FM-U,16.0CV	(800)356-8000
599-03214	1 1/2"3W,BZ,FM-U,FM-U,25.0CV	(800)356-8000
599-03215	2" 3 WAY,BZ,FM-U,FM-U,40.0CV	(800)356-8000
599-03216	1/2"NO,VLV,SS,250,1.0 Cv,ML/UN	(800)356-8000
599-03217	1/2"NO,VLV,SS,250,1.6 Cv,ML/UN	(800)356-8000
599-03218	1/2"NO,VLV,SS,250,2.5 Cv,ML/UN	(800)356-8000
599-03219	1/2"NO,VLV,SS,250,4.0 Cv,ML/UN	(800)356-8000
599-03220	3/4"NO,VLV,SS,250,6.3 Cv,ML/UN	(800)356-8000
599-03221	1"N.O,VLV,SS,250,10.0Cv,ML/UN	(800)356-8000
599-03225	1/2"NC,VLV,SS,250,1.0 Cv,ML/UN	(800)356-8000
599-03226	1/2"NC,VLV,SS,250,1.6 Cv,ML/UN	(800)356-8000
599-03227	1/2"NC,VLV,SS,250,2.5 Cv,ML/UN	(800)356-8000
599-03228	1/2"NC,VLV,SS,250,4.0 Cv,ML/UN	(800)356-8000
599-03229	3/4"NC,VLV,SS,250,6.3 Cv,ML/UN	(800)356-8000
599-03230	1"N.C,VLV,SS,250,10.0Cv,ML/UN	(800)356-8000
599-03234	1/2"NO,VLV,SS,250,1.0 Cv,STEAM	(800)356-8000
599-03235	1/2"NO,VLV,SS,250,1.6 Cv,STEAM	(800)356-8000
599-03236	1/2"NO,VLV,SS,250,2.5 Cv,STEAM	(800)356-8000
599-03237	1/2"NO,VLV,SS,250,4.0 Cv,STEAM	(800)356-8000
599-03238	3/4"NO,VLV,SS,250,6.3 Cv,STEAM	(800)356-8000
599-03239	1"N.O,VLV,SS,250,10.0Cv,STEAM	(800)356-8000
599-03243	1/2"NC,VLV,SS,250,1.0 Cv,STEAM	(800)356-8000
599-03244	1/2"NC,VLV,SS,250,1.6 Cv,STEAM	(800)356-8000
599-03245	1/2"NC,VLV,SS,250,2.5 Cv,STEAM	(800)356-8000
599-03246	1/2"NC,VLV,SS,250,4.0 Cv,STEAM	(800)356-8000
599-03247	3/4"NC,VLV,SS,250,6.3 Cv,STEAM	(800)356-8000
599-03248	1"N.C,VLV,SS,250,10.0Cv,STEAM	(800)356-8000
599-03252	1/2"NO,VLV,SS,250,1.0 Cv,=%,UN	(800)356-8000
599-03253	1/2"NO,VLV,SS,250,1.6 Cv,=%,UN	(800)356-8000
599-03254	1/2"NO,VLV,SS,250,2.5 Cv,=%,UN	(800)356-8000
599-03255	1/2"NO,VLV,SS,250,4.0 Cv,=%,UN	(800)356-8000
599-03256	3/4"NO,VLV,SS,250,6.3 Cv,=%,UN	(800)356-8000
599-03257	1"N.O,VLV,SS,250,10.0Cv,=%,UN	(800)356-8000
599-03261	1/2"NC,VLV,SS,250,1.0 Cv,=%,UN	(800)356-8000
599-03262	1/2"NC,VLV,SS,250,1.6 Cv,=%,UN	(800)356-8000
599-03263	1/2"NC,VLV,SS,250,2.5 Cv,=%,UN	(800)356-8000
599-03264	1/2"NC,VLV,SS,250,4.0 Cv,=%,UN	(800)356-8000
599-03265	3/4"NC,VLV,SS,250,6.3 Cv,=%,UN	(800)356-8000
599-03266	1"N.C,VLV,SS,250,10.0Cv,=%,UN	(800)356-8000
599-03270	1/2"NO,VLV,BZ,250,1.0 Cv,=%,UN	(800)356-8000
599-03271	1/2"NO,VLV,BZ,250,1.6 Cv,=%,UN	(800)356-8000
599-03272	1/2"NO,VLV,BZ,250,2.5 Cv,=%,UN	(800)356-8000
599-03273	1/2"NO,VLV,BZ,250,4.0 Cv,=%,UN	(800)356-8000
599-03274	3/4"NO,VLV,BZ,250,6.3 Cv,=%,UN	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-03275	1"N.O,VLV,BZ,250,10.0Cv,=%,UN	(800)356-8000
599-03276	1 1/4"NO VLV ASY,BZ,16.0CV,UNI	(800)356-8000
599-03279	1/2"NC,VLV,BZ,250,1.0 Cv,=%,UN	(800)356-8000
599-03280	1/2"NC,VLV,BZ,250,1.6 Cv,=%,UN	(800)356-8000
599-03281	1/2"NC,VLV,BZ,250,2.5 Cv,=%,UN	(800)356-8000
599-03282	1/2"NC,VLV,BZ,250,4.0 Cv,=%,UN	(800)356-8000
599-03283	3/4"NC,VLV,BZ,250,6.3 Cv,=%,UN	(800)356-8000
599-03284	1"N.C,VLV,BZ,250,10.0Cv,=%,UN	(800)356-8000
599-03300	SERVICE KIT .5"NO,LIN,SS,1.0Cv	(800)356-8000
599-03301	SERVICE KIT .5"NO,LIN,SS,1.6Cv	(800)356-8000
599-03302	SERVICE KIT .5"NO,LIN,SS,2.5Cv	(800)356-8000
599-03303	SERVICE KIT .5"NO,LIN,SS,4.0Cv	(800)356-8000
599-03304	SERVICE KIT 3/4"NO LIN,SS,OR	(800)356-8000
599-03305	SERVICE KIT 1" NO LIN,SS,OR	(800)356-8000
599-03306	SERVICE KIT 1 1/4"NO,LIN,SS,OR	(800)356-8000
599-03307	SERVICE KIT 1 1/2"NO,LIN,SS,OR	(800)356-8000
599-03308	SERVICE KIT 2" N.O ,LIN,SS,OR	(800)356-8000
599-03309	SERVICE KIT,NC,.5,LIN,SS,1.0Cv	(800)356-8000
599-03310	SERVICE KIT,NC,.5,LIN,SS,1.6Cv	(800)356-8000
599-03311	SERVICE KIT,NC,.5,LIN,SS,2.5Cv	(800)356-8000
599-03312	SERVICE KIT,NC,.5,LIN,SS,4.0Cv	(800)356-8000
599-03313	SERVICE KIT,NC,3/4" LIN,SS,OR	(800)356-8000
599-03314	SERVICE KIT,NC, 1" LIN,SS,OR	(800)356-8000
599-03315	SERVICE KIT,NC,1 1/4" LIN SS	(800)356-8000
599-03316	SERVICE KIT,NC,1 1/2" LIN SS	(800)356-8000
599-03317	SERVICE KIT,NC, 2"LIN SS OR	(800)356-8000
599-03318	SERV.KIT,NO, 1/2"LIN,SS,1.0,ST	(800)356-8000
599-03319	SERV.KIT NO,1/2"LIN,SS,1.6,STM	(800)356-8000
599-03320	SERV.KIT NO, 1/2"LIN,SS,2.5,ST	(800)356-8000
599-03321	SERV.KIT NO, 1/2"LIN,SS,4.0,ST	(800)356-8000
599-03322	SERV.KIT,NO, 3/4"LIN,SS,STM	(800)356-8000
599-03323	SERV.KIT,NO, 1" LIN,SS,STM	(800)356-8000
599-03324	SERV.KIT,NO,1 1/4"LIN,SS,STM	(800)356-8000
599-03325	SERV.KIT,NO,1 1/2"LIN,SS,STM	(800)356-8000
599-03326	SERV.KIT,NO, 2" LIN,SS,STM	(800)356-8000
599-03327	SERV.KIT,NC,1/2"LIN,SS,1.0,STM	(800)356-8000
599-03328	SERV.KIT,NC,1/2"LIN,SS,1.6,STM	(800)356-8000
599-03329	SERV.KIT,NC,1/2"LIN,SS,2.5,STM	(800)356-8000
599-03330	SERV.KIT,NC,1/2"LIN,SS,4.0,STM	(800)356-8000
599-03331	SERV.KIT,NC,3/4"LIN,SS,STM	(800)356-8000
599-03332	SERV.KIT,NC, 1" LIN,SS,STM	(800)356-8000
599-03333	SERV.KIT,NC,1 1/4"LIN,SS,STM	(800)356-8000
599-03334	SERV.KIT,NC,1 1/2"LIN,SS,STM	(800)356-8000
599-03335	SERV.KIT,NC, 2" LIN,SS,STM	(800)356-8000
599-03336	SERV.KIT,NO, 1/2" =%,SS,1.0,OR	(800)356-8000
599-03337	SERV.KIT,NO, 1/2" =%,SS,1.6,OR	(800)356-8000
599-03338	SERV.KIT,NO, 1/2" =%,SS,2.5,OR	(800)356-8000
599-03339	SERV.KIT,NO, 1/2" =%,SS,4.0,OR	(800)356-8000
599-03340	SERV.KIT,NO, 3/4" =%,SS,OR	(800)356-8000
599-03341	SERV.KIT,NO, 1" =%,SS,OR	(800)356-8000
599-03342	SERV.KIT,NO,1 1/4"=%,SS,OR	(800)356-8000
599-03343	SERV.KIT,NO,1 1/2"=%,SS,OR	(800)356-8000
599-03344	SERV.KIT,NO, 2" =%,SS,OR	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-03345	SERV.KIT,NC,1/2" ,=%,SS,OR,1.0	(800)356-8000
599-03346	SERV.KIT,NC,1/2" ,=%,SS,OR,1.6	(800)356-8000
599-03347	SERV.KIT,NC,1/2" ,=%,SS,OR,2.5	(800)356-8000
599-03348	SERV.KIT,NC,1/2" ,=%,SS,OR,4.0	(800)356-8000
599-03349	SERV.KIT,NC,3/4" ,=%,SS,OR,	(800)356-8000
599-03350	SERV.KIT,NC, 1" ,=%,SS,OR,	(800)356-8000
599-03351	SERV.KIT,NC,1 1/4,=%,SS,OR,	(800)356-8000
599-03352	SERV.KIT,NC,1 1/2"=%,SS,OR,	(800)356-8000
599-03353	SERV.KIT,NC, 2" ,=%,SS,OR,	(800)356-8000
599-03354	SERV.KIT,NO,1/2" ,=%,BZ,OR,1.0	(800)356-8000
599-03355	SERV.KIT,NO,1/2" ,=%,BZ,OR,1.6	(800)356-8000
599-03356	SERV.KIT,NO,1/2" ,=%,BZ,OR,2.5	(800)356-8000
599-03357	SERV.KIT,NO,1/2" ,=%,BZ,OR,4.0	(800)356-8000
599-03358	SERV.KIT,NO,3/4" ,=%,BZ,OR,	(800)356-8000
599-03359	SERV.KIT,NO, 1" ,=%,BZ,OR,	(800)356-8000
599-03360	SERV.KIT,NO,1 1/4"=%,BZ,OR,	(800)356-8000
599-03361	SERV.KIT,NO,1 1/2"=%,BZ,OR,	(800)356-8000
599-03362	SERV.KIT,NO, 2" ,=%,BZ,OR,	(800)356-8000
599-03363	SERV.KIT,NC,1/2" ,=%,BZ,OR,1.0	(800)356-8000
599-03364	SERV.KIT,NC,1/2" ,=%,BZ,OR,1.6	(800)356-8000
599-03365	SERV.KIT,NC,1/2" ,=%,BZ,OR,2.5	(800)356-8000
599-03366	SERV.KIT,NC,1/2" ,=%,BZ,OR,4.0	(800)356-8000
599-03367	SERV.KIT,NC,3/4" ,=%,BZ,OR,	(800)356-8000
599-03368	SERV.KIT,NC, 1" ,=%,BZ,OR,	(800)356-8000
599-03369	SERV.KIT,NC,1 1/4"=%,BZ,OR,	(800)356-8000
599-03370	SERV.KIT,NC,1 1/2"=%,BZ,OR,	(800)356-8000
599-03371	SERV.KIT,NC, 2" ,=%,BZ,OR,	(800)356-8000
599-03372	SERV.KIT,3W,1/2" ,=%,SS,OR,1.0	(800)356-8000
599-03373	SERV.KIT,3W,1/2" ,=%,SS,OR,1.6	(800)356-8000
599-03374	SERV.KIT,3W,1/2" ,=%,SS,OR,2.5	(800)356-8000
599-03375	SERV.KIT,3W,1/2" ,=%,SS,OR,4.0	(800)356-8000
599-03376	SERV.KIT,3W,3/4" ,=%,SS,OR,	(800)356-8000
599-03377	SERV.KIT,3WAY 1" ,=%,SS,OR,	(800)356-8000
599-03378	SERV.KIT,3W,1 1/4" ,=%,SS,OR	(800)356-8000
599-03379	SERV.KIT,3W,1 1/2"=%,SS,OR	(800)356-8000
599-03380	SERV.KIT,3WAY 2"=%,SS,OR	(800)356-8000
599-03381	SERV.KIT,3W, 1/2" ,=%,BZ,OR,1.0	(800)356-8000
599-03382	SERV.KIT,3W, 1/2" ,=%,BZ,OR,1.6	(800)356-8000
599-03383	SERV.KIT,3W, 1/2" ,=%,BZ,OR,2.5	(800)356-8000
599-03384	SERV.KIT,3W, 1/2" ,=%,BZ,OR,4.0	(800)356-8000
599-03385	SERV.KIT,3W, 3/4" ,=%,BZ,OR,	(800)356-8000
599-03386	SERV.KIT,3WAY 1" ,=%,BZ,OR,	(800)356-8000
599-03387	SERV.KIT,3W 1 1/4"=%,BZ,OR,	(800)356-8000
599-03388	SERV.KIT,3W 1 1/2"=%,BZ,OR,	(800)356-8000
599-03389	SERV.KIT,3WAY 2" ,=%,BZ,OR,	(800)356-8000
599-03390	PACKING KIT,10mm O-RING(WATER)	(800)356-8000
599-03391	PACKING KIT,10mm,V-RING(STEAM)	(800)356-8000
599-03394	1/2"UNION SEAL RING(25 PK)	(800)356-8000
599-03395	3/4"UNION SEAL RING(25 PK)	(800)356-8000
599-03396	1" UNION SEAL RING(25 PK)	(800)356-8000
599-03397	1 1/4"UNION SEAL RING(25PK)	(800)356-8000
599-03398	1 1/2"UNION SEAL RING(25PK)	(800)356-8000
599-03399	2" UNION SEAL RING(25 PK)	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-03609	LINKAGE WITH GCA161.1U	(800)356-8000
599-03610	LINKAGE,RACK&PINION ASSY	(800)356-8000
599-03611	LINKAGE WITH GCA121.1U	(800)356-8000
599-05011	2.5"SERVICE FLANGE,ANSI 125	(800)356-8000
599-05012	3" SRVICE FLANGE,ANSI 125	(800)356-8000
599-05013	4" SRVICE FLANGE,ANSI 125	(800)356-8000
599-05014	5" SRVICE FLANGE,ANSI 125	(800)356-8000
599-05015	6" SRVICE FLANGE,ANSI 125	(800)356-8000
599-05016	2.5"SRVICE FLANGE,ANSI 250	(800)356-8000
599-05017	3" SERVICE FLANGE,ANCI 250	(800)356-8000
599-05018	4" SRVICE FLANGE,ANSI 250	(800)356-8000
599-05019	5" SRVICE FLANGE,ANSI 250	(800)356-8000
599-05020	6" SRVICE FLANGE,ANSI 250	(800)356-8000
599-05920	2.5"NO VALVE ASY,SS. MOD=%,250	(800)356-8000
599-05921	3" NO VALVE ASY,SS. MOD=%,250	(800)356-8000
599-05922	4"N.O. VALVE ASY,SS. MOD=%,250	(800)356-8000
599-05923	5"N.O. VALVE ASY,SS. MOD=%,250	(800)356-8000
599-05924	6"N.O. VALVE ASY,SS. MOD=%,250	(800)356-8000
599-05930	2.5"N.C.VALVE ASY,SS,MOD=%,250	(800)356-8000
599-05931	3" N.C.VALVE ASY,SS,MOD=%,250	(800)356-8000
599-05932	4" N.C.VALVE ASY,SS,MOD=%,250	(800)356-8000
599-05933	5" N.C.VALVE ASY,SS,MOD=%,250	(800)356-8000
599-05934	6" N.C.VALVE ASY,SS,MOD=%,250	(800)356-8000
599-05940	2.5"NO VALVE ASY,BZ,MOD=%,250	(800)356-8000
599-05941	3" N.O.VALVE ASY,BZ,MOD=%,250	(800)356-8000
599-05942	4" N.O.VALVE ASY,BZ,MOD=%,250	(800)356-8000
599-05943	5" N.O.VALVE ASY,BZ,MOD=%,250	(800)356-8000
599-05944	6" N.O.VALVE ASY,BZ,MOD=%,250	(800)356-8000
599-05950	2.5"NC VALVE ASY,BZ,MOD=%,250	(800)356-8000
599-05951	3" N.C VALVE ASY,BZ,MOD=%,250	(800)356-8000
599-05952	4" N.C VALVE ASY,BZ,MOD=%,250	(800)356-8000
599-05953	5" N.C.VALVE ASY,BZ,MOD=%,250	(800)356-8000
599-05954	6" N.C.VALVE ASY,BZ,MOD=%,250	(800)356-8000
599-05960	2.5"NO VALVE ASY,SS. MOD=%,125	(800)356-8000
599-05961	3" NO VALVE ASY,SS. MOD=%,125	(800)356-8000
599-05962	4"NO 125 VLVE ASY,SS,=%, O RING	(800)356-8000
599-05963	5" NO VALVE ASY,SS. MOD=%,125	(800)356-8000
599-05964	6" NO VALVE ASY,SS. MOD=%,125	(800)356-8000
599-05970	2.5"NC VALVE ASY.SS,MOD=%,125	(800)356-8000
599-05971	3"N.C.VALVE ASY.SS.MOD=%,125	(800)356-8000
599-05972	4"NC 125 VLVE ASY,SS,=%, O RING	(800)356-8000
599-05973	5"N.C.VALVE ASY.SS,MOD=%,125	(800)356-8000
599-05974	6"N.C.VALVE ASY.SS,MOD=%,125	(800)356-8000
599-05980	2.5"NO VALVE ASY,BZ,MOD=%,125	(800)356-8000
599-05981	3" N.O.VALVE ASY,BZ,MOD=%,125	(800)356-8000
599-05982	4" N.O.VALVE ASY,BZ,MOD=%,125	(800)356-8000
599-05983	5" N.O.VALVE ASY,BZ,MOD=%,125	(800)356-8000
599-05984	6" N.O.VALVE ASY,BZ,MOD=%,125	(800)356-8000
599-05990	2.5"NC.VALVE ASY,BZ,MOD=%,125	(800)356-8000
599-05991	3" N.C.VALVE ASY,BZ,MOD=%,125	(800)356-8000
599-05992	4" N.C.VALVE ASY,BZ,MOD=%,125	(800)356-8000
599-05993	5" N.C.VALVE ASY,BZ,MOD=%,125	(800)356-8000
599-05994	6" N.C.VALVE ASY,BZ,MOD=%,125	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-06040	2.5"NO.VALVE ASY.SS,LINEAR,125	(800)356-8000
599-06041	3"NO.VALVE ASY.SS.STM.LIN,125	(800)356-8000
599-06042	4"NO.VALVE ASY.SS.STM.LIN,125	(800)356-8000
599-06043	5"NO.VALVE ASY.SS.STM.LIN,125	(800)356-8000
599-06044	6"NO.VALVE ASY.SS.STM.LIN,125	(800)356-8000
599-06050	2.5"NC.VLVE ASY.SS.STM.LIN,125	(800)356-8000
599-06051	3"NC.VALVE ASY.SS.STM.LIN,125	(800)356-8000
599-06052	4"NC.VALVE ASY.SS.STM.LIN,125	(800)356-8000
599-06053	5"NC.VALVE ASY.SS.STM.LIN,125	(800)356-8000
599-06054	6"NC.VALVE ASY.SS.STM.LIN,125	(800)356-8000
599-06060	2.5"NO VLVE ASY.SS.LINEAR,125	(800)356-8000
599-06061	3"NO VALVE ASY.SS.LINEAR,125	(800)356-8000
599-06062	4"NO.VALVE ASY.SS.LINEAR,125	(800)356-8000
599-06063	5"NO VALVE ASY.SS.LINEAR,125	(800)356-8000
599-06064	6"NO VALVE ASY.SS.LINEAR,125	(800)356-8000
599-06070	2.5"NC.VLVE ASY.SS.LINEAR,125	(800)356-8000
599-06071	3"NC.VALVE ASY.SS.LINEAR,125	(800)356-8000
599-06072	4"NC 125 VLV BODY ASY SS LINEA	(800)356-8000
599-06073	5"NC.VALVE ASY.SS.LINEAR,125	(800)356-8000
599-06074	6"NC.VALVE ASY.SS.LINEAR,125	(800)356-8000
599-06120	2.5"NO.VLV ASY,STM,SS,LIN 250	(800)356-8000
599-06121	3"NO.VLA ASY,STM,SS,LINEAR,250	(800)356-8000
599-06122	4"NO.VLV ASY,STM,SS,LINEAR,250	(800)356-8000
599-06123	5"N.O. VALVE ASY.SS,LINEAR,250	(800)356-8000
599-06124	6"N.O. VALVE ASY.SS,LINEAR,250	(800)356-8000
599-06130	2.5"NC.VLV.ASY,STM SS,LINR 250	(800)356-8000
599-06131	3"NC.VLV ASY.STM.SS,LINEAR,250	(800)356-8000
599-06132	4"NC.VLV ASY,SS,STM,LINEAR,250	(800)356-8000
599-06133	5"NC.VALVE ASY,STM,SS,LIN,250	(800)356-8000
599-06134	6"NC.VALVE ASY,STM,SS,LNEAR250	(800)356-8000
599-06140	2.5"NO.VALVE ASY,SS,LINEAR,250	(800)356-8000
599-06141	3"N.O. VALVE ASY,SS,LINEAR,250	(800)356-8000
599-06142	4"N.O. VALVE ASY,SS,LINEAR,250	(800)356-8000
599-06143	5"N.O. VALVE ASY,SS,LINEAR,250	(800)356-8000
599-06144	6"N.O. VALVE ASY,SS,LINEAR,250	(800)356-8000
599-06150	2.5"NC.VALVE ASY,SS,LINEAR,250	(800)356-8000
599-06151	3"N.C. VALVE ASY,SS,LINEAR,250	(800)356-8000
599-06152	4"N.C. VALVE ASY,SS,LINEAR,250	(800)356-8000
599-06153	5"N.C. VALVE ASY,SS,LINEAR,250	(800)356-8000
599-06154	6"N.C. VALVE ASY,SS,LINEAR,250	(800)356-8000
599-06160	2.5"3WAY VALVE ASY,BZ,125	(800)356-8000
599-06161	3" 3-WAY VALVE ASY,BZ,125	(800)356-8000
599-06162	4" 3-WAY VALVE ASY,BZ,125	(800)356-8000
599-06163	5" 3WAY VALVE ASY.BZ,125	(800)356-8000
599-06164	6" 3WAY VALVE ASY.BZ,125	(800)356-8000
599-06165	2.5"3WAY VALVE ASY.SS.125 ANSI	(800)356-8000
599-06166	3" 3WAY VALVE ASY.SS.125 ANSI	(800)356-8000
599-06167	4"3WAY VALVE ASY.SS.125 ANSI.	(800)356-8000
599-06168	5"3WAY VALVE ASY.SS,125 ANSI	(800)356-8000
599-06169	6"3WAY VALVE ASY.SS, 125 ANSI	(800)356-8000
599-06170	2.5"3WAY VALVE ASY,BZ,250	(800)356-8000
599-06171	3" 3-WAY VALVE ASY,BZ,250	(800)356-8000
599-06172	4" 3-WAY VALVE ASY,BZ,250	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-06173	5" 3WAY VALVE ASY.BZ,250	(800)356-8000
599-06174	6" 3WAY VALVE ASY.BZ,250	(800)356-8000
599-06175	2.5"3WAY VALVE ASY,SS,CL 250	(800)356-8000
599-06176	3"3WAY VALVE ASY SS,CL 250	(800)356-8000
599-06177	4"3WAY VALVE ASY SS,CL 250	(800)356-8000
599-06178	5"3WAY VALVE ASY SS,CL 250	(800)356-8000
599-06179	6"3WAY VALVE ASY SS,CL 250	(800)356-8000
599-06440	ELEC.ACTUATOR,24v,NC/3WAY	(800)356-8000
599-06441	ELEC.ACTUATOR,120v,NC/3WAY	(800)356-8000
599-06442	ELEC.ACTUATOR,24v,N.O.	(800)356-8000
599-06443	ELEC.ACTUATOR,120v,N.O.	(800)356-8000
599-08020	O-RING PACKING KIT (WATER)	(800)356-8000
599-08021	V-RING PACKING KIT (STEAM)	(800)356-8000
599-08044	2.5"LOWER SEAT TOOL	(800)356-8000
599-08045	3" LOWER SEAT TOOLL	(800)356-8000
599-08046	4" LOWER SEAT TOOLL	(800)356-8000
599-08047	5" LOWER SEAT TOOLL	(800)356-8000
599-08048	6" LOWER SEAT TOOLL	(800)356-8000
599-09144	2 1/2" SEAT TOOL	(800)356-8000
599-09145	3" SEAT TOOL	(800)356-8000
599-09146	4" SEAT TOOL	(800)356-8000
599-09147	5" SEAT TOOL	(800)356-8000
599-09148	6" SEAT TOOL	(800)356-8000
599-09181	1/2"MALE UNION KIT,VUP B	(800)356-8000
599-09182	3/4"MALE UNION KIT,VUP B	(800)356-8000
599-09183	1" MALE UNION KIT,VUP B	(800)356-8000
599-09184	1 1/4"MALE UNION KIT,VUP B	(800)356-8000
599-09185	1/2"FEMALE UNION KIT,VUB B	(800)356-8000
599-09186	3/4"FEMALE UNION KIT,VUB B	(800)356-8000
599-09187	1" FEMALE UNION KIT,VUB B	(800)356-8000
599-09188	1 1/4"FEMALE UNION KIT,VUP B	(800)356-8000
599-09189	1 1/2"FEMALE UNION KIT,VUP B	(800)356-8000
599-09190	2" FEMALE UNION KIT,VUB B	(800)356-8000
599-09201	SERVICE KIT,1.25"NO,SS,LIN	(800)356-8000
599-09202	SERVICE KIT,1.50"NO,SS,LIN	(800)356-8000
599-09203	SERVICE KIT,2" N.O ,SS,LIN	(800)356-8000
599-09204	SERVICE KIT,1.25"NO,SS,LIN,STM	(800)356-8000
599-09205	SERVICE KIT,1.50"NO,SS,LIN,STM	(800)356-8000
599-09206	SERVICE KIT,2" N.O ,SS,LIN,STM	(800)356-8000
599-09207	SERVICE KIT,1.25"NO,SS,=%,	(800)356-8000
599-09208	SERVICE KIT,1.50"NO,=%,SS,	(800)356-8000
599-09209	SERVICE KIT,2"N.O,=%,SS,	(800)356-8000
599-09210	SERVICE KIT,1-25" =%,BZ,	(800)356-8000
599-09211	SERVICE KIT,1-50"N.O.=%BZ	(800)356-8000
599-09212	SERVICE KIT,2" N.O.=% BZ	(800)356-8000
599-09213	SERVICE KIT,1-25"N.C.SS,LIN	(800)356-8000
599-09214	SERVICE KIT,1-50"N.C.SS,LIN	(800)356-8000
599-09215	SERVICE KIT,2"N.C,SS,LIN	(800)356-8000
599-09216	SERVICE KIT,1-25"NC,SS,STM	(800)356-8000
599-09217	SERVICE KIT,1-50"NC,SS,LIN,STM	(800)356-8000
599-09218	SERVICE KIT,2" N.C,SS,LIN, STM	(800)356-8000
599-09219	SERVICE KIT,1-25"NC.=% SS	(800)356-8000
599-09220	SERVICE KIT,1-50"NC.=%,SS	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-09221	SERVICE KIT,2" N.C. =%,SS	(800)356-8000
599-09222	SERVICE KIT,1-25.NC =%,BZ	(800)356-8000
599-09223	SERVICE KIT,1-50.NC =%,BZ	(800)356-8000
599-09224	SERVICE KIT,2 N.C. =%,BZ	(800)356-8000
599-09225	SERVICE KIT1-25"3WAY=%SSLIN/MO	(800)356-8000
599-09226	SERVICE KIT1-50"3WAY=%SSLIN/MO	(800)356-8000
599-09227	SERVICE KIT,2"3WAY=%,SS,LIN/MO	(800)356-8000
599-09228	SERVICE KIT1-25,3WAY=%BZ,LIN/M	(800)356-8000
599-09229	SERVICE KIT1-50,3WAY=%BZ,LIN/M	(800)356-8000
599-09230	SERVICE KIT,2"3WAY=%,BZ,LIN/MO	(800)356-8000
599-10021	E/M LINKAGE 20MM + 338 012	(800)356-8000
599-10022	E/M LINKAGE 20MM + 338 001	(800)356-8000
599-10023	E/M LINKAGE 40MM + 338 014.	(800)356-8000
599-10030	E/M LINKAGE 20MM FIELD KIT	(800)356-8000
599-10031	E/M LINKAGE 40MM FIELD KIT	(800)356-8000
599-10046	E/M LINKAGE COUPLING KIT 10 MM	(800)356-8000
599-10047	E/M LINKAGE COUPLING KIT 14 MM	(800)356-8000
599-10048	STEM RETAINER KIT-10MM	(800)356-8000
599-10049	STEM RETAINER KIT-14MM	(800)356-8000
599-10065	SKB/C WEATHERSHIELD ASSY	(800)356-8000
599-10071	WEATHERSHIELD SKD & SQX ACT	(800)356-8000
599-10099	VALVE SIZING SLIDE RULE	(800)356-8000
599-10100	2.5",125&250 NO,SS,SERVICE KIT	(800)356-8000
599-10101	3" ,125&250 NO,SS,SERVICE KIT	(800)356-8000
599-10102	4" ,125&250 NO,SS,SERVICE KIT	(800)356-8000
599-10103	5" ,125&250 NO,SS,SERVICE KIT	(800)356-8000
599-10104	6" ,125&250 NO,SS,SERVICE KIT	(800)356-8000
599-10105	2.5",125&250 NC,SS,SERVICE KIT	(800)356-8000
599-10106	3" ,125&250 NC,SS,SERVICE KIT	(800)356-8000
599-10107	4" ,125&250 NC,SS,SERVICE KIT	(800)356-8000
599-10108	5" ,125&250 NC,SS,SERVICE KIT	(800)356-8000
599-10109	6" ,125&250 NC,SS,SERVICE KIT	(800)356-8000
599-10110	2.5"125&250 N.O,SS,STEAM KIT	(800)356-8000
599-10111	3" 125&250 N.O,SS,STEAM KIT	(800)356-8000
599-10112	4" 125&250 N.O,SS,STEAM KIT	(800)356-8000
599-10113	5" 125&250 N.O,SS,STEAM KIT	(800)356-8000
599-10114	6" 125&250 N.O,SS,STEAM KIT	(800)356-8000
599-10115	2.5"125&250 N.C,SS,STEAM KIT	(800)356-8000
599-10116	3" 125&250 N.C,SS,STEAM KIT	(800)356-8000
599-10117	4" 125&250 N.C,SS,STEAM KIT	(800)356-8000
599-10118	5" 125&250 N.C,SS,STEAM KIT	(800)356-8000
599-10119	6" 125&250 N.C,SS,STEAM KIT	(800)356-8000
599-10120	2.5"125&250,3WAY,SS,=%, KIT	(800)356-8000
599-10121	3" 125&250,3WAY,SS,=%, KIT	(800)356-8000
599-10122	4" 125&250,3WAY,SS,=%, KIT	(800)356-8000
599-10123	5" 125&250,3WAY,SS,=%, KIT	(800)356-8000
599-10124	6" 125&250,3WAY,SS,=%, KIT	(800)356-8000
599-10125	2.5"125&250,3WAY,BZ,=%, KIT	(800)356-8000
599-10126	3" 125&250,3WAY,BZ,=%, KIT	(800)356-8000
599-10127	4" 125&250,3WAY,BZ,=%, KIT	(800)356-8000
599-10128	5" 125&250,3WAY,BZ,=%, KIT	(800)356-8000
599-10129	6" 125&250,3WAY,BZ,=%, KIT	(800)356-8000
599-10130	2.5"125&250,NO,SS,=%,SERV.KIT	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-10131	3" 125&250,NO,SS,=%,SERV.KIT	(800)356-8000
599-10132	4" 125&250,NO,SS,=%,SERV.KIT	(800)356-8000
599-10133	5" 125&250,NO,SS,=%,SERV.KIT	(800)356-8000
599-10134	6" 125&250,NO,SS,=%,SERV.KIT	(800)356-8000
599-10135	2.5"125&250,NO,BZ,=%,SERV.KIT	(800)356-8000
599-10136	3" 125&250,NO,BZ,=%,SERV.KIT	(800)356-8000
599-10137	4" 125&250,NO,BZ,=%,SERV.KIT	(800)356-8000
599-10138	5" 125&250,NO,BZ,=%,SERV.KIT	(800)356-8000
599-10139	6" 125&250,NO,BZ,=%,SERV.KIT	(800)356-8000
599-10140	2.5"125&250,NC,SS,=%,SERV.KIT	(800)356-8000
599-10141	3" 125&250,NC,SS,=%,SERV.KIT	(800)356-8000
599-10142	4" 125&250,NC,SS,=%,SERV.KIT	(800)356-8000
599-10143	5" 125&250,NC,SS,=%,SERV.KIT	(800)356-8000
599-10144	6" 125&250,NC,SS,=%,SERV.KIT	(800)356-8000
599-10145	2.5"125&250,NC,BZ,=%,SERV.KIT	(800)356-8000
599-10146	3" 125&250,NC,BZ,=%,SERV.KIT	(800)356-8000
599-10147	4" 125&250,NC,BZ,=%,SERV.KIT	(800)356-8000
599-10148	5" 125&250,NC,BZ,=%,SERV.KIT	(800)356-8000
599-10149	6" 125&250,NC,BZ,=%,SERV.KIT	(800)356-8000
599-10200	RETAINER CLAMP KIT,SKB/C	(800)356-8000
599-10203	VLV, 0.5"2W,0.4 Cv,FxF,BR/NI	(800)356-8000
599-10204	VLV, 0.5"2W,0.63Cv,FxF,BR/NI	(800)356-8000
599-10205	VLV, 0.5"2W,1.6 Cv,FxF,BR/NI	(800)356-8000
599-10206	VLV, 0.5"2W,2.5 Cv,FxF,BR/NI	(800)356-8000
599-10207	VLV, 0.5"2W,4.0 Cv,FxF,BR/NI	(800)356-8000
599-10208	VLV, 0.5"2W,10.0Cv,FxF,BR/NI	(800)356-8000
599-10209	VLV,0.75"2W,10.0Cv,FxF,BR/NI	(800)356-8000
599-10210	VLV,0.75"2W,25.0Cv,FxF,BR/NI	(800)356-8000
599-10211	VLV,1"2W,10.0Cv,FxF,BR/NI	(800)356-8000
599-10212	VLV,1"2W,25.0Cv,FxF,BR/NI	(800)356-8000
599-10213	VLV,1"2W,16.0Cv,FxF,BR/NI	(800)356-8000
599-10214	VLV,1"2W,63.0Cv,FxF,BR/NI	(800)356-8000
599-10215	VLV,1.25"2W,16.0Cv,FxF,BR/NI	(800)356-8000
599-10216	VLV,1.25"2W,40.0Cv,FxF,BR/NI	(800)356-8000
599-10217	VLV,1.25"2W,100 Cv,FxF,BR/NI	(800)356-8000
599-10218	VLV,1.50"2W,25.0Cv,FxF,BR/NI	(800)356-8000
599-10219	VLV,1.50"2W,63.0Cv,FxF,BR/NI	(800)356-8000
599-10220	VLV,1.50"2W,40.0Cv,FxF,BR/NI	(800)356-8000
599-10221	VLV,1.50"2W,160 Cv,FxF,BR/NI	(800)356-8000
599-10222	VLV,2"2W,40.0Cv,FxF,BR/NI	(800)356-8000
599-10223	VLV,2"2W,100 Cv,FxF,BR/NI	(800)356-8000
599-10224	VLV,2"2W,63.0Cv,FxF,BR/NI	(800)356-8000
599-10225	VLV,2"2W,266Cv,FxF,BR/NI	(800)356-8000
599-10241	FINGER GUARD KIT	(800)356-8000
599-10250	VLV, 0.5" 3W 0.4Cv FxF BR/NI	(800)356-8000
599-10251	VLV, 0.5" 3W 0.63Cv FxF BR/NI	(800)356-8000
599-10252	VLV, 0.5" 3W 1Cv FxF BR/NI	(800)356-8000
599-10253	VLV, 0.5" 3W 2.5Cv FxF BR/NI	(800)356-8000
599-10254	VLV, 0.5" 3W 4Cv FxF BR/NI	(800)356-8000
599-10255	VLV, 0.5" 3W 10Cv FxF BR/NI	(800)356-8000
599-10256	VLV, 0.75" 3W 16Cv FxF BR/NI	(800)356-8000
599-10257	VLV, 1" 3W 10Cv FxF BR/NI	(800)356-8000
599-10258	VLV, 1" 3W 16Cv FxF BR/NI	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
599-10259	VLV, 1" 3W 25Cv FXF BR/NI	(800)356-8000
599-10260	VLV, 1.25" 3W 16Cv FXF BR/NI	(800)356-8000
599-10261	VLV, 1.25" 3W 40Cv FXF BR/NI	(800)356-8000
599-10262	VLV, 1.5" 3W 16Cv FXF BR/NI	(800)356-8000
599-10263	VLV, 1.5" 3W 25Cv FXF BR/NI	(800)356-8000
599-10264	VLV, 1.5" 3W 63Cv FXF BR/NI	(800)356-8000
599-10265	VLV, 2" 3W 25Cv FXF BR/NI	(800)356-8000
599-10266	VLV, 2" 3W 40Cv FXF BR/NI	(800)356-8000
599-10267	VLV, 2" 3W 100Cv FXF BR/NI	(800)356-8000
632-004	VF591 2-1/2" FLANGE GASKET	(800)356-8000
632-005	VF591 3" FLANGE GASKET	(800)356-8000
633-005	VF591 4" TO 8" BONNET GASKET	(800)356-8000
653-008	VALVE DISC 2 1/2"	(800)356-8000
653-009	VALVE DISC 3"	(800)356-8000
653-010	VALVE DISC 4"	(800)356-8000
653-221	OBS/NR, F'RITE DISC KIT, 1/2"	(800)356-8000
653-222	OBS/NR, F'RITE DISC KIT, 3/4",	(800)356-8000
653-223	OBS/NR, F'RITE DISC KIT, 1",ST	(800)356-8000
653-224	OBS/NR, FR DISC KIT,1-1/4",ST/	(800)356-8000
653-225	OBS/NR, FR DISC KIT, 1-1/2",ST	(800)356-8000
653-226	OBS/NR, F'RITE DISC KIT, 2",ST	(800)356-8000
653-227	OBS/NR, F'RITE DISC KIT, 3/4",	(800)356-8000
653-228	OBS/NR, F'RITE DISC KIT, 1",WM	(800)356-8000
653-229	OBS/NR, F'RITE DISC KIT, 1-1/4	(800)356-8000
653-230	OBS/NR, F'RITE DISC KIT, 1-1/2	(800)356-8000
653-231	OBS/NR, F'RITE DISC KIT, 2",WM	(800)356-8000
653-232	1/2"VALVE DISC-TEFLON	(800)356-8000
656-0002	1/2" P'MITE,NO,3-8PSI,100%,FLR	(800)356-8000
656-0004	1/2" P,MITE,NO,3-8PSI,50%,FLR	(800)356-8000
656-0009	1/2"P,MITE,3W,10-15PSI,100%FLR	(800)356-8000
656-0010	1/2" P'MITE,3W,3-8PSI,100%,FLR	(800)356-8000
656-0011	1/2" P'MITE,3W,3-8 PSI,50%,FLR	(800)356-8000
656-0012	1/2"P,MITE,NC,10-15PSI,100%,SF	(800)356-8000
656-0013	1/2"P'MITE,NC,O/BY 25602008	(800)356-8000
656-0015	1/2"P'MITE,3W,O/BY 25802068	(800)356-8000
656-0017	1/2" P'MITE,NO,O/BY 25702040	(800)356-8000
656-0018	3/4" P'MITE,NO,O/BY 25702043	(800)356-8000
656-0019	1/2"P'MITE,NO,O/BY 25702040	(800)356-8000
656-0021	3/4" P,MITE,O/BY 25702043	(800)356-8000
656-014	P'MITE RBLD/RPCK KIT 1/2"NC	(800)356-8000
656-105	VP657 RPLMT HI TEMP DIAPHRAGM	(800)356-8000
656-599	P'MITE RPLMT TOP,1/2",3-8PSI	(800)356-8000
656-600	P'MITE RPLMT TOP,3/4",3-8 PSI	(800)356-8000
656-601	P'MITE VALVE REPACKING KIT	(800)356-8000
656-720	SPRING (3-8 LB)	(800)356-8000
656-736	3"DIAPHRAGM KIT,DISC MOD/5 PK	(800)356-8000
656-740	P'MITE SHUT-OFF DISC, 1/2"	(800)356-8000
656-741	P'MITE SHUT-OFF DISC, 3/4"	(800)356-8000
656-742	P,MITE SHUT OFF DISC 10/P	(800)356-8000
656-761	P'MITE RBLD/RPCK KIT,1/2",NO	(800)356-8000
656-762	P'MITE RBLD/RPCK KIT,3/4",NO	(800)356-8000
656-763	P'MITE.RBLD/RPCK KIT,1/2",NC	(800)356-8000
656-764	P'MITE RBLD/RPCK KIT,1/2",3W	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
656-765	P'MITE RBLD/RPCK KIT,1/2",3W	(800)356-8000
656-766	P'MITE RBLD/RPCK KIT,1/2",3W	(800)356-8000
656-767	P'MITE RBLD/RPCK KIT,1/2",3W	(800)356-8000
656-768	P,MITE RBLD/RPCK KIT 1/2"NO	(800)356-8000
656-769	P,MITE RBLD/RPCK KIT,1/2"N.O.	(800)356-8000
656-830	VP656 RPLMT TOP 1/2" 3-8#PSI	(800)356-8000
656-831	VP656 RPLMT TOP1/2"5-10#SPRING	(800)356-8000
656-832	VP656 RPLMT TOP3/4"5-10#SPRING	(800)356-8000
656-833	VP656 RPLMT TOP 1/2"3-8#SPRING	(800)356-8000
656-834	VP656 RPLMT TOP1/2"5-10#SPRING	(800)356-8000
657-696	DIAPHRAGM	(800)356-8000
657-800	VP657 1/2" RPLMT DISCS 10/PKG	(800)356-8000
657-801	VP657 3/4" RPLMT DISCS 10/PKG	(800)356-8000
657-802	VP657 1" RPLMT DISCS 10/PKG	(800)356-8000
657-813	VP657 1/2" RPLMT DISCS 1 SET	(800)356-8000
658-0004	1/2" P'TOP,NO,2-6PSI,FLR 1.0CV	(800)356-8000
658-0005	1/2" P'TOP,NO,2-6PSI,FLR 2.5CV	(800)356-8000
658-0007	1/2" P'TOP,NO,2-6PSI,ANG 1.0CV	(800)356-8000
658-0008	1/2" P'TOP,NO,2-6PSI,ANG 2.5CV	(800)356-8000
658-0010	3/4" P'TOP,NO,2-6PSI,ANG BODY	(800)356-8000
658-0012	1" P'TOP,NO,2-6 PSI,ANG BODY	(800)356-8000
658-0014	1-1/4" P'TOP,NO,2-6PSI,ANGBODY	(800)356-8000
658-0043	1/2"NC P, TOP 10-14 CV2.5 FLRE	(800)356-8000
658-0050	1/2" P'TOP,3W,SEQUENCING1.5CV	(800)356-8000
658-0051	1/2" P'TOP,3W,SEQUENCING2.5CV	(800)356-8000
658-0052	1/2" P'TOP, 3W, CHANGEOVER	(800)356-8000
658-0062	1/2" P'TOP,NO,10-14PSI,FLRBODY	(800)356-8000
658-0063	1/2"P'TOP,NO,10-14PSI,FLR BODY	(800)356-8000
658-0064	1/2" P'TOP,NO,10-14PSI,ANGBODY	(800)356-8000
658-0065	1/2" P'TOP,NO,10-14PSI,ANGBODY	(800)356-8000
658-0067	3/4" P'TOP,NO,10-14PSI,ANGBODY	(800)356-8000
658-0069	1" P'TOP,NO,10-14PSI,ANG BODY	(800)356-8000
658-0071	1-1/4"P'TOP,NO,10-14PSI,ANGBOD	(800)356-8000
658-0085	1/2"NC P, TOP CV1.0 10-10 FLRE	(800)356-8000
658-070	VP658 1/2" RPLMT TOP ASSY	(800)356-8000
658-071	VP658 3/4" RPLMT ACTUATOR ASSY	(800)356-8000
658-072	VP658 1" RPLMT ACTUATOR ASSY	(800)356-8000
658-073	VP658 1" RPLMT ACTUATOR ASSY	(800)356-8000
658-074	VP658 1-1/4" RPLMT ACT ASSY	(800)356-8000
658-166	VP658 RPLMT DIAPHRAGM 5/PKG	(800)356-8000
658-167	VP658 REPACK KIT (10 VALVES)	(800)356-8000
658-333	P'TOP VALVE ASSY	(800)356-8000
658-334	1/2" SEQ VALVE ASSEMBLY 2.5	(800)356-8000
658-341	1/2"VLV S/A 3W C/OVR	(800)356-8000
658-376	VP658 RPLMT TOP 1/2"2-6PSI	(800)356-8000
658-379	VP658 1/2" RPLMT TOP ASSY	(800)356-8000
658-405	VP658 1/2"3W RBLD/RPR KIT	(800)356-8000
658-406	VP658 3/4"3W RBLD/RPR KIT	(800)356-8000
658-407	VP658 1" 3W RBLD/RPR KIT	(800)356-8000
658-408	VP658 1 1/4" 3W RBLD/RPR KIT	(800)356-8000
672-102	VF591 REPLACEMENT DIAPHRAGM	(800)356-8000
672-110	SPRING	(800)356-8000
672-111	SPRING	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
672-113	SPRING	(800)356-8000
672-114	SPRING	(800)356-8000
672-137	POSTION INDICATOR 8"TP	(800)356-8000
672-140	UPPER HOUSING	(800)356-8000
672-295	SPRING	(800)356-8000
672-326	VF591 TOP ASSY 8"(HEAVY DUTY)	(800)356-8000
672-327	VF591 TOP ASY 8"(HEAVY DUTY)	(800)356-8000
672-328	VF591 TOP ASY 8"	(800)356-8000
672-329	VF591 TOP ASSY 8"	(800)356-8000
672-330	VF591 TOP ASY 8"	(800)356-8000
672-331	VF591 TOP ASY 8"	(800)356-8000
672-332	VF591 TOP ASY 8"	(800)356-8000
672-333	VF591 TOP ASY 8"	(800)356-8000
672-335	VF591 TOP ASY 8"	(800)356-8000
672-336	VF591 TOP ASSY 8"	(800)356-8000
672-340	VF591 TOP ASSY 8"	(800)356-8000
672-341	VF591 TOP ASSY 8"	(800)356-8000
672-342	VF591 TOP ASSY 8"	(800)356-8000
672-351	VF591 RPLMT DIAPHRAGM STD 8"	(800)356-8000
672-365	VF591 DIAPHRAGM,	(800)356-8000
672-366	8"FLOWRITE ACTUATOR	(800)356-8000
672-367	8"FLOWRITE ACTUATOR	(800)356-8000
672-425	FLOWRITE SPRING	(800)356-8000
672-429	SPRING,3-12LB START,3/8"STROKE	(800)356-8000
672-430	SPRING,2-14LB START,1"STROKE	(800)356-8000
672-433	VF591 TOP ASSY 8"(HEAVY DUTY)	(800)356-8000
672-434	VF591 TOP ASSY 8"(HEAVY DUTY)	(800)356-8000
672-452	VF591 RPLMT ACTUATOR ASSEMBLY	(800)356-8000
672-458	12"ACTUATOR (WARREN)1.5 STRK	(800)356-8000
672-464	PISTON PLATE & STEM ASSY	(800)356-8000
672-465	PISTON PLATE & STEM ASY	(800)356-8000
672-466	PISTON PLATE & STEM ASY	(800)356-8000
672-520	VF591 REPLACEMENT DIAPHRAGM	(800)356-8000
672-600	ACTUATOR RBLD KIT 8"	(800)356-8000
698-047	1/2"NPT UNION KIT	(800)356-8000
698-048	3/4" NPT UNION KIT	(800)356-8000
698-049	1" NPT UNION KIT	(800)356-8000
698-050	1 1/4" NPT UNION KIT	(800)356-8000
698-051	1 1/2" NPT UNION KIT	(800)356-8000
698-052	2" NPT UNION KIT	(800)356-8000
698-053	1/2" SEALING RING(25 PK)	(800)356-8000
698-054	3/4" SEALING RING(25 PACK)	(800)356-8000
698-055	1"SEALING RING ASSY(25 PACK)	(800)356-8000
698-056	1 1/4" SEALING RING(25 PACK)	(800)356-8000
698-057	1 1/2" SEALING RING(25 PACK)	(800)356-8000
698-058	2" SEALING RING(25 PACK)	(800)356-8000
698-059	3/4" 3W STEM & THROTTLING ASSY	(800)356-8000
698-060	1" 3W STEM & THROTTLING PLUG	(800)356-8000
698-061	1-1/4" 3W STEM & PLUG ASSY	(800)356-8000
698-062	1-1/2"3 WAY STEM & PLUG ASSY	(800)356-8000
698-064	1/2" 3 WAY STEM & PLUG ASSY	(800)356-8000
698-065	STEM & PLUG ASSY,REPAIR ONLY	(800)356-8000
698-066	STEM & PLUG ASSY,REPAIR ONLY	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
698-067	STEM & PLUG ASSY,REPAIR ONLY	(800)356-8000
698-068	STEM & PLUG ASSY,REPAIR ONLY	(800)356-8000
698-069	STEM & PLUG ASSY,REPAIR ONLY	(800)356-8000
698-071	STEM & PLUG ASSY,REPAIR ONLY	(800)356-8000
698-075	PACKING KIT ASSEMBLY	(800)356-8000
698-080	REPAIR KIT(SQX61U BOARD)	(800)356-8000
698-081	REPAIR KIT,SQX61U W/4PIN CONN	(800)356-8000
698-087	SEALING RING VMP 1/2"(25 PACK)	(800)356-8000
698-088	SEALING RING VMP 3/4"(25 PACK)	(800)356-8000
698-089	3/4" CU SWEAT KIT	(800)356-8000
698-090	TAILPIECE 7/8"VVG44 VLV SPECIA	(800)356-8000
786-0600	SW786 2 WAY SELECTOR SWITCH	(800)356-8000
786-0610	SW786 3 WAY SELECTOR SWITCH	(800)356-8000
786-102	SW ACC,DMPR CONTROL NOM PLATE	(800)356-8000
786-103	SW ACC,VALVE CONTROL NOM PLATE	(800)356-8000
786-104	SW ACC,T'STAT CNTL NOM PLATE	(800)356-8000
786-129	SEL SWITCH MNTG KIT,FLUSH	(800)356-8000
786-130	SEL SWITCH MNTG KIT,SURFACE	(800)356-8000
786-131	FLUSH MOUNTING BRACKET	(800)356-8000
808-412	MOUNTING FLANGE ASSY.	(800)356-8000
808-423	MTG.FLANGE GASKET	(800)356-8000
808-517	TH 188 REM BULB HOLDER KIT	(800)356-8000
814-018	TH 832 GYM GUARD	(800)356-8000
832-0120	CONCEALED ADJ W/THERMOMETER	(800)356-8000
832-034	TH 832 EXPOSED TUBING TOP	(800)356-8000
832-040	TH 832 RPLMT CHASSIS ASSY SSP	(800)356-8000
832-0490	CONCEALED ADJ W/O THERMOMETER	(800)356-8000
832-0500	KEY ADJ W/THERMOMETER	(800)356-8000
832-1120	KEY ADJ W/THERMOMETER	(800)356-8000
832-1140	CONCEALED ADJ W/THERMOMETER	(800)356-8000
832-1260	KEY ADJ W/THERMOMETER	(800)356-8000
832-164	TH 832 VALVE REPAIR KIT	(800)356-8000
832-177	D'STAT ACC,CALIBRATION KIT	(800)356-8000
832-178	T'STAT ACC,TOOL KIT	(800)356-8000
832-179	T'STAT/TRANS TEST HEAD KIT	(800)356-8000
833-033	TH832 FRICTION KNOB	(800)356-8000
856-036	TH832 THERMOSTAT COVER	(800)356-8000
856-044	TH832 THERMOSTAT COVER	(800)356-8000
856-046	TH832 THERMOSTAT COVER	(800)356-8000
856-055	TH832 SETPOINT ADJUSTMENT KEY	(800)356-8000
894-2780	5" BI-METAL THERM,-30/210F	(800)356-8000
894-368	ANGLE THERMOMETER 3-1/2"WELL	(800)356-8000
894-3933	DIAL THERM,-40/110F,SURF MTG	(800)356-8000
894-3934	DIAL THERM,20/220F,SURF MTG	(800)356-8000
894-3937	ANG THERM,3-1/2"BULB,30/180F	(800)356-8000
894-3938	ANG THERM,2-1/2" BULB,30/300F	(800)356-8000
894-3940	ANG THERM,6" BULB,30/180F	(800)356-8000
894-3942	DIAL THERM,15'BULB 0/180F,SURF	(800)356-8000
908-033	AIR FILTER	(800)356-8000
908-037	FILTER REPLACEMENT	(800)356-8000
908-042	FILTER REPLACEMENT	(800)356-8000
908-050	FILTER CARTRIDGE	(800)356-8000
908-052	FILTER ELEMENT	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
929-043	OUTDOOR BULB SHIELD	(800)356-8000
975-169	NEEDLE VALVE, 1/8" NPT	(800)356-8000
981-674	WELL ASSEMBLY	(800)356-8000
985-003	GBB/GCA REPLC INDICATOR-10PCS	(800)356-8000
985-004	GBB/GCA CENTRING SHAFT ADAPTER	(800)356-8000
985-006	GBB/GCA ANTI ROTATION BRACKET	(800)356-8000
985-035P25	GGD CONDUIT BOX ADAPTER(25/PK)	(800)356-8000
985-036P25	GCA,GBB,GIB 1/2"ADAPTER 25/PCK	(800)356-8000
985-037P20	OBS r/b 985-008P20 GCA,GBB,GIB	(800)356-8000
985-047	ACTUATOR COMMISSIONING TOOL	(800)356-8000
985-051P10	POSITION INDICATORS GDE/GLB-10	(800)356-8000
985-052P20	SHAFT ADPTR INSERT,ASK74.1-20P	(800)356-8000
985-053P48	MOUNTING SCREWS GDE/GLB 48PK	(800)356-8000
985-054P24	HEX KEY GDE/GLB 24PK	(800)356-8000
985-055P24	ANTI-ROTATION BRKT GDE/GLB 24P	(800)356-8000
985-092	ANTI ROTATION BRACKET,GMA/GEB	(800)356-8000
985-093	SHAFT ADAPTOR,GMA/GEB	(800)356-8000
985-094P10	POSITION INDICATORS,GMA/GEB	(800)356-8000
985-098P10	ADJUSTMENT TOOLS,GMA/GEB	(800)356-8000
985-101P25	SHAFT GUIDE KIT,BABY GAP-25PK	(800)356-8000
985-105	GAP MEDIUM HEATER KIT	(800)356-8000
985-106	GCA HEATER/WEATHERSHIELD ASSY	(800)356-8000
985-107	GMA HEATER/WEATHERSHIELD ASSY	(800)356-8000
985-108	GAP SMALL HEATER KIT	(800)356-8000
985-111	GEB LEVER	(800)356-8000
985-124	499 OHM RESISTOR ASSEMBLY KIT	(800)356-8000
994-942P25	SED2 VFD CERTIFICATION FORM	(800)356-8000
AQP63.1	VENTILATION DEMAND C ALULATOR	(800)356-8000
ARG62.101	HOUSING FOR RWC62 CONTROLLER	(800)356-8000
ARG64	CO2 SENSOR DUCT MOUNTING KIT	(800)356-8000
ARG70	T'STAT WALL PLATE ESCUTCHEON	(800)356-8000
ARK10	SIEMENS 658 & 339 ARK	(800)356-8000
ARK11	SIEMENS 591 ARK	(800)356-8000
ARK12	JCI VG2XXX ARK	(800)356-8000
ARK13	JCI VG7XXX 1 thru 2" ARK	(800)356-8000
ARK14	Siebe VB7XXX ARK	(800)356-8000
ARK16	Honeywell V3XXX 2 thru 3" ARK	(800)356-8000
ARK17	Honeywell V501XN (A,B,C,F,G,N)	(800)356-8000
ARK18	Honeywell V3XXX 4 thru 6"	(800)356-8000
ARK19	JCI VG7XXX 1/2 or 3/4"	(800)356-8000
ARK21	HONEYWELL V501X(A,B,C) 4" THRU	(800)356-8000
ASC1.6	SKB/C/D 0% POS INDICATOR SWITC	(800)356-8000
ASC9.3	SKB/C/D DUAL AUX SWITCHES	(800)356-8000
ASC9.3BCU	DUAL AUX SWITCHES FOR SKB/C	(800)356-8000
ASC9.3DU	DUAL AUX SWITCHES FOR SKD	(800)356-8000
ASC9.4U	DUAL AUX SWITCHES FOR SQX	(800)356-8000
ASE1	MX.461 REPAIR MODULE,,75-1.25"	(800)356-8000
ASE2	MX.461 REPAIR MODULE 1.5-2.5"	(800)356-8000
ASK50	STROKE INVERTER FOR SKD	(800)356-8000
ASK51	STROKE INVERTER FOR SKB	(800)356-8000
ASK54.4	SQB SHAFT EXTEND KIT, OBS/NOT	(800)356-8000
ASK71.11	DUCT&FRAME MOUNT KIT,GS	(800)356-8000
ASK71.13	LINKAGE CONTROL KIT,GS 1	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
ASK71.14	LINKAGE CONTROL KIT,GS 2	(800)356-8000
ASK71.1U	FLOOR MOUNT KIT	(800)356-8000
ASK71.2U	FRAME MOUNT KIT	(800)356-8000
ASK71.3	LINEAR KIT	(800)356-8000
ASK71.4	LINEAR KIT W/SUPPORT	(800)356-8000
ASK71.5	ROTARY TO LINEAR KIT	(800)356-8000
ASK71.6	ROTARY TO LINEAR KIT W/BRACKET	(800)356-8000
ASK71.9	UNIVERSAL LEVER	(800)356-8000
ASK73.1	TANDEM MOUNT KIT	(800)356-8000
ASK73.2U	TORQ.BL.KIT	(800)356-8000
ASK73.3	TORQUE BLDE POWER PACK,GS	(800)356-8000
ASK74.1U	U BOLT SHAFT ADAPTER	(800)356-8000
ASK75.1U	WEATHER SHIELD ROTARY	(800)356-8000
ASK75.3U	WEATHER SHIELD,GAP SMALL	(800)356-8000
ASK76.1U	CONDUIT BOX ASK76.1U	(800)356-8000
ASK76.1UP20	CONDUIT BOX ASK76.1UP20	(800)356-8000
ASK78.2U	T-LEVER VALVE-BG(10 PACK)	(800)356-8000
ASK78.3U	INSERT-BG(10 PACK)	(800)356-8000
AST10	SETTING UNIT FOR GD/LB181.1E/	(800)356-8000
ASY100	TERMINAL KIT SSB61U	(800)356-8000
ASY8L45	CABLE,24VAC,0.5A,SSB,MOLDED	(800)356-8000
ASY97	CONDUIT CAP KIT	(800)356-8000
ASY98	SCREW AND NUT KIT	(800)356-8000
ASY99	TERMINAL KIT SSB81U	(800)356-8000
ASZ6.5	SPINDLE HEATER	(800)356-8000
ASZ7.3	SKB/C/D FEEDBACK POT 0-1000OHM	(800)356-8000
ASZ81.1	POTENTIOMETER 1000 OHMS	(800)356-8000
ASZ81.1/1005	F.B.POTENTIOMETER W/1000 POT	(800)356-8000
BSG61	MINIMUM POSITION POT 0-10V	(800)356-8000
BV2W02FD6LNRXXX	BFV 2W 2" 60PSI DA W/POS	(800)356-8000
BV2W02FD6LNXXX	BFV 2W 2" 60PSI DA	(800)356-8000
BV2W02FD6LNYXXX	BFV 2W 2" 60PSI DA W/120V EP	(800)356-8000
BV2W02FD6LNZXXX	BFV 2W 2" 60PSI DA W/24V EP	(800)356-8000
BV2W02FE2LNXXHX	BFV 2W 2" ELEC 2POS W/HT	(800)356-8000
BV2W02FE2LNXXX	BFV 2W 2" ELEC 2POS	(800)356-8000
BV2W02FEMLNXXHX	BFV 2W 2" ELEC MOD W/HT	(800)356-8000
BV2W02FEPLNXXHX	BFV 2W 2"120V MOD 4-20 W/HT	(800)356-8000
BV2W02FS2LCPXXX	BFV 2W 2" 20PSI SR NC W/POS	(800)356-8000
BV2W02FS2LCTXXX	BFV 2W 2"20PSI SR NC W/120V EP	(800)356-8000
BV2W02FS2LCUXXX	BFV 2W 2"20PSI SR NC W/24V EP	(800)356-8000
BV2W02FS2LCXXX	BFV 2W 2" 20PSI SR NC	(800)356-8000
BV2W02FS2LOPXXX	BFV 2W 2" 20PSI SR NO W/POS	(800)356-8000
BV2W02FS2LOTXXX	BFV 2W 2"20PSI SR NO W/120V EP	(800)356-8000
BV2W02FS2LOUXXX	BFV 2W 2"20PSI SR NO W/24V EP	(800)356-8000
BV2W02FS2LOXXX	BFV 2W 2" 20PSI SR NO	(800)356-8000
BV2W02FS6LCQXXX	BFV 2W 2" 60PSI SR NC W/POS	(800)356-8000
BV2W02FS6LCVXXX	BFV2W 2" 60PSI SR NC W/120V EP	(800)356-8000
BV2W02FS6LCWXXX	BFV2W 2" 60PSI SR NC W/24V EP	(800)356-8000
BV2W02FS6LCXXX	BFV 2W 2" 60PSI SR NC	(800)356-8000
BV2W02FS6LOQXXX	BFV 2W 2" 60PSI SR NO W/POS	(800)356-8000
BV2W02FS6LOVXXX	BFV2W 2" 60PSI SR NO W/120V EP	(800)356-8000
BV2W02FS6LOWXXX	BFV2W 2" 60PSI SR NO W/24V EP	(800)356-8000
BV2W02FS6LOXXX	BFV 2W 2" 60PSI SR NO	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV2W02UG1LCXXXX	BFV 2W2"120V ON/OFF SR NC100	(800)356-8000
BV2W02UG1LOXXXX	BFV 2W2"120V ON/OFF SR NO100	(800)356-8000
BV2W02UG2LCXXXX	BFV 2W2"24V ON/OFF SR NC100	(800)356-8000
BV2W02UG2LOXXXX	BFV 2W2"24V ON/OFF SR NO100	(800)356-8000
BV2W02UG3LCXXXX	BFV 2W2"24V FLOATING SR NC100	(800)356-8000
BV2W02UG3LOXXXX	BFV 2W2"24V FLOATING SR NO100	(800)356-8000
BV2W02UG4LCXXXX	BFV 2W2"24V MOD 0-10 SR NC100	(800)356-8000
BV2W02UG4LOXXXX	BFV 2W2"24V MOD 0-10 SR NO100	(800)356-8000
BV2W02UG5LCXXXX	BFV 2W2"24V MOD 4-20 SR NC100	(800)356-8000
BV2W02UG5LOXXXX	BFV 2W2"24V MOD 4-20 SR NO100	(800)356-8000
BV2W02UG6LNXXXX	BFV 2W2" 24V FLOATING 100	(800)356-8000
BV2W02UG7LNXXXX	BFV 2W 2" 24V MOD 0-10V 100	(800)356-8000
BV2W02UG8LNXXXX	BFV 2W 2" 24V MOD 4-20MA 100	(800)356-8000
BV2W03FD6LNRXXX	BFV 2W 3" 60PSI DA W/POS	(800)356-8000
BV2W03FD6LNXXXX	BFV 2W 3" 60PSI DA	(800)356-8000
BV2W03FD6LNYXXX	BFV 2W 3" 60PSI DA W/120V EP	(800)356-8000
BV2W03FD6LNZXXX	BFV 2W 3" 60PSI DA W/24V EP	(800)356-8000
BV2W03FE2LNXXHX	BFV 2W 3" ELEC 2POS W/HT	(800)356-8000
BV2W03FE2LNXXXX	BFV 2W 3" ELEC 2POS	(800)356-8000
BV2W03FEMLNXXHX	BFV 2W 3" ELEC MOD W/HT	(800)356-8000
BV2W03FEPLNXXHX	BFV 2W 3"120V MOD 4-20 W/HT	(800)356-8000
BV2W03FS2LCPXXX	BFV 2W 3" 20PSI SR NC W/POS	(800)356-8000
BV2W03FS2LCTXXX	BFV 2W 3"20PSI SR NC W/120V EP	(800)356-8000
BV2W03FS2LCUXXX	BFV 2W 3"20PSI SR NC W/24V EP	(800)356-8000
BV2W03FS2LCXXXX	BFV 2W 3" 20PSI SR NC	(800)356-8000
BV2W03FS2LOPXXX	BFV 2W 3" 20PSI SR NO W/POS	(800)356-8000
BV2W03FS2LOTXXX	BFV 2W 3"20PSI SR NO W/120V EP	(800)356-8000
BV2W03FS2LOUXXX	BFV 2W 3"20PSI SR NO W/24V EP	(800)356-8000
BV2W03FS2LOXXXX	BFV 2W 3" 20PSI SR NO	(800)356-8000
BV2W03FS6LCQXXX	BFV 2W 3" 60PSI SR NC W/POS	(800)356-8000
BV2W03FS6LCVXXX	BFV2W 3" 60PSI SR NC W/120V EP	(800)356-8000
BV2W03FS6LCWXXX	BFV2W 3" 60PSI SR NC W/24V EP	(800)356-8000
BV2W03FS6LCXXXX	BFV 2W 3" 60PSI SR NC	(800)356-8000
BV2W03FS6LOQXXX	BFV 2W 3" 60PSI SR NO W/POS	(800)356-8000
BV2W03FS6LOVXXX	BFV2W 3" 60PSI SR NO W/120V EP	(800)356-8000
BV2W03FS6LOWXXX	BFV2W 3" 60PSI SR NO W/24V EP	(800)356-8000
BV2W03FS6LOXXXX	BFV 2W 3" 60PSI SR NO	(800)356-8000
BV2W03UG1LCXXXX	BFV 2W3"120V ON/OFF SR NC100	(800)356-8000
BV2W03UG1LOXXXX	BFV 2W3"120V ON/OFF SR NO100	(800)356-8000
BV2W03UG2LCXXXX	BFV 2W3"24V ON/OFF SR NC100	(800)356-8000
BV2W03UG2LOXXXX	BFV 2W3"24V ON/OFF SR NO100	(800)356-8000
BV2W03UG3LCXXXX	BFV 2W3"24V FLOATING SR NC100	(800)356-8000
BV2W03UG3LOXXXX	BFV 2W3"24V FLOATING SR NO100	(800)356-8000
BV2W03UG4LCXXXX	BFV 2W3"24V MOD 0-10 SR NC100	(800)356-8000
BV2W03UG4LOXXXX	BFV 2W3"24V MOD 0-10 SR NO100	(800)356-8000
BV2W03UG5LCXXXX	BFV 2W3"24V MOD 4-20 SR NC100	(800)356-8000
BV2W03UG5LOXXXX	BFV 2W3"24V MOD 4-20 SR NO100	(800)356-8000
BV2W03UG6LNXXXX	BFV 2W3" 24V FLOATING 100	(800)356-8000
BV2W03UG7LNXXXX	BFV 2W 3" 24V MOD 0-10V 100	(800)356-8000
BV2W03UG8LNXXXX	BFV 2W 3" 24V MOD 4-20MA 100	(800)356-8000
BV2W04FD6LNRXXX	BFV 2W 4" 60PSI DA W/POS	(800)356-8000
BV2W04FD6LNXXXX	BFV 2W 4" 60PSI DA	(800)356-8000
BV2W04FD6LNYXXX	BFV 2W 4" 60PSI DA W/120V EP	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV2W04FD6LNZXXX	BFV 2W 4" 60PSI DA W/24V EP	(800)356-8000
BV2W04FE2LNXXHX	BFV 2W 4" ELEC 2POS W/HT	(800)356-8000
BV2W04FE2LNXXXX	BFV 2W 4" ELEC 2POS	(800)356-8000
BV2W04FEMLNXXHX	BFV 2W 4" ELEC MOD W/HT	(800)356-8000
BV2W04FEPLNXXHX	BFV 2W 4"120V MOD 4-20 W/HT	(800)356-8000
BV2W04FS2LCPXXX	BFV 2W 4" 20PSI SR NC W/POS	(800)356-8000
BV2W04FS2LCTXXX	BFV 2W 4"20PSI SR NC W/120V EP	(800)356-8000
BV2W04FS2LCUXXX	BFV 2W 4"20PSI SR NC W/24V EP	(800)356-8000
BV2W04FS2LCXXXX	BFV 2W 4" 20PSI SR NC	(800)356-8000
BV2W04FS2LOPXXX	BFV 2W 4" 20PSI SR NO W/POS	(800)356-8000
BV2W04FS2LOTXXX	BFV 2W 4"20PSI SR NO W/120V EP	(800)356-8000
BV2W04FS2LOUXXX	BFV 2W 4"20PSI SR NO W/24V EP	(800)356-8000
BV2W04FS2LOXXXX	BFV 2W 4" 20PSI SR NO	(800)356-8000
BV2W04FS6LCQXXX	BFV 2W 4" 60PSI SR NC W/POS	(800)356-8000
BV2W04FS6LCVXXX	BFV2W 4" 60PSI SR NC W/120V EP	(800)356-8000
BV2W04FS6LCWXXX	BFV2W 4" 60PSI SR NC W/24V EP	(800)356-8000
BV2W04FS6LCXXXX	BFV 2W 4" 60PSI SR NC	(800)356-8000
BV2W04FS6LOQXXX	BFV 2W 4" 60PSI SR NO W/POS	(800)356-8000
BV2W04FS6LOVXXX	BFV2W 4" 60PSI SR NO W/120V EP	(800)356-8000
BV2W04FS6LOWXXX	BFV2W 4" 60PSI SR NO W/24V EP	(800)356-8000
BV2W04FS6LOXXXX	BFV 2W 4" 60PSI SR NO	(800)356-8000
BV2W04UD6LNRXXX	BFV 2W 4" 60PSI DA 50 W/POS	(800)356-8000
BV2W04UD6LNXXXX	BFV 2W 4" 60PSI DA 50	(800)356-8000
BV2W04UD6LNYXXX	BFV2W 4" 60PSI DA 50 W/120V EP	(800)356-8000
BV2W04UD6LNZXXX	BFV2W 4" 60PSI DA 100 W/24V EP	(800)356-8000
BV2W04UE2LNXXHX	BFV 2W 4" ELEC 2POS 50 W/HT	(800)356-8000
BV2W04UE2LNXXXX	BFV 2W 4" ELEC 2POS 50	(800)356-8000
BV2W04UEMLNXXHX	BFV 2W 4" ELEC MOD 50 W/HT	(800)356-8000
BV2W04UEPLNXXHX	BFV 2W 4"120V MOD 4-20 100W/HT	(800)356-8000
BV2W04UG1LCXXXX	BFV 2W4"120V ON/OFF SR NC100	(800)356-8000
BV2W04UG1LOXXXX	BFV 2W4"120V ON/OFF SR NO100	(800)356-8000
BV2W04UG2LCXXXX	BFV 2W4"24V ON/OFF SR NC100	(800)356-8000
BV2W04UG2LOXXXX	BFV 2W4"24V ON/OFF SR NO100	(800)356-8000
BV2W04UG3LCXXXX	BFV 2W4"24V FLOATING SR NC100	(800)356-8000
BV2W04UG3LOXXXX	BFV 2W4"24V FLOATING SR NO100	(800)356-8000
BV2W04UG4LCXXXX	BFV 2W4"24V MOD 0-10 SR NC100	(800)356-8000
BV2W04UG4LOXXXX	BFV 2W4"24V MOD 0-10 SR NO100	(800)356-8000
BV2W04UG5LCXXXX	BFV 2W4"24V MOD 4-20 SR NC100	(800)356-8000
BV2W04UG5LOXXXX	BFV 2W4"24V MOD 4-20 SR NO100	(800)356-8000
BV2W04UG6LNXXXX	BFV 2W4" 24V FLOATING 100	(800)356-8000
BV2W04UG7LNXXXX	BFV 2W 4" 24V MOD 0-10V 100	(800)356-8000
BV2W04UG8LNXXXX	BFV 2W 4" 24V MOD 4-20MA 100	(800)356-8000
BV2W04US2LCPXXX	BFV 2W 4" 20PSI SR NC 50 W/POS	(800)356-8000
BV2W04US2LCTXXX	BFV2W4"20PSI SR NC 50W/120V EP	(800)356-8000
BV2W04US2LCUXXX	BFV2W4"20PSI SR NC 100W/24V EP	(800)356-8000
BV2W04US2LCXXXX	BFV 2W 4" 20PSI SR NC 50	(800)356-8000
BV2W04US2LOPXXX	BFV 2W 4" 20PSI SR NO 50 W/POS	(800)356-8000
BV2W04US2LOTXXX	BFV2W4"20PSI SR NO 50W/120V EP	(800)356-8000
BV2W04US2LOUXXX	BFV2W4"20PSI SR NO 100W/24V EP	(800)356-8000
BV2W04US2LOXXXX	BFV 2W 4" 20PSI SR NO 50	(800)356-8000
BV2W04US6LCQXXX	BFV 2W 4" 60PSI SR NC 50 W/POS	(800)356-8000
BV2W04US6LCVXXX	BFV2W4"60PSI SR NC 50W/120V EP	(800)356-8000
BV2W04US6LCWXXX	BFV2W4"60PSI SR NC 100W/24V EP	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV2W04US6LCXXX	BFV 2W 4" 60PSI SR NC 50	(800)356-8000
BV2W04US6LOQXXX	BFV 2W 4" 60PSI SR NO 50 W/POS	(800)356-8000
BV2W04US6LOVXXX	BFV2W4"60PSI SR NO 50W/120V EP	(800)356-8000
BV2W04US6LOWXXX	BFV2W4"60PSI SR NO 100W/24V EP	(800)356-8000
BV2W04US6LOXXX	BFV 2W 4" 60PSI SR NO 50	(800)356-8000
BV2W05FD6LNRXXX	BFV 2W 5" 60PSI DA W/POS	(800)356-8000
BV2W05FD6LNXXX	BFV 2W 5" 60PSI DA	(800)356-8000
BV2W05FD6LNYXXX	BFV 2W 5" 60PSI DA W/120V EP	(800)356-8000
BV2W05FD6LNZXXX	BFV 2W 5" 60PSI DA W/24V EP	(800)356-8000
BV2W05FE2LNXXHX	BFV 2W 5" ELEC 2POS W/HT	(800)356-8000
BV2W05FE2LNXXX	BFV 2W 5" ELEC 2POS	(800)356-8000
BV2W05FEMLNXXHX	BFV 2W 5" ELEC MOD W/HT	(800)356-8000
BV2W05FEPLNXXHX	BFV 2W 5"120V MOD 4-20 W/HT	(800)356-8000
BV2W05FS2LCPXXX	BFV 2W 5" 20PSI SR NC W/POS	(800)356-8000
BV2W05FS2LCTXXX	BFV 2W 5"20PSI SR NC W/120V EP	(800)356-8000
BV2W05FS2LCUXXX	BFV 2W 5"20PSI SR NC W/24V EP	(800)356-8000
BV2W05FS2LCXXX	BFV 2W 5" 20PSI SR NC	(800)356-8000
BV2W05FS2LOPXXX	BFV 2W 5" 20PSI SR NO W/POS	(800)356-8000
BV2W05FS2LOTXXX	BFV 2W 5"20PSI SR NO W/120V EP	(800)356-8000
BV2W05FS2LOUXXX	BFV 2W 5"20PSI SR NO W/24V EP	(800)356-8000
BV2W05FS2LOXXX	BFV 2W 5" 20PSI SR NO	(800)356-8000
BV2W05FS6LCQXXX	BFV 2W 5" 60PSI SR NC W/POS	(800)356-8000
BV2W05FS6LCVXXX	BFV2W 5" 60PSI SR NC W/120V EP	(800)356-8000
BV2W05FS6LCWXXX	BFV2W 5" 60PSI SR NC W/24V EP	(800)356-8000
BV2W05FS6LCXXX	BFV 2W 5" 60PSI SR NC	(800)356-8000
BV2W05FS6LOQXXX	BFV 2W 5" 60PSI SR NO W/POS	(800)356-8000
BV2W05FS6LOVXXX	BFV2W 5" 60PSI SR NO W/120V EP	(800)356-8000
BV2W05FS6LOWXXX	BFV2W 5" 60PSI SR NO W/24V EP	(800)356-8000
BV2W05FS6LOXXX	BFV 2W 5" 60PSI SR NO	(800)356-8000
BV2W05UD6LNRXXX	BFV 2W 5" 60PSI DA 50 W/POS	(800)356-8000
BV2W05UD6LNXXX	BFV 2W 5" 60PSI DA 50	(800)356-8000
BV2W05UD6LNYXXX	BFV2W 5" 60PSI DA 50 W/120V EP	(800)356-8000
BV2W05UD6LNZXXX	BFV2W 5" 60PSI DA 100 W/24V EP	(800)356-8000
BV2W05UE2LNXXHX	BFV 2W 5" ELEC 2POS 50 W/HT	(800)356-8000
BV2W05UE2LNXXX	BFV 2W 5" ELEC 2POS 50	(800)356-8000
BV2W05UEMLNXXHX	BFV 2W 5" ELEC MOD 50 W/HT	(800)356-8000
BV2W05UEPLNXXHX	BFV 2W 5"120V MOD 4-20 100W/HT	(800)356-8000
BV2W05UG6LNXXX	BFV 2W5" 24V FLOATING 1000W/HT	(800)356-8000
BV2W05UG7LNXXX	BFV 2W 5" 24V MOD 0-10V 100	(800)356-8000
BV2W05UG8LNXXX	5" 2WAY BTR FLY VLV 4-20MA ACT	(800)356-8000
BV2W05US2LCPXXX	BFV 2W 5" 20PSI SR NC 50 W/POS	(800)356-8000
BV2W05US2LCTXXX	BFV2W5"20PSI SR NC 50W/120V EP	(800)356-8000
BV2W05US2LCUXXX	BFV2W5"20PSI SR NC 100W/24V EP	(800)356-8000
BV2W05US2LCXXX	BFV 2W 5" 20PSI SR NC 50	(800)356-8000
BV2W05US2LOPXXX	BFV 2W 5" 20PSI SR NO 50 W/POS	(800)356-8000
BV2W05US2LOTXXX	BFV2W5"20PSI SR NO 50W/120V EP	(800)356-8000
BV2W05US2LOUXXX	BFV2W5"20PSI SR NO 100W/24V EP	(800)356-8000
BV2W05US2LOXXX	BFV 2W 5" 20PSI SR NO 50	(800)356-8000
BV2W05US6LCQXXX	BFV 2W 5" 60PSI SR NC 50 W/POS	(800)356-8000
BV2W05US6LCVXXX	BFV2W5"60PSI SR NC 50W/120V EP	(800)356-8000
BV2W05US6LCWXXX	BFV2W5"60PSI SR NC 100W/24V EP	(800)356-8000
BV2W05US6LCXXX	BFV 2W 5" 60PSI SR NC 50	(800)356-8000
BV2W05US6LOQXXX	BFV 2W 5" 60PSI SR NO 50 W/POS	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV2W05US6LOVXXX	BFV2W5"60PSI SR NO 50W/120V EP	(800)356-8000
BV2W05US6LOWXXX	BFV2W5"60PSI SR NO 100W/24V EP	(800)356-8000
BV2W05US6LOXXX	BFV 2W 5" 60PSI SR NO 50	(800)356-8000
BV2W06FD6LNRXXX	BFV 2W 6" 60PSI DA W/POS	(800)356-8000
BV2W06FD6LNXXXX	BFV 2W 6" 60PSI DA	(800)356-8000
BV2W06FD6LNYXXX	BFV 2W 6" 60PSI DA W/POS	(800)356-8000
BV2W06FD6LNZXXX	BFV 2W 6" 60PSI DA W/24V EP	(800)356-8000
BV2W06FE2LNXXHX	BFV 2W 6" ELEC 2POS W/HT	(800)356-8000
BV2W06FE2LNXXXX	BFV 2W 6" ELEC 2POS	(800)356-8000
BV2W06FEMLNXXHX	BFV 2W 6" ELEC MOD W/HT	(800)356-8000
BV2W06FEPLNXXHX	BFV 2W 6"120V MOD 4-20 W/HT	(800)356-8000
BV2W06FS2LCPXXX	BFV 2W 6" 20PSI SR NC W/POS	(800)356-8000
BV2W06FS2LCTXXX	BFV 2W 6"20PSI SR NC W/120V EP	(800)356-8000
BV2W06FS2LCUXXX	BFV 2W 6"20PSI SR NC W/24V EP	(800)356-8000
BV2W06FS2LCXXXX	BFV 2W 6" 20PSI SR NC	(800)356-8000
BV2W06FS2LOPXXX	BFV 2W 6" 20PSI SR NO W/POS	(800)356-8000
BV2W06FS2LOTXXX	BFV 2W 6"20PSI SR NO W/120V EP	(800)356-8000
BV2W06FS2LOUXXX	BFV 2W 6"20PSI SR NO W/24V EP	(800)356-8000
BV2W06FS2LOXXXX	BFV 2W 6" 20PSI SR NO	(800)356-8000
BV2W06FS6LCQXXX	BFV 2W 6" 60PSI SR NC W/POS	(800)356-8000
BV2W06FS6LCVXXX	BFV2W 6" 60PSI SR NC W/120V EP	(800)356-8000
BV2W06FS6LCWXXX	BFV2W 6" 60PSI SR NC W/24V EP	(800)356-8000
BV2W06FS6LCXXXX	BFV 2W 6" 60PSI SR NC	(800)356-8000
BV2W06FS6LOQXXX	BFV 2W 6" 60PSI SR NO W/POS	(800)356-8000
BV2W06FS6LOVXXX	BFV2W 6" 60PSI SR NO W/120V EP	(800)356-8000
BV2W06FS6LOWXXX	BFV2W 6" 60PSI SR NO W/24V EP	(800)356-8000
BV2W06FS6LOXXX	BFV 2W 6" 60PSI SR NO	(800)356-8000
BV2W06UD6LNRXXX	BFV 2W 6" 60PSI DA 50 W/POS	(800)356-8000
BV2W06UD6LNXXXX	BFV 2W 6" 60PSI DA 50	(800)356-8000
BV2W06UD6LNYXXX	BFV2W 6" 60PSI DA 50 W/POS	(800)356-8000
BV2W06UD6LNZXXX	BFV2W 6" 60PSI DA 100 W/24V EP	(800)356-8000
BV2W06UE2LNXXHX	BFV 2W 6" ELEC 2POS 50 W/HT	(800)356-8000
BV2W06UE2LNXXXX	BFV 2W 6" ELEC 2POS 50	(800)356-8000
BV2W06UEMLNXXHX	BFV 2W 6" ELEC MOD 50 W/HT	(800)356-8000
BV2W06UEPLNXXHX	BFV 2W 6"120V MOD 4-20 100W/HT	(800)356-8000
BV2W06UG6LNXXXX	BFV 2W6" 24V FLOATING 100	(800)356-8000
BV2W06UG7LNXXXX	BFV 2W 6" 24V MOD 0-10V 100	(800)356-8000
BV2W06UG8LNXXXX	BFV 2W 6" 24V MOD 4-20MA 100	(800)356-8000
BV2W06US2LCPXXX	BFV 2W 6" 20PSI SR NC 50 W/POS	(800)356-8000
BV2W06US2LCTXXX	BFV2W6"20PSI SR NC 50W/120V EP	(800)356-8000
BV2W06US2LCUXXX	BFV2W6"20PSI SR NC 100W/24V EP	(800)356-8000
BV2W06US2LCXXXX	BFV 2W 6" 20PSI SR NC 50	(800)356-8000
BV2W06US2LOPXXX	BFV 2W 6" 20PSI SR NO 50 W/POS	(800)356-8000
BV2W06US2LOTXXX	BFV2W6"20PSI SR NO 50W/120V EP	(800)356-8000
BV2W06US2LOUXXX	BFV2W6"20PSI SR NO 100W/24V EP	(800)356-8000
BV2W06US2LOXXXX	BFV 2W 6" 20PSI SR NO 50	(800)356-8000
BV2W06US6LCQXXX	BFV 2W 6" 60PSI SR NC 50 W/POS	(800)356-8000
BV2W06US6LCVXXX	BFV2W6"60PSI SR NC 50W/120V EP	(800)356-8000
BV2W06US6LCWXXX	BFV2W6"60PSI SR NC 100W/24V EP	(800)356-8000
BV2W06US6LCXXXX	BFV 2W 6" 60PSI SR NC 50	(800)356-8000
BV2W06US6LOQXXX	BFV 2W 6" 60PSI SR NO 50 W/POS	(800)356-8000
BV2W06US6LOVXXX	BFV2W6"60PSI SR NO 50W/120V EP	(800)356-8000
BV2W06US6LOWXXX	BFV2W6"60PSI SR NO 100W/24V EP	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV2W06US6LOXXX	BFV 2W 6" 60PSI SR NO 50	(800)356-8000
BV2W08FD6LNRXXX	BFV 2W 8" 60PSI DA W/POS	(800)356-8000
BV2W08FD6LNXXXX	BFV 2W 8" 60PSI DA	(800)356-8000
BV2W08FD6LNYXXX	BFV 2W 8" 60PSI DA W/120V EP	(800)356-8000
BV2W08FD6LNZXXX	BFV 2W 8" 60PSI DA W/24V EP	(800)356-8000
BV2W08FE2LNXXHX	BFV 2W 8" ELEC 2POS W/HT	(800)356-8000
BV2W08FE2LNXXXX	BFV 2W 8" ELEC 2POS	(800)356-8000
BV2W08FEMLNXXHX	BFV 2W 8" ELEC MOD W/HT	(800)356-8000
BV2W08FEPLNXXHX	BFV 2W 8"120V MOD 4-20 W/HT	(800)356-8000
BV2W08FS6LCQXXX	BFV 2W 8" 60PSI SR NC W/POS	(800)356-8000
BV2W08FS6LCVXXX	BFV2W 8" 60PSI SR NC W/120V EP	(800)356-8000
BV2W08FS6LCWXXX	BFV2W 8" 60PSI SR NC W/24V EP	(800)356-8000
BV2W08FS6LCXXXX	BFV 2W 8" 60PSI SR NC	(800)356-8000
BV2W08FS6LOQXXX	BFV 2W 8" 60PSI SR NO W/POS	(800)356-8000
BV2W08FS6LOVXXX	BFV2W 8" 60PSI SR NO W/120V EP	(800)356-8000
BV2W08FS6LOWXXX	BFV2W 8" 60PSI SR NO W/24V EP	(800)356-8000
BV2W08FS6LOXXX	BFV 2W 8" 60PSI SR NO	(800)356-8000
BV2W08UD6LNRXXX	BFV 2W 8" 60PSI DA 50 W/POS	(800)356-8000
BV2W08UD6LNXXXX	BFV 2W 8" 60PSI DA 50	(800)356-8000
BV2W08UD6LNYXXX	BFV2W 8" 60PSI DA 50 W/120V EP	(800)356-8000
BV2W08UD6LNZXXX	BFV2W 8" 60PSI DA 50 W/24V EP	(800)356-8000
BV2W08UE2LNXXHX	BFV 2W 8" ELEC 2POS 50 W/HT	(800)356-8000
BV2W08UE2LNXXXX	BFV 2W 8" ELEC 2POS 50	(800)356-8000
BV2W08UEMLNXXHX	BFV 2W 8" ELEC MOD 50 W/HT	(800)356-8000
BV2W08UEPLNXXHX	BFV 2W 8"120V MOD 4-20 50W/HT	(800)356-8000
BV2W08US2LCPXXX	BFV 2W 8" 20PSI SR NC 50 W/POS	(800)356-8000
BV2W08US2LCTXXX	BFV2W8"20PSI SR NC 50W/120V EP	(800)356-8000
BV2W08US2LCUXXX	BFV2W8"20PSI SR NC 50W/24V EP	(800)356-8000
BV2W08US2LCXXXX	BFV 2W 8" 20PSI SR NC 50	(800)356-8000
BV2W08US2LOPXXX	BFV 2W 8" 20PSI SR NO 50 W/POS	(800)356-8000
BV2W08US2LOTXXX	BFV2W8"20PSI SR NO 50W/120V EP	(800)356-8000
BV2W08US2LOUXXX	BFV2W8"20PSI SR NO 100W/24V EP	(800)356-8000
BV2W08US2LOXXXX	BFV 2W 8" 20PSI SR NO 50	(800)356-8000
BV2W08US6LCQXXX	BFV2W 8"60PSI SR NC 50 W/POS	(800)356-8000
BV2W08US6LCVXXX	BFV2W8"60PSI SR NC 50W/120V EP	(800)356-8000
BV2W08US6LCWXXX	BFV2W8"60PSI SR NC 50W/24V EP	(800)356-8000
BV2W08US6LCXXXX	BFV 2W 8" 60PSI SR NC 50	(800)356-8000
BV2W08US6LOQXXX	BFV2W 8"60PSI SR NO 50 W/POS	(800)356-8000
BV2W08US6LOVXXX	BFV2W8"60PSI SR NO 50W/120V EP	(800)356-8000
BV2W08US6LOWXXX	BFV2W8"60PSI SR NO 50W/24V EP	(800)356-8000
BV2W08US6LOXXX	BFV 2W 8" 60PSI SR NO 50	(800)356-8000
BV2W10FD6LNRXXX	BFV 2W 10" 60PSI DA W/POS	(800)356-8000
BV2W10FD6LNXXXX	BFV 2W 10" 60PSI DA	(800)356-8000
BV2W10FD6LNYXXX	BFV 2W 10" 60PSI DA W/120V EP	(800)356-8000
BV2W10FD6LNZXXX	BFV 2W 10" 60PSI DA W/24V EP	(800)356-8000
BV2W10FE2LNXXHX	BFV 2W 10" ELEC 2POS W/HT	(800)356-8000
BV2W10FE2LNXXXX	BFV 2W 10" ELEC 2POS	(800)356-8000
BV2W10FEMLNXXHX	BFV 2W 10" ELEC MOD W/HT	(800)356-8000
BV2W10FEPLNXXHX	BFV 2W 10"120V MOD 4-20 W/HT	(800)356-8000
BV2W10FS6LCQXXX	BFV 2W 10" 60PSI SR NC W/POS	(800)356-8000
BV2W10FS6LCVXXX	BFV2W10"60PSI SR NC W/120V EP	(800)356-8000
BV2W10FS6LCWXXX	10" BTRFLY VLV W/24VAC EP	(800)356-8000
BV2W10FS6LCXXXX	BFV 2W 10" 60PSI SR NC	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV2W10FS6LOQXXX	BFV 2W 10" 60PSI SR NO W/POS	(800)356-8000
BV2W10FS6LOVXXX	BFV2W10"60PSI SR NO W/120V EP	(800)356-8000
BV2W10FS6LOWXXX	BFV2W10"60PSI SR NO W/24V EP	(800)356-8000
BV2W10FS6LOXXX	BFV 2W 10" 60PSI SR NO	(800)356-8000
BV2W10UD6LNRXXX	BFV 2W 10" 60PSI DA 50 W/POS	(800)356-8000
BV2W10UD6LNXXXX	BFV 2W 10" 60PSI DA 50	(800)356-8000
BV2W10UD6LNYXXX	BFV2W10" 60PSI DA 50 W/120V EP	(800)356-8000
BV2W10UD6LNZXXX	BFV2W10" 60PSI DA 50 W/24V EP	(800)356-8000
BV2W10UE2LNXXHX	BFV 2W 10" ELEC 2POS 50 W/HT	(800)356-8000
BV2W10UE2LNXXXX	BFV 2W 10" ELEC 2POS 50	(800)356-8000
BV2W10UEMLNXXHX	BFV 2W 10" ELEC MOD 50 W/HT	(800)356-8000
BV2W10UEPLNXXHX	BFV 2W 10"120V MOD 4-20 50W/HT	(800)356-8000
BV2W10US2LCPXXX	BFV 2W 10"20PSI SR NO 50 W/POS	(800)356-8000
BV2W10US2LCTXXX	BFV2W10"20PSI SR NC50W/120V EP	(800)356-8000
BV2W10US2LCUXXX	BFV2W10"20PSI SR NC50W/24V EP	(800)356-8000
BV2W10US2LCXXXX	BFV 2W 10" 20PSI SR NC 50	(800)356-8000
BV2W10US2LOPXXX	BFV 2W 10"20PSI SR NO 50 W/POS	(800)356-8000
BV2W10US2LOTXXX	BFV2W10"20PSI SR NO50W/120V EP	(800)356-8000
BV2W10US2LOUXXX	BFV2W10"20PSI SR NO50W/24V EP	(800)356-8000
BV2W10US2LOXXXX	BFV 2W 10" 20PSI SR NO 50	(800)356-8000
BV2W10US6LCQXXX	BFV2W 10"60PSI SR NC 50 W/POS	(800)356-8000
BV2W10US6LCVXXX	BFV2W10"60PSI SR NC50W/120V EP	(800)356-8000
BV2W10US6LCWXXX	BFV2W10"60PSI SR NC50W/24V EP	(800)356-8000
BV2W10US6LCXXXX	BFV 2W 10" 60PSI SR NC 50	(800)356-8000
BV2W10US6LOQXXX	BFV2W 10"60PSI SR NO 50 W/POS	(800)356-8000
BV2W10US6LOVXXX	BFV2W10"60PSI SR NO50W/120V EP	(800)356-8000
BV2W10US6LOWXXX	BFV2W10"60PSI SR NO50W/24V EP	(800)356-8000
BV2W10US6LOXXXX	BFV 2W 10" 60PSI SR NO 50	(800)356-8000
BV2W12FD6LNRXXX	BFV 2W 12" 60PSI DA W/POS	(800)356-8000
BV2W12FD6LNXXXX	BFV 2W 12" 60PSI DA	(800)356-8000
BV2W12FD6LNYXXX	BFV 2W 12" 60PSI DA W/120V EP	(800)356-8000
BV2W12FD6LNZXXX	BFV 2W 12" 60PSI DA W/24V EP	(800)356-8000
BV2W12FE2LNXXHX	BFV 2W 12" ELEC 2POS W/HT	(800)356-8000
BV2W12FE2LNXXXX	BFV 2W 12" ELEC 2POS	(800)356-8000
BV2W12FEMLNXXHX	BFV 2W 12" ELEC MOD W/HT	(800)356-8000
BV2W12FEPLNXXHX	BFV 2W 12"120V MOD 4-20 W/HT	(800)356-8000
BV2W12FS6LCQXXX	BFV 2W 12" 60PSI SR NC W/POS	(800)356-8000
BV2W12FS6LCVXXX	BFV2W12"60PSI SR NC W/120V EP	(800)356-8000
BV2W12FS6LCWXXX	BFV2W12"60PSI SR NC W/24V EP	(800)356-8000
BV2W12FS6LCXXXX	BFV 2W 12" 60PSI SR NC	(800)356-8000
BV2W12FS6LOQXXX	BFV 2W 12" 60PSI SR NO W/POS	(800)356-8000
BV2W12FS6LOVXXX	BFV2W12"60PSI SR NO W/120V EP	(800)356-8000
BV2W12FS6LOWXXX	BFV2W12"60PSI SR NO W/24V EP	(800)356-8000
BV2W12FS6LOXXXX	BFV 2W 12" 60PSI SR NO	(800)356-8000
BV2W12UD6LNRXXX	BFV 2W 12" 60PSI DA 50 W/POS	(800)356-8000
BV2W12UD6LNXXXX	BFV 2W 12" 60PSI DA 50	(800)356-8000
BV2W12UD6LNYXXX	BFV2W12" 60PSI DA 50 W/120V EP	(800)356-8000
BV2W12UD6LNZXXX	BFV2W12" 60PSI DA 50 W/24V EP	(800)356-8000
BV2W12UE2LNXXHX	BFV 2W 12" ELEC 2POS 50 W/HT	(800)356-8000
BV2W12UE2LNXXXX	BFV 2W 12" ELEC 2POS 50	(800)356-8000
BV2W12UEMLNXXHX	BFV 2W 12" ELEC MOD 50 W/HT	(800)356-8000
BV2W12UEPLNXXHX	BFV 2W 12"120V MOD 4-20 50W/HT	(800)356-8000
BV2W12US2LCPXXX	BFV 2W 12"20PSI CR NO 50 W/POS	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV2W12US2LCTXXX	BFV2W12"20PSI SR NC50W/120V EP	(800)356-8000
BV2W12US2LCUXXX	BFV2W12"20PSI SR NC50W/24V EP	(800)356-8000
BV2W12US2LCXXXX	BFV 2W 12" 20PSI SR NC 50	(800)356-8000
BV2W12US2LOPXXX	BFV 2W 12"20PSI SR NO 50 W/POS	(800)356-8000
BV2W12US2LOTXXX	BFV2W12"20PSI SR NO50W/120V EP	(800)356-8000
BV2W12US2LOUXXX	BFV2W12"20PSI SR NO50W/24V EP	(800)356-8000
BV2W12US2LOXXXX	BFV 2W 12" 20PSI SR NO 50	(800)356-8000
BV2W12US6LCQXXX	BFV2W 12"60PSI SR NC 50 W/POS	(800)356-8000
BV2W12US6LCVXXX	BFV2W12"60PSI SR NC50W/120V EP	(800)356-8000
BV2W12US6LCWXXX	BFV2W12"60PSI SR NC50W/24V EP	(800)356-8000
BV2W12US6LCXXXX	BFV 2W 12" 60PSI SR NC 50	(800)356-8000
BV2W12US6LOQXXX	BFV2W 12"60PSI SR NO 50 W/POS	(800)356-8000
BV2W12US6LOVXXX	BFV2W12"60PSI SR NO50W/120V EP	(800)356-8000
BV2W12US6LOWXXX	BFV2W12"60PSI SR NO50W/24V EP	(800)356-8000
BV2W12US6LOXXXX	BFV 2W 12" 60PSI SR NO 50	(800)356-8000
BV2W14FD6LNRXXX	BFV 2W 14" 60PSI DA W/POS	(800)356-8000
BV2W14FD6LNXXXX	BFV 2W 14" 60PSI DA	(800)356-8000
BV2W14FD6LNYXXX	BFV 2W 14" 60PSI DA W/120V EP	(800)356-8000
BV2W14FD6LNZXXX	BFV 2W 14" 60PSI DA W/24V EP	(800)356-8000
BV2W14FE2LNXXHX	BFV 2W 14" ELEC 2POS W/HT	(800)356-8000
BV2W14FE2LNXXXX	BFV 2W 14" ELEC 2POS	(800)356-8000
BV2W14FEMLNXXHX	BFV 2W 14" ELEC MOD W/HT	(800)356-8000
BV2W14FEPLNXXHX	BFV 2W 14"120V MOD 4-20 W/HT	(800)356-8000
BV2W14FS6LCQXXX	BFV 2W 14" 60PSI SR NC W/POS	(800)356-8000
BV2W14FS6LCVXXX	BFV2W14 60PSI SR NC W/120V EP	(800)356-8000
BV2W14FS6LCWXXX	BFV2W14 60PSI SR NC W/24V EP	(800)356-8000
BV2W14FS6LCXXXX	BFV 2W 14" 60PSI SR NC	(800)356-8000
BV2W14FS6LOQXXX	BFV 2W 14" 60PSI SR NO W/POS	(800)356-8000
BV2W14FS6LOVXXX	BFV2W14 60PSI SR NO W/120V EP	(800)356-8000
BV2W14FS6LOWXXX	BFV2W14 60PSI SR NO W/24V EP	(800)356-8000
BV2W14FS6LOXXXX	BFV 2W 14" 60PSI SR NO	(800)356-8000
BV2W14UD6LNRXXX	BFV 2W 14" 60PSI DA 50 W/POS	(800)356-8000
BV2W14UD6LNXXXX	BFV 2W 14" 60PSI DA 50	(800)356-8000
BV2W14UD6LNYXXX	BFV2W14" 60PSI DA 50 W/120V EP	(800)356-8000
BV2W14UD6LNZXXX	BFV2W14" 60PSI DA 50 W/24V EP	(800)356-8000
BV2W14UE2LNXXHX	BFV 2W 14" ELEC 2POS 50 W/HT	(800)356-8000
BV2W14UE2LNXXXX	BFV 2W 14" ELEC 2POS 50	(800)356-8000
BV2W14UEMLNXXHX	BFV 2W 14" ELEC MOD 50 W/HT	(800)356-8000
BV2W14UEPLNXXHX	BFV 2W 14"120V MOD 4-20 50W/HT	(800)356-8000
BV2W14US6LCQXXX	BFV 2W 14"60PSI SR NC 50 W/POS	(800)356-8000
BV2W14US6LCVXXX	BFV2W14"60PSI SR NC50W/120V EP	(800)356-8000
BV2W14US6LCWXXX	BFV2W14"60PSI SR NC50W/24V EP	(800)356-8000
BV2W14US6LCXXXX	BFV 2W 14" 60PSI SR NC 50	(800)356-8000
BV2W14US6LOQXXX	BFV 2W 14"60PSI SR NO 50 W/POS	(800)356-8000
BV2W14US6LOVXXX	BFV2W14"60PSI SR NO50W/120V EP	(800)356-8000
BV2W14US6LOWXXX	BFV2W14"60PSI SR NO50W/24V EP	(800)356-8000
BV2W14US6LOXXXX	BFV 2W 14" 60PSI SR NO 50	(800)356-8000
BV2W16FD6LNRXXX	BFV 2W 16" 60PSI DA W/POS	(800)356-8000
BV2W16FD6LNXXXX	BFV 2W 16" 60PSI DA	(800)356-8000
BV2W16FD6LNYXXX	BFV2W16" 60PSI DA 50 W/120V EP	(800)356-8000
BV2W16FD6LNZXXX	BFV 2W 16" 60PSI DA W/24V EP	(800)356-8000
BV2W16FE2LNXXHX	BFV 2W 16" ELEC 2POS W/HT	(800)356-8000
BV2W16FE2LNXXXX	BFV 2W 16" ELEC 2POS	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV2W16FEMLNXXHX	BFV 2W 16" ELEC MOD W/HT	(800)356-8000
BV2W16FEPLNXXHX	BFV 2W 16"120V MOD 4-20 W/HT	(800)356-8000
BV2W16FS6LCQXXX	BFV 2W 16" 60PSI SR NC W/POS	(800)356-8000
BV2W16FS6LCVXXX	BFV2W16"60PSI SR NC W/120V EP	(800)356-8000
BV2W16FS6LCWXXX	BFV2W16"60PSI SR NC W/24V EP	(800)356-8000
BV2W16FS6LCXXXX	BFV 2W 16" 60PSI SR NC	(800)356-8000
BV2W16FS6LOQXXX	BFV 2W 16" 60PSI SR NO W/POS	(800)356-8000
BV2W16FS6LOVXXX	BFV2W16"60PSI SR NO W/120V EP	(800)356-8000
BV2W16FS6LOWXXX	BFV2W16"60PSI SR NO W/24V EP	(800)356-8000
BV2W16FS6LOXXXX	BFV 2W 16" 60PSI SR NO	(800)356-8000
BV2W16UD6LNRXXX	BFV 2W 16" 60PSI DA 50 W/POS	(800)356-8000
BV2W16UD6LNXXXX	BFV 2W 16" 60PSI DA 50	(800)356-8000
BV2W16UD6LNYXXX	BFV2W16" 60PSI DA 50 W/120V EP	(800)356-8000
BV2W16UD6LNZXXX	BFV2W16" 60PSI DA 50 W/24V EP	(800)356-8000
BV2W16UE2LNXXHX	BFV 2W 16" ELEC 2POS 50 W/HT	(800)356-8000
BV2W16UE2LNXXXX	BFV 2W 16" ELEC 2POS 50	(800)356-8000
BV2W16UEMLNXXHX	BFV 2W 16" ELEC MOD 50 W/HT	(800)356-8000
BV2W16UEPLNXXHX	BFV 2W 16"120V MOD 4-20 50W/HT	(800)356-8000
BV2W16US6LCQXXX	BFV 2W 16"60PSI SR NC 50 W/POS	(800)356-8000
BV2W16US6LCVXXX	BFV2W16"60PSI SR NC50W/120V EP	(800)356-8000
BV2W16US6LCWXXX	BFV2W16"60PSI SR NC50W/24V EP	(800)356-8000
BV2W16US6LCXXXX	BFV 2W 16" 60PSI SR NC 50	(800)356-8000
BV2W16US6LOQXXX	BFV 2W 16"60PSI SR NO 50 W/POS	(800)356-8000
BV2W16US6LOVXXX	BFV2W16"60PSI SR NO50W/120V EP	(800)356-8000
BV2W16US6LOWXXX	BFV2W16"60PSI SR NO50W/24V EP	(800)356-8000
BV2W16US6LOXXXX	BFV 2W 16" 60PSI SR NO 50	(800)356-8000
BV2W25FD6LNRXXX	BFV 2W 2.5" 60PSI DA W/POS	(800)356-8000
BV2W25FD6LNXXXX	BFV 2W 2.5" 60PSI DA	(800)356-8000
BV2W25FD6LNYXXX	BFV 2W 2.5" 60PSI DA W/120V EP	(800)356-8000
BV2W25FD6LNZXXX	BFV 2W 2.5" 60PSI DA W/24V EP	(800)356-8000
BV2W25FE2LNXXHX	BFV 2W 2.5" ELEC 2POS W/HT	(800)356-8000
BV2W25FE2LNXXXX	BFV 2W 2.5" ELEC 2POS	(800)356-8000
BV2W25FEMLNXXHX	BFV 2W 2.5" ELEC MOD W/HT	(800)356-8000
BV2W25FEPLNXXHX	BFV 2W 2.5"120V MOD 4-20 W/HT	(800)356-8000
BV2W25FS2LCPXXX	BFV 2W 2.5" 20PSI SR NC W/POS	(800)356-8000
BV2W25FS2LCTXXX	BFV2W2.5"20PSI SR NC W/120V E	(800)356-8000
BV2W25FS2LCUXXX	BFV2W2.5"20PSI SR NC W/24V EP	(800)356-8000
BV2W25FS2LCXXXX	BFV 2W 2.5" 20PSI SR NC	(800)356-8000
BV2W25FS2LOPXXX	BFV 2W 2.5" 20PSI SR NO W/POS	(800)356-8000
BV2W25FS2LOTXXX	BFV2W2.5"20PSI SR NO W/120V E	(800)356-8000
BV2W25FS2LOUXXX	BFV2W2.5"20PSI SR NO W/24V EP	(800)356-8000
BV2W25FS2LOXXXX	BFV 2W 2.5" 20PSI SR NO	(800)356-8000
BV2W25FS6LCQXXX	BFV 2W 2.5" 60PSI SR NC W/POS	(800)356-8000
BV2W25FS6LCVXXX	BFV2W2.5"60PSI SR NC W/120V EP	(800)356-8000
BV2W25FS6LCWXXX	BFV2W2.5"60PSI SR NC W/24V EP	(800)356-8000
BV2W25FS6LCXXXX	BFV 2W 2.5" 60PSI SR NC	(800)356-8000
BV2W25FS6LOQXXX	BFV 2W 2.5" 60PSI SR NO W/POS	(800)356-8000
BV2W25FS6LOVXXX	BFV2W2.5"60PSI SR NO W/120V EP	(800)356-8000
BV2W25FS6LOWXXX	BFV2W2.5"60PSI SR NO W/24V EP	(800)356-8000
BV2W25FS6LOXXXX	BFV 2W 2.5" 60PSI SR NO	(800)356-8000
BV2W25UG1LCXXXX	BFV 2W2.5"120V ON/OFF SR NC100	(800)356-8000
BV2W25UG1LOXXXX	BFV 2W2.5"120V ON/OFF SR NO100	(800)356-8000
BV2W25UG2LCXXXX	BFV 2W2.5"24V ON/OFF SR NC100	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV2W25UG2LOXXXX	BFV 2W2.5"24V ON/OFF SR NO100	(800)356-8000
BV2W25UG3LCXXXX	BFV 2W2.5"24V FLOATING SRNC100	(800)356-8000
BV2W25UG3LOXXXX	BFV 2W2.5"24V FLOATING SRNO100	(800)356-8000
BV2W25UG4LCXXXX	BFV 2W2.5"24V MOD 0-10 SRNC100	(800)356-8000
BV2W25UG4LOXXXX	BFV 2W2.5"24V MOD 0-10 SRNO100	(800)356-8000
BV2W25UG5LCXXXX	BFV 2W2.5"24V MOD 4-20 SRNC100	(800)356-8000
BV2W25UG5LOXXXX	BFV 2W2.5"24V MOD 4-20 SRNO100	(800)356-8000
BV2W25UG6LNXXXX	BFV 2W2.5" 24V FLOATING 100	(800)356-8000
BV2W25UG7LNXXXX	BFV 2W 2.5" 24V MOD 0-10V 100	(800)356-8000
BV2W25UG8LNXXXX	BFV 2W 2.5" 24V MOD4-20MA 100	(800)356-8000
BV3W02FD6LARXXX	BFV 3W 2" 60PSI DA A W/POS	(800)356-8000
BV3W02FD6LAXXXX	BFV 3W 2" 60PSI DA A	(800)356-8000
BV3W02FD6LAYXXX	BFV 3W 2" 60PSI DA A W/120V EP	(800)356-8000
BV3W02FD6LAZXXX	BFV 3W 2" 60PSI DA A W/24V EP	(800)356-8000
BV3W02FD6LBRXXX	BFV 3W 2" 60PSI DA B W/POS	(800)356-8000
BV3W02FD6LBXXXX	BFV 3W 2" 60PSI DA B	(800)356-8000
BV3W02FD6LBXXXX	BFV 3W 2" 60PSI DA B W/120V EP	(800)356-8000
BV3W02FD6LBZXXX	BFV 3W 2" 60PSI DA B W/24V EP	(800)356-8000
BV3W02FD6LCRXXX	BFV 3W 2" 60PSI DA C W/POS	(800)356-8000
BV3W02FD6LCXXXX	BFV 3W 2" 60PSI DA C	(800)356-8000
BV3W02FD6LCYXXX	BFV 3W 2" 60PSI DA C W/120V EP	(800)356-8000
BV3W02FD6LCZXXX	BFV 3W 2" 60PSI DA C W/24V EP	(800)356-8000
BV3W02FD6LDRXXX	BFV 3W 2" 60PSI DA D W/POS	(800)356-8000
BV3W02FD6LDXXXX	BFV 3W 2" 60PSI DA D	(800)356-8000
BV3W02FD6LDYXXX	BFV 3W 2" 60PSI DA D W/120V EP	(800)356-8000
BV3W02FD6LDZXXX	BFV 3W 2" 60PSI DA D W/24V EP	(800)356-8000
BV3W02FD6LERXXX	BFV 3W 2" 60PSI DA E W/POS	(800)356-8000
BV3W02FD6LEXXXX	BFV 3W 2" 60PSI DA E	(800)356-8000
BV3W02FD6LEYXXX	BFV 3W 2" 60PSI DA E W/120V EP	(800)356-8000
BV3W02FD6LEZXXX	BFV 3W 2" 60PSI DA E W/24V EP	(800)356-8000
BV3W02FD6LFRXXX	BFV 3W 2" 60PSI DA F W/POS	(800)356-8000
BV3W02FD6LFXXXX	BFV 3W 2" 60PSI DA F	(800)356-8000
BV3W02FD6LFYXXX	BFV 3W 2" 60PSI DA F W/120V EP	(800)356-8000
BV3W02FD6LFZXXX	BFV 3W 2" 60PSI DA F W/24V EP	(800)356-8000
BV3W02FE2LAXXHX	BFV 3W 2" ELEC 2POS A W/HT	(800)356-8000
BV3W02FE2LAXXXX	BFV 3W 2" ELEC 2POS A	(800)356-8000
BV3W02FE2LBXXHX	BFV 3W 2" 120V 2POS B W/HT	(800)356-8000
BV3W02FE2LBXXXX	BFV 3W 2" 120V 2POS B	(800)356-8000
BV3W02FE2LCXXHX	BFV 3W 2" ELEC 2POS C W/HT	(800)356-8000
BV3W02FE2LCXXXX	BFV 3W 2" ELEC 2POS C	(800)356-8000
BV3W02FE2LDXXHX	BFV 3W 2" 120V 2POS D W/HT	(800)356-8000
BV3W02FE2LDXXXX	BFV 3W 2" 120V 2POS D	(800)356-8000
BV3W02FE2LEXXHX	BFV 3W 2" 120V 2POS E W/HT	(800)356-8000
BV3W02FE2LEXXXX	BFV 3W 2" 120V 2POS E	(800)356-8000
BV3W02FE2LFXXHX	BFV 3W 2" 120V 2POS F W/HT	(800)356-8000
BV3W02FE2LFXXXX	BFV 3W 2" 120V 2POS F	(800)356-8000
BV3W02FEMLAXXHX	BFV 3W 2" ELEC MOD A W/HT	(800)356-8000
BV3W02FEMLBXXHX	BFV 3W 2"120V MOD 0-10 B W/HT	(800)356-8000
BV3W02FEMLCXXHX	BFV 3W 2" ELEC MOD C W/HT	(800)356-8000
BV3W02FEMLDXXHX	BFV 3W 2"120V MOD 0-10 D W/HT	(800)356-8000
BV3W02FEMLEXXHX	BFV 3W 2"120V MOD 0-10 E W/HT	(800)356-8000
BV3W02FEMLFXXHX	BFV 3W 2"120V MOD 0-10 F W/HT	(800)356-8000
BV3W02FEPLAXXHX	BFV 3W 2"120V MOD 4-20 A W/HT	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W02FEPLBXXHX	BFV 3W 2"120V MOD 4-20 B W/HT	(800)356-8000
BV3W02FEPLCXXHX	BFV 3W 2"120V MOD 4-20 C W/HT	(800)356-8000
BV3W02FEPLDXXHX	BFV 3W 2"120V MOD 4-20 D W/HT	(800)356-8000
BV3W02FEPLExXXHX	BFV 3W 2"120V MOD 4-20 E W/HT	(800)356-8000
BV3W02FEPLFXXHX	BFV 3W 2"120V MOD 4-20 F W/HT	(800)356-8000
BV3W02FS2LAPXXX	BFV 3W 2" 20PSI SR A W/POS	(800)356-8000
BV3W02FS2LATXXX	BFV 3W 2" 20PSI SR A W/120V EP	(800)356-8000
BV3W02FS2LAUXXX	BFV 3W 2" 20PSI SR A W/24V EP	(800)356-8000
BV3W02FS2LAXXXX	BFV 3W 2" 20PSI SR A	(800)356-8000
BV3W02FS2LBPXXX	BFV 3W 2" 20PSI SR B W/POS	(800)356-8000
BV3W02FS2LBTXXX	BFV 3W 2" 20PSI SR B W/120V EP	(800)356-8000
BV3W02FS2LBUXXX	BFV 3W 2" 20PSI SR B W/24V EP	(800)356-8000
BV3W02FS2LBXXXX	BFV 3W 2" 20PSI SR B	(800)356-8000
BV3W02FS2LCPXXX	BFV 3W 2" 20PSI SR C W/POS	(800)356-8000
BV3W02FS2LCTXXX	BFV 3W 2" 20PSI SR C W/120V EP	(800)356-8000
BV3W02FS2LCUXXX	BFV 3W 2" 20PSI SR C W/24V EP	(800)356-8000
BV3W02FS2LCXXXX	BFV 3W 2" 20PSI SR C	(800)356-8000
BV3W02FS2LDPXXX	BFV 3W 2" 20PSI SR D W/POS	(800)356-8000
BV3W02FS2LDTXXX	BFV 3W 2" 20PSI SR D W/120V EP	(800)356-8000
BV3W02FS2LDUXXX	BFV 3W 2" 20PSI SR D W/24V EP	(800)356-8000
BV3W02FS2LDXXXX	BFV 3W 2" 20PSI SR D	(800)356-8000
BV3W02FS2LEPXXX	BFV 3W 2" 20PSI SR E W/POS	(800)356-8000
BV3W02FS2LETXXX	BFV 3W 2" 20PSI SR E W/120V EP	(800)356-8000
BV3W02FS2LEUXXX	BFV 3W 2" 20PSI SR E W/24V EP	(800)356-8000
BV3W02FS2LEXXXX	BFV 3W 2" 20PSI SR E	(800)356-8000
BV3W02FS2LFPXXX	BFV 3W 2" 20PSI SR F W/POS	(800)356-8000
BV3W02FS2LFTXXX	BFV 3W 2" 20PSI SR F W/120V EP	(800)356-8000
BV3W02FS2LFUXXX	BFV 3W 2" 20PSI SR F W/24V EP	(800)356-8000
BV3W02FS2LFXXXX	BFV 3W 2" 20PSI SR F	(800)356-8000
BV3W02FS6LAQXXX	BFV 3W 2" 60PSI SR A W/POS	(800)356-8000
BV3W02FS6LAVXXX	BFV 3W 2" 60PSI SR A W/120V EP	(800)356-8000
BV3W02FS6LAWXXX	BFV 3W 2" 60PSI SR A W/24V EP	(800)356-8000
BV3W02FS6LAXXXX	BFV 3W 2" 60PSI SR A	(800)356-8000
BV3W02FS6LBQXXX	BFV 3W 2" 60PSI SR B W/POS	(800)356-8000
BV3W02FS6LBVXXX	BFV 3W 2" 60PSI SR B W/120V EP	(800)356-8000
BV3W02FS6LBWXXX	BFV 3W 2" 60PSI SR B W/24V EP	(800)356-8000
BV3W02FS6LBXXXX	BFV 3W 2" 60PSI SR B	(800)356-8000
BV3W02FS6LCQXXX	BFV 3W 2" 60PSI SR C W/POS	(800)356-8000
BV3W02FS6LCVXXX	BFV 3W 2" 60PSI SR C W/120V EP	(800)356-8000
BV3W02FS6LCWXXX	BFV 3W 2" 60PSI SR C W/24V EP	(800)356-8000
BV3W02FS6LCXXXX	BFV 3W 2" 60PSI SR C	(800)356-8000
BV3W02FS6LDQXXX	BFV 3W 2" 60PSI SR D W/POS	(800)356-8000
BV3W02FS6LDVXXX	BFV 3W 2" 60PSI SR D W/120V EP	(800)356-8000
BV3W02FS6LDWXXX	BFV 3W 2" 60PSI SR D W/24V EP	(800)356-8000
BV3W02FS6LDXXXX	BFV 3W 2" 60PSI SR D	(800)356-8000
BV3W02FS6LEQXXX	BFV 3W 2" 60PSI SR E W/POS	(800)356-8000
BV3W02FS6LEVXXX	BFV 3W 2" 60PSI SR E W/120V EP	(800)356-8000
BV3W02FS6LEWXXX	BFV 3W 2" 60PSI SR E W/24V EP	(800)356-8000
BV3W02FS6LEXXXX	BFV 3W 2" 60PSI SR E	(800)356-8000
BV3W02FS6LFQXXX	BFV 3W 2" 60PSI SR F W/POS	(800)356-8000
BV3W02FS6LFVXXX	BFV 3W 2" 60PSI SR F W/120V EP	(800)356-8000
BV3W02FS6LFWXXX	BFV 3W 2" 60PSI SR F W/24V EP	(800)356-8000
BV3W02FS6LFXXXX	BFV 3W 2" 60PSI SR F	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W02UG1LAXXXX	BFV 3W2"120V ON/OFF SR A 100	(800)356-8000
BV3W02UG1LBXXXX	BFV 3W2"120V ON/OFF SR B 100	(800)356-8000
BV3W02UG1LCXXXX	BFV 3W2"120V ON/OFF SR C 100	(800)356-8000
BV3W02UG1LDXXXX	BFV 3W2"120V ON/OFF SR D 100	(800)356-8000
BV3W02UG1LEXXXX	BFV 3W2"120V ON/OFF SR E 100	(800)356-8000
BV3W02UG1LFXXXX	BFV 3W2"120V ON/OFF SR F 100	(800)356-8000
BV3W02UG2LAXXXX	BFV 3W2"24V ON/OFF SR A 100	(800)356-8000
BV3W02UG2LBXXXX	BFV 3W2"24V ON/OFF SR B 100	(800)356-8000
BV3W02UG2LCXXXX	BFV 3W2"24V ON/OFF SR C 100	(800)356-8000
BV3W02UG2LDXXXX	BFV 3W2"24V ON/OFF SR D 100	(800)356-8000
BV3W02UG2LEXXXX	BFV 3W2"24V ON/OFF SR E 100	(800)356-8000
BV3W02UG2LFXXXX	BFV 3W2"24V ON/OFF SR F 100	(800)356-8000
BV3W02UG3LAXXXX	BFV 3W2"24V FLOATING SR A 100	(800)356-8000
BV3W02UG3LBXXXX	BFV 3W2"24V FLOATING SR B 100	(800)356-8000
BV3W02UG3LCXXXX	BFV 3W2"24V FLOATING SR C 100	(800)356-8000
BV3W02UG3LDXXXX	BFV 3W2"24V FLOATING SR D 100	(800)356-8000
BV3W02UG3LEXXXX	BFV 3W2"24V FLOATING SR E 100	(800)356-8000
BV3W02UG3LFXXXX	BFV 3W2"24V FLOATING SR F 100	(800)356-8000
BV3W02UG4LAXXXX	BFV 3W2"24V MOD 0-10 SR A 100	(800)356-8000
BV3W02UG4LBXXXX	BFV 3W2"24V MOD 0-10 SR B 100	(800)356-8000
BV3W02UG4LCXXXX	BFV 3W2"24V MOD 0-10 SR C 100	(800)356-8000
BV3W02UG4LDXXXX	BFV 3W2"24V MOD 0-10 SR D 100	(800)356-8000
BV3W02UG4LEXXXX	BFV 3W2"24V MOD 0-10 SR E 100	(800)356-8000
BV3W02UG4LFXXXX	BFV 3W2"24V MOD 0-10 SR F 100	(800)356-8000
BV3W02UG5LAXXXX	BFV 3W2"24V MOD 4-20 SR A 100	(800)356-8000
BV3W02UG5LBXXXX	BFV 3W2"24V MOD 4-20 SR B 100	(800)356-8000
BV3W02UG5LCXXXX	BFV 3W2"24V MOD 4-20 SR C 100	(800)356-8000
BV3W02UG5LDXXXX	BFV 3W2"24V MOD 4-20 SR D 100	(800)356-8000
BV3W02UG5LEXXXX	BFV 3W2"24V MOD 4-20 SR E 100	(800)356-8000
BV3W02UG5LFXXXX	BFV 3W2"24V MOD 4-20 SR F 100	(800)356-8000
BV3W02UG6LAXXXX	BFV 3W 2" 24V FLOATING A 100	(800)356-8000
BV3W02UG6LBXXXX	BFV 3W 2" 24V FLOATING B 100	(800)356-8000
BV3W02UG6LCXXXX	BFV 3W 2" 24V FLOATING C 100	(800)356-8000
BV3W02UG6LDXXXX	BFV 3W 2" 24V FLOATING D 100	(800)356-8000
BV3W02UG6LEXXXX	BFV 3W 2" 24V FLOATING E 100	(800)356-8000
BV3W02UG6LFXXXX	BFV 3W 2" 24V FLOATING F 100	(800)356-8000
BV3W02UG7LAXXXX	BFV 3W 2" 24V MOD 0-10V A 100	(800)356-8000
BV3W02UG7LBXXXX	BFV 3W 2" 24V MOD 0-10V B 100	(800)356-8000
BV3W02UG7LCXXXX	BFV 3W 2" 24V MOD 0-10V C 100	(800)356-8000
BV3W02UG7LDXXXX	BFV 3W 2" 24V MOD 0-10V D 100	(800)356-8000
BV3W02UG7LEXXXX	BFV 3W 2" 24V MOD 0-10V E 100	(800)356-8000
BV3W02UG7LFXXXX	BFV 3W 2" 24V MOD 0-10V F 100	(800)356-8000
BV3W02UG8LAXXXX	BFV 3W 2" 24V MOD 4-20MA A 100	(800)356-8000
BV3W02UG8LBXXXX	BFV 3W 2" 24V MOD 4-20MA B 100	(800)356-8000
BV3W02UG8LCXXXX	BFV 3W 2" 24V MOD 4-20MA C 100	(800)356-8000
BV3W02UG8LDXXXX	BFV 3W 2" 24V MOD 4-20MA D 100	(800)356-8000
BV3W02UG8LEXXXX	BFV 3W 2" 24V MOD 4-20MA E 100	(800)356-8000
BV3W02UG8LFXXXX	BFV 3W 2" 24V MOD 4-20MA F 100	(800)356-8000
BV3W03FD6LARXXX	BFV 3W 3" 60PSI DA A W/POS	(800)356-8000
BV3W03FD6LAXXXX	BFV 3W 3" 60PSI DA A	(800)356-8000
BV3W03FD6LAYXXX	BFV 3W 3" 60PSI DA A W/120V EP	(800)356-8000
BV3W03FD6LAZXXX	BFV 3W 3" 60PSI DA A W/24V EP	(800)356-8000
BV3W03FD6LBRXXX	BFV 3W 3" 60PSI DA B W/POS	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W03FD6LBXXXX	BFV 3W 3" 60PSI DA B	(800)356-8000
BV3W03FD6LBXXXX	BFV 3W 3" 60PSI DA B W/120V EP	(800)356-8000
BV3W03FD6LBZXXX	BFV 3W 3" 60PSI DA B W/24V EP	(800)356-8000
BV3W03FD6LCRXXX	BFV 3W 3" 60PSI DA C W/POS	(800)356-8000
BV3W03FD6LCXXXX	BFV 3W 3" 60PSI DA C	(800)356-8000
BV3W03FD6LCYXXX	BFV 3W 3" 60PSI DA C W/120V EP	(800)356-8000
BV3W03FD6LCZXXX	BFV 3W 3" 60PSI DA C W/24V EP	(800)356-8000
BV3W03FD6LDRXXX	BFV 3W 3" 60PSI DA D W/POS	(800)356-8000
BV3W03FD6LDXXXX	BFV 3W 3" 60PSI DA D20 F W/HT	(800)356-8000
BV3W03FD6LDYXXX	BFV 3W 3" 60PSI DA D W/120V EP	(800)356-8000
BV3W03FD6LDZXXX	BFV 3W 3" 60PSI DA D W/24V EP	(800)356-8000
BV3W03FD6LERXXX	BFV 3W 3" 60PSI DA E W/POS	(800)356-8000
BV3W03FD6LEXXXX	BFV 3W 3" 60PSI DA E	(800)356-8000
BV3W03FD6LEYXXX	BFV 3W 3" 60PSI DA E W/120V EP	(800)356-8000
BV3W03FD6LEZXXX	BFV 3W 3" 60PSI DA E W/24V EP	(800)356-8000
BV3W03FD6LFRXXX	BFV 3W 3" 60PSI DA F W/POS	(800)356-8000
BV3W03FD6LFXXXX	BFV 3W 3" 60PSI DA F	(800)356-8000
BV3W03FD6LFYXXX	BFV 3W 3" 60PSI DA F W/120V EP	(800)356-8000
BV3W03FD6LFZXXX	BFV 3W 3" 60PSI DA F W/24V EP	(800)356-8000
BV3W03FE2LAXXXH	BFV 3W 3" ELEC 2POS A W/HT	(800)356-8000
BV3W03FE2LAXXXX	BFV 3W 3" ELEC 2POS A	(800)356-8000
BV3W03FE2LBXXHX	BFV 3W 3" 120V 2POS B W/HT	(800)356-8000
BV3W03FE2LBXXXX	BFV 3W 3" 120V 2POS B	(800)356-8000
BV3W03FE2LCXXHX	BFV 3W 3" ELEC 2POS C W/HT	(800)356-8000
BV3W03FE2LCXXXX	BFV 3W 3" ELEC 2POS C	(800)356-8000
BV3W03FE2LDXXHX	BFV 3W 3" 120V 2POS D W/HT	(800)356-8000
BV3W03FE2LDXXXX	BFV 3W 3" 120V 2POS D	(800)356-8000
BV3W03FE2LEXXHX	BFV 3W 3" 120V 2POS E W/HT	(800)356-8000
BV3W03FE2LEXXX	BFV 3W 3" 120V 2POS E	(800)356-8000
BV3W03FE2LFXXHX	BFV 3W 3" 120V 2POS F W/HT	(800)356-8000
BV3W03FE2LFXXXX	BFV 3W 3" 120V 2POS F	(800)356-8000
BV3W03FEMLAXXXH	BFV 3W 3" ELEC MOD A W/HT	(800)356-8000
BV3W03FEMLBXXHX	BFV 3W 3"120V MOD 0-10 B W/HT	(800)356-8000
BV3W03FEMLCXXHX	BFV 3W 3" ELEC MOD C W/HT	(800)356-8000
BV3W03FEMLDXXHX	BFV 3W 3"120V MOD 0-10 D W/HT	(800)356-8000
BV3W03FEMLEXXHX	BFV 3W 3"120V MOD 0-10 E W/HT	(800)356-8000
BV3W03FEMLFXXHX	BFV 3W 3"120V MOD 0-10 F W/HT	(800)356-8000
BV3W03FEPLAXXXH	BFV 3W 3"120V MOD 4-20 A W/HT	(800)356-8000
BV3W03FEPLBXXHX	BFV 3W 3"120V MOD 4-20 B W/HT	(800)356-8000
BV3W03FEPLCXXHX	BFV 3W 3"120V MOD 4-20 C W/HT	(800)356-8000
BV3W03FEPLDXXHX	BFV 3W 3"120V MOD 4-20 D W/HT	(800)356-8000
BV3W03FEPLEXXHX	BFV 3W 3"120V MOD 4-20 E W/HT	(800)356-8000
BV3W03FEPLFXXHX	BFV 3W 3"120V MOD 4-20 F W/HT	(800)356-8000
BV3W03FS2LAPXXX	BFV 3W 3" 20PSI SR A W/POS	(800)356-8000
BV3W03FS2LATXXX	BFV 3W 3" 20PSI SR A W/120V EP	(800)356-8000
BV3W03FS2LAUXXX	BFV 3W 3" 20PSI SR A W/24V EP	(800)356-8000
BV3W03FS2LAXXXX	BFV 3W 3" 20PSI SR A	(800)356-8000
BV3W03FS2LBPXXX	BFV 3W 3" 20PSI SR B W/POS	(800)356-8000
BV3W03FS2LBTXXX	BFV 3W 3" 20PSI SR B W/120V EP	(800)356-8000
BV3W03FS2LBUXXX	BFV 3W 3" 20PSI SR B W/24V EP	(800)356-8000
BV3W03FS2LBXXXX	BFV 3W 3" 20PSI SR B	(800)356-8000
BV3W03FS2LCPXXX	BFV 3W 3" 20PSI SR C W/POS	(800)356-8000
BV3W03FS2LCTXXX	BFV 3W 3" 20PSI SR C W/120V EP	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W03FS2LCUXXX	BFV 3W 3" 20PSI SR C W/24V EP	(800)356-8000
BV3W03FS2LCXXX	BFV 3W 3" 20PSI SR C	(800)356-8000
BV3W03FS2LDPXXX	BFV 3W 3" 20PSI SR D W/POS	(800)356-8000
BV3W03FS2LDTXXX	BFV 3W 3" 20PSI SR D W/120V EP	(800)356-8000
BV3W03FS2LDUXXX	BFV 3W 3" 20PSI SR D W/24V EP	(800)356-8000
BV3W03FS2LDXXXX	BFV 3W 3" 20PSI SR D	(800)356-8000
BV3W03FS2LEPXXX	BFV 3W 3" 20PSI SR E W/POS	(800)356-8000
BV3W03FS2LETXXX	BFV 3W 3" 20PSI SR E W/120V EP	(800)356-8000
BV3W03FS2LEUXXX	BFV 3W 3" 20PSI SR E W/24V EP	(800)356-8000
BV3W03FS2LEXXXX	BFV 3W 3" 20PSI SR E	(800)356-8000
BV3W03FS2LFPXXX	BFV 3W 3" 20PSI SR F W/POS	(800)356-8000
BV3W03FS2LFTXXX	BFV 3W 3" 20PSI SR F W/120V EP	(800)356-8000
BV3W03FS2LFUXXX	BFV 3W 3" 20PSI SR F W/24V EP	(800)356-8000
BV3W03FS2LFXXXX	BFV 3W 3" 20PSI SR F	(800)356-8000
BV3W03FS6LAQXXX	BFV 3W 3" 60PSI SR A W/POS	(800)356-8000
BV3W03FS6LAVXXX	BFV 3W 3" 60PSI SR A W/120V EP	(800)356-8000
BV3W03FS6LAWXXX	BFV 3W 3" 60PSI SR A W/24V EP	(800)356-8000
BV3W03FS6LAXXXX	BFV 3W 3" 60PSI SR A	(800)356-8000
BV3W03FS6LBQXXX	BFV 3W 3" 60PSI SR B W/POS	(800)356-8000
BV3W03FS6LBVXXX	BFV 3W 3" 60PSI SR B W/120V EP	(800)356-8000
BV3W03FS6LBWXXX	BFV 3W 3" 60PSI SR B W/24V EP	(800)356-8000
BV3W03FS6LBXXXX	BFV 3W 3" 60PSI SR B	(800)356-8000
BV3W03FS6LCQXXX	BFV 3W 3" 60PSI SR C W/POS	(800)356-8000
BV3W03FS6LCVXXX	BFV 3W 3" 60PSI SR C W/120V EP	(800)356-8000
BV3W03FS6LCWXXX	BFV 3W 3" 60PSI SR C W/24V EP	(800)356-8000
BV3W03FS6LCXXXX	BFV 3W 3" 60PSI SR C	(800)356-8000
BV3W03FS6LDQXXX	BFV 3W 3" 60PSI SR D W/POS	(800)356-8000
BV3W03FS6LDVXXX	BFV 3W 3" 60PSI SR D W/120V EP	(800)356-8000
BV3W03FS6LDWXXX	BFV 3W 3" 60PSI SR D W/24V EP	(800)356-8000
BV3W03FS6LDXXXX	BFV 3W 3" 60PSI SR D	(800)356-8000
BV3W03FS6LEQXXX	BFV 3W 3" 60PSI SR E W/POS	(800)356-8000
BV3W03FS6LEVXXX	BFV 3W 3" 60PSI SR E W/120V EP	(800)356-8000
BV3W03FS6LEWXXX	BFV 3W 3" 60PSI SR E W/24V EP	(800)356-8000
BV3W03FS6LEXXXX	BFV 3W 3" 60PSI SR E	(800)356-8000
BV3W03FS6LFQXXX	BFV 3W 3" 60PSI SR F W/POS	(800)356-8000
BV3W03FS6LFVXXX	BFV 3W 3" 60PSI SR F W/120V EP	(800)356-8000
BV3W03FS6LFWXXX	BFV 3W 3" 60PSI SR F W/24V EP	(800)356-8000
BV3W03FS6LFXXXX	BFV 3W 3" 60PSI SR F	(800)356-8000
BV3W03UG1LAXXXX	BFV 3W3"120V ON/OFF SR A 100	(800)356-8000
BV3W03UG1LBXXXX	BFV 3W3"120V ON/OFF SR B 100	(800)356-8000
BV3W03UG1LCXXXX	BFV 3W3"120V ON/OFF SR C 100	(800)356-8000
BV3W03UG1LDXXXX	BFV 3W3"120V ON/OFF SR D 100	(800)356-8000
BV3W03UG1LEXXXX	BFV 3W3"120V ON/OFF SR E 100	(800)356-8000
BV3W03UG1LFXXXX	BFV 3W3"120V ON/OFF SR F 100	(800)356-8000
BV3W03UG2LAXXXX	BFV 3W3"24V ON/OFF SR A 100	(800)356-8000
BV3W03UG2LBXXXX	BFV 3W3"24V ON/OFF SR B 100	(800)356-8000
BV3W03UG2LCXXXX	BFV 3W3"24V ON/OFF SR C 100	(800)356-8000
BV3W03UG2LDXXXX	BFV 3W3"24V ON/OFF SR D 100	(800)356-8000
BV3W03UG2LEXXXX	BFV 3W3"24V ON/OFF SR E 100	(800)356-8000
BV3W03UG2LFXXXX	BFV 3W3"24V ON/OFF SR F 100	(800)356-8000
BV3W03UG3LAXXXX	BFV 3W3"24V FLOATING SR A 100	(800)356-8000
BV3W03UG3LBXXXX	BFV 3W3"24V FLOATING SR B 100	(800)356-8000
BV3W03UG3LCXXXX	BFV 3W3"24V FLOATING SR C 100	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W03UG3LDXXXX	BFV 3W3"24V FLOATING SR D 100	(800)356-8000
BV3W03UG3LEXXXX	BFV 3W3"24V FLOATING SR E 100	(800)356-8000
BV3W03UG3LFXXXX	BFV 3W3"24V FLOATING SR F 100	(800)356-8000
BV3W03UG4LAXXXX	BFV 3W3"24V MOD 0-10 SR A 100	(800)356-8000
BV3W03UG4LBXXXX	BFV 3W3"24V MOD 0-10 SR B 100	(800)356-8000
BV3W03UG4LCXXXX	BFV 3W3"24V MOD 0-10 SR C 100	(800)356-8000
BV3W03UG4LDXXXX	BFV 3W3"24V MOD 0-10 SR D 100	(800)356-8000
BV3W03UG4LEXXXX	BFV 3W3"24V MOD 0-10 SR E 100	(800)356-8000
BV3W03UG4LFXXXX	BFV 3W3"24V MOD 0-10 SR F 100	(800)356-8000
BV3W03UG5LAXXXX	BFV 3W3"24V MOD 4-20 SR A 100	(800)356-8000
BV3W03UG5LBXXXX	BFV 3W3"24V MOD 4-20 SR B 100	(800)356-8000
BV3W03UG5LCXXXX	BFV 3W3"24V MOD 4-20 SR C 100	(800)356-8000
BV3W03UG5LDXXXX	BFV 3W3"24V MOD 4-20 SR D 100	(800)356-8000
BV3W03UG5LEXXXX	BFV 3W3"24V MOD 4-20 SR E 100	(800)356-8000
BV3W03UG5LFXXXX	BFV 3W3"24V MOD 4-20 SR F 100	(800)356-8000
BV3W03UG6LAXXXX	BFV 3W 3" 24V FLOATING A 100	(800)356-8000
BV3W03UG6LBXXXX	BFV 3W 3" 24V FLOATING B 100	(800)356-8000
BV3W03UG6LCXXXX	BFV 3W 3" 24V FLOATING C 100	(800)356-8000
BV3W03UG6LDXXXX	BFV 3W 3" 24V FLOATING D 100	(800)356-8000
BV3W03UG6LEXXXX	BFV 3W 3" 24V FLOATING E 100	(800)356-8000
BV3W03UG6LFXXXX	BFV 3W 3" 24V FLOATING F 100	(800)356-8000
BV3W03UG7LAXXXX	BFV 3W 3" 24V MOD 0-10V A 100	(800)356-8000
BV3W03UG7LBXXXX	BFV 3W 3" 24V MOD 0-10V B 100	(800)356-8000
BV3W03UG7LCXXXX	BFV 3W 3" 24V MOD 0-10V C 100	(800)356-8000
BV3W03UG7LDXXXX	BFV 3W 3" 24V MOD 0-10V D 100	(800)356-8000
BV3W03UG7LEXXXX	BFV 3W 3" 24V MOD 0-10V E 100	(800)356-8000
BV3W03UG7LFXXXX	BFV 3W 3" 24V MOD 0-10V F 100	(800)356-8000
BV3W03UG8LAXXXX	BFV 3W 3" 24V MOD 4-20MA A 100	(800)356-8000
BV3W03UG8LBXXXX	BFV 3W 3" 24V MOD 4-20MA B 100	(800)356-8000
BV3W03UG8LCXXXX	BFV 3W 3" 24V MOD 4-20MA C 100	(800)356-8000
BV3W03UG8LDXXXX	BFV 3W 3" 24V MOD 4-20MA D 100	(800)356-8000
BV3W03UG8LEXXXX	BFV 3W 3" 24V MOD 4-20MA E 100	(800)356-8000
BV3W03UG8LFXXXX	BFV 3W 3" 24V MOD 4-20MA F 100	(800)356-8000
BV3W04FD6LARXXX	BFV 3W 4" 60PSI DA A W/POS	(800)356-8000
BV3W04FD6LAXXXX	BFV 3W 4" 60PSI DA A	(800)356-8000
BV3W04FD6LAYXXX	BFV 3W 4" 60PSI DA A W/120V EP	(800)356-8000
BV3W04FD6LAZXXX	BFV 3W 4" 60PSI DA A W/24V EP	(800)356-8000
BV3W04FD6LBRXXX	BFV 3W 4" 60PSI DA B W/POS	(800)356-8000
BV3W04FD6LBXXXX	BFV 3W 4" 60PSI DA B	(800)356-8000
BV3W04FD6LBXXXX	BFV 3W 4" 60PSI DA B W/120V EP	(800)356-8000
BV3W04FD6LBZXXX	BFV 3W 4" 60PSI DA B W/24V EP	(800)356-8000
BV3W04FD6LCRXXX	BFV 3W 4" 60PSI DA C W/POS	(800)356-8000
BV3W04FD6LCXXXX	BFV 3W 4" 60PSI DA C	(800)356-8000
BV3W04FD6LCYXXX	BFV 3W 4" 60PSI DA C W/120V EP	(800)356-8000
BV3W04FD6LCZXXX	BFV 3W 4" 60PSI DA C W/24V EP	(800)356-8000
BV3W04FD6LDRXXX	BFV 3W 4" 60PSI DA D W/POS	(800)356-8000
BV3W04FD6LDXXXX	BFV 3W 4" 60PSI DA D	(800)356-8000
BV3W04FD6LDYXXX	BFV 3W 4" 60PSI DA D W/120V EP	(800)356-8000
BV3W04FD6LDZXXX	BFV 3W 4" 60PSI DA D W/24V EP	(800)356-8000
BV3W04FD6LERXXX	BFV 3W 4" 60PSI DA E W/POS	(800)356-8000
BV3W04FD6LEXXXX	BFV 3W 4" 60PSI DA E	(800)356-8000
BV3W04FD6LEYXXX	BFV 3W 4" 60PSI DA E W/120V EP	(800)356-8000
BV3W04FD6LEZXXX	BFV 3W 4" 60PSI DA E W/24V EP	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W04FD6LFRXXX	BFV 3W 4" 60PSI DA F W/POS	(800)356-8000
BV3W04FD6LFXXXX	BFV 3W 4" 60PSI DA F	(800)356-8000
BV3W04FD6LFYXXX	BFV 3W 4" 60PSI DA F W/120V EP	(800)356-8000
BV3W04FD6LFZXXX	BFV 3W 4" 60PSI DA F W/24V EP	(800)356-8000
BV3W04FE2LAXXXH	BFV 3W 4" ELEC 2POS A W/HT	(800)356-8000
BV3W04FE2LAXXXX	BFV 3W 4" ELEC 2POS A	(800)356-8000
BV3W04FE2LBXXHX	BFV 3W 4" 120V 2POS B W/HT	(800)356-8000
BV3W04FE2LBXXXX	BFV 3W 4" 120V 2POS B	(800)356-8000
BV3W04FE2LCXXHX	BFV 3W 4" ELEC 2POS C W/HT	(800)356-8000
BV3W04FE2LCXXXX	BFV 3W 4" ELEC 2POS C	(800)356-8000
BV3W04FE2LDXXHX	BFV 3W 4" 120V 2POS D W/HT	(800)356-8000
BV3W04FE2LDXXXX	BFV 3W 4" 120V 2POS D	(800)356-8000
BV3W04FE2LEXHX	BFV 3W 4" 120V 2POS E W/HT	(800)356-8000
BV3W04FE2LEXXXX	BFV 3W 4" 120V 2POS E	(800)356-8000
BV3W04FE2LFXXHX	BFV 3W 4" 120V 2POS F W/HT	(800)356-8000
BV3W04FE2LFXXXX	BFV 3W 4" 120V 2POS F	(800)356-8000
BV3W04FEMLAXXXH	BFV 3W 4" ELEC MOD A W/HT	(800)356-8000
BV3W04FEMLBXXHX	BFV 3W 4"120V MOD 0-10 B W/HT	(800)356-8000
BV3W04FEMLCXXHX	BFV 3W 4" ELEC MOD C W/HT	(800)356-8000
BV3W04FEMLDXXHX	BFV 3W 4"120V MOD 0-10 D W/HT	(800)356-8000
BV3W04FEMLEXXHX	BFV 3W 4"120V MOD 0-10 E W/HT	(800)356-8000
BV3W04FEMLFXXHX	BFV 3W 4"120V MOD 0-10 F W/HT	(800)356-8000
BV3W04FEPLAXXXH	BFV 3W 4"120V MOD 4-20 A W/HT	(800)356-8000
BV3W04FEPLBXXHX	BFV 3W 4"120V MOD 4-20 B W/HT	(800)356-8000
BV3W04FEPLCXXHX	BFV 3W 4"120V MOD 4-20 C W/HT	(800)356-8000
BV3W04FEPLDXXHX	BFV 3W 4"120V MOD 4-20 D W/HT	(800)356-8000
BV3W04FEPLEXXHX	BFV 3W 4"120V MOD 4-20 E W/HT	(800)356-8000
BV3W04FEPLFXXHX	BFV 3W 4"120V MOD 4-20 F W/HT	(800)356-8000
BV3W04FS2LAPXXX	BFV 3W 4" 20PSI SR A W/POS	(800)356-8000
BV3W04FS2LATXXX	BFV 3W 4" 20PSI SR A W/120V EP	(800)356-8000
BV3W04FS2LAUXXX	BFV 3W 4" 20PSI SR A W/24V EP	(800)356-8000
BV3W04FS2LAXXXX	BFV 3W 4" 20PSI SR A	(800)356-8000
BV3W04FS2LBPXXX	BFV 3W 4" 20PSI SR B W/POS	(800)356-8000
BV3W04FS2LBTXXX	BFV 3W 4" 20PSI SR B W/120V EP	(800)356-8000
BV3W04FS2LBUXXX	BFV 3W 4" 20PSI SR B W/24V EP	(800)356-8000
BV3W04FS2LBXXXX	BFV 3W 4" 20PSI SR B	(800)356-8000
BV3W04FS2LCPXXX	BFV 3W 4" 20PSI SR C W/POS	(800)356-8000
BV3W04FS2LCTXXX	BFV 3W 4" 20PSI SR C W/120V EP	(800)356-8000
BV3W04FS2LCUXXX	BFV 3W 4" 20PSI SR C W/24V EP	(800)356-8000
BV3W04FS2LCXXXX	BFV 3W 4" 20PSI SR C	(800)356-8000
BV3W04FS2LDPXXX	BFV 3W 4" 20PSI SR D W/POS	(800)356-8000
BV3W04FS2LDTXXX	BFV 3W 4" 20PSI SR D W/120V EP	(800)356-8000
BV3W04FS2LDUXXX	BFV 3W 4" 20PSI SR D W/24V EP	(800)356-8000
BV3W04FS2LDXXXX	BFV 3W 4" 20PSI SR D	(800)356-8000
BV3W04FS2LEPXXX	BFV 3W 4" 20PSI SR E W/POS	(800)356-8000
BV3W04FS2LETXXX	BFV 3W 4" 20PSI SR E W/120V EP	(800)356-8000
BV3W04FS2LEUXXX	BFV 3W 4" 20PSI SR E W/24V EP	(800)356-8000
BV3W04FS2LEXXXX	BFV 3W 4" 20PSI SR E	(800)356-8000
BV3W04FS2LFPXXX	BFV 3W 4" 20PSI SR F W/POS	(800)356-8000
BV3W04FS2LFTXXX	BFV 3W 4" 20PSI SR F W/120V EP	(800)356-8000
BV3W04FS2LFUXXX	BFV 3W 4" 20PSI SR F W/24V EP	(800)356-8000
BV3W04FS2LFXXXX	BFV 3W 4" 20PSI SR F	(800)356-8000
BV3W04FS6LAQXXX	BFV 3W 4" 60PSI SR A W/POS	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W04FS6LAVXXX	BFV 3W 4" 60PSI SR A W/120V EP	(800)356-8000
BV3W04FS6LAWXXX	BFV 3W 4" 60PSI SR A W/24V EP	(800)356-8000
BV3W04FS6LAXXXX	BFV 3W 4" 60PSI SR A	(800)356-8000
BV3W04FS6LBQXXX	BFV 3W 4" 60PSI SR B W/POS	(800)356-8000
BV3W04FS6LBVXXX	BFV 3W 4" 60PSI SR B W/120V EP	(800)356-8000
BV3W04FS6LBWXXX	BFV 3W 4" 60PSI SR B W/24V EP	(800)356-8000
BV3W04FS6LBXXXX	BFV 3W 4" 60PSI SR B	(800)356-8000
BV3W04FS6LCQXXX	BFV 3W 4" 60PSI SR C W/POS	(800)356-8000
BV3W04FS6LCVXXX	BFV 3W 4" 60PSI SR C W/120V EP	(800)356-8000
BV3W04FS6LCWXXX	BFV 3W 4" 60PSI SR C W/24V EP	(800)356-8000
BV3W04FS6LCXXXX	BFV 3W 4" 60PSI SR C	(800)356-8000
BV3W04FS6LDQXXX	BFV 3W 4" 60PSI SR D W/POS	(800)356-8000
BV3W04FS6LDVXXX	BFV 3W 4" 60PSI SR D W/120V EP	(800)356-8000
BV3W04FS6LDWXXX	BFV 3W 4" 60PSI SR D W/24V EP	(800)356-8000
BV3W04FS6LDXXXX	BFV 3W 4" 60PSI SR D	(800)356-8000
BV3W04FS6LEQXXX	BFV 3W 4" 60PSI SR E W/POS	(800)356-8000
BV3W04FS6LEVXXX	BFV 3W 4" 60PSI SR E W/120V EP	(800)356-8000
BV3W04FS6LEWXXX	BFV 3W 4" 60PSI SR E W/24V EP	(800)356-8000
BV3W04FS6LEXXXX	BFV 3W 4" 60PSI SR E W/24V EP	(800)356-8000
BV3W04FS6LFQXXX	BFV 3W 4" 60PSI SR F W/POS	(800)356-8000
BV3W04FS6LFVXXX	BFV 3W 4" 60PSI SR F W/120V EP	(800)356-8000
BV3W04FS6LFWXXX	BFV 3W 4" 60PSI SR F W/24V EP	(800)356-8000
BV3W04FS6LFXXXX	BFV 3W 4" 60PSI SR F	(800)356-8000
BV3W04UD6LARXXX	BFV 3W 4" 60PSI DA A 50 W/POS	(800)356-8000
BV3W04UD6LAXXXX	BFV 3W 4" 60PSI DA A 50	(800)356-8000
BV3W04UD6LAYXXX	BFV3W4" 60PSI DA A 50W/120V EP	(800)356-8000
BV3W04UD6LAZXXX	BFV3W4" 60PSI DA A 100W/24V EP	(800)356-8000
BV3W04UD6LBRXXX	BFV 3W 4" 60PSI DA B 100 W/POS	(800)356-8000
BV3W04UD6LBXXXX	BFV 3W 4" 60PSI DA B 100	(800)356-8000
BV3W04UD6LBYXXX	BFV3W4" 60PSI DA B100W/120V EP	(800)356-8000
BV3W04UD6LBZXXX	BFV3W4" 60PSI DA B 100W/24V EP	(800)356-8000
BV3W04UD6LCRXXX	BFV 3W 4" 60PSI DA C 50 W/POS	(800)356-8000
BV3W04UD6LCXXXX	BFV 3W 4" 60PSI DA C 50	(800)356-8000
BV3W04UD6LCYXXX	BFV3W4" 60PSI DA C 50W/120V EP	(800)356-8000
BV3W04UD6LCZXXX	BFV3W4" 60PSI DA C 100W/24V EP	(800)356-8000
BV3W04UD6LDRXXX	BFV 3W 4" 60PSI DA D 100 W/POS	(800)356-8000
BV3W04UD6LDXXXX	BFV 3W 4" 60PSI DA D 100	(800)356-8000
BV3W04UD6LDYXXX	BFV3W4" 60PSI DA D100W/120V EP	(800)356-8000
BV3W04UD6LDZXXX	BFV3W4" 60PSI DA D 100W/24V EP	(800)356-8000
BV3W04UD6LERXXX	BFV 3W 4" 60PSI DA E 100 W/POS	(800)356-8000
BV3W04UD6LEXXXX	BFV 3W 4" 60PSI DA E 100	(800)356-8000
BV3W04UD6LEYXXX	BFV3W4" 60PSI DA E100W/120V EP	(800)356-8000
BV3W04UD6LEZXXX	BFV3W4" 60PSI DA E 100W/24V EP	(800)356-8000
BV3W04UD6LFRXXX	BFV 3W 4" 60PSI DA F 100 W/POS	(800)356-8000
BV3W04UD6LFXXXX	BFV 3W 4" 60PSI DA F 100	(800)356-8000
BV3W04UD6LFYXXX	BFV3W4" 60PSI DA F100W/120V EP	(800)356-8000
BV3W04UD6LFZXXX	BFV3W4" 60PSI DA F 100W/24V EP	(800)356-8000
BV3W04UE2LAXHXH	BFV 3W 4" ELEC 2POS A 50 W/HT	(800)356-8000
BV3W04UE2LAXXXX	BFV 3W 4" ELEC 2POS A 50	(800)356-8000
BV3W04UE2LBXXHX	BFV 3W 4" 120V 2POS B 100 W/HT	(800)356-8000
BV3W04UE2LBXXXX	BFV 3W 4" 120V 2POS B 100	(800)356-8000
BV3W04UE2LCXXHX	BFV 3W 4" ELEC 2POS C 50 W/HT	(800)356-8000
BV3W04UE2LCXXXX	BFV 3W 4" ELEC 2POS C 50	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W04UE2LDXXHX	BFV 3W 4" 120V 2POS D 100 W/HT	(800)356-8000
BV3W04UE2LDXXXX	BFV 3W 4" 120V 2POS D 100	(800)356-8000
BV3W04UE2LEXXHX	BFV 3W 4" 120V 2POS E 100 W/HT	(800)356-8000
BV3W04UE2LEXXXX	BFV 3W 4" 120V 2POS E 100	(800)356-8000
BV3W04UE2LFXXHX	BFV 3W 4" 120V 2POS F 100 W/HT	(800)356-8000
BV3W04UE2LFXXXX	BFV 3W 4" 120V 2POS F 100	(800)356-8000
BV3W04UEMLAXXHX	BFV 3W 4" ELEC MOD A 50 W/HT	(800)356-8000
BV3W04UEMLBXXHX	BFV 3W 4"120V MOD 0-10 B 100HT	(800)356-8000
BV3W04UEMLCXXHX	BFV 3W 4" ELEC MOD C 50 W/HT	(800)356-8000
BV3W04UEMLDXXHX	BFV 3W 4"120V MOD 0-10 D 100HT	(800)356-8000
BV3W04UEMLEXXHX	BFV 3W 4"120V MOD 0-10 E 100HT	(800)356-8000
BV3W04UEMLFXXHX	BFV 3W 4"120V MOD 0-10 F 100HT	(800)356-8000
BV3W04UEPLAXXHX	BFV 3W 4"120V MOD 4-20 A 100HT	(800)356-8000
BV3W04UEPLBXXHX	BFV 3W 4"120V MOD 4-20 B 100HT	(800)356-8000
BV3W04UEPLCXXHX	BFV 3W 4"120V MOD 4-20 C 100HT	(800)356-8000
BV3W04UEPLDXXHX	BFV 3W 4"120V MOD 4-20 D 100HT	(800)356-8000
BV3W04UEPLEXXHX	BFV 3W 4"120V MOD 4-20 E 100HT	(800)356-8000
BV3W04UEPLFXXHX	BFV 3W 4"120V MOD 4-20 F 100HT	(800)356-8000
BV3W04UG1LAXXXX	BFV 3W4"120V ON/OFF SR A 100	(800)356-8000
BV3W04UG1LBXXXX	BFV 3W4"120V ON/OFF SR B 100	(800)356-8000
BV3W04UG1LCXXXX	BFV 3W4"120V ON/OFF SR C 100	(800)356-8000
BV3W04UG1LDXXXX	BFV 3W4"120V ON/OFF SR D 100	(800)356-8000
BV3W04UG1LEXXXX	BFV 3W4"120V ON/OFF SR E 100	(800)356-8000
BV3W04UG1LFXXXX	BFV 3W4"120V ON/OFF SR F 100	(800)356-8000
BV3W04UG2LAXXXX	BFV 3W4"24V ON/OFF SR A 100	(800)356-8000
BV3W04UG2LBXXXX	BFV 3W4"24V ON/OFF SR B 100	(800)356-8000
BV3W04UG2LCXXXX	BFV 3W4"24V ON/OFF SR C 100	(800)356-8000
BV3W04UG2LDXXXX	BFV 3W4"24V ON/OFF SR D 100	(800)356-8000
BV3W04UG2LEXXXX	BFV 3W4"24V ON/OFF SR E 100	(800)356-8000
BV3W04UG2LFXXXX	BFV 3W4"24V ON/OFF SR F 100	(800)356-8000
BV3W04UG3LAXXXX	BFV 3W4"24V FLOATING SR A 100	(800)356-8000
BV3W04UG3LBXXXX	BFV 3W4"24V FLOATING SR B 100	(800)356-8000
BV3W04UG3LCXXXX	BFV 3W4"24V FLOATING SR C 100	(800)356-8000
BV3W04UG3LDXXXX	BFV 3W4"24V FLOATING SR D 100	(800)356-8000
BV3W04UG3LEXXXX	BFV 3W4"24V FLOATING SR E 100	(800)356-8000
BV3W04UG3LFXXXX	BFV 3W4"24V FLOATING SR F 100	(800)356-8000
BV3W04UG4LAXXXX	BFV 3W4"24V MOD 0-10 SR A 100	(800)356-8000
BV3W04UG4LBXXXX	BFV 3W4"24V MOD 0-10 SR B 100	(800)356-8000
BV3W04UG4LCXXXX	BFV 3W4"24V MOD 0-10 SR C 100	(800)356-8000
BV3W04UG4LDXXXX	BFV 3W4"24V MOD 0-10 SR D 100	(800)356-8000
BV3W04UG4LEXXXX	BFV 3W4"24V MOD 0-10 SR E 100	(800)356-8000
BV3W04UG4LFXXXX	BFV 3W4"24V MOD 0-10 SR F 100	(800)356-8000
BV3W04UG5LAXXXX	BFV 3W4"24V MOD 4-20 SR A 100	(800)356-8000
BV3W04UG5LBXXXX	BFV 3W4"24V MOD 4-20 SR B 100	(800)356-8000
BV3W04UG5LCXXXX	BFV 3W4"24V MOD 4-20 SR C 100	(800)356-8000
BV3W04UG5LDXXXX	BFV 3W4"24V MOD 4-20 SR D 100	(800)356-8000
BV3W04UG5LEXXXX	BFV 3W4"24V MOD 4-20 SR E 100	(800)356-8000
BV3W04UG5LFXXXX	BFV 3W4"24V MOD 4-20 SR F 100	(800)356-8000
BV3W04UG6LAXXXX	BFV 3W 4" 24V FLOATING A 100	(800)356-8000
BV3W04UG6LBXXXX	BFV 3W 4" 24V FLOATING B 100	(800)356-8000
BV3W04UG6LCXXXX	BFV 3W 4" 24V FLOATING C 100	(800)356-8000
BV3W04UG6LDXXXX	BFV 3W 4" 24V FLOATING D 100	(800)356-8000
BV3W04UG6LEXXXX	BFV 3W 4" 24V FLOATING E 100	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W04UG6LFXXXX	BFV 3W 4" 24V FLOATING F 100	(800)356-8000
BV3W04UG7LAXXXX	BFV 3W 4" 24V MOD 0-10V A 100	(800)356-8000
BV3W04UG7LBXXXX	BFV 3W 4" 24V MOD 0-10V B 100	(800)356-8000
BV3W04UG7LCXXXX	BFV 3W 4" 24V MOD 0-10V C 100	(800)356-8000
BV3W04UG7LDXXXX	BFV 3W 4" 24V MOD 0-10V D 100	(800)356-8000
BV3W04UG7LEXXXX	BFV 3W 4" 24V MOD 0-10V E 100	(800)356-8000
BV3W04UG7LFXXXX	BFV 3W 4" 24V MOD 0-10V F 100	(800)356-8000
BV3W04UG8LAXXXX	BFV 3W 4" 24V MOD 4-20MA A 100	(800)356-8000
BV3W04UG8LBXXXX	BFV 3W 4" 24V MOD 4-20MA B 100	(800)356-8000
BV3W04UG8LCXXXX	BFV 3W 4" 24V MOD 4-20MA C 100	(800)356-8000
BV3W04UG8LDXXXX	BFV 3W 4" 24V MOD 4-20MA D 100	(800)356-8000
BV3W04UG8LEXXXX	BFV 3W 4" 24V MOD 4-20MA E 100	(800)356-8000
BV3W04UG8LFXXXX	BFV 3W 4" 24V MOD 4-20MA F 100	(800)356-8000
BV3W04US2LAPXXX	BFV 3W 4" 20PSI SR A 50W/POS	(800)356-8000
BV3W04US2LATXXX	BFV3W 4"20PSI SR A 50W/120V EP	(800)356-8000
BV3W04US2LAUXXX	BFV3W 4"20PSI SR A 100W/24V EP	(800)356-8000
BV3W04US2LAXXXX	BFV 3W 4" 20PSI SR A 50	(800)356-8000
BV3W04US2LBPXXX	BFV 3W 4" 20PSI SR B 50W/POS	(800)356-8000
BV3W04US2LBTXXX	BFV3W 4"20PSI SR B 50W/120V EP	(800)356-8000
BV3W04US2LBUXXX	BFV3W 4"20PSI SR B 100W/24V EP	(800)356-8000
BV3W04US2LBXXXX	BFV 3W 4" 20PSI SR B 50	(800)356-8000
BV3W04US2LCPXXX	BFV 3W 4" 20PSI SR C 50W/POS	(800)356-8000
BV3W04US2LCTXXX	BFV3W 4"20PSI SR C 50W/120V EP	(800)356-8000
BV3W04US2LCUXXX	BFV3W 4"20PSI SR C 100W/24V EP	(800)356-8000
BV3W04US2LCXXXX	BFV 3W 4" 20PSI SR C 50	(800)356-8000
BV3W04US2LDPXXX	BFV 3W 4" 20PSI SR D 50W/POS	(800)356-8000
BV3W04US2LDTXXX	BFV3W 4"20PSI SR D 50W/120V EP	(800)356-8000
BV3W04US2LDUXXX	BFV3W 4"20PSI SR D 100W/24V EP	(800)356-8000
BV3W04US2LDXXXX	BFV 3W 4" 20PSI SR D 50	(800)356-8000
BV3W04US2LEPXXX	BFV 3W 4" 20PSI SR E 100W/POS	(800)356-8000
BV3W04US2LETXXX	BFV3W 4"20PSI SR E100W/120V EP	(800)356-8000
BV3W04US2LEUXXX	BFV3W 4"20PSI SR E 100W/24V EP	(800)356-8000
BV3W04US2LEXXXX	BFV 3W 4" 20PSI SR E 100	(800)356-8000
BV3W04US2LFPXXX	BFV 3W 4" 20PSI SR F 100W/POS	(800)356-8000
BV3W04US2LFTXXX	BFV3W 4"20PSI SR F100W/120V EP	(800)356-8000
BV3W04US2LFUXXX	BFV3W 4"20PSI SR F 100W/24V EP	(800)356-8000
BV3W04US2LFXXXX	BFV 3W 4" 20PSI SR F 100	(800)356-8000
BV3W04US6LAQXXX	BFV 3W 4" 60PSI SR A 50 W/POS	(800)356-8000
BV3W04US6LAVXXX	BFV3W4" 60PSI SR A 50W/120V EP	(800)356-8000
BV3W04US6LAWXXX	BFV3W4" 60PSI SR A 100W/24V EP	(800)356-8000
BV3W04US6LAXXXX	BFV 3W 4" 60PSI SR A 50	(800)356-8000
BV3W04US6LBQXXX	BFV 3W 4" 60PSI SR B 50 W/POS	(800)356-8000
BV3W04US6LBVXXX	BFV3W4" 60PSI SR B 50W/120V EP	(800)356-8000
BV3W04US6LBWXXX	BFV3W4" 60PSI SR B 100W/24V EP	(800)356-8000
BV3W04US6LBXXXX	BFV 3W 4" 60PSI SR B 50	(800)356-8000
BV3W04US6LCQXXX	BFV 3W 4" 60PSI SR C 50 W/POS	(800)356-8000
BV3W04US6LCVXXX	BFV3W4" 60PSI SR C 50W/120V EP	(800)356-8000
BV3W04US6LCWXXX	BFV3W4" 60PSI SR C 100W/24V EP	(800)356-8000
BV3W04US6LCXXXX	BFV 3W 4" 60PSI SR C 50	(800)356-8000
BV3W04US6LDQXXX	BFV 3W 4" 60PSI SR D 50 W/POS	(800)356-8000
BV3W04US6LDVXXX	BFV3W4" 60PSI SR D 50W/120V EP	(800)356-8000
BV3W04US6LDWXXX	BFV3W4" 60PSI SR D 100W/24V EP	(800)356-8000
BV3W04US6LDXXXX	BFV 3W 4" 60PSI SR D 50	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W04US6LEQXXX	BFV 3W 4" 60PSI SR E 100 W/POS	(800)356-8000
BV3W04US6LEVXXX	BFV3W4" 60PSI SR E100W/120V EP	(800)356-8000
BV3W04US6LEWXXX	BFV3W4" 60PSI SR E 100W/24V EP	(800)356-8000
BV3W04US6LEXXXX	BFV 3W 4" 60PSI SR E 100	(800)356-8000
BV3W04US6LFQXXX	BFV 3W 4" 60PSI SR F 100 W/POS	(800)356-8000
BV3W04US6LFVXXX	BFV3W4" 60PSI SR F100W/120V EP	(800)356-8000
BV3W04US6LFWXXX	BFV3W4" 60PSI SR F 100W/24V EP	(800)356-8000
BV3W04US6LFXXXX	BFV 3W 4" 60PSI SR F 100	(800)356-8000
BV3W05FD6LARXXX	BFV 3W 5" 60PSI DA A W/POS	(800)356-8000
BV3W05FD6LAXXXX	BFV 3W 5" 60PSI DA A	(800)356-8000
BV3W05FD6LAYXXX	BFV 3W 5" 60PSI DA A W/120V EP	(800)356-8000
BV3W05FD6LAZXXX	BFV 3W 5" 60PSI DA A W/24V EP	(800)356-8000
BV3W05FD6LBRXXX	BFV 3W 5" 60PSI DA B W/POS	(800)356-8000
BV3W05FD6LBXXXX	BFV 3W 5" 60PSI DA B	(800)356-8000
BV3W05FD6LBVXXX	BFV 3W 5" 60PSI DA B W/120V EP	(800)356-8000
BV3W05FD6LBZXXX	BFV 3W 5" 60PSI DA B W/24V EP	(800)356-8000
BV3W05FD6LCRXXX	BFV 3W 5" 60PSI DA C W/POS	(800)356-8000
BV3W05FD6LCXXXX	BFV 3W 5" 60PSI DA C	(800)356-8000
BV3W05FD6LCYXXX	BFV 3W 5" 60PSI DA C W/120V EP	(800)356-8000
BV3W05FD6LCZXXX	BFV 3W 5" 60PSI DA C W/24V EP	(800)356-8000
BV3W05FD6LDRXXX	BFV 3W 5" 60PSI DA D W/POS	(800)356-8000
BV3W05FD6LDXXXX	BFV 3W 5" 60PSI DA D	(800)356-8000
BV3W05FD6LDYXXX	BFV 3W 5" 60PSI DA D W/120V EP	(800)356-8000
BV3W05FD6LDZXXX	BFV 3W 5" 60PSI DA D W/24V EP	(800)356-8000
BV3W05FD6LERXXX	BFV 3W 5" 60PSI DA E W/POS	(800)356-8000
BV3W05FD6LEXXXX	BFV 3W 5" 60PSI DA E W/POS	(800)356-8000
BV3W05FD6LEYXXX	BFV 3W 5" 60PSI DA E W/120V EP	(800)356-8000
BV3W05FD6LEZXXX	BFV 3W 5" 60PSI DA E W/24V EP	(800)356-8000
BV3W05FD6LFRXXX	BFV 3W 5" 60PSI DA F W/POS	(800)356-8000
BV3W05FD6LFXXXX	BFV 3W 5" 60PSI DA F	(800)356-8000
BV3W05FD6LFYXXX	BFV 3W 5" 60PSI DA F W/120V EP	(800)356-8000
BV3W05FD6LFZXXX	BFV 3W 5" 60PSI DA F W/24V EP	(800)356-8000
BV3W05FE2LAXXHX	BFV 3W 5" ELEC 2POS A W/HT	(800)356-8000
BV3W05FE2LAXXXX	BFV 3W 5" ELEC 2POS A	(800)356-8000
BV3W05FE2LBXXHX	BFV 3W 5" 120V 2POS B W/HT	(800)356-8000
BV3W05FE2LBXXXX	BFV 3W 5" 120V 2POS B	(800)356-8000
BV3W05FE2LCXXHX	BFV 3W 5" ELEC 2POS C W/HT	(800)356-8000
BV3W05FE2LCXXXX	BFV 3W 5" ELEC 2POS C	(800)356-8000
BV3W05FE2LDXXHX	BFV 3W 5" 120V 2POS D W/HT	(800)356-8000
BV3W05FE2LDXXXX	BFV 3W 5" 120V 2POS D	(800)356-8000
BV3W05FE2LEXXHX	BFV 3W 5" 120V 2POS E W/HTV EP	(800)356-8000
BV3W05FE2LEXXXX	BFV 3W 5" 120V 2POS E	(800)356-8000
BV3W05FE2LFXXHX	BFV 3W 5" 120V 2POS F W/HT	(800)356-8000
BV3W05FE2LFXXXX	BFV 3W 5" 120V 2POS F	(800)356-8000
BV3W05FEMLAXXHX	BFV 3W 5" ELEC MOD A W/HT	(800)356-8000
BV3W05FEMLBXXHX	BFV 3W 5"120V MOD 0-10 B W/HT	(800)356-8000
BV3W05FEMLCXXHX	BFV 3W 5" ELEC MOD C W/HT	(800)356-8000
BV3W05FEMLDXXHX	BFV 3W 5"120V MOD 0-10 D W/HT	(800)356-8000
BV3W05FEMLEXXHX	BFV 3W 5"120V MOD 0-10 E W/HT	(800)356-8000
BV3W05FEMLFXXHX	BFV 3W 5"120V MOD 0-10 F W/HT	(800)356-8000
BV3W05FEPLAXXHX	BFV 3W 5"120V MOD 4-20 A W/HT	(800)356-8000
BV3W05FEPLBXXHX	BFV 3W 5"120V MOD 4-20 B W/HTP	(800)356-8000
BV3W05FEPLCXXHX	BFV 3W 5"120V MOD 4-20 C W/HT	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W05FEPLDXXHX	BFV 3W 5"120V MOD 4-20 D W/HT	(800)356-8000
BV3W05FEPLFXXHX	BFV 3W 5"120V MOD 4-20 E W/HT	(800)356-8000
BV3W05FEPLFXXHX	BFV 3W 5"120V MOD 4-20 F W/HT	(800)356-8000
BV3W05FS2LAPXXX	BFV 3W 5" 20PSI SR A W/POS	(800)356-8000
BV3W05FS2LATXXX	BFV3W 5"20PSI SR A W/120V EP	(800)356-8000
BV3W05FS2LAUXXX	BFV3W 5"20PSI SR A W/24V EP	(800)356-8000
BV3W05FS2LAXXXX	BFV 3W 5" 20PSI SR A	(800)356-8000
BV3W05FS2LBPXXX	BFV 3W 5" 20PSI SR B W/POS	(800)356-8000
BV3W05FS2LBTXXX	BFV3W 5"20PSI SR B W/120V EP	(800)356-8000
BV3W05FS2LBUXXX	BFV3W 5"20PSI SR B W/24V EP	(800)356-8000
BV3W05FS2LBXXXX	BFV 3W 5" 20PSI SR B	(800)356-8000
BV3W05FS2LCPXXX	BFV 3W 5" 20PSI SR C W/POS	(800)356-8000
BV3W05FS2LCTXXX	BFV3W 5"20PSI SR C W/120V EP	(800)356-8000
BV3W05FS2LCUXXX	BFV3W 5"20PSI SR C W/24V EP	(800)356-8000
BV3W05FS2LCXXXX	BFV 3W 5" 20PSI SR C	(800)356-8000
BV3W05FS2LDPXXX	BFV 3W 5" 20PSI SR D W/POS	(800)356-8000
BV3W05FS2LDTXXX	BFV3W 5"20PSI SR D W/120V EP	(800)356-8000
BV3W05FS2LDUXXX	BFV3W 5"20PSI SR D W/24V EP	(800)356-8000
BV3W05FS2LDXXXX	BFV 3W 5" 20PSI SR D	(800)356-8000
BV3W05FS2LEPXXX	BFV 3W 5" 20PSI SR E W/POS	(800)356-8000
BV3W05FS2LETXXX	BFV3W 5"20PSI SR E W/120V EP	(800)356-8000
BV3W05FS2LEUXXX	BFV3W 5"20PSI SR E W/24V EP	(800)356-8000
BV3W05FS2LEXXXX	BFV 3W 5" 20PSI SR E	(800)356-8000
BV3W05FS2LFPXXX	BFV 3W 5" 20PSI SR F W/POS	(800)356-8000
BV3W05FS2LFTXXX	BFV3W 5"20PSI SR F W/120V EP	(800)356-8000
BV3W05FS2LFUXXX	BFV3W 5"20PSI SR F W/24V EP	(800)356-8000
BV3W05FS2LFXXXX	BFV 3W 5" 20PSI SR F	(800)356-8000
BV3W05FS6LAQXXX	BFV 3W 5" 60PSI SR A W/POS	(800)356-8000
BV3W05FS6LAVXXX	BFV 3W 5" 60PSI SR A W/120V EP	(800)356-8000
BV3W05FS6LAWXXX	BFV 3W 5" 60PSI SR A W/24V EP	(800)356-8000
BV3W05FS6LAXXXX	BFV 3W 5" 60PSI SR A	(800)356-8000
BV3W05FS6LBQXXX	BFV 3W 5" 60PSI SR B W/POS	(800)356-8000
BV3W05FS6LBVXXX	BFV 3W 5" 60PSI SR B W/120V EP	(800)356-8000
BV3W05FS6LBWXXX	BFV 3W 5" 60PSI SR B W/24V EP	(800)356-8000
BV3W05FS6LBXXXX	BFV 3W 5" 60PSI SR B	(800)356-8000
BV3W05FS6LCQXXX	BFV 3W 5" 60PSI SR C W/POS	(800)356-8000
BV3W05FS6LCVXXX	BFV 3W 5" 60PSI SR C W/120V EP	(800)356-8000
BV3W05FS6LCWXXX	BFV 3W 5" 60PSI SR C W/24V EP	(800)356-8000
BV3W05FS6LCXXXX	BFV 3W 5" 60PSI SR C	(800)356-8000
BV3W05FS6LDQXXX	BFV 3W 5" 60PSI SR D W/POS	(800)356-8000
BV3W05FS6LDVXXX	BFV 3W 5" 60PSI SR D W/120V EP	(800)356-8000
BV3W05FS6LDWXXX	BFV 3W 5" 60PSI SR D W/24V EP	(800)356-8000
BV3W05FS6LDXXXX	BFV 3W 5" 60PSI SR D	(800)356-8000
BV3W05FS6LEQXXX	BFV 3W 5" 60PSI SR E W/POS	(800)356-8000
BV3W05FS6LEVXXX	BFV 3W 5" 60PSI SR E W/120V EP	(800)356-8000
BV3W05FS6LEWXXX	BFV 3W 5" 60PSI SR E W/24V EP	(800)356-8000
BV3W05FS6LEXXXX	BFV 3W 5" 60PSI SR E	(800)356-8000
BV3W05FS6LFQXXX	BFV 3W 5" 60PSI SR F W/POS	(800)356-8000
BV3W05FS6LFVXXX	BFV 3W 5" 60PSI SR F W/120V EP	(800)356-8000
BV3W05FS6LFWXXX	BFV 3W 5" 60PSI SR F W/24V EP	(800)356-8000
BV3W05FS6LFXXXX	BFV 3W 5" 60PSI SR F	(800)356-8000
BV3W05UD6LARXXX	BFV 3W 5" 60PSI DA A 50 W/POS	(800)356-8000
BV3W05UD6LAXXXX	BFV 3W 5" 60PSI DA A 50	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W05UD6LAYXXX	BFV3W5" 60PSI DA A 50W/120V EP	(800)356-8000
BV3W05UD6LAZXXX	BFV3W5" 60PSI DA A 100W/24V EP	(800)356-8000
BV3W05UD6LBRXXX	BFV 3W 5" 60PSI DA B 100 W/POS	(800)356-8000
BV3W05UD6LBXXXX	BFV 3W 5" 60PSI DA B 100	(800)356-8000
BV3W05UD6LBYXXX	BFV3W5" 60PSI DA B100W/120V EP	(800)356-8000
BV3W05UD6LBZXXX	BFV3W5" 60PSI DA B 100W/24V EP	(800)356-8000
BV3W05UD6LCRXXX	BFV 3W 5" 60PSI DA C 50 W/POS	(800)356-8000
BV3W05UD6LCXXXX	BFV 3W 5" 60PSI DA C 50	(800)356-8000
BV3W05UD6LCYXXX	BFV3W5" 60PSI DA C 50W/120V EP	(800)356-8000
BV3W05UD6LCZXXX	BFV3W5" 60PSI DA C 100W/24V EP	(800)356-8000
BV3W05UD6LDRXXX	BFV 3W 5" 60PSI DA D 100 W/POS	(800)356-8000
BV3W05UD6LDXXXX	BFV 3W 5" 60PSI DA D 100	(800)356-8000
BV3W05UD6LDYXXX	BFV3W5" 60PSI DA D100W/120V EP	(800)356-8000
BV3W05UD6LDZXXX	BFV3W5" 60PSI DA D 100W/24V EP	(800)356-8000
BV3W05UD6LERXXX	BFV 3W 5" 60PSI DA E 100 W/POS	(800)356-8000
BV3W05UD6LEXXXX	BFV 3W 5" 60PSI DA E 100	(800)356-8000
BV3W05UD6LEYXXX	BFV3W5" 60PSI DA E100W/120V EP	(800)356-8000
BV3W05UD6LEZXXX	BFV3W5" 60PSI DA E 100W/24V EP	(800)356-8000
BV3W05UD6LFRXXX	BFV 3W 5" 60PSI DA F 100 W/POS	(800)356-8000
BV3W05UD6LFXXXX	BFV 3W 5" 60PSI DA F 100	(800)356-8000
BV3W05UD6LFYXXX	BFV3W5" 60PSI DA F100W/120V EP	(800)356-8000
BV3W05UD6LFZXXX	BFV3W5" 60PSI DA F 100W/24V EP	(800)356-8000
BV3W05UE2LAXXHX	BFV 3W 5" ELEC 2POS A 50 W/HT	(800)356-8000
BV3W05UE2LAXXXX	BFV 3W 5" ELEC 2POS A 50	(800)356-8000
BV3W05UE2LBXXHX	BFV 3W 5" 120V 2POS B 100 W/HT	(800)356-8000
BV3W05UE2LBXXXX	BFV 3W 5" 120V 2POS B 100	(800)356-8000
BV3W05UE2LCXXHX	BFV 3W 5" ELEC 2POS C 50 W/HT	(800)356-8000
BV3W05UE2LCXXX	BFV 3W 5" ELEC 2POS C 50	(800)356-8000
BV3W05UE2LDXXHX	BFV 3W 5" 120V 2POS D 100 W/HT	(800)356-8000
BV3W05UE2LDXXXX	BFV 3W 5" 120V 2POS D 100	(800)356-8000
BV3W05UE2LEXXHX	BFV 3W 5" 120V 2POS E 100 W/HT	(800)356-8000
BV3W05UE2LEXXX	BFV 3W 5" 120V 2POS E 100	(800)356-8000
BV3W05UE2LFXXHX	BFV 3W 5" 120V 2POS F 100 W/HT	(800)356-8000
BV3W05UE2LFXXXX	BFV 3W 5" 120V 2POS F 100	(800)356-8000
BV3W05UEMLAXXHX	BFV 3W 5" ELEC MOD A 50 W/HT	(800)356-8000
BV3W05UEMLBXXHX	BFV 3W 5"120V MOD 0-10 B 100HT	(800)356-8000
BV3W05UEMLCXXHX	BFV 3W 5" ELEC MOD C 50 W/HT	(800)356-8000
BV3W05UEMLDXXHX	BFV 3W 5"120V MOD 0-10 D 100HT	(800)356-8000
BV3W05UEMLEXXHX	BFV 3W 5"120V MOD 0-10 E 100HT	(800)356-8000
BV3W05UEMLFXXHX	BFV 3W 5"120V MOD 0-10 F 100HT	(800)356-8000
BV3W05UEPLAXXHX	BFV 3W 5"120V MOD 4-20 A 100HT	(800)356-8000
BV3W05UEPLBXXHX	BFV 3W 5"120V MOD 4-20 B 100HT	(800)356-8000
BV3W05UEPLCXXHX	BFV 3W 5"120V MOD 4-20 C 100HT	(800)356-8000
BV3W05UEPLDXXHX	BFV 3W 5"120V MOD 4-20 D 100HT	(800)356-8000
BV3W05UEPLEXXHX	BFV 3W 5"120V MOD 4-20 E 100HT	(800)356-8000
BV3W05UEPLFXXHX	BFV 3W 5"120V MOD 4-20 F 100HT	(800)356-8000
BV3W05UG6LAXXXX	BFV 3W 5" 24V FLOATING A 100	(800)356-8000
BV3W05UG6LBXXXX	BFV 3W 5" 24V FLOATING B 100	(800)356-8000
BV3W05UG6LCXXX	BFV 3W 5" 24V FLOATING C 100	(800)356-8000
BV3W05UG6LDXXXX	BFV 3W 5" 24V FLOATING D 100	(800)356-8000
BV3W05UG6LEXXX	BFV 3W 5" 24V FLOATING E 100	(800)356-8000
BV3W05UG6LFXXXX	BFV 3W 5" 24V FLOATING F 100	(800)356-8000
BV3W05UG7LAXXXX	BFV 3W 5" 24V MOD 0-10V A 100	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W05UG7LBXXXX	BFV 3W 5" 24V MOD 0-10V B 100	(800)356-8000
BV3W05UG7LCXXXX	BFV 3W 5" 24V MOD 0-10V C 100	(800)356-8000
BV3W05UG7LDXXXX	BFV 3W 5" 24V MOD 0-10V D 100	(800)356-8000
BV3W05UG7LEXXXX	BFV 3W 5" 24V MOD 0-10V E 100	(800)356-8000
BV3W05UG7LFXXXX	BFV 3W 5" 24V MOD 0-10V F 100	(800)356-8000
BV3W05UG8LAXXXX	BFV 3W 5" 24V MOD 4-20MA A 100	(800)356-8000
BV3W05UG8LBXXXX	BFV 3W 5" 24V MOD 4-20MA B 100	(800)356-8000
BV3W05UG8LCXXXX	BFV 3W 5" 24V MOD 4-20MA C 100	(800)356-8000
BV3W05UG8LDXXXX	BFV 3W 5" 24V MOD 4-20MA D 100	(800)356-8000
BV3W05UG8LEXXXX	BFV 3W 5" 24V MOD 4-20MA E 100	(800)356-8000
BV3W05UG8LFXXXX	BFV 3W 5" 24V MOD 4-20MA F 100	(800)356-8000
BV3W05US2LAPXXX	BFV 3W 5" 20PSI SR A 50W/POS	(800)356-8000
BV3W05US2LATXXX	BFV3W 5"20PSI SR A 50W/120V EP	(800)356-8000
BV3W05US2LAUXXX	BFV3W 5"20PSI SR A 100W/24V EP	(800)356-8000
BV3W05US2LAXXXX	BFV 3W 5" 20PSI SR A 50	(800)356-8000
BV3W05US2LBPXXX	BFV 3W 5" 20PSI SR B 50W/POS	(800)356-8000
BV3W05US2LBTXXX	BFV3W 5"20PSI SR B 50W/120V EP	(800)356-8000
BV3W05US2LBUXXX	BFV3W 5"20PSI SR B 100W/24V EP	(800)356-8000
BV3W05US2LBXXXX	BFV 3W 5" 20PSI SR B 50	(800)356-8000
BV3W05US2LCPXXX	BFV 3W 5" 20PSI SR C 50W/POS	(800)356-8000
BV3W05US2LCTXXX	BFV3W 5"20PSI SR C 50W/120V EP	(800)356-8000
BV3W05US2LCUXXX	BFV3W 5"20PSI SR C 100W/24V EP	(800)356-8000
BV3W05US2LCXXXX	BFV 3W 5" 20PSI SR C 50	(800)356-8000
BV3W05US2LDPXXX	BFV 3W 5" 20PSI SR D 50W/POS	(800)356-8000
BV3W05US2LDTXXX	BFV3W 5"20PSI SR D 50W/120V EP	(800)356-8000
BV3W05US2LDUXXX	BFV3W 5"20PSI SR D 100W/24V EP	(800)356-8000
BV3W05US2LDXXXX	BFV 3W 5" 20PSI SR D 50	(800)356-8000
BV3W05US2LEPXXX	BFV 3W 5" 20PSI SR E 100W/POS	(800)356-8000
BV3W05US2LETXXX	BFV3W 5"20PSI SR E100W/120V EP	(800)356-8000
BV3W05US2LEUXXX	BFV3W 5"20PSI SR E 100W/24V EP	(800)356-8000
BV3W05US2LEXXXX	BFV 3W 5" 20PSI SR E 100	(800)356-8000
BV3W05US2LFPXXX	BFV 3W 5" 20PSI SR F 100W/POS	(800)356-8000
BV3W05US2LFTXXX	BFV3W 5"20PSI SR F100W/120V EP	(800)356-8000
BV3W05US2LFUXXX	BFV3W 5"20PSI SR F 100W/24V EP	(800)356-8000
BV3W05US2LFXXXX	BFV 3W 5" 20PSI SR F 100	(800)356-8000
BV3W05US6LAQXXX	BFV 3W 5" 60PSI SR A 50 W/POS	(800)356-8000
BV3W05US6LAVXXX	BFV3W5" 60PSI SR A 50W/120V EP	(800)356-8000
BV3W05US6LAWXXX	BFV3W5" 60PSI SR A 100W/24V EP	(800)356-8000
BV3W05US6LAXXXX	BFV 3W 5" 60PSI SR A 50	(800)356-8000
BV3W05US6LBQXXX	BFV 3W 5" 60PSI SR B 50 W/POS	(800)356-8000
BV3W05US6LBVXXX	BFV3W5" 60PSI SR B 50W/120V EP	(800)356-8000
BV3W05US6LBWXXX	BFV3W5" 60PSI SR B 100W/24V EP	(800)356-8000
BV3W05US6LBXXXX	BFV 3W 5" 60PSI SR B 50	(800)356-8000
BV3W05US6LCQXXX	BFV 3W 5" 60PSI SR C 50 W/POS	(800)356-8000
BV3W05US6LCVXXX	BFV3W5" 60PSI SR C 50W/120V EP	(800)356-8000
BV3W05US6LCWXXX	BFV3W5" 60PSI SR C 100W/24V EP	(800)356-8000
BV3W05US6LCXXXX	BFV 3W 5" 60PSI SR C 50	(800)356-8000
BV3W05US6LDQXXX	BFV 3W 5" 60PSI SR D 50 W/POS	(800)356-8000
BV3W05US6LDVXXX	BFV3W5" 60PSI SR D 50W/120V EP	(800)356-8000
BV3W05US6LDWXXX	BFV3W5" 60PSI SR D 100W/24V EP	(800)356-8000
BV3W05US6LDXXXX	BFV 3W 5" 60PSI SR D 50	(800)356-8000
BV3W05US6LEQXXX	BFV 3W 5" 60PSI SR E 100 W/POS	(800)356-8000
BV3W05US6LEVXXX	BFV3W5" 60PSI SR E100W/120V EP	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W05US6LEWXXX	BFV3W5" 60PSI SR E 100W/24V EP	(800)356-8000
BV3W05US6LEXXXX	BFV 3W 5" 60PSI SR E 100	(800)356-8000
BV3W05US6LFQXXX	BFV 3W 5" 60PSI SR F 100 W/POS	(800)356-8000
BV3W05US6LFVXXX	BFV3W5" 60PSI SR F 100W/120V EP	(800)356-8000
BV3W05US6LFWXXX	BFV3W5" 60PSI SR F 100W/24V EP	(800)356-8000
BV3W05US6LFXXXX	BFV 3W 5" 60PSI SR F 100	(800)356-8000
BV3W06FD6LARXXX	BFV 3W 6" 60PSI DA A W/POS	(800)356-8000
BV3W06FD6LAXXXX	BFV 3W 6" 60PSI DA A	(800)356-8000
BV3W06FD6LAYXXX	BFV 3W 6" 60PSI DA A W/120V EP	(800)356-8000
BV3W06FD6LAZXXX	BFV 3W 6" 60PSI DA A W/24V EP	(800)356-8000
BV3W06FD6LBRXXX	BFV 3W 6" 60PSI DA B W/POS	(800)356-8000
BV3W06FD6LBXXX	BFV 3W 6" 60PSI DA B	(800)356-8000
BV3W06FD6LBYXXX	BFV 3W 6" 60PSI DA B W/120V EP	(800)356-8000
BV3W06FD6LBZXXX	BFV 3W 6" 60PSI DA B W/24V EP	(800)356-8000
BV3W06FD6LCRXXX	BFV 3W 6" 60PSI DA C W/POS	(800)356-8000
BV3W06FD6LCXXX	BFV 3W 6" 60PSI DA C	(800)356-8000
BV3W06FD6LCYXXX	BFV 3W 6" 60PSI DA C W/120V EP	(800)356-8000
BV3W06FD6LCZXXX	BFV 3W 6" 60PSI DA C W/24V EP	(800)356-8000
BV3W06FD6LDRXXX	BFV 3W 6" 60PSI DA D W/POS EP	(800)356-8000
BV3W06FD6LDXXX	BFV 3W 6" 60PSI DA D	(800)356-8000
BV3W06FD6LDYXXX	BFV 3W 6" 60PSI DA D W/120V EP	(800)356-8000
BV3W06FD6LDZXXX	BFV 3W 6" 60PSI DA D W/24V EP	(800)356-8000
BV3W06FD6LERXXX	BFV 3W 6" 60PSI DA E W/POS	(800)356-8000
BV3W06FD6LEXXXX	BFV 3W 6" 60PSI DA E	(800)356-8000
BV3W06FD6LEYXXX	BFV 3W 6" 60PSI DA E W/120V EP	(800)356-8000
BV3W06FD6LEZXXX	BFV 3W 6" 60PSI DA E W/24V EP	(800)356-8000
BV3W06FD6LFRXXX	BFV 3W 6" 60PSI DA F W/POS	(800)356-8000
BV3W06FD6LFXXX	BFV 3W 6" 60PSI DA F	(800)356-8000
BV3W06FD6LFYXXX	BFV 3W 6" 60PSI DA F W/120V EP	(800)356-8000
BV3W06FD6LFZXXX	BFV 3W 6" 60PSI DA F W/24V EP	(800)356-8000
BV3W06FE2LAXXHX	BFV 3W 6" ELEC 2POS A W/HT	(800)356-8000
BV3W06FE2LAXXXX	BFV 3W 6" ELEC 2POS A	(800)356-8000
BV3W06FE2LBXXHX	BFV 3W 6" 120V 2POS B W/HT	(800)356-8000
BV3W06FE2LBXXXX	BFV 3W 6" 120V 2POS B	(800)356-8000
BV3W06FE2LCXXHX	BFV 3W 6" ELEC 2POS C W/HT	(800)356-8000
BV3W06FE2LCXXXX	BFV 3W 6" ELEC 2POS C	(800)356-8000
BV3W06FE2LDXXHX	BFV 3W 6" 120V 2POS D W/HT	(800)356-8000
BV3W06FE2LDXXXX	BFV 3W 6" 120V 2POS D	(800)356-8000
BV3W06FE2LExXHX	BFV 3W 6" 120V 2POS E W/HT	(800)356-8000
BV3W06FE2LExXXX	BFV 3W 6" 120V 2POS E	(800)356-8000
BV3W06FE2LFXXHX	BFV 3W 6" 120V 2POS F W/HT	(800)356-8000
BV3W06FE2LFXXXX	BFV 3W 6" 120V 2POS F	(800)356-8000
BV3W06FEMLAXXHX	BFV 3W 6" ELEC MOD A W/HT	(800)356-8000
BV3W06FEMLBXXHX	BFV 3W 6"120V MOD 0-10 B W/HT	(800)356-8000
BV3W06FEMLCXXHX	BFV 3W 6" ELEC MOD C W/HT	(800)356-8000
BV3W06FEMLDXXHX	BFV 3W 6"120V MOD 0-10 D W/HT	(800)356-8000
BV3W06FEMLEXXHX	BFV 3W 6"120V MOD 0-10 E W/HT	(800)356-8000
BV3W06FEMLFXXHX	BFV 3W 6"120V MOD 0-10 F W/HT	(800)356-8000
BV3W06FEPLAXXHX	BFV 3W 6"120V MOD 4-20 A W/HT	(800)356-8000
BV3W06FEPLBXXHX	BFV 3W 6"120V MOD 4-20 B W/HT	(800)356-8000
BV3W06FEPLCXXHX	BFV 3W 6"120V MOD 4-20 C W/HT	(800)356-8000
BV3W06FEPLDXXHX	BFV 3W 6"120V MOD 4-20 D W/HT	(800)356-8000
BV3W06FEPLExXHX	BFV 3W 6"120V MOD 4-20 E W/HT	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W06FEPLFXXHX	BFV 3W 6"120V MOD 4-20 F W/HT	(800)356-8000
BV3W06FS2LAPXXX	BFV 3W 6" 20PSI SR A W/POS	(800)356-8000
BV3W06FS2LATXXX	BFV3W 6"20PSI SR A W/120V EP	(800)356-8000
BV3W06FS2LAUXXX	BFV3W 6"20PSI SR A W/24V EP	(800)356-8000
BV3W06FS2LAXXXX	BFV 3W 6" 20PSI SR A	(800)356-8000
BV3W06FS2LBPXXX	BFV 3W 6" 20PSI SR B W/POS	(800)356-8000
BV3W06FS2LBTXXX	BFV3W 6"20PSI SR B W/120V EP	(800)356-8000
BV3W06FS2LBUXXX	BFV3W 6"20PSI SR B W/24V EP	(800)356-8000
BV3W06FS2LBXXXX	BFV 3W 6" 20PSI SR B	(800)356-8000
BV3W06FS2LCPXXX	BFV 3W 6" 20PSI SR C W/POS	(800)356-8000
BV3W06FS2LCTXXX	BFV3W 6"20PSI SR C W/120V EP	(800)356-8000
BV3W06FS2LCUXXX	BFV3W 6"20PSI SR C W/24V EP	(800)356-8000
BV3W06FS2LCXXXX	BFV 3W 6" 20PSI SR C	(800)356-8000
BV3W06FS2LDPXXX	BFV 3W 6" 20PSI SR D W/POS	(800)356-8000
BV3W06FS2LDTXXX	BFV3W 6"20PSI SR D W/120V EP	(800)356-8000
BV3W06FS2LDUXXX	BFV3W 6"20PSI SR D W/24V EP	(800)356-8000
BV3W06FS2LDXXXX	BFV 3W 6" 20PSI SR D	(800)356-8000
BV3W06FS2LEPXXX	BFV 3W 6" 20PSI SR E W/POS	(800)356-8000
BV3W06FS2LETXXX	BFV3W 6"20PSI SR E W/120V EP	(800)356-8000
BV3W06FS2LEUXXX	BFV3W 6"20PSI SR E W/24V EP	(800)356-8000
BV3W06FS2LEXXXX	BFV 3W 6" 20PSI SR E	(800)356-8000
BV3W06FS2LFPXXX	BFV 3W 6" 20PSI SR F W/POS	(800)356-8000
BV3W06FS2LFTXXX	BFV3W 6"20PSI SR F W/120V EP	(800)356-8000
BV3W06FS2LFUXXX	BFV3W 6"20PSI SR F W/24V EP	(800)356-8000
BV3W06FS2LFXXXX	BFV 3W 6" 20PSI SR F	(800)356-8000
BV3W06FS6LAQXXX	BFV 3W 6" 60PSI SR A W/POS	(800)356-8000
BV3W06FS6LAVXXX	BFV 3W 6" 60PSI SR A W/120V EP	(800)356-8000
BV3W06FS6LAWXXX	BFV 3W 6" 60PSI SR A W/24V EP	(800)356-8000
BV3W06FS6LAXXXX	BFV 3W 6" 60PSI SR A	(800)356-8000
BV3W06FS6LBQXXX	BFV 3W 6" 60PSI SR B W/POS	(800)356-8000
BV3W06FS6LBVXXX	BFV 3W 6" 60PSI SR B W/120V EP	(800)356-8000
BV3W06FS6LBWXXX	BFV 3W 6" 60PSI SR B W/24V EP	(800)356-8000
BV3W06FS6LBXXXX	BFV 3W 6" 60PSI SR B	(800)356-8000
BV3W06FS6LCQXXX	BFV 3W 6" 60PSI SR C W/POS	(800)356-8000
BV3W06FS6LCVXXX	BFV 3W 6" 60PSI SR C W/120V EP	(800)356-8000
BV3W06FS6LCWXXX	BFV 3W 6" 60PSI SR C W/24V EP	(800)356-8000
BV3W06FS6LCXXXX	BFV 3W 6" 60PSI SR C	(800)356-8000
BV3W06FS6LDQXXX	BFV 3W 6" 60PSI SR D W/POS	(800)356-8000
BV3W06FS6LDVXXX	BFV 3W 6" 60PSI SR D W/120V EP	(800)356-8000
BV3W06FS6LDWXXX	BFV 3W 6" 60PSI SR D W/24V EP	(800)356-8000
BV3W06FS6LDXXXX	BFV 3W 6" 60PSI SR D	(800)356-8000
BV3W06FS6LEQXXX	BFV 3W 6" 60PSI SR E W/POS	(800)356-8000
BV3W06FS6LEVXXX	BFV 3W 6" 60PSI SR E W/120V EP	(800)356-8000
BV3W06FS6LEWXXX	BFV 3W 6" 60PSI SR E W/24V EP	(800)356-8000
BV3W06FS6LEXXXX	BFV 3W 6" 60PSI SR E W/120V EP	(800)356-8000
BV3W06FS6LFQXXX	BFV 3W 6" 60PSI SR F W/POS	(800)356-8000
BV3W06FS6LFVXXX	BFV 3W 6" 60PSI SR F W/120V EP	(800)356-8000
BV3W06FS6LFWXXX	BFV 3W 6" 60PSI SR F W/24V EP	(800)356-8000
BV3W06FS6LFXXXX	BFV 3W 6" 60PSI SR F	(800)356-8000
BV3W06UD6LARXXX	BFV 3W 6" 60PSI DA A 50 W/POS	(800)356-8000
BV3W06UD6LAXXXX	BFV 3W 6" 60PSI DA A 50	(800)356-8000
BV3W06UD6LAYXXX	BFV3W6" 60PSI DA A 50W/120V EP	(800)356-8000
BV3W06UD6LAZXXX	BFV3W6" 60PSI DA A 100W/24V EP	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W06UD6LBRXXX	BFV 3W 6" 60PSI DA B 100 W/POS	(800)356-8000
BV3W06UD6LBXXXX	BFV 3W 6" 60PSI DA B 100	(800)356-8000
BV3W06UD6LBXXXX	BFV3W6" 60PSI DA B100W/120V EP	(800)356-8000
BV3W06UD6LBZXXX	BFV3W6" 60PSI DA B 100W/24V EP	(800)356-8000
BV3W06UD6LCRXXX	BFV 3W 6" 60PSI DA C 50 W/POS	(800)356-8000
BV3W06UD6LCXXXX	BFV 3W 6" 60PSI DA C 50	(800)356-8000
BV3W06UD6LCYXXX	BFV3W6" 60PSI DA C 50W/120V EP	(800)356-8000
BV3W06UD6LCZXXX	BFV3W6" 60PSI DA C 100W/24V EP	(800)356-8000
BV3W06UD6LDRXXX	BFV 3W 6" 60PSI DA D 100 W/POS	(800)356-8000
BV3W06UD6LDXXXX	BFV 3W 6" 60PSI DA D 100	(800)356-8000
BV3W06UD6LDYXXX	BFV3W6" 60PSI DA D100W/120V EP	(800)356-8000
BV3W06UD6LDZXXX	BFV3W6" 60PSI DA D 100W/24V EP	(800)356-8000
BV3W06UD6LERXXX	BFV 3W 6" 60PSI DA E 100 W/POS	(800)356-8000
BV3W06UD6LEXXXX	BFV 3W 6" 60PSI DA E 100	(800)356-8000
BV3W06UD6LEYXXX	BFV3W6" 60PSI DA E100W/120V EP	(800)356-8000
BV3W06UD6LEZXXX	BFV3W6" 60PSI DA E 100W/24V EP	(800)356-8000
BV3W06UD6LFRXXX	BFV 3W 6" 60PSI DA F 100 W/POS	(800)356-8000
BV3W06UD6LFXXXX	BFV 3W 6" 60PSI DA F 100	(800)356-8000
BV3W06UD6LFYXXX	BFV3W6" 60PSI DA F100W/120V EP	(800)356-8000
BV3W06UD6LFZXXX	BFV3W6" 60PSI DA F 100W/24V EP	(800)356-8000
BV3W06UE2LAXXHX	BFV 3W 6" ELEC 2POS A 50 W/HT	(800)356-8000
BV3W06UE2LAXXXX	BFV 3W 6" ELEC 2POS A 5	(800)356-8000
BV3W06UE2LBXXHX	BFV 3W 6" 120V 2POS B 100 W/HT	(800)356-8000
BV3W06UE2LBXXXX	BFV 3W 6" 120V 2POS B 100	(800)356-8000
BV3W06UE2LCXXHX	BFV 3W 6" ELEC 2POS C 50 W/HT	(800)356-8000
BV3W06UE2LCXXXX	BFV 3W 6" ELEC 2POS C 5	(800)356-8000
BV3W06UE2LDXXHX	BFV 3W 6" 120V 2POS D 100 W/HT	(800)356-8000
BV3W06UE2LDXXXX	BFV 3W 6" 120V 2POS D 100	(800)356-8000
BV3W06UE2LExXHX	BFV 3W 6" 120V 2POS E 100 W/HT	(800)356-8000
BV3W06UE2LExXXX	BFV 3W 6" 120V 2POS E 100	(800)356-8000
BV3W06UE2LFXXHX	BFV 3W 6" 120V 2POS F 100 W/HT	(800)356-8000
BV3W06UE2LFXXXX	BFV 3W 6" 120V 2POS F 100	(800)356-8000
BV3W06UEMLAXXHX	BFV 3W 6" ELEC MOD A 50 W/HT	(800)356-8000
BV3W06UEMLBXXHX	BFV 3W 6"120V MOD 0-10 B 100HT	(800)356-8000
BV3W06UEMLCXXHX	BFV 3W 6" ELEC MOD C 50 W/HT	(800)356-8000
BV3W06UEMLDXXHX	BFV 3W 6" 24V FLOATING B 100	(800)356-8000
BV3W06UEMLEXXHX	BFV 3W 6"120V MOD 0-10 E 100HT	(800)356-8000
BV3W06UEMLFXXHX	BFV 3W 6"120V MOD 0-10 F 100HT	(800)356-8000
BV3W06UEPLAXXHX	BFV 3W 6"120V MOD 4-20 A 100HT	(800)356-8000
BV3W06UEPLBXXHX	BFV 3W 6"120V MOD 4-20 B 100HT	(800)356-8000
BV3W06UEPLCXXHX	BFV 3W 6"120V MOD 4-20 C 100HT	(800)356-8000
BV3W06UEPLDXXHX	BFV 3W 6"120V MOD 4-20 D 100HT	(800)356-8000
BV3W06UEPLEXXHX	BFV 3W 6"120V MOD 4-20 E 100HT	(800)356-8000
BV3W06UEPLFXXHX	BFV 3W 6"120V MOD 4-20 F 100HT	(800)356-8000
BV3W06UG6LAXXXX	BFV 3W 6" 24V FLOATING A 100	(800)356-8000
BV3W06UG6LBXXXX	BFV 3W 6" 24V FLOATING B 100	(800)356-8000
BV3W06UG6LCXXXX	BFV 3W 6" 24V FLOATING C 100	(800)356-8000
BV3W06UG6LDXXXX	BFV 3W 6" 24V FLOATING D 100	(800)356-8000
BV3W06UG6LEXXXX	BFV 3W 6" 24V FLOATING E 100	(800)356-8000
BV3W06UG6LFXXXX	BFV 3W 6" 24V FLOATING F 100	(800)356-8000
BV3W06UG7LAXXXX	BFV 3W 6" 24V MOD 0-10V A 100	(800)356-8000
BV3W06UG7LBXXXX	BFV 3W 6" 24V MOD 0-10V B 100	(800)356-8000
BV3W06UG7LCXXXX	BFV 3W 6" 24V MOD 0-10V C 100	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W06UG7LDXXXX	BFV 3W 6" 24V MOD 0-10V D 100	(800)356-8000
BV3W06UG7LEXXXX	BFV 3W 6" 24V MOD 0-10V E 100	(800)356-8000
BV3W06UG7LFXXXX	BFV 3W 6" 24V MOD 0-10V F 100	(800)356-8000
BV3W06UG8LAXXXX	BFV 3W 6" 24V MOD 4-20MA A 100	(800)356-8000
BV3W06UG8LBXXXX	BFV 3W 6" 24V MOD 4-20MA B 100	(800)356-8000
BV3W06UG8LCXXXX	BFV 3W 6" 24V MOD 4-20MA C 100	(800)356-8000
BV3W06UG8LDXXXX	BFV 3W 6" 24V MOD 4-20MA D 100	(800)356-8000
BV3W06UG8LEXXXX	BFV 3W 6" 24V MOD 4-20MA E 100	(800)356-8000
BV3W06UG8LFXXXX	BFV 3W 6" 24V MOD 4-20MA F 100	(800)356-8000
BV3W06US2LAPXXX	BFV 3W 6" 20PSI SR A 50W/POS	(800)356-8000
BV3W06US2LATXXX	BFV3W 6"20PSI SR A 50W/120V EP	(800)356-8000
BV3W06US2LAUXXX	BFV3W 6"20PSI SR A 100W/24V EP	(800)356-8000
BV3W06US2LAXXXX	BFV 3W 6" 20PSI SR A 50	(800)356-8000
BV3W06US2LBPXXX	BFV 3W 6" 20PSI SR B 50W/POS	(800)356-8000
BV3W06US2LBTXXX	BFV3W 6"20PSI SR B 50W/120V EP	(800)356-8000
BV3W06US2LBUXXX	BFV3W 6"20PSI SR B 100W/24V EP	(800)356-8000
BV3W06US2LBXXXX	BFV 3W 6" 20PSI SR B 50	(800)356-8000
BV3W06US2LCPXXX	BFV 3W 6" 20PSI SR C 50W/POS	(800)356-8000
BV3W06US2LCTXXX	BFV3W 6"20PSI SR C 50W/120V EP	(800)356-8000
BV3W06US2LCUXXX	BFV3W 6"20PSI SR C 100W/24V EP	(800)356-8000
BV3W06US2LCXXXX	BFV 3W 6" 20PSI SR C 50	(800)356-8000
BV3W06US2LDPXXX	BFV 3W 6" 20PSI SR D 50W/POS	(800)356-8000
BV3W06US2LDTXXX	BFV3W 6"20PSI SR D 50W/120V EP	(800)356-8000
BV3W06US2LDUXXX	BFV3W 6"20PSI SR D 100W/24V EP	(800)356-8000
BV3W06US2LDXXXX	BFV 3W 6" 20PSI SR D 50	(800)356-8000
BV3W06US2LEPXXX	BFV 3W 6" 20PSI SR E 100W/POS	(800)356-8000
BV3W06US2LETXXX	BFV3W 6"20PSI SR E100W/120V EP	(800)356-8000
BV3W06US2LEUXXX	BFV3W 6"20PSI SR E 100W/24V EP	(800)356-8000
BV3W06US2LEXXXX	BFV 3W 6" 20PSI SR E 100	(800)356-8000
BV3W06US2LFPXXX	BFV 3W 6" 20PSI SR F 100W/POS	(800)356-8000
BV3W06US2LFTXXX	BFV3W 6"20PSI SR F100W/120V EP	(800)356-8000
BV3W06US2LFUXXX	BFV3W 6"20PSI SR F 100W/24V EP	(800)356-8000
BV3W06US2LFXXXX	BFV 3W 6" 20PSI SR F 100	(800)356-8000
BV3W06US6LAQXXX	BFV 3W 6" 60PSI SR A 50 W/POS	(800)356-8000
BV3W06US6LAVXXX	BFV3W6" 60PSI SR A 50W/120V EP	(800)356-8000
BV3W06US6LAWXXX	BFV3W6" 60PSI SR A 100W/24V EP	(800)356-8000
BV3W06US6LAXXXX	BFV 3W 6" 60PSI SR A 50	(800)356-8000
BV3W06US6LBQXXX	BFV 3W 6" 60PSI SR B 50 W/POS	(800)356-8000
BV3W06US6LBVXXX	BFV3W6" 60PSI SR B 50W/120V EP	(800)356-8000
BV3W06US6LBWXXX	BFV3W6" 60PSI SR B 100W/24V EP	(800)356-8000
BV3W06US6LBXXXX	BFV 3W 6" 60PSI SR B 50	(800)356-8000
BV3W06US6LCQXXX	BFV 3W 6" 60PSI SR C 50 W/POS	(800)356-8000
BV3W06US6LCVXXX	BFV3W6" 60PSI SR C 50W/120V EP	(800)356-8000
BV3W06US6LCWXXX	BFV3W6" 60PSI SR C 100W/24V EP	(800)356-8000
BV3W06US6LCXXXX	BFV 3W 6" 60PSI SR C 50	(800)356-8000
BV3W06US6LDQXXX	BFV 3W 6" 60PSI SR D 50 W/POS	(800)356-8000
BV3W06US6LDVXXX	BFV3W6" 60PSI SR D 50W/120V EP	(800)356-8000
BV3W06US6LDWXXX	BFV3W6" 60PSI SR D 100W/24V EP	(800)356-8000
BV3W06US6LDXXXX	BFV 3W 6" 60PSI SR D 50	(800)356-8000
BV3W06US6LEQXXX	BFV 3W 6" 60PSI SR E 100 W/POS	(800)356-8000
BV3W06US6LEVXXX	BFV3W6" 60PSI SR E100W/120V EP	(800)356-8000
BV3W06US6LEWXXX	BFV3W6" 60PSI SR E 100W/24V EP	(800)356-8000
BV3W06US6LEXXXX	BFV 3W 6" 60PSI SR E 100	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W06US6LFQXXX	BFV 3W 6" 60PSI SR F 100 W/POS	(800)356-8000
BV3W06US6LFVXXX	BFV3W6" 60PSI SR F100W/120V EP	(800)356-8000
BV3W06US6LFWXXX	BFV3W6" 60PSI SR F 100W/24V EP	(800)356-8000
BV3W06US6LFXXXX	BFV 3W 6" 60PSI SR F 100	(800)356-8000
BV3W08FD6LARXXX	BFV 3W 8" 60PSI DA A W/POS	(800)356-8000
BV3W08FD6LAXXXX	BFV 3W 8" 60PSI DA A	(800)356-8000
BV3W08FD6LAYXXX	BFV 3W 8" 60PSI DA A W/120V EP	(800)356-8000
BV3W08FD6LAZXXX	BFV 3W 8" 60PSI DA A W/24V EP	(800)356-8000
BV3W08FD6LBRXXX	BFV 3W 8" 60PSI DA B W/POS	(800)356-8000
BV3W08FD6LBXXXX	BFV 3W 8" 60PSI DA B	(800)356-8000
BV3W08FD6LBYXXX	BFV 3W 8" 60PSI DA B W/120V EP	(800)356-8000
BV3W08FD6LBZXXX	BFV 3W 8" 60PSI DA B W/24V EP	(800)356-8000
BV3W08FD6LCRXXX	BFV 3W 8" 60PSI DA C W/POS	(800)356-8000
BV3W08FD6LCXXXX	BFV 3W 8" 60PSI DA C	(800)356-8000
BV3W08FD6LCYXXX	BFV 3W 8" 60PSI DA C W/120V EP	(800)356-8000
BV3W08FD6LCZXXX	BFV 3W 8" 60PSI DA C W/24V EP	(800)356-8000
BV3W08FD6LDRXXX	BFV 3W 8" 60PSI DA D W/POS	(800)356-8000
BV3W08FD6LDXXXX	BFV 3W 8" 60PSI DA D	(800)356-8000
BV3W08FD6LDYXXX	BFV 3W 8" 60PSI DA D W/120V EP	(800)356-8000
BV3W08FD6LDZXXX	BFV 3W 8" 60PSI DA D W/24V EP	(800)356-8000
BV3W08FD6LERXXX	BFV 3W 8" 60PSI DA E W/POS	(800)356-8000
BV3W08FD6LEXXXX	BFV 3W 8" 60PSI DA E	(800)356-8000
BV3W08FD6LEYXXX	BFV 3W 8" 60PSI DA E W/120V EP	(800)356-8000
BV3W08FD6LEZXXX	BFV 3W 8" 60PSI DA E W/24V EP	(800)356-8000
BV3W08FD6LFRXXX	BFV 3W 8" 60PSI DA F W/POS	(800)356-8000
BV3W08FD6LFXXXX	BFV 3W 8" 60PSI DA F	(800)356-8000
BV3W08FD6LFYXXX	BFV 3W 8" 60PSI DA F W/120V EP	(800)356-8000
BV3W08FD6LFZXXX	BFV 3W 8" 60PSI DA F W/24V EP	(800)356-8000
BV3W08FE2LAXXHX	BFV 3W 8" ELEC 2POS A W/HT	(800)356-8000
BV3W08FE2LAXXXX	BFV 3W 8" ELEC 2POS A	(800)356-8000
BV3W08FE2LBXXHX	BFV 3W 8" 120V 2POS B W/HT	(800)356-8000
BV3W08FE2LBXXXX	BFV 3W 8" 120V 2POS B	(800)356-8000
BV3W08FE2LCXXHX	BFV 3W 8" ELEC 2POS C W/HT	(800)356-8000
BV3W08FE2LCXXXX	BFV 3W 8" ELEC 2POS C	(800)356-8000
BV3W08FE2LDXXHX	BFV 3W 8" 120V 2POS D W/HT	(800)356-8000
BV3W08FE2LDXXXX	BFV 3W 8" 120V 2POS D	(800)356-8000
BV3W08FE2LExXHX	BFV 3W 8" 120V 2POS E W/HT	(800)356-8000
BV3W08FE2LExXXX	BFV 3W 8" 120V 2POS E	(800)356-8000
BV3W08FE2LFXXHX	BFV 3W 8" 120V 2POS F W/HT	(800)356-8000
BV3W08FE2LFXXXX	BFV 3W 8" 120V 2POS F	(800)356-8000
BV3W08FEMLAXXHX	BFV 3W 8" ELEC MOD A W/HT	(800)356-8000
BV3W08FEMLBXXHX	BFV 3W 8"120V MOD 0-10 B W/HT	(800)356-8000
BV3W08FEMLCXXHX	BFV 3W 8" ELEC MOD C W/HT	(800)356-8000
BV3W08FEMLDXXHX	BFV 3W 8"120V MOD 0-10 D W/HT	(800)356-8000
BV3W08FEMLEXXHX	BFV 3W 8"120V MOD 0-10 E W/HT	(800)356-8000
BV3W08FEMLFXXHX	BFV 3W 8"120V MOD 0-10 F W/HT	(800)356-8000
BV3W08FEPLAXXHX	BFV 3W 8"120V MOD 4-20 A W/HT	(800)356-8000
BV3W08FEPLBXXHX	BFV 3W 8"120V MOD 4-20 B W/HT	(800)356-8000
BV3W08FEPLCXXHX	BFV 3W 8"120V MOD 4-20 C W/HT	(800)356-8000
BV3W08FEPLDXXHX	BFV 3W 8"120V MOD 4-20 D W/HT	(800)356-8000
BV3W08FEPEXXHX	BFV 3W 8"120V MOD 4-20 E W/HT	(800)356-8000
BV3W08FEPLFXXHX	BFV 3W 8"120V MOD 4-20 F W/HT	(800)356-8000
BV3W08FS6LAQXXX	BFV 3W 8" 60PSI SR A W/POS	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W08FS6LAVXXX	BFV 3W 8" 60PSI SR A W/120V EP	(800)356-8000
BV3W08FS6LAWXXX	BFV 3W 8" 60PSI SR A W/24V EP	(800)356-8000
BV3W08FS6LAXXXX	BFV 3W 8" 60PSI SR A	(800)356-8000
BV3W08FS6LBQXXX	BFV 3W 8" 60PSI SR B W/POS	(800)356-8000
BV3W08FS6LBVXXX	BFV3W8" 60PSI SR BW/120V EP	(800)356-8000
BV3W08FS6LBWXXX	BFV 3W 8" 60PSI SR B W/24V EP	(800)356-8000
BV3W08FS6LBXXXX	BFV 3W 8" 60PSI SR B	(800)356-8000
BV3W08FS6LCQXXX	BFV 3W 8" 60PSI SR C W/POS	(800)356-8000
BV3W08FS6LCVXXX	BFV 3W 8" 60PSI SR C W/120V EP	(800)356-8000
BV3W08FS6LCWXXX	BFV 3W 8" 60PSI SR C W/24V EP	(800)356-8000
BV3W08FS6LCXXX	BFV 3W 8" 60PSI SR C	(800)356-8000
BV3W08FS6LDQXXX	BFV 3W 8" 60PSI SR D W/POS	(800)356-8000
BV3W08FS6LDVXXX	BFV 3W 8" 60PSI SR D W/120V EP	(800)356-8000
BV3W08FS6LDWXXX	BFV 3W 8" 60PSI SR D W/24V EP	(800)356-8000
BV3W08FS6LDXXXX	BFV 3W 8" 60PSI SR D	(800)356-8000
BV3W08FS6LEQXXX	BFV 3W 8" 60PSI SR E W/POS	(800)356-8000
BV3W08FS6LEVXXX	BFV 3W 8" 60PSI SR E W/120V EP	(800)356-8000
BV3W08FS6LEWXXX	BFV 3W 8" 60PSI SR E W/24V EP	(800)356-8000
BV3W08FS6LEXXXX	BFV 3W 8" 60PSI SR E	(800)356-8000
BV3W08FS6LFQXXX	BFV 3W 8" 60PSI SR F W/POS	(800)356-8000
BV3W08FS6LFVXXX	BFV 3W 8" 60PSI SR F W/120V EP	(800)356-8000
BV3W08FS6LFWXXX	BFV 3W 8" 60PSI SR F W/24V EP	(800)356-8000
BV3W08FS6LFXXXX	BFV 3W 8" 60PSI SR F	(800)356-8000
BV3W08UD6LARXXX	BFV 3W 8" 60PSI DA A 50 W/POS	(800)356-8000
BV3W08UD6LAXXXX	BFV 3W 8" 60PSI DA A 50	(800)356-8000
BV3W08UD6LAYXXX	BFV3W8" 60PSI DA A 50W/120V EP	(800)356-8000
BV3W08UD6LAZXXX	BFV3W8" 60PSI DA A 50W/24V EP	(800)356-8000
BV3W08UD6LBRXXX	BFV 3W 8" 60PSI DA B 50 W/POS	(800)356-8000
BV3W08UD6LBXXXX	BFV 3W 8" 60PSI DA B 50	(800)356-8000
BV3W08UD6LBYXXX	BFV3W8" 60PSI DA B 50W/120V EP	(800)356-8000
BV3W08UD6LBZXXX	BFV3W8" 60PSI DA B 50W/24V EP	(800)356-8000
BV3W08UD6LCRXXX	BFV 3W 8" 60PSI DA C 50 W/POS	(800)356-8000
BV3W08UD6LCXXXX	BFV 3W 8" 60PSI DA C 50	(800)356-8000
BV3W08UD6LCYXXX	BFV3W8" 60PSI DA C 50W/120V EP	(800)356-8000
BV3W08UD6LCZXXX	BFV3W8" 60PSI DA C 50W/24V EP	(800)356-8000
BV3W08UD6LDRXXX	BFV 3W 8" 60PSI DA D 50 W/POS	(800)356-8000
BV3W08UD6LDXXXX	BFV 3W 8" 60PSI DA D 50	(800)356-8000
BV3W08UD6LDYXXX	BFV3W8" 60PSI DA D 50W/120V EP	(800)356-8000
BV3W08UD6LDZXXX	BFV3W8" 60PSI DA D 50W/24V EP	(800)356-8000
BV3W08UD6LERXXX	BFV 3W 8" 60PSI DA E 50 W/POS	(800)356-8000
BV3W08UD6LEXXXX	BFV 3W 8" 60PSI DA E 50	(800)356-8000
BV3W08UD6LEYXXX	BFV3W8" 60PSI DA E 50W/120V EP	(800)356-8000
BV3W08UD6LEZXXX	BFV3W8" 60PSI DA E 50W/24V EP	(800)356-8000
BV3W08UD6LFRXXX	BFV 3W 8" 60PSI DA F 50 W/POS	(800)356-8000
BV3W08UD6LFXXXX	BFV 3W 8" 60PSI DA F 50	(800)356-8000
BV3W08UD6LFYXXX	BFV3W8" 60PSI DA F 50W/120V EP	(800)356-8000
BV3W08UD6LFZXXX	BFV3W8" 60PSI DA F 50W/24V EP	(800)356-8000
BV3W08UE2LAXHX	BFV 3W 8" ELEC 2POS A 50 W/HT	(800)356-8000
BV3W08UE2LAXXXX	BFV 3W 8" ELEC 2POS A 50	(800)356-8000
BV3W08UE2LBXXHX	BFV 3W 8" 120V 2POS B 50 W/HT	(800)356-8000
BV3W08UE2LBXXXX	BFV 3W 8" 120V 2POS B 50	(800)356-8000
BV3W08UE2LCXXHX	BFV 3W 8" ELEC 2POS C 50 W/HT	(800)356-8000
BV3W08UE2LCXXX	BFV 3W 8" ELEC 2POS C 50	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W08UE2LDXXHX	BFV 3W 8" 120V 2POS D 50 W/HT	(800)356-8000
BV3W08UE2LDXXXX	BFV 3W 8" 120V 2POS D 50	(800)356-8000
BV3W08UE2LEXXHX	BFV 3W 8" 120V 2POS E 50 W/HT	(800)356-8000
BV3W08UE2LEXXXX	BFV 3W 8" 120V 2POS E 50	(800)356-8000
BV3W08UE2LFXXHX	BFV 3W 8" 120V 2POS F 50 W/HT	(800)356-8000
BV3W08UE2LFXXXX	BFV 3W 8" 120V 2POS F 50	(800)356-8000
BV3W08UEMLAXXHX	BFV 3W 8" ELEC MOD A 50 W/HT	(800)356-8000
BV3W08UEMLBXXHX	BFV 3W 8"120V MOD 0-10 B 50HT	(800)356-8000
BV3W08UEMLCXXHX	BFV 3W 8" ELEC MOD C 50 W/HT	(800)356-8000
BV3W08UEMLDXXHX	BFV 3W 8"120V MOD 0-10 D 50HT	(800)356-8000
BV3W08UEMLEXXHX	BFV 3W 8"120V MOD 0-10 E 50HT	(800)356-8000
BV3W08UEMLFXXHX	BFV 3W 8"120V MOD 0-10 F 50HT	(800)356-8000
BV3W08UEPLAXXHX	BFV 3W 8"120V MOD 4-20 A 50HT	(800)356-8000
BV3W08UEPLBXXHX	BFV 3W 8"120V MOD 4-20 B 50HT	(800)356-8000
BV3W08UEPLCXXHX	BFV 3W 8"120V MOD 4-20 C 50HT	(800)356-8000
BV3W08UEPLDXXHX	BFV 3W 8"120V MOD 4-20 D 50HT	(800)356-8000
BV3W08UEPLEXXHX	BFV 3W 8"120V MOD 4-20 E 50HT	(800)356-8000
BV3W08UEPLFXXHX	BFV 3W 8"120V MOD 4-20 F 50HT	(800)356-8000
BV3W08US2LAPXXX	BFV 3W 8" 20PSI SR A 50 W/POS	(800)356-8000
BV3W08US2LATXXX	BFV3W 8"20PSI SR A 50W/120V EP	(800)356-8000
BV3W08US2LAUXXX	BFV3W 8"20PSI SR A 50W/24V EP	(800)356-8000
BV3W08US2LAXXXX	BFV 3W 8" 20PSI SR A 50	(800)356-8000
BV3W08US2LBPXXX	BFV 3W 8" 20PSI SR B 50 W/POS	(800)356-8000
BV3W08US2LBTXXX	BFV3W 8"20PSI SR B 50W/120V EP	(800)356-8000
BV3W08US2LBUXXX	BFV3W 8"20PSI SR B 50W/24V EP	(800)356-8000
BV3W08US2LBXXXX	BFV 3W 8" 20PSI SR B 50	(800)356-8000
BV3W08US2LCPXXX	BFV 3W 8" 20PSI SR C 50 W/POS	(800)356-8000
BV3W08US2LCTXXX	BFV3W 8"20PSI SR C 50W/120V EP	(800)356-8000
BV3W08US2LCUXXX	BFV3W 8"20PSI SR C 50W/24V EP	(800)356-8000
BV3W08US2LCXXXX	BFV 3W 8" 20PSI SR C 50	(800)356-8000
BV3W08US2LDPXXX	BFV 3W 8" 20PSI SR D 50 W/POS	(800)356-8000
BV3W08US2LDTXXX	BFV3W 8"20PSI SR D 50W/120V EP	(800)356-8000
BV3W08US2LDUXXX	BFV3W 8"20PSI SR D 50W/24V EP	(800)356-8000
BV3W08US2LDXXXX	BFV 3W 8" 20PSI SR D 50	(800)356-8000
BV3W08US2LEPXXX	BFV 3W 8" 20PSI SR E 50 W/POS	(800)356-8000
BV3W08US2LETXXX	BFV3W 8"20PSI SR E 50W/120V EP	(800)356-8000
BV3W08US2LEUXXX	BFV3W 8"20PSI SR E 50W/24V EP	(800)356-8000
BV3W08US2LEXXXX	BFV 3W 8" 20PSI SR E 50	(800)356-8000
BV3W08US2LFPXXX	BFV 3W 8" 20PSI SR F 50 W/POS	(800)356-8000
BV3W08US2LFTXXX	BFV3W 8"20PSI SR F 50W/120V EP	(800)356-8000
BV3W08US2LFUXXX	BFV3W 8"20PSI SR F 50W/24V EP	(800)356-8000
BV3W08US2LFXXXX	BFV 3W 8" 20PSI SR F 50	(800)356-8000
BV3W08US6LAQXXX	BFV 3W 8" 60PSI SR A 50 W/POS	(800)356-8000
BV3W08US6LAVXXX	BFV3W8" 60PSI SR A 50W/120V EP	(800)356-8000
BV3W08US6LAWXXX	BFV3W8" 60PSI SR A 50W/24V EP	(800)356-8000
BV3W08US6LAXXXX	BFV 3W 8" 60PSI SR A 50	(800)356-8000
BV3W08US6LBQXXX	BFV 3W 8" 60PSI SR B 50 W/POS	(800)356-8000
BV3W08US6LBVXXX	BFV3W8" 60PSI SR B 50W/120V EP	(800)356-8000
BV3W08US6LBWXXX	BFV3W8" 60PSI SR B 50W/24V EP	(800)356-8000
BV3W08US6LBXXXX	BFV 3W 8" 60PSI SR B 50	(800)356-8000
BV3W08US6LCQXXX	BFV 3W 8" 60PSI SR C 50 W/POS	(800)356-8000
BV3W08US6LCVXXX	BFV3W8" 60PSI SR C 50W/120V EP	(800)356-8000
BV3W08US6LCWXXX	BFV3W8" 60PSI SR C 50W/24V EP	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W08US6LCXXX	BFV 3W 8" 60PSI SR C 50	(800)356-8000
BV3W08US6LDQXXX	BFV 3W 8" 60PSI SR D 50 W/POS	(800)356-8000
BV3W08US6LDVXXX	BFV3W8" 60PSI SR D 50W/120V EP	(800)356-8000
BV3W08US6LDWXXX	BFV3W8" 60PSI SR D 50W/24V EP	(800)356-8000
BV3W08US6LDXXX	BFV 3W 8" 60PSI SR D 50	(800)356-8000
BV3W08US6LEQXXX	BFV 3W 8" 60PSI SR E 50 W/POS	(800)356-8000
BV3W08US6LEVXXX	BFV3W8" 60PSI SR E 50W/120V EP	(800)356-8000
BV3W08US6LEWXXX	BFV3W8" 60PSI SR E 50W/24V EP	(800)356-8000
BV3W08US6LEXXXX	BFV 3W 8" 60PSI SR E 50	(800)356-8000
BV3W08US6LFQXXX	BFV 3W 8" 60PSI SR F 50 W/POS	(800)356-8000
BV3W08US6LFVXXX	BFV3W8" 60PSI SR F 50W/120V EP	(800)356-8000
BV3W08US6LFWXXX	BFV3W8" 60PSI SR F 50W/24V EP	(800)356-8000
BV3W08US6LFXXXX	BFV 3W 8" 60PSI SR F 50	(800)356-8000
BV3W10FD6LARXXX	BFV 3W 10" 60PSI DA A W/POS	(800)356-8000
BV3W10FD6LAXXXX	BFV 3W 10" 60PSI DA A	(800)356-8000
BV3W10FD6LAYXXX	BFV3W 10" 60PSI DA A W/120V EP	(800)356-8000
BV3W10FD6LAZXXX	BFV3W 10" 60PSI DA A W/24V EP	(800)356-8000
BV3W10FD6LBRXXX	BFV 3W 10" 60PSI DA B W/POS	(800)356-8000
BV3W10FD6LBXXXX	BFV 3W 10" 60PSI DA B	(800)356-8000
BV3W10FD6LBVXXX	BFV3W 10" 60PSI DA B W/120V EP	(800)356-8000
BV3W10FD6LBZXXX	BFV3W 10" 60PSI DA B W/24V EP	(800)356-8000
BV3W10FD6LCRXXX	BFV 3W 10" 60PSI DA C W/POS	(800)356-8000
BV3W10FD6LCXXXX	BFV 3W 10" 60PSI DA C	(800)356-8000
BV3W10FD6LCYXXX	BFV3W 10" 60PSI DA C W/120V EP	(800)356-8000
BV3W10FD6LCZXXX	BFV3W 10" 60PSI DA C W/24V EP	(800)356-8000
BV3W10FD6LDRXXX	BFV 3W 10" 60PSI DA D W/POS	(800)356-8000
BV3W10FD6LDXXXX	BFV 3W 10" 60PSI DA D	(800)356-8000
BV3W10FD6LDYXXX	BFV3W 10" 60PSI DA D W/120V EP	(800)356-8000
BV3W10FD6LDZXXX	BFV3W 10" 60PSI DA D W/24V EP	(800)356-8000
BV3W10FD6LERXXX	BFV 3W 10" 60PSI DA E W/POS	(800)356-8000
BV3W10FD6LEXXXX	BFV 3W 10" 60PSI DA E	(800)356-8000
BV3W10FD6LEYXXX	BFV3W 10" 60PSI DA E W/120V EP	(800)356-8000
BV3W10FD6LEZXXX	BFV3W 10" 60PSI DA E W/24V EP	(800)356-8000
BV3W10FD6LFRXXX	BFV 3W 10" 60PSI DA F W/POS	(800)356-8000
BV3W10FD6LFXXXX	BFV 3W 10" 60PSI DA FW/24V EP	(800)356-8000
BV3W10FD6LFYXXX	BFV3W 10" 60PSI DA F W/120V EP	(800)356-8000
BV3W10FD6LFZXXX	BFV3W 10" 60PSI DA F W/24V EP	(800)356-8000
BV3W10FE2LAXXHX	BFV 3W 10" ELEC 2POS A W/HT	(800)356-8000
BV3W10FE2LAXXXX	BFV 3W 10" ELEC 2POS A	(800)356-8000
BV3W10FE2LBXXHX	BFV 3W 10" 120V 2POS B W/HT	(800)356-8000
BV3W10FE2LBXXXX	BFV 3W 10" 120V 2POS B	(800)356-8000
BV3W10FE2LCXXHX	BFV 3W 10" ELEC 2POS C W/HT	(800)356-8000
BV3W10FE2LCXXXX	BFV 3W 10" ELEC 2POS C	(800)356-8000
BV3W10FE2LDXXHX	BFV 3W 10" 120V 2POS D W/HT	(800)356-8000
BV3W10FE2LDXXXX	BFV 3W 10" 120V 2POS D	(800)356-8000
BV3W10FE2LExXHX	BFV 3W 10" 120V 2POS E W/HT	(800)356-8000
BV3W10FE2LExXXX	BFV 3W 10" 120V 2POS E	(800)356-8000
BV3W10FE2LFXXHX	BFV 3W 10" 120V 2POS F W/HT	(800)356-8000
BV3W10FE2LFXXXX	BFV 3W 10" 120V 2POS F	(800)356-8000
BV3W10FEMLAXXHX	BFV 3W 10" ELEC MOD A W/HT	(800)356-8000
BV3W10FEMLBXXHX	BFV 3W 10"120V MOD 0-10 B W/HT	(800)356-8000
BV3W10FEMLCXXHX	BFV 3W 10" ELEC MOD C W/HT	(800)356-8000
BV3W10FEMLDXXHX	BFV 3W 10"120V MOD 0-10 D W/HT	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W10FEMLEXXHX	BFV 3W 10"120V MOD 0-10 E W/HT	(800)356-8000
BV3W10FEMLFXXHX	BFV 3W 10"120V MOD 0-10 F W/HT	(800)356-8000
BV3W10FEPLAXXXH	BFV 3W 10"120V MOD 4-20 A W/HT	(800)356-8000
BV3W10FEPLBXXHX	BFV 3W 10"120V MOD 4-20 B W/HT	(800)356-8000
BV3W10FEPLCXXHX	BFV 3W 10"120V MOD 4-20 C W/HT	(800)356-8000
BV3W10FEPLDXXHX	BFV 3W 10"120V MOD 4-20 D W/HT	(800)356-8000
BV3W10FEPLEXXHX	BFV 3W 10"120V MOD 4-20 E W/HT	(800)356-8000
BV3W10FEPLFXXHX	3 WAY BUTTERFLY VALVE	(800)356-8000
BV3W10FS6LAQXXX	BFV 3W 10" 60PSI SR A W/POS	(800)356-8000
BV3W10FS6LAVXXX	BFV3W 10" 60PSI SR A W/120V EP	(800)356-8000
BV3W10FS6LAWXXX	BFV3W 10" 60PSI SR A W/24V EP	(800)356-8000
BV3W10FS6LAXXXX	BFV 3W 10" 60PSI SR A	(800)356-8000
BV3W10FS6LBQXXX	BFV 3W 10" 60PSI SR B W/POS	(800)356-8000
BV3W10FS6LBVXXX	BFV3W 10" 60PSI SR B W/120V EP	(800)356-8000
BV3W10FS6LBWXXX	BFV3W 10" 60PSI SR B W/24V EP	(800)356-8000
BV3W10FS6LBXXXX	BFV 3W 10" 60PSI SR B	(800)356-8000
BV3W10FS6LCQXXX	BFV 3W 10" 60PSI SR C W/POS	(800)356-8000
BV3W10FS6LCVXXX	BFV3W 10" 60PSI SR C W/120V EP	(800)356-8000
BV3W10FS6LCWXXX	BFV3W 10" 60PSI SR C W/24V EP	(800)356-8000
BV3W10FS6LCXXXX	BFV 3W 10" 60PSI SR C	(800)356-8000
BV3W10FS6LDQXXX	BFV 3W 10" 60PSI SR D W/POS	(800)356-8000
BV3W10FS6LDVXXX	BFV3W 10" 60PSI SR D W/120V EP	(800)356-8000
BV3W10FS6LDWXXX	BFV3W 10" 60PSI SR D W/24V EP	(800)356-8000
BV3W10FS6LDXXXX	BFV 3W 10" 60PSI SR D	(800)356-8000
BV3W10FS6LEQXXX	BFV 3W 10" 60PSI SR E W/POS	(800)356-8000
BV3W10FS6LEVXXX	BFV3W 10" 60PSI SR E W/120V EP	(800)356-8000
BV3W10FS6LEWXXX	BFV3W 10" 60PSI SR E W/24V EP	(800)356-8000
BV3W10FS6LEXXXX	BFV 3W 10" 60PSI SR E	(800)356-8000
BV3W10FS6LFQXXX	BFV 3W 10" 60PSI SR F W/POS	(800)356-8000
BV3W10FS6LFVXXX	BFV3W 10" 60PSI SR F W/120V EP	(800)356-8000
BV3W10FS6LFWXXX	BFV3W 10" 60PSI SR F W/24V EP	(800)356-8000
BV3W10FS6LFXXXX	BFV 3W 10" 60PSI SR F	(800)356-8000
BV3W10UD6LARXXX	BFV 3W 10" 60PSI DA A 50 W/POS	(800)356-8000
BV3W10UD6LAXXXX	BFV 3W 10" 60PSI DA A 50	(800)356-8000
BV3W10UD6LAYXXX	BFV3W10"60PSI DA A 50W/120V EP	(800)356-8000
BV3W10UD6LAZXXX	BFV3W10"60PSI DA A 50W/24V EP	(800)356-8000
BV3W10UD6LBRXXX	BFV 3W 10" 60PSI DA B 50 W/POS	(800)356-8000
BV3W10UD6LBXXXX	BFV 3W 10" 60PSI DA B 50	(800)356-8000
BV3W10UD6LBYXXX	BFV3W10"60PSI DA B 50W/120V EP	(800)356-8000
BV3W10UD6LBZXXX	BFV3W10"60PSI DA B 50W/24V EP	(800)356-8000
BV3W10UD6LCRXXX	BFV 3W 10" 60PSI DA C 50 W/POS	(800)356-8000
BV3W10UD6LCXXXX	BFV 3W 10" 60PSI DA C 50	(800)356-8000
BV3W10UD6LCYXXX	BFV3W10"60PSI DA C 50W/120V EP	(800)356-8000
BV3W10UD6LCZXXX	BFV3W10"60PSI DA C 50W/24V EP	(800)356-8000
BV3W10UD6LDRXXX	BFV 3W 10" 60PSI DA D 50 W/POS	(800)356-8000
BV3W10UD6LDXXXX	BFV 3W 10" 60PSI DA D 50	(800)356-8000
BV3W10UD6LDYXXX	BFV3W10"60PSI DA D 50W/120V EP	(800)356-8000
BV3W10UD6LDZXXX	BFV3W10"60PSI DA D 50W/24V EP	(800)356-8000
BV3W10UD6LERXXX	BFV 3W 10" 60PSI DA E 50 W/POS	(800)356-8000
BV3W10UD6LEXXXX	BFV 3W 10" 60PSI DA E 50	(800)356-8000
BV3W10UD6LEYXXX	BFV3W10"60PSI DA E 50W/120V EP	(800)356-8000
BV3W10UD6LEZXXX	BFV3W10"60PSI DA E 50W/24V EP	(800)356-8000
BV3W10UD6LFRXXX	BFV 3W 10" 60PSI DA F 50 W/POS	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W10UD6LFXXXX	BFV 3W 10" 60PSI DA F 50	(800)356-8000
BV3W10UD6LFYXXX	BFV3W10"60PSI DA F 50W/120V EP	(800)356-8000
BV3W10UD6LFZXXX	BFV3W10"60PSI DA F 50W/24V EP	(800)356-8000
BV3W10UE2LAXXHX	BFV 3W 10" ELEC 2POS A 50 W/HT	(800)356-8000
BV3W10UE2LAXXXX	BFV 3W 10" ELEC 2POS A 50	(800)356-8000
BV3W10UE2LBXXHX	BFV 3W 10" 120V 2POS B 50 W/HT	(800)356-8000
BV3W10UE2LBXXXX	BFV 3W 10" 120V 2POS B 50	(800)356-8000
BV3W10UE2LCXXHX	BFV 3W 10" ELEC 2POS C 50 W/HT	(800)356-8000
BV3W10UE2LCXXXX	BFV 3W 10" ELEC 2POS C 50	(800)356-8000
BV3W10UE2LDXXHX	BFV 3W 10" 120V 2POS D 50 W/HT	(800)356-8000
BV3W10UE2LDXXXX	BFV 3W 10" 120V 2POS D 50	(800)356-8000
BV3W10UE2LEXXHX	BFV 3W 10" 120V 2POS E 50 W/HT	(800)356-8000
BV3W10UE2LEXXXX	BFV 3W 10" 120V 2POS E 50	(800)356-8000
BV3W10UE2LFXXHX	BFV 3W 10" 120V 2POS F 50 W/HT	(800)356-8000
BV3W10UE2LFXXXX	BFV 3W 10" 120V 2POS F 50	(800)356-8000
BV3W10UEMLAXXHX	BFV 3W 10" ELEC MOD A 50 W/HT	(800)356-8000
BV3W10UEMLBXXHX	BFV 3W 10"120V MOD 0-10 B 50HT	(800)356-8000
BV3W10UEMLCXXHX	BFV 3W 10" ELEC MOD C 50 W/HT	(800)356-8000
BV3W10UEMLDXXHX	BFV 3W 10"120V MOD 0-10 D 50HT	(800)356-8000
BV3W10UEMLEXXHX	BFV 3W 10"120V MOD 0-10 E 50HT	(800)356-8000
BV3W10UEMLFXXHX	BFV 3W 10"120V MOD 0-10 F 50HT	(800)356-8000
BV3W10UEPLAXXHX	BFV 3W 10"120V MOD 4-20 A 50HT	(800)356-8000
BV3W10UEPLBXXHX	BFV 3W 10"120V MOD 4-20 B 50HT	(800)356-8000
BV3W10UEPLCXXHX	BFV 3W 10"120V MOD 4-20 C 50HT	(800)356-8000
BV3W10UEPLDXXHX	BFV 3W 10"120V MOD 4-20 D 50HT	(800)356-8000
BV3W10UEPLEXXHX	BFV 3W 10"120V MOD 4-20 E 50HT	(800)356-8000
BV3W10UEPLFXXHX	BFV 3W 10"120V MOD 4-20 F 50HT	(800)356-8000
BV3W10US2LAPXXX	BFV 3W 10" 20PSI SR A 50 W/POS	(800)356-8000
BV3W10US2LATXXX	BFV3W10"20PSI SR A 50W/120V EP	(800)356-8000
BV3W10US2LAUXXX	BFV3W10"20PSI SR A 50W/24V EP	(800)356-8000
BV3W10US2LAXXXX	BFV 3W 10" 20PSI SR A 50	(800)356-8000
BV3W10US2LBPXXX	BFV 3W 10" 20PSI SR B 50 W/POS	(800)356-8000
BV3W10US2LBTXXX	BFV3W10"20PSI SR B 50W/120V EP	(800)356-8000
BV3W10US2LBUXXX	BFV3W10"20PSI SR B 50W/24V EP	(800)356-8000
BV3W10US2LBXXXX	BFV 3W 10" 20PSI SR B 50	(800)356-8000
BV3W10US2LCPXXX	BFV 3W 10" 20PSI SR C 50 W/POS	(800)356-8000
BV3W10US2LCTXXX	BFV3W10"20PSI SR C 50W/120V EP	(800)356-8000
BV3W10US2LCUXXX	BFV3W10"20PSI SR C 50W/24V EP	(800)356-8000
BV3W10US2LCXXXX	BFV 3W 10" 20PSI SR C 50	(800)356-8000
BV3W10US2LDPXXX	BFV 3W 10" 20PSI SR D 50 W/POS	(800)356-8000
BV3W10US2LDTXXX	BFV3W10"20PSI SR D 50W/120V EP	(800)356-8000
BV3W10US2LDUXXX	BFV3W10"20PSI SR D 50W/24V EP	(800)356-8000
BV3W10US2LDXXXX	BFV 3W 10" 20PSI SR D 50	(800)356-8000
BV3W10US2LEPXXX	BFV 3W 10" 20PSI SR E 50 W/POS	(800)356-8000
BV3W10US2LETXXX	BFV3W10"20PSI SR E 50W/120V EP	(800)356-8000
BV3W10US2LEUXXX	BFV3W10"20PSI SR E 50W/24V EP	(800)356-8000
BV3W10US2LEXXXX	BFV 3W 10" 20PSI SR E 50	(800)356-8000
BV3W10US2LFPXXX	BFV 3W 10" 20PSI SR F 50 W/POS	(800)356-8000
BV3W10US2LFTXXX	BFV3W10"20PSI SR F 50W/120V EP	(800)356-8000
BV3W10US2LFUXXX	BFV3W10"20PSI SR F 50W/24V EP	(800)356-8000
BV3W10US2LFXXXX	BFV 3W 10" 20PSI SR F 50	(800)356-8000
BV3W10US6LAQXXX	BFV 3W 10" 60PSI SR A 50 W/POS	(800)356-8000
BV3W10US6LAVXXX	BFV3W10"60PSI SR A 50W/120V EP	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W10US6LAWXXX	BFV3W10"60PSI SR A 50W/24V EP	(800)356-8000
BV3W10US6LAXXXX	BFV 3W 10" 60PSI SR A 50	(800)356-8000
BV3W10US6LBQXXX	BFV 3W 10" 60PSI SR B 50 W/POS	(800)356-8000
BV3W10US6LBVXXX	BFV3W10"60PSI SR B 50W/120V EP	(800)356-8000
BV3W10US6LBWXXX	BFV3W10"60PSI SR B 50W/24V EP	(800)356-8000
BV3W10US6LBXXXX	BFV 3W 10" 60PSI SR B 50	(800)356-8000
BV3W10US6LCQXXX	BFV 3W 10" 60PSI SR C 50 W/POS	(800)356-8000
BV3W10US6LCVXXX	BFV3W10"60PSI SR C 50W/120V EP	(800)356-8000
BV3W10US6LCWXXX	BFV3W10"60PSI SR C 50W/24V EP	(800)356-8000
BV3W10US6LCXXXX	BFV 3W 10" 60PSI SR C 50	(800)356-8000
BV3W10US6LDQXXX	BFV 3W 10" 60PSI SR D 50 W/POS	(800)356-8000
BV3W10US6LDVXXX	BFV3W10"60PSI SR D 50W/120V EP	(800)356-8000
BV3W10US6LDWXXX	BFV3W10"60PSI SR D 50W/24V EP	(800)356-8000
BV3W10US6LDXXXX	BFV 3W 10" 60PSI SR D 50	(800)356-8000
BV3W10US6LEQXXX	BFV 3W 10" 60PSI SR E 50 W/POS	(800)356-8000
BV3W10US6LEVXXX	BFV3W10"60PSI SR E 50W/120V EP	(800)356-8000
BV3W10US6LEWXXX	BFV3W10"60PSI SR E 50W/24V EP	(800)356-8000
BV3W10US6LEXXXX	BFV 3W 10" 60PSI SR E 50	(800)356-8000
BV3W10US6LFQXXX	BFV 3W 10" 60PSI SR F 50 W/POS	(800)356-8000
BV3W10US6LFVXXX	BFV3W10"60PSI SR F 50W/120V EP	(800)356-8000
BV3W10US6LFWXXX	BFV3W10"60PSI SR F 50W/24V EP	(800)356-8000
BV3W10US6LFXXXX	BFV 3W 10" 60PSI SR F 50	(800)356-8000
BV3W12FD6LARXXX	BFV 3W 12" 60PSI DA A W/POS	(800)356-8000
BV3W12FD6LAXXXX	BFV 3W 12" 60PSI DA A	(800)356-8000
BV3W12FD6LAYXXX	BFV3W 12" 60PSI DA A W/120V EP	(800)356-8000
BV3W12FD6LAZXXX	BFV3W 12" 60PSI DA A W/24V EP	(800)356-8000
BV3W12FD6LBRXXX	BFV 3W 12" 60PSI DA B W/POS	(800)356-8000
BV3W12FD6LBXXXX	BFV 3W 12" 60PSI DA B	(800)356-8000
BV3W12FD6LBYXXX	BFV3W 12" 60PSI DA B W/120V EP	(800)356-8000
BV3W12FD6LBZXXX	BFV3W 12" 60PSI DA B W/24V EP	(800)356-8000
BV3W12FD6LCRXXX	BFV 3W 12" 60PSI DA C W/POS	(800)356-8000
BV3W12FD6LCXXXX	BFV 3W 12" 60PSI DA C	(800)356-8000
BV3W12FD6LCYXXX	BFV3W 12" 60PSI DA C W/120V EP	(800)356-8000
BV3W12FD6LCZXXX	BFV3W 12" 60PSI DA C W/24V EP	(800)356-8000
BV3W12FD6LDRXXX	BFV 3W 12" 60PSI DA D W/POS	(800)356-8000
BV3W12FD6LDXXXX	BFV 3W 12" 60PSI DA D	(800)356-8000
BV3W12FD6LDYXXX	BFV3W 12" 60PSI DA D W/120V EP	(800)356-8000
BV3W12FD6LDZXXX	BFV3W 12" 60PSI DA D W/24V EP	(800)356-8000
BV3W12FD6LERXXX	BFV 3W 12" 60PSI DA E W/POS	(800)356-8000
BV3W12FD6LEXXXX	BFV 3W 12" 60PSI DA E	(800)356-8000
BV3W12FD6LEYXXX	BFV3W 12" 60PSI DA E W/120V EP	(800)356-8000
BV3W12FD6LEZXXX	BFV3W 12" 60PSI DA E W/24V EP	(800)356-8000
BV3W12FD6LFRXXX	BFV 3W 12" 60PSI DA F W/POS	(800)356-8000
BV3W12FD6LFXXXX	BFV 3W 12" 60PSI DA F	(800)356-8000
BV3W12FD6LFYXXX	BFV3W 12" 60PSI DA F W/120V EP	(800)356-8000
BV3W12FD6LFZXXX	BFV3W 12" 60PSI DA F W/24V EP	(800)356-8000
BV3W12FE2LAXXHX	BFV 3W 12" ELEC 2POS A W/HT	(800)356-8000
BV3W12FE2LAXXXX	BFV 3W 12" ELEC 2POS A	(800)356-8000
BV3W12FE2LBXXHX	BFV 3W 12" 120V 2POS B W/HT	(800)356-8000
BV3W12FE2LBXXXX	BFV 3W 12" 120V 2POS B	(800)356-8000
BV3W12FE2LCXXHX	BFV 3W 12" ELEC 2POS C W/HT	(800)356-8000
BV3W12FE2LCXXXX	BFV 3W 12" ELEC 2POS C	(800)356-8000
BV3W12FE2LDXXHX	BFV 3W 12" 120V 2POS D W/HT	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W12FE2LDXXXX	BFV 3W 12" 120V 2POS D	(800)356-8000
BV3W12FE2LEXXHX	BFV 3W 12" 120V 2POS E W/HT	(800)356-8000
BV3W12FE2LEXXXX	BFV 3W 12" 120V 2POS E	(800)356-8000
BV3W12FE2LFXXHX	BFV 3W 12" 120V 2POS F W/HT	(800)356-8000
BV3W12FE2LFXXXX	BFV 3W 12" 120V 2POS F	(800)356-8000
BV3W12FEMLAXXHX	BFV 3W 12" ELEC MOD A W/HT	(800)356-8000
BV3W12FEMLBXXHX	BFV 3W 12"120V MOD 0-10 B W/HT	(800)356-8000
BV3W12FEMLCXXHX	BFV 3W 12" ELEC MOD C W/HT	(800)356-8000
BV3W12FEMLDXXHX	BFV 3W 12"120V MOD 0-10 D W/HT	(800)356-8000
BV3W12FEMLEXXHX	BFV 3W 12"120V MOD 0-10 E W/HT	(800)356-8000
BV3W12FEMLFXXHX	BFV 3W 12"120V MOD 0-10 F W/HT	(800)356-8000
BV3W12FEPLAXXHX	BFV 3W 12"120V MOD 4-20 A W/HT	(800)356-8000
BV3W12FEPLBXXHX	BFV 3W 12"120V MOD 4-20 B W/HT	(800)356-8000
BV3W12FEPLCXXHX	BFV 3W 12"120V MOD 4-20 C W/HT	(800)356-8000
BV3W12FEPLDXXHX	BFV 3W 12"120V MOD 4-20 D W/HT	(800)356-8000
BV3W12FEPLExXHX	BFV 3W 12"120V MOD 4-20 E W/HT	(800)356-8000
BV3W12FEPLFXXHX	BFV 3W 12"120V MOD 4-20 F W/HT	(800)356-8000
BV3W12FS6LAQXXX	BFV 3W 12" 60PSI SR A W/POS	(800)356-8000
BV3W12FS6LAVXXX	BFV3W 12" 60PSI SR A W/120V EP	(800)356-8000
BV3W12FS6LAWXXX	BFV3W 12" 60PSI SR A W/24V EP	(800)356-8000
BV3W12FS6LAXXXX	BFV 3W 12" 60PSI SR A	(800)356-8000
BV3W12FS6LBQXXX	BFV 3W 12" 60PSI SR B W/POS	(800)356-8000
BV3W12FS6LBVXXX	BFV3W 12" 60PSI SR B W/120V EP	(800)356-8000
BV3W12FS6LBWXXX	BFV3W 12" 60PSI SR B W/24V EP	(800)356-8000
BV3W12FS6LBXXXX	BFV 3W 12" 60PSI SR B	(800)356-8000
BV3W12FS6LCQXXX	BFV 3W 12" 60PSI SR C W/POS	(800)356-8000
BV3W12FS6LCVXXX	BFV3W 12" 60PSI SR C W/120V EP	(800)356-8000
BV3W12FS6LCWXXX	BFV3W 12" 60PSI SR C W/24V EP	(800)356-8000
BV3W12FS6LCXXXX	BFV 3W 12" 60PSI SR C	(800)356-8000
BV3W12FS6LDQXXX	BFV 3W 12" 60PSI SR D W/POS	(800)356-8000
BV3W12FS6LDVXXX	BFV3W 12" 60PSI SR D W/120V EP	(800)356-8000
BV3W12FS6LDWXXX	BFV3W 12" 60PSI SR D W/24V EP	(800)356-8000
BV3W12FS6LDXXXX	BFV 3W 12" 60PSI SR D	(800)356-8000
BV3W12FS6LEQXXX	BFV 3W 12" 60PSI SR E W/POS	(800)356-8000
BV3W12FS6LEVXXX	BFV3W 12" 60PSI SR E W/120V EP	(800)356-8000
BV3W12FS6LEWXXX	BFV3W 12" 60PSI SR E W/24V EP	(800)356-8000
BV3W12FS6LEXXXX	BFV 3W 12" 60PSI SR E	(800)356-8000
BV3W12FS6LFQXXX	BFV 3W 12" 60PSI SR F W/POS	(800)356-8000
BV3W12FS6LFVXXX	BFV3W 12" 60PSI SR F W/120V EP	(800)356-8000
BV3W12FS6LFWXXX	BFV3W 12" 60PSI SR F W/24V EP	(800)356-8000
BV3W12FS6LFXXXX	BFV 3W 12" 60PSI SR F	(800)356-8000
BV3W12UD6LARXXX	BFV 3W 12" 60PSI DA A 50 W/POS	(800)356-8000
BV3W12UD6LAXXXX	BFV 3W 12" 60PSI DA A 50	(800)356-8000
BV3W12UD6LAYXXX	BFV3W12"60PSI DA A 50W/120V EP	(800)356-8000
BV3W12UD6LAZXXX	BFV3W12"60PSI DA A 50W/24V EP	(800)356-8000
BV3W12UD6LBRXXX	BFV 3W 12" 60PSI DA B 50 W/POS	(800)356-8000
BV3W12UD6LBXXXX	BFV 3W 12" 60PSI DA B 50	(800)356-8000
BV3W12UD6LBVXXX	BFV3W12"60PSI DA B 50W/120V EP	(800)356-8000
BV3W12UD6LBZXXX	BFV3W12"60PSI DA B 50W/24V EP	(800)356-8000
BV3W12UD6LCRXXX	BFV 3W 12" 60PSI DA C 50 W/POS	(800)356-8000
BV3W12UD6LCXXXX	BFV 3W 12" 60PSI DA C 50	(800)356-8000
BV3W12UD6LCYXXX	BFV3W12"60PSI DA C 50W/120V EP	(800)356-8000
BV3W12UD6LCZXXX	BFV3W12"60PSI DA C 50W/24V EP	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W12UD6LDRXXX	BFV 3W 12" 60PSI DA D 50 W/POS	(800)356-8000
BV3W12UD6LDXXXX	BFV 3W 12" 60PSI DA D 50	(800)356-8000
BV3W12UD6LDYXXX	BFV3W12"60PSI DA D 50W/120V EP	(800)356-8000
BV3W12UD6LDZXXX	BFV3W12"60PSI DA D 50W/24V EP	(800)356-8000
BV3W12UD6LERXXX	BFV 3W 12" 60PSI DA E 50 W/POS	(800)356-8000
BV3W12UD6LEXXXX	BFV 3W 12" 60PSI DA E 50	(800)356-8000
BV3W12UD6LEYXXX	BFV3W12"60PSI DA E 50W/120V EP	(800)356-8000
BV3W12UD6LEZXXX	BFV3W12"60PSI DA E 50W/24V EP	(800)356-8000
BV3W12UD6LFRXXX	BFV 3W 12" 60PSI DA F 50 W/POS	(800)356-8000
BV3W12UD6LFXXXX	BFV 3W 12" 60PSI DA F 50	(800)356-8000
BV3W12UD6LFYXXX	BFV3W12"60PSI DA F 50W/120V EP	(800)356-8000
BV3W12UD6LFZXXX	BFV3W12"60PSI DA F 50W/24V EP	(800)356-8000
BV3W12UE2LAXXHX	BFV 3W 12" ELEC 2POS A 50 W/HT	(800)356-8000
BV3W12UE2LAXXXX	BFV 3W 12" ELEC 2POS A 50	(800)356-8000
BV3W12UE2LBXXHX	BFV 3W 12" 120V 2POS B 50 W/HT	(800)356-8000
BV3W12UE2LBXXXX	BFV 3W 12" 120V 2POS B 50	(800)356-8000
BV3W12UE2LCXXHX	BFV 3W 12" ELEC 2POS C 50 W/HT	(800)356-8000
BV3W12UE2LCXXXX	BFV 3W 12" ELEC 2POS C 50	(800)356-8000
BV3W12UE2LDXXHX	BFV 3W 12" 120V 2POS D 50 W/HT	(800)356-8000
BV3W12UE2LDXXXX	BFV 3W 12" 120V 2POS D 50	(800)356-8000
BV3W12UE2LEXXHX	BFV 3W 12" 120V 2POS E 50 W/HT	(800)356-8000
BV3W12UE2LEXXXX	BFV 3W 12" 120V 2POS E 50	(800)356-8000
BV3W12UE2LFXXHX	BFV 3W 12" 120V 2POS F 50 W/HT	(800)356-8000
BV3W12UE2LFXXXX	BFV 3W 12" 120V 2POS F 50	(800)356-8000
BV3W12UEMLAXXHX	BFV 3W 12" ELEC MOD A 50 W/HT	(800)356-8000
BV3W12UEMLBXXHX	BFV 3W 12"120V MOD 0-10 B 50HT	(800)356-8000
BV3W12UEMLCXXHX	BFV 3W 12" ELEC MOD C 50 W/HT	(800)356-8000
BV3W12UEMLDXXHX	BFV 3W 12"120V MOD 0-10 D 50HT	(800)356-8000
BV3W12UEMLEXXHX	BFV 3W 12"120V MOD 0-10 E 50HT	(800)356-8000
BV3W12UEMLFXXHX	BFV 3W 12"120V MOD 0-10 F 50HT	(800)356-8000
BV3W12UEPLAXXHX	BFV 3W 12"120V MOD 4-20 A 50HT	(800)356-8000
BV3W12UEPLBXXHX	BFV 3W 12"120V MOD 4-20 B 50HT	(800)356-8000
BV3W12UEPLCXXHX	BFV 3W 12"120V MOD 4-20 C 50HT	(800)356-8000
BV3W12UEPLDXXHX	BFV 3W 12"120V MOD 4-20 D 50HT	(800)356-8000
BV3W12UEPLEXXHX	BFV 3W 12"120V MOD 4-20 E 50HT	(800)356-8000
BV3W12UEPLFXXHX	BFV 3W 12"120V MOD 4-20 F 50HT	(800)356-8000
BV3W12US2LAPXXX	BFV 3W 12" 20PSI SR A 50 W/POS	(800)356-8000
BV3W12US2LATXXX	BFV3W12"20PSI SR A 50W/120V EP	(800)356-8000
BV3W12US2LAUXXX	BFV3W12"20PSI SR A 50W/24V EP	(800)356-8000
BV3W12US2LAXXXX	BFV 3W 12" 20PSI SR A 50	(800)356-8000
BV3W12US2LBPXXX	BFV 3W 12" 20PSI SR B 50 W/POS	(800)356-8000
BV3W12US2LBTXXX	BFV3W12"20PSI SR B 50W/120V EP	(800)356-8000
BV3W12US2LBUXXX	BFV3W12"20PSI SR B 50W/24V EP	(800)356-8000
BV3W12US2LBXXXX	BFV 3W 12" 20PSI SR B 50	(800)356-8000
BV3W12US2LCPXXX	BFV 3W 12" 20PSI SR C 50 W/POS	(800)356-8000
BV3W12US2LCTXXX	BFV3W12"20PSI SR C 50W/120V EP	(800)356-8000
BV3W12US2LCUXXX	BFV3W12"20PSI SR C 50W/24V EP	(800)356-8000
BV3W12US2LCXXXX	BFV 3W 12" 20PSI SR C 50	(800)356-8000
BV3W12US2LDPXXX	BFV 3W 12" 20PSI SR D 50 W/POS	(800)356-8000
BV3W12US2LDTXXX	BFV3W12"20PSI SR D 50W/120V EP	(800)356-8000
BV3W12US2LDUXXX	BFV3W12"20PSI SR D 50W/24V EP	(800)356-8000
BV3W12US2LDXXXX	BFV 3W 12" 20PSI SR D 50	(800)356-8000
BV3W12US2LEPXXX	BFV 3W 12" 20PSI SR E 50 W/POS	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W12US2LETXXX	BFV3W12"20PSI SR E 50W/120V EP	(800)356-8000
BV3W12US2LEUXXX	BFV3W12"20PSI SR E 50W/24V EP	(800)356-8000
BV3W12US2LEXXXX	BFV 3W 12" 20PSI SR E 50	(800)356-8000
BV3W12US2LFPXXX	BFV 3W 12" 20PSI SR F 50 W/POS	(800)356-8000
BV3W12US2LFTXXX	BFV3W12"20PSI SR F 50W/120V EP	(800)356-8000
BV3W12US2LFUXXX	BFV3W12"20PSI SR F 50W/24V EP	(800)356-8000
BV3W12US2LFXXXX	BFV 3W 12" 20PSI SR F 50	(800)356-8000
BV3W12US6LAQXXX	BFV 3W 12" 60PSI SR A 50 W/POS	(800)356-8000
BV3W12US6LAVXXX	BFV3W12"60PSI SR A 50W/120V EP	(800)356-8000
BV3W12US6LAWXXX	BFV3W12"60PSI SR A 50W/24V EP	(800)356-8000
BV3W12US6LAXXXX	BFV 3W 12" 60PSI SR A 50	(800)356-8000
BV3W12US6LBQXXX	BFV 3W 12" 60PSI SR B 50 W/POS	(800)356-8000
BV3W12US6LBVXXX	BFV3W12"60PSI SR B 50W/120V EP	(800)356-8000
BV3W12US6LBWXXX	BFV3W12"60PSI SR B 50W/24V EP	(800)356-8000
BV3W12US6LBXXXX	BFV 3W 12" 60PSI SR B 50	(800)356-8000
BV3W12US6LCQXXX	BFV 3W 12" 60PSI SR C 50 W/POS	(800)356-8000
BV3W12US6LCVXXX	BFV3W12"60PSI SR C 50W/120V EP	(800)356-8000
BV3W12US6LCWXXX	BFV3W12"60PSI SR C 50W/24V EP	(800)356-8000
BV3W12US6LCXXXX	BFV 3W 12" 60PSI SR C 50	(800)356-8000
BV3W12US6LDQXXX	BFV 3W 12" 60PSI SR D 50 W/POS	(800)356-8000
BV3W12US6LDVXXX	BFV3W12"60PSI SR D 50W/120V EP	(800)356-8000
BV3W12US6LDWXXX	BFV3W12"60PSI SR D 50W/24V EP	(800)356-8000
BV3W12US6LDXXXX	BFV 3W 12" 60PSI SR D 50	(800)356-8000
BV3W12US6LEQXXX	BFV 3W 12" 60PSI SR E 50 W/POS	(800)356-8000
BV3W12US6LEVXXX	BFV3W12"60PSI SR E 50W/120V EP	(800)356-8000
BV3W12US6LEWXXX	BFV3W12"60PSI SR E 50W/24V EP	(800)356-8000
BV3W12US6LEXXXX	BFV 3W 12" 60PSI SR E 50	(800)356-8000
BV3W12US6LFQXXX	BFV 3W 12" 60PSI SR F 50 W/POS	(800)356-8000
BV3W12US6LFVXXX	BFV3W12"60PSI SR F 50W/120V EP	(800)356-8000
BV3W12US6LFWXXX	BFV3W12"60PSI SR F 50W/24V EP	(800)356-8000
BV3W12US6LFXXXX	BFV 3W 12" 60PSI SR F 50	(800)356-8000
BV3W14FD6LARXXX	BFV 3W 14" 60PSI DA A W/POS	(800)356-8000
BV3W14FD6LAXXXX	BFV 3W 14" 60PSI DA A	(800)356-8000
BV3W14FD6LAYXXX	BFV3W 14" 60PSI DA A W/120V EP	(800)356-8000
BV3W14FD6LAZXXX	BFV3W 14" 60PSI DA A W/24V EP	(800)356-8000
BV3W14FD6LBRXXX	BFV 3W 14" 60PSI DA B W/POS	(800)356-8000
BV3W14FD6LBXXXX	BFV 3W 14" 60PSI DA B	(800)356-8000
BV3W14FD6LBVXXX	BFV3W 14" 60PSI DA B W/120V EP	(800)356-8000
BV3W14FD6LBZXXX	BFV3W 14" 60PSI DA B W/24V EP	(800)356-8000
BV3W14FD6LCRXXX	BFV 3W 14" 60PSI DA C W/POS	(800)356-8000
BV3W14FD6LCXXXX	BFV 3W 14" 60PSI DA C	(800)356-8000
BV3W14FD6LCYXXX	BFV3W 14" 60PSI DA C W/120V EP	(800)356-8000
BV3W14FD6LCZXXX	BFV3W 14" 60PSI DA C W/24V EP	(800)356-8000
BV3W14FD6LDRXXX	BFV 3W 14" 60PSI DA D W/POS	(800)356-8000
BV3W14FD6LDXXXX	BFV 3W 14" 60PSI DA DW/120V EP	(800)356-8000
BV3W14FD6LDYXXX	BFV3W 14" 60PSI DA D W/120V EP	(800)356-8000
BV3W14FD6LDZXXX	BFV3W 14" 60PSI DA D W/24V EP	(800)356-8000
BV3W14FD6LERXXX	BFV 3W 14" 60PSI DA E W/POS	(800)356-8000
BV3W14FD6LEXXXX	BFV 3W 14" 60PSI DA E	(800)356-8000
BV3W14FD6LEYXXX	BFV3W 14" 60PSI DA E W/120V EP	(800)356-8000
BV3W14FD6LEZXXX	BFV3W 14" 60PSI DA E W/24V EP	(800)356-8000
BV3W14FD6LFRXXX	BFV 3W 14" 60PSI DA F W/POS	(800)356-8000
BV3W14FD6LFXXXX	BFV 3W 14" 60PSI DA F	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W14FD6LFYXXX	BFV3W 14" 60PSI DA F W/120V EP	(800)356-8000
BV3W14FD6LFZXXX	BFV3W 14" 60PSI DA F W/24V EP	(800)356-8000
BV3W14FE2LAXXHX	BFV 3W 14" ELEC 2POS A W/HT	(800)356-8000
BV3W14FE2LAXXXX	BFV 3W 14" ELEC 2POS A	(800)356-8000
BV3W14FE2LBXXHX	BFV 3W 14" 120V 2POS B W/HT	(800)356-8000
BV3W14FE2LBXXXX	BFV 3W 14" 120V 2POS B W/HT	(800)356-8000
BV3W14FE2LCXXHX	BFV 3W 14" ELEC 2POS C W/HT	(800)356-8000
BV3W14FE2LCXXXX	BFV 3W 14" ELEC 2POS C	(800)356-8000
BV3W14FE2LDXXHX	BFV 3W 14" 120V 2POS D W/HT	(800)356-8000
BV3W14FE2LDXXXX	BFV 3W 14" 120V 2POS D	(800)356-8000
BV3W14FE2LExXHX	BFV 3W 14" 120V 2POS E W/HT	(800)356-8000
BV3W14FE2LExXXX	BFV 3W 14" 120V 2POS E	(800)356-8000
BV3W14FE2LFXXHX	BFV 3W 14" 120V 2POS F W/HT	(800)356-8000
BV3W14FE2LFXXXX	BFV 3W 14" 120V 2POS F	(800)356-8000
BV3W14FEMLAXXHX	BFV 3W 14" ELEC MOD A W/HT	(800)356-8000
BV3W14FEMLBXXHX	BFV 3W 14"120V MOD 0-10 B W/HT	(800)356-8000
BV3W14FEMLCXXHX	BFV 3W 14" ELEC MOD C W/HT	(800)356-8000
BV3W14FEMLDXXHX	BFV 3W 14"120V MOD 0-10 D W/HT	(800)356-8000
BV3W14FEMLEXXHX	BFV 3W 14"120V MOD 0-10 E W/HT	(800)356-8000
BV3W14FEMLFXXHX	BFV 3W 14"120V MOD 0-10 F W/HT	(800)356-8000
BV3W14FEPLAXXHX	BFV 3W 14"120V MOD 4-20 A W/HT	(800)356-8000
BV3W14FEPLBXXHX	BFV 3W 14"120V MOD 4-20 B W/HT	(800)356-8000
BV3W14FEPLCXXHX	BFV 3W 14"120V MOD 4-20 C W/HT	(800)356-8000
BV3W14FEPLDXXHX	BFV 3W 14"120V MOD 4-20 D W/HT	(800)356-8000
BV3W14FEPLExXHX	BFV 3W 14"120V MOD 4-20 E W/HT	(800)356-8000
BV3W14FEPLFXXHX	BFV 3W 14"120V MOD 4-20 F W/HT	(800)356-8000
BV3W14FS6LAQXXX	BFV 3W 14" 60PSI SR A W/POS	(800)356-8000
BV3W14FS6LAVXXX	BFV3W 14" 60PSI SR A W/120V EP	(800)356-8000
BV3W14FS6LAWXXX	BFV3W 14" 60PSI SR A W/24V EP	(800)356-8000
BV3W14FS6LAXXXX	BFV 3W 14" 60PSI SR A	(800)356-8000
BV3W14FS6LBQXXX	BFV 3W 14" 60PSI SR B W/POS	(800)356-8000
BV3W14FS6LBVXXX	BFV3W 14" 60PSI SR B W/120V EP	(800)356-8000
BV3W14FS6LBWXXX	BFV3W 14" 60PSI SR B W/24V EP	(800)356-8000
BV3W14FS6LBXXXX	BFV 3W 14" 60PSI SR B	(800)356-8000
BV3W14FS6LCQXXX	BFV 3W 14" 60PSI SR C W/POS	(800)356-8000
BV3W14FS6LCVXXX	BFV3W 14" 60PSI SR C W/120V EP	(800)356-8000
BV3W14FS6LCWXXX	BFV3W 14" 60PSI SR C W/24V EP	(800)356-8000
BV3W14FS6LCXXXX	BFV 3W 14" 60PSI SR C	(800)356-8000
BV3W14FS6LDQXXX	BFV 3W 14" 60PSI SR D W/POS	(800)356-8000
BV3W14FS6LDVXXX	BFV3W 14" 60PSI SR D W/120V EP	(800)356-8000
BV3W14FS6LDWXXX	BFV3W 14" 60PSI SR D W/24V EP	(800)356-8000
BV3W14FS6LDXXXX	BFV 3W 14" 60PSI SR D	(800)356-8000
BV3W14FS6LEQXXX	BFV 3W 14" 60PSI SR E W/POS	(800)356-8000
BV3W14FS6LEVXXX	BFV3W 14" 60PSI SR E W/120V EP	(800)356-8000
BV3W14FS6LEWXXX	BFV3W 14" 60PSI SR E W/24V EP	(800)356-8000
BV3W14FS6LEXXXX	BFV 3W 14" 60PSI SR E	(800)356-8000
BV3W14FS6LFQXXX	BFV 3W 14" 60PSI SR F W/POS	(800)356-8000
BV3W14FS6LFVXXX	BFV3W 14" 60PSI SR F W/120V EP	(800)356-8000
BV3W14FS6LFWXXX	BFV3W 14" 60PSI SR F W/24V EP	(800)356-8000
BV3W14FS6LFXXXX	BFV 3W 14" 60PSI SR F	(800)356-8000
BV3W14UD6LARXXX	BFV 3W 14" 60PSI DA A 50 W/POS	(800)356-8000
BV3W14UD6LAXXXX	BFV 3W 14" 60PSI DA A 50	(800)356-8000
BV3W14UD6LAYXXX	BFV3W14"60PSI DA A 50W/120V EP	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W14UD6LAZXXX	BFV3W14"60PSI DA A 50W/24V EP	(800)356-8000
BV3W14UD6LBRXXX	BFV 3W 14" 60PSI DA B 50 W/POS	(800)356-8000
BV3W14UD6LBXXXX	BFV 3W 14" 60PSI DA B 50	(800)356-8000
BV3W14UD6LBYXXX	BFV3W14"60PSI DA B 50W/120V EP	(800)356-8000
BV3W14UD6LBZXXX	BFV3W14"60PSI DA B 50W/24V EP	(800)356-8000
BV3W14UD6LCRXXX	BFV 3W 14" 60PSI DA C 50 W/POS	(800)356-8000
BV3W14UD6LCXXXX	BFV 3W 14" 60PSI DA C 50	(800)356-8000
BV3W14UD6LCYXXX	BFV3W14"60PSI DA C 50W/120V EP	(800)356-8000
BV3W14UD6LCZXXX	BFV3W14"60PSI DA C 50W/24V EP	(800)356-8000
BV3W14UD6LDRXXX	BFV 3W 14" 60PSI DA D 50 W/POS	(800)356-8000
BV3W14UD6LDXXXX	BFV 3W 14" 60PSI DA D 50	(800)356-8000
BV3W14UD6LDYXXX	BFV3W14"60PSI DA D 50W/120V EP	(800)356-8000
BV3W14UD6LDZXXX	BFV3W14"60PSI DA D 50W/24V EP	(800)356-8000
BV3W14UD6LERXXX	BFV 3W 14" 60PSI DA E 50 W/POS	(800)356-8000
BV3W14UD6LEXXXX	BFV 3W 14" 60PSI DA E 50	(800)356-8000
BV3W14UD6LEYXXX	BFV3W14"60PSI DA E 50W/120V EP	(800)356-8000
BV3W14UD6LEZXXX	BFV3W14"60PSI DA E 50W/24V EP	(800)356-8000
BV3W14UD6LFRXXX	BFV 3W 14" 60PSI DA F 50 W/POS	(800)356-8000
BV3W14UD6LFXXXX	BFV 3W 14" 60PSI DA F 50	(800)356-8000
BV3W14UD6LFYXXX	BFV3W14"60PSI DA F 50W/120V EP	(800)356-8000
BV3W14UD6LFZXXX	BFV3W14"60PSI DA F 50W/24V EP	(800)356-8000
BV3W14UE2LAXXHX	BFV 3W 14" ELEC 2POS A 50 W/HT	(800)356-8000
BV3W14UE2LAXXXX	BFV 3W 14" ELEC 2POS A 50	(800)356-8000
BV3W14UE2LBXXHX	BFV 3W 14" 120V 2POS B 50 W/HT	(800)356-8000
BV3W14UE2LBXXXX	BFV 3W 14" 120V 2POS B 50	(800)356-8000
BV3W14UE2LCXXHX	BFV 3W 14" ELEC 2POS C 50 W/HT	(800)356-8000
BV3W14UE2LCXXXX	BFV 3W 14" ELEC 2POS C 50	(800)356-8000
BV3W14UE2LDXXHX	BFV 3W 14" 120V 2POS D 50 W/HT	(800)356-8000
BV3W14UE2LDXXXX	BFV 3W 14" 120V 2POS D 50	(800)356-8000
BV3W14UE2LEXXHX	BFV 3W 14" 120V 2POS E 50 W/HT	(800)356-8000
BV3W14UE2LEXXXX	BFV 3W 14" 120V 2POS E 50	(800)356-8000
BV3W14UE2LFXXHX	BFV 3W 14" 120V 2POS F 50 W/HT	(800)356-8000
BV3W14UE2LFXXXX	BFV 3W 14" 120V 2POS F 50	(800)356-8000
BV3W14UEMLAXXHX	BFV 3W 14" ELEC MOD A 50 W/HT	(800)356-8000
BV3W14UEMLBXXHX	BFV 3W 14"120V MOD 0-10 B 50HT	(800)356-8000
BV3W14UEMLCXXHX	BFV 3W 14" ELEC MOD C 50 W/HT	(800)356-8000
BV3W14UEMLDXXHX	BFV 3W 14"120V MOD 0-10 D 50HT	(800)356-8000
BV3W14UEMLEXXHX	BFV 3W 14"120V MOD 0-10 E 50HT	(800)356-8000
BV3W14UEMLFXXHX	BFV 3W 14"120V MOD 0-10 F 50HT	(800)356-8000
BV3W14UEPLAXXHX	BFV 3W 14"120V MOD 4-20 A 50HT	(800)356-8000
BV3W14UEPLBXXHX	BFV 3W 14"120V MOD 4-20 B 50HT	(800)356-8000
BV3W14UEPLCXXHX	BFV 3W 14"120V MOD 4-20 C 50HT	(800)356-8000
BV3W14UEPLDXXHX	BFV 3W 14"120V MOD 4-20 D 50HT	(800)356-8000
BV3W14UEPLEXXHX	BFV 3W 14"120V MOD 4-20 E 50HT	(800)356-8000
BV3W14UEPLFXXHX	BFV 3W 14"120V MOD 4-20 F 50HT	(800)356-8000
BV3W14US6LAQXXX	BFV 3W 14" 60PSI SR A 50 W/POS	(800)356-8000
BV3W14US6LAVXXX	BFV3W14"60PSI SR A 50W/120V EP	(800)356-8000
BV3W14US6LAWXXX	BFV3W14"60PSI SR A 50W/24V EP	(800)356-8000
BV3W14US6LAXXXX	BFV 3W 14" 60PSI SR A 50	(800)356-8000
BV3W14US6LBQXXX	BFV 3W 14" 60PSI SR B 50 W/POS	(800)356-8000
BV3W14US6LBVXXX	BFV3W14"60PSI SR B 50W/120V EP	(800)356-8000
BV3W14US6LBWXXX	BFV3W14"60PSI SR B 50W/24V EP	(800)356-8000
BV3W14US6LBXXXX	BFV 3W 14" 60PSI SR B 50	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W14US6LCQXXX	BFV 3W 14" 60PSI SR C 50 W/POS	(800)356-8000
BV3W14US6LCVXXX	BFV3W14"60PSI SR C 50W/120V EP	(800)356-8000
BV3W14US6LCWXXX	BFV3W14"60PSI SR C 50W/24V EP	(800)356-8000
BV3W14US6LCXXX	BFV 3W 14" 60PSI SR C 50	(800)356-8000
BV3W14US6LDQXXX	BFV 3W 14" 60PSI SR D 50 W/POS	(800)356-8000
BV3W14US6LDVXXX	BFV3W14"60PSI SR D 50W/120V EP	(800)356-8000
BV3W14US6LDWXXX	BFV3W14"60PSI SR D 50W/24V EP	(800)356-8000
BV3W14US6LDXXX	BFV 3W 14" 60PSI SR D 50	(800)356-8000
BV3W14US6LEQXXX	BFV 3W 14" 60PSI SR E 50 W/POS	(800)356-8000
BV3W14US6LEVXXX	BFV3W14"60PSI SR E 50W/120V EP	(800)356-8000
BV3W14US6LEWXXX	BFV3W14"60PSI SR E 50W/24V EP	(800)356-8000
BV3W14US6LEXXXX	BFV 3W 14" 60PSI SR E 50	(800)356-8000
BV3W14US6LFQXXX	BFV 3W 14" 60PSI SR F 50 W/POS	(800)356-8000
BV3W14US6LFVXXX	BFV3W14"60PSI SR F 50W/120V EP	(800)356-8000
BV3W14US6LFWXXX	BFV3W14"60PSI SR F 50W/24V EP	(800)356-8000
BV3W14US6LFXXXX	BFV 3W 14" 60PSI SR F 50	(800)356-8000
BV3W16FD6LARXXX	BFV 3W 16" 60PSI DA A W/POS	(800)356-8000
BV3W16FD6LAXXXX	BFV 3W 16" 60PSI DA A	(800)356-8000
BV3W16FD6LAYXXX	BFV3W 16" 60PSI DA A W/120V EP	(800)356-8000
BV3W16FD6LAZXXX	BFV3W 16" 60PSI DA A W/24V EP	(800)356-8000
BV3W16FD6LBRXXX	BFV 3W 16" 60PSI DA B W/POS	(800)356-8000
BV3W16FD6LBXXXX	BFV 3W 16" 60PSI DA B	(800)356-8000
BV3W16FD6LBVXXX	BFV3W 16" 60PSI DA B W/120V EP	(800)356-8000
BV3W16FD6LBZXXX	BFV3W 16" 60PSI DA B W/24V EP	(800)356-8000
BV3W16FD6LCRXXX	BFV 3W 16" 60PSI DA C W/POS	(800)356-8000
BV3W16FD6LCXXXX	BFV 3W 16" 60PSI DA C	(800)356-8000
BV3W16FD6LCYXXX	BFV3W 16" 60PSI DA C W/120V EP	(800)356-8000
BV3W16FD6LCZXXX	BFV3W 16" 60PSI DA C W/24V EP	(800)356-8000
BV3W16FD6LDRXXX	BFV 3W 16" 60PSI DA D W/POS	(800)356-8000
BV3W16FD6LDXXXX	BFV 3W 16" 60PSI DA DW/120V EP	(800)356-8000
BV3W16FD6LDYXXX	BFV3W 16" 60PSI DA D W/120V EP	(800)356-8000
BV3W16FD6LDZXXX	BFV3W 16" 60PSI DA D W/24V EP	(800)356-8000
BV3W16FD6LERXXX	BFV 3W 16" 60PSI DA E W/POS	(800)356-8000
BV3W16FD6LEXXXX	BFV 3W 16" 60PSI DA E	(800)356-8000
BV3W16FD6LEYXXX	BFV3W 16" 60PSI DA E W/120V EP	(800)356-8000
BV3W16FD6LEZXXX	BFV3W 16" 60PSI DA E W/24V EP	(800)356-8000
BV3W16FD6LFRXXX	BFV 3W 16" 60PSI DA F W/POS	(800)356-8000
BV3W16FD6LFXXXX	BFV 3W 16" 60PSI DA F	(800)356-8000
BV3W16FD6LFYXXX	BFV3W 16" 60PSI DA F W/120V EP	(800)356-8000
BV3W16FD6LFZXXX	BFV3W 16" 60PSI DA F W/24V EP	(800)356-8000
BV3W16FE2LAXXHX	BFV 3W 16" ELEC 2POS A W/HT	(800)356-8000
BV3W16FE2LAXXXX	BFV 3W 16" ELEC 2POS A	(800)356-8000
BV3W16FE2LBXXHX	BFV 3W 16" 120V 2POS B W/HT	(800)356-8000
BV3W16FE2LBXXXX	BFV 3W 16" 120V 2POS B	(800)356-8000
BV3W16FE2LCXXHX	BFV 3W 16" ELEC 2POS C W/HT	(800)356-8000
BV3W16FE2LCXXXX	BFV 3W 16" ELEC 2POS C	(800)356-8000
BV3W16FE2LDXXHX	BFV 3W 16" 120V 2POS D W/HT	(800)356-8000
BV3W16FE2LDXXXX	BFV 3W 16" 120V 2POS D	(800)356-8000
BV3W16FE2LXXHX	BFV 3W 16" 120V 2POS E W/HT	(800)356-8000
BV3W16FE2LXXXX	BFV 3W 16" 120V 2POS E	(800)356-8000
BV3W16FE2LFXXHX	BFV 3W 16" 120V 2POS F W/HT	(800)356-8000
BV3W16FE2LFXXXX	BFV 3W 16" 120V 2POS F	(800)356-8000
BV3W16FEMLAXXHX	BFV 3W 16" ELEC MOD A W/HT	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W16FEMLBXXHX	BFV 3W 16"120V MOD 0-10 B W/HT	(800)356-8000
BV3W16FEMLCXXHX	BFV 3W 16" ELEC MOD C W/HT	(800)356-8000
BV3W16FEMLDXXHX	BFV 3W 16"120V MOD 0-10 D W/HT	(800)356-8000
BV3W16FEMLEXXHX	BFV 3W 16"120V MOD 0-10 E W/HT	(800)356-8000
BV3W16FEMLFXXHX	BFV 3W 16"120V MOD 0-10 F W/HT	(800)356-8000
BV3W16FEPLAXXXHX	BFV 3W 16"120V MOD 4-20 A W/HT	(800)356-8000
BV3W16FEPLBXXHX	BFV 3W 16"120V MOD 4-20 B W/HT	(800)356-8000
BV3W16FEPLCXXHX	BFV 3W 16"120V MOD 4-20 C W/HT	(800)356-8000
BV3W16FEPLDXXHX	BFV 3W 16"120V MOD 4-20 D W/HT	(800)356-8000
BV3W16FEPLExXXHX	BFV 3W 16"120V MOD 4-20 E W/HT	(800)356-8000
BV3W16FEPLFXXHX	BFV 3W 16"120V MOD 4-20 F W/HT	(800)356-8000
BV3W16FS6LAQXXX	BFV 3W 16" 60PSI SR A W/POS	(800)356-8000
BV3W16FS6LAVXXX	BFV3W 16" 60PSI SR A W/120V EP	(800)356-8000
BV3W16FS6LAWXXX	BFV3W 16" 60PSI SR A W/24V EP	(800)356-8000
BV3W16FS6LAXXXX	BFV 3W 16" 60PSI SR A	(800)356-8000
BV3W16FS6LBQXXX	BFV 3W 16" 60PSI SR B W/POS	(800)356-8000
BV3W16FS6LBVXXX	BFV3W 16" 60PSI SR B W/120V EP	(800)356-8000
BV3W16FS6LBWXXX	BFV3W 16" 60PSI SR B W/24V EP	(800)356-8000
BV3W16FS6LBXXXX	BFV 3W 16" 60PSI SR B	(800)356-8000
BV3W16FS6LCQXXX	BFV 3W 16" 60PSI SR C W/POS	(800)356-8000
BV3W16FS6LCVXXX	BFV3W 16" 60PSI SR C W/120V EP	(800)356-8000
BV3W16FS6LCWXXX	BFV3W 16" 60PSI SR C W/24V EP	(800)356-8000
BV3W16FS6LCXXXX	BFV 3W 16" 60PSI SR C	(800)356-8000
BV3W16FS6LDQXXX	BFV 3W 16" 60PSI SR D W/POS	(800)356-8000
BV3W16FS6LDVXXX	BFV3W 16" 60PSI SR D W/120V EP	(800)356-8000
BV3W16FS6LDWXXX	BFV3W 16" 60PSI SR D W/24V EP	(800)356-8000
BV3W16FS6LDXXXX	BFV 3W 16" 60PSI SR D	(800)356-8000
BV3W16FS6LEQXXX	BFV 3W 16" 60PSI SR E W/POS	(800)356-8000
BV3W16FS6LEVXXX	BFV3W 16" 60PSI SR E W/120V EP	(800)356-8000
BV3W16FS6LEWXXX	BFV3W 16" 60PSI SR E W/24V EP	(800)356-8000
BV3W16FS6LEXXXX	BFV 3W 16" 60PSI SR E	(800)356-8000
BV3W16FS6LFQXXX	BFV 3W 16" 60PSI SR F W/POS	(800)356-8000
BV3W16FS6LFVXXX	BFV3W 16" 60PSI SR F W/120V EP	(800)356-8000
BV3W16FS6LFWXXX	BFV3W 16" 60PSI SR F W/24V EP	(800)356-8000
BV3W16FS6LFXXXX	BFV 3W 16" 60PSI SR F	(800)356-8000
BV3W16UD6LARXXX	BFV 3W 16" 60PSI DA A 50 W/POS	(800)356-8000
BV3W16UD6LAXXXX	BFV 3W 16" 60PSI DA A 50	(800)356-8000
BV3W16UD6LAYXXX	BFV3W16"60PSI DA A 50W/120V EP	(800)356-8000
BV3W16UD6LAZXXX	BFV3W16"60PSI DA A 50W/24V EP	(800)356-8000
BV3W16UD6LBRXXX	BFV 3W 16" 60PSI DA B 50 W/POS	(800)356-8000
BV3W16UD6LBXXXX	BFV 3W 16" 60PSI DA B 50	(800)356-8000
BV3W16UD6LBYXXX	BFV3W16"60PSI DA B 50W/120V EP	(800)356-8000
BV3W16UD6LBZXXX	BFV3W16"60PSI DA B 50W/24V EP	(800)356-8000
BV3W16UD6LCRXXX	BFV 3W 16" 60PSI DA C 50 W/POS	(800)356-8000
BV3W16UD6LCXXXX	BFV 3W 16" 60PSI DA C 50	(800)356-8000
BV3W16UD6LCYXXX	BFV3W16"60PSI DA C 50W/120V EP	(800)356-8000
BV3W16UD6LCZXXX	BFV3W16"60PSI DA C 50W/24V EP	(800)356-8000
BV3W16UD6LDRXXX	BFV 3W 16" 60PSI DA D 50 W/POS	(800)356-8000
BV3W16UD6LDXXXX	BFV 3W 16" 60PSI DA D 50	(800)356-8000
BV3W16UD6LDYXXX	BFV3W16"60PSI DA D 50W/120V EP	(800)356-8000
BV3W16UD6LDZXXX	BFV3W16"60PSI DA D 50W/24V EP	(800)356-8000
BV3W16UD6LERXXX	BFV 3W 16" 60PSI DA E 50 W/POS	(800)356-8000
BV3W16UD6LEXXXX	BFV 3W 16" 60PSI DA E 50	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W16UD6LEYXXX	BFV3W16"60PSI DA E 50W/120V EP	(800)356-8000
BV3W16UD6LEZXXX	BFV3W16"60PSI DA E 50W/24V EP	(800)356-8000
BV3W16UD6LFRXXX	BFV 3W 16" 60PSI DA F 50 W/POS	(800)356-8000
BV3W16UD6LFYXXX	BFV 3W 16" 60PSI DA F 50	(800)356-8000
BV3W16UD6LFZXXX	BFV3W16"60PSI DA F 50W/120V EP	(800)356-8000
BV3W16UD6LFZXXX	BFV3W16"60PSI DA F 50W/24V EP	(800)356-8000
BV3W16UE2LAXXHX	BFV 3W 16" ELEC 2POS A 50 W/HT	(800)356-8000
BV3W16UE2LAXXXX	BFV 3W 16" ELEC 2POS A 50	(800)356-8000
BV3W16UE2LBXXHX	BFV 3W 16" 120V 2POS B 50 W/HT	(800)356-8000
BV3W16UE2LBXXXX	BFV 3W 16" 120V 2POS B 50	(800)356-8000
BV3W16UE2LCXXHX	BFV 3W 16" ELEC 2POS C 50 W/HT	(800)356-8000
BV3W16UE2LCXXXX	BFV 3W 16" ELEC 2POS C 50	(800)356-8000
BV3W16UE2LDXXHX	BFV 3W 16" 120V 2POS D 50 W/HT	(800)356-8000
BV3W16UE2LDXXXX	BFV 3W 16" 120V 2POS D 50	(800)356-8000
BV3W16UE2LExXHX	BFV 3W 16" 120V 2POS E 50 W/HT	(800)356-8000
BV3W16UE2LExXXX	BFV 3W 16" 120V 2POS E 50	(800)356-8000
BV3W16UE2LFXXHX	BFV 3W 16" 120V 2POS F 50 W/HT	(800)356-8000
BV3W16UE2LFXXXX	BFV 3W 16" 120V 2POS F 50	(800)356-8000
BV3W16UEMLAXXHX	BFV 3W 16" ELEC MOD A 50 W/HT	(800)356-8000
BV3W16UEMLBXXHX	BFV 3W 16"120V MOD 0-10 B 50HT	(800)356-8000
BV3W16UEMLCXXHX	BFV 3W 16" ELEC MOD C 50 W/HT	(800)356-8000
BV3W16UEMLDXXHX	BFV 3W 16"120V MOD 0-10 D 50HT	(800)356-8000
BV3W16UEMLEXXHX	BFV 3W 16"120V MOD 0-10 E 50HT	(800)356-8000
BV3W16UEMLFXXHX	BFV 3W 16"120V MOD 0-10 F 50HT	(800)356-8000
BV3W16UEPLAXXHX	BFV 3W 16"120V MOD 4-20 A 50HT	(800)356-8000
BV3W16UEPLBXXHX	BFV 3W 16"120V MOD 4-20 B 50HT	(800)356-8000
BV3W16UEPLCXXHX	BFV 3W 16"120V MOD 4-20 C 50HT	(800)356-8000
BV3W16UEPLDXXHX	BFV 3W 16"120V MOD 4-20 D 50HT	(800)356-8000
BV3W16UEPLEXXHX	BFV 3W 16"120V MOD 4-20 E 50HT	(800)356-8000
BV3W16UEPLFXXHX	BFV 3W 16"120V MOD 4-20 F 50HT	(800)356-8000
BV3W16US6LAQXXX	BFV 3W 16" 60PSI SR A 50 W/POS	(800)356-8000
BV3W16US6LAVXXX	BFV3W16"60PSI SR A 50W/120V EP	(800)356-8000
BV3W16US6LAWXXX	BFV3W16"60PSI SR A 50W/24V EP	(800)356-8000
BV3W16US6LAXXXX	BFV 3W 16" 60PSI SR A 50	(800)356-8000
BV3W16US6LBQXXX	BFV 3W 16" 60PSI SR B 50 W/POS	(800)356-8000
BV3W16US6LBVXXX	BFV3W16"60PSI SR B 50W/120V EP	(800)356-8000
BV3W16US6LBWXXX	BFV3W16"60PSI SR B 50W/24V EP	(800)356-8000
BV3W16US6LBXXXX	BFV 3W 16" 60PSI SR B 50	(800)356-8000
BV3W16US6LCQXXX	BFV 3W 16" 60PSI SR C 50 W/POS	(800)356-8000
BV3W16US6LCVXXX	BFV3W16"60PSI SR C 50W/120V EP	(800)356-8000
BV3W16US6LCWXXX	BFV3W16"60PSI SR C 50W/24V EP	(800)356-8000
BV3W16US6LCXXXX	BFV 3W 16" 60PSI SR C 50	(800)356-8000
BV3W16US6LDQXXX	BFV 3W 16" 60PSI SR D 50 W/POS	(800)356-8000
BV3W16US6LDVXXX	BFV3W16"60PSI SR D 50W/120V EP	(800)356-8000
BV3W16US6LDWXXX	BFV3W16"60PSI SR D 50W/24V EP	(800)356-8000
BV3W16US6LDXXXX	BFV 3W 16" 60PSI SR D 50	(800)356-8000
BV3W16US6LEQXXX	BFV 3W 16" 60PSI SR E 50 W/POS	(800)356-8000
BV3W16US6LEVXXX	BFV3W16"60PSI SR E 50W/120V EP	(800)356-8000
BV3W16US6LEWXXX	BFV3W16"60PSI SR E 50W/24V EP	(800)356-8000
BV3W16US6LEXXXX	BFV 3W 16" 60PSI SR E 50	(800)356-8000
BV3W16US6LFQXXX	BFV 3W 16" 60PSI SR F 50 W/POS	(800)356-8000
BV3W16US6LFVXXX	BFV3W16"60PSI SR F 50W/120V EP	(800)356-8000
BV3W16US6LFWXXX	BFV3W16"60PSI SR F 50W/24V EP	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W16US6LFXXXX	BFV 3W 16" 60PSI SR F 50	(800)356-8000
BV3W25FD6LARXXX	BFV 3W 2.5" 60PSI DA A W/POS	(800)356-8000
BV3W25FD6LAXXXX	BFV 3W 2.5" 60PSI DA A	(800)356-8000
BV3W25FD6LAYXXX	BFV3W2.5" 60PSI DA A W/120V EP	(800)356-8000
BV3W25FD6LAZXXX	BFV3W2.5" 60PSI DA A W/24V EP	(800)356-8000
BV3W25FD6LBRXXX	BFV 3W 2.5" 60PSI DA B W/POS	(800)356-8000
BV3W25FD6LBXXXX	BFV 3W 2.5" 60PSI DA B	(800)356-8000
BV3W25FD6LBXXXX	BFV3W2.5" 60PSI DA B W/120V EP	(800)356-8000
BV3W25FD6LBZXXX	BFV3W2.5" 60PSI DA B W/24V EP	(800)356-8000
BV3W25FD6LCRXXX	BFV 3W 2.5" 60PSI DA C W/POS	(800)356-8000
BV3W25FD6LCXXXX	BFV 3W 2.5" 60PSI DA C	(800)356-8000
BV3W25FD6LCYXXX	BFV3W2.5" 60PSI DA C W/120V EP	(800)356-8000
BV3W25FD6LCZXXX	BFV3W2.5" 60PSI DA C W/24V EP	(800)356-8000
BV3W25FD6LDRXXX	BFV 3W 2.5" 60PSI DA D W/POS	(800)356-8000
BV3W25FD6LDXXXX	BFV 3W 2.5" 60PSI DA D	(800)356-8000
BV3W25FD6LDYXXX	BFV3W2.5" 60PSI DA D W/120V EP	(800)356-8000
BV3W25FD6LDZXXX	BFV3W2.5" 60PSI DA D W/24V EP	(800)356-8000
BV3W25FD6LERXXX	BFV 3W 2.5" 60PSI DA E W/POS	(800)356-8000
BV3W25FD6LEXXXX	BFV 3W 2.5" 60PSI DA E	(800)356-8000
BV3W25FD6LEYXXX	BFV3W2.5" 60PSI DA E W/120V EP	(800)356-8000
BV3W25FD6LEZXXX	BFV3W2.5" 60PSI DA E W/24V EP	(800)356-8000
BV3W25FD6LFRXXX	BFV 3W 2.5" 60PSI DA F W/POS	(800)356-8000
BV3W25FD6LFXXXX	BFV 3W 2.5" 60PSI DA F	(800)356-8000
BV3W25FD6LFYXXX	BFV3W2.5" 60PSI DA F W/120V EP	(800)356-8000
BV3W25FD6LFZXXX	BFV3W2.5" 60PSI DA F W/24V EP	(800)356-8000
BV3W25FE2LAXXHX	BFV 3W 2.5" ELEC 2POS A W/HT	(800)356-8000
BV3W25FE2LAXXXX	BFV 3W 2.5" ELEC 2POS A	(800)356-8000
BV3W25FE2LBXXHX	BFV 3W 2.5" 120V 2POS B W/HT	(800)356-8000
BV3W25FE2LBXXXX	BFV 3W 2.5" 120V 2POS B	(800)356-8000
BV3W25FE2LCXXHX	BFV 3W 2.5" ELEC 2POS C W/HT	(800)356-8000
BV3W25FE2LCXXXX	BFV 3W 2.5" ELEC 2POS C	(800)356-8000
BV3W25FE2LDXXHX	BFV 3W 2.5" 120V 2POS D W/HT	(800)356-8000
BV3W25FE2LDXXXX	BFV 3W 2.5" 120V 2POS D	(800)356-8000
BV3W25FE2LExXHX	BFV 3W 2.5" 120V 2POS E W/HT	(800)356-8000
BV3W25FE2LExXXX	BFV 3W 2.5" 120V 2POS E	(800)356-8000
BV3W25FE2LFXXHX	BFV 3W 2.5" 120V 2POS F W/HT	(800)356-8000
BV3W25FE2LFXXXX	BFV 3W 2.5" 120V 2POS F	(800)356-8000
BV3W25FEMLAXXHX	BFV 3W 2.5" ELEC MOD A W/HT	(800)356-8000
BV3W25FEMLBXXHX	BFV 3W 2.5"120V MOD 0-10 B W/H	(800)356-8000
BV3W25FEMLCXXHX	BFV 3W 2.5" ELEC MOD C W/HT	(800)356-8000
BV3W25FEMLDXXHX	BFV 3W 2.5"120V MOD 0-10 D W/H	(800)356-8000
BV3W25FEMLEXXHX	BFV 3W 2.5"120V MOD 0-10 E W/H	(800)356-8000
BV3W25FEMLFXXHX	BFV 3W 2.5"120V MOD 0-10 F W/H	(800)356-8000
BV3W25FEPLAXXHX	BFV 3W 2.5"120V MOD 4-20 A W/H	(800)356-8000
BV3W25FEPLBXXHX	BFV 3W 2.5"120V MOD 4-20 B W/H	(800)356-8000
BV3W25FEPLCXXHX	BFV 3W 2.5"120V MOD 4-20 C W/H	(800)356-8000
BV3W25FEPLDXXHX	BFV 3W 2.5"120V MOD 4-20 D W/H	(800)356-8000
BV3W25FEPEXXHX	BFV 3W 2.5"120V MOD 4-20 E W/H	(800)356-8000
BV3W25FEPLFXXHX	BFV 3W 2.5"120V MOD 4-20 F W/H	(800)356-8000
BV3W25FS2LAPXXX	BFV 3W 2.5" 20PSI SR A W/POS	(800)356-8000
BV3W25FS2LATXXX	BFV3W 2.5"20PSI SR A W/120V EP	(800)356-8000
BV3W25FS2LAUXXX	BFV3W 2.5"20PSI SR A W/24V EP	(800)356-8000
BV3W25FS2LAXXXX	BFV 3W 2.5" 20PSI SR A	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W25FS2LBPXXX	BFV 3W 2.5" 20PSI SR B W/POS	(800)356-8000
BV3W25FS2LBTXXX	BFV3W 2.5"20PSI SR B W/120V EP	(800)356-8000
BV3W25FS2LBUXXX	BFV3W 2.5"20PSI SR B W/24V EP	(800)356-8000
BV3W25FS2LBXXXX	BFV 3W 2.5" 20PSI SR B	(800)356-8000
BV3W25FS2LCPXXX	BFV 3W 2.5" 20PSI SR C W/POS	(800)356-8000
BV3W25FS2LCTXXX	BFV3W 2.5"20PSI SR C W/120V EP	(800)356-8000
BV3W25FS2LCUXXX	BFV3W 2.5"20PSI SR C W/24V EP	(800)356-8000
BV3W25FS2LCXXXX	BFV 3W 2.5" 20PSI SR C	(800)356-8000
BV3W25FS2LDPXXX	BFV 3W 2.5" 20PSI SR D W/POS	(800)356-8000
BV3W25FS2LDTXXX	BFV3W 2.5"20PSI SR D W/120V EP	(800)356-8000
BV3W25FS2LDUXXX	BFV3W 2.5"20PSI SR D W/24V EP	(800)356-8000
BV3W25FS2LDXXXX	BFV 3W 2.5" 20PSI SR D	(800)356-8000
BV3W25FS2LEPXXX	BFV 3W 2.5" 20PSI SR E W/POS	(800)356-8000
BV3W25FS2LETXXX	BFV3W 2.5"20PSI SR E W/120V EP	(800)356-8000
BV3W25FS2LEUXXX	BFV3W 2.5"20PSI SR E W/24V EP	(800)356-8000
BV3W25FS2LEXXXX	BFV 3W 2.5" 20PSI SR E	(800)356-8000
BV3W25FS2LFPXXX	BFV 3W 2.5" 20PSI SR F W/POS	(800)356-8000
BV3W25FS2LFTXXX	BFV3W 2.5"20PSI SR F W/120V EP	(800)356-8000
BV3W25FS2LFUXXX	BFV3W 2.5"20PSI SR F W/24V EP	(800)356-8000
BV3W25FS2LFXXXX	BFV 3W 2.5" 20PSI SR F	(800)356-8000
BV3W25FS6LAQXXX	BFV 3W 2.5" 60PSI SR A W/POS	(800)356-8000
BV3W25FS6LAVXXX	BFV3W2.5" 60PSI SR A W/120V EP	(800)356-8000
BV3W25FS6LAWXXX	BFV3W2.5" 60PSI SR A W/24V EP	(800)356-8000
BV3W25FS6LAXXXX	BFV 3W 2.5" 60PSI SR A	(800)356-8000
BV3W25FS6LBQXXX	BFV 3W 2.5" 60PSI SR B W/POS	(800)356-8000
BV3W25FS6LBVXXX	BFV3W2.5" 60PSI SR B W/120V EP	(800)356-8000
BV3W25FS6LBWXXX	BFV3W2.5" 60PSI SR B W/24V EP	(800)356-8000
BV3W25FS6LBXXXX	BFV 3W 2.5" 60PSI SR B	(800)356-8000
BV3W25FS6LCQXXX	BFV 3W 2.5" 60PSI SR C W/POS	(800)356-8000
BV3W25FS6LCVXXX	BFV3W2.5" 60PSI SR C W/120V EP	(800)356-8000
BV3W25FS6LCWXXX	BFV3W2.5" 60PSI SR C W/24V EP	(800)356-8000
BV3W25FS6LCXXXX	BFV 3W 2.5" 60PSI SR C	(800)356-8000
BV3W25FS6LDQXXX	BFV 3W 2.5" 60PSI SR D W/POS	(800)356-8000
BV3W25FS6LDVXXX	BFV3W2.5" 60PSI SR D W/120V EP	(800)356-8000
BV3W25FS6LDWXXX	BFV3W2.5" 60PSI SR D W/24V EP	(800)356-8000
BV3W25FS6LDXXXX	BFV 3W 2.5" 60PSI SR D	(800)356-8000
BV3W25FS6LEQXXX	BFV 3W 2.5" 60PSI SR E W/POS	(800)356-8000
BV3W25FS6LEVXXX	BFV3W2.5" 60PSI SR E W/120V EP	(800)356-8000
BV3W25FS6LEWXXX	BFV3W2.5" 60PSI SR E W/24V EP	(800)356-8000
BV3W25FS6LEXXXX	BFV 3W 2.5" 60PSI SR E	(800)356-8000
BV3W25FS6LFQXXX	BFV 3W 2.5" 60PSI SR F W/POS	(800)356-8000
BV3W25FS6LFVXXX	BFV3W2.5" 60PSI SR F W/120V EP	(800)356-8000
BV3W25FS6LFWXXX	BFV3W2.5" 60PSI SR F W/24V EP	(800)356-8000
BV3W25FS6LFXXXX	BFV 3W 2.5" 60PSI SR F	(800)356-8000
BV3W25UG1LAXXXX	BFV 3W2.5"120V ON/OFF SR A 100	(800)356-8000
BV3W25UG1LBXXXX	BFV 3W2.5"120V ON/OFF SR B 100	(800)356-8000
BV3W25UG1LCXXXX	BFV 3W2.5"120V ON/OFF SR C 100	(800)356-8000
BV3W25UG1LDXXXX	BFV 3W2.5"120V ON/OFF SR D 100	(800)356-8000
BV3W25UG1LEXXXX	BFV 3W2.5"120V ON/OFF SR E 100	(800)356-8000
BV3W25UG1LFXXXX	BFV 3W2.5"120V ON/OFF SR F 100	(800)356-8000
BV3W25UG2LAXXXX	BFV 3W2.5"24V ON/OFF SR A 100	(800)356-8000
BV3W25UG2LBXXXX	BFV 3W2.5"24V ON/OFF SR B 100	(800)356-8000
BV3W25UG2LCXXXX	BFV 3W2.5"24V ON/OFF SR C 100	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
BV3W25UG2LDXXXX	BFV 3W2.5"24V ON/OFF SR D 100	(800)356-8000
BV3W25UG2LEXXXX	BFV 3W2.5"24V ON/OFF SR E 100	(800)356-8000
BV3W25UG2LFXXXX	BFV 3W2.5"24V ON/OFF SR F 100	(800)356-8000
BV3W25UG3LAXXXX	BFV 3W2.5"24V FLOATING SR A100	(800)356-8000
BV3W25UG3LBXXXX	BFV 3W2.5"24V FLOATING SR B100	(800)356-8000
BV3W25UG3LCXXXX	BFV 3W2.5"24V FLOATING SR C100	(800)356-8000
BV3W25UG3LDXXXX	BFV 3W2.5"24V FLOATING SR D100	(800)356-8000
BV3W25UG3LEXXXX	BFV 3W2.5"24V FLOATING SR E100	(800)356-8000
BV3W25UG3LFXXXX	BFV 3W2.5"24V FLOATING SR F100	(800)356-8000
BV3W25UG4LAXXXX	BFV 3W2.5"24V MOD 0-10 SR A100	(800)356-8000
BV3W25UG4LBXXXX	BFV 3W2.5"24V MOD 0-10 SR B100	(800)356-8000
BV3W25UG4LCXXXX	BFV 3W2.5"24V MOD 0-10 SR C100	(800)356-8000
BV3W25UG4LDXXXX	BFV 3W2.5"24V MOD 0-10 SR D100	(800)356-8000
BV3W25UG4LEXXXX	BFV 3W2.5"24V MOD 0-10 SR E100	(800)356-8000
BV3W25UG4LFXXXX	BFV 3W2.5"24V MOD 0-10 SR F100	(800)356-8000
BV3W25UG5LAXXXX	BFV 3W2.5"24V MOD4-20 SR A100	(800)356-8000
BV3W25UG5LBXXXX	BFV 3W2.5"24V MOD 4-20 SR B100	(800)356-8000
BV3W25UG5LCXXXX	BFV 3W2.5"24V MOD 4-20 SR C100	(800)356-8000
BV3W25UG5LDXXXX	BFV 3W2.5"24V MOD 4-20 SR D100	(800)356-8000
BV3W25UG5LEXXXX	BFV 3W2.5"24V MOD 4-20 SR E100	(800)356-8000
BV3W25UG5LFXXXX	BFV 3W2.5"24V MOD 4-20 SR F100	(800)356-8000
BV3W25UG6LAXXXX	BFV 3W 2.5" 24V FLOATING A 100	(800)356-8000
BV3W25UG6LBXXXX	BFV 3W 2.5" 24V FLOATING B 100	(800)356-8000
BV3W25UG6LCXXXX	BFV 3W 2.5" 24V FLOATING C 100	(800)356-8000
BV3W25UG6LDXXXX	BFV 3W 2.5" 24V FLOATING D 100	(800)356-8000
BV3W25UG6LEXXXX	BFV 3W 2.5" 24V FLOATING E 100	(800)356-8000
BV3W25UG6LFXXXX	BFV 3W 2.5" 24V FLOATING F 100	(800)356-8000
BV3W25UG7LAXXXX	BFV 3W 2.5" 24V MOD 0-10V A100	(800)356-8000
BV3W25UG7LBXXXX	BFV 3W 2.5" 24V MOD 0-10V B100	(800)356-8000
BV3W25UG7LCXXXX	BFV 3W 2.5" 24V MOD 0-10V C100	(800)356-8000
BV3W25UG7LDXXXX	BFV 3W 2.5" 24V MOD 0-10V D100	(800)356-8000
BV3W25UG7LEXXXX	BFV 3W 2.5" 24V MOD 0-10V E100	(800)356-8000
BV3W25UG7LFXXXX	BFV 3W 2.5" 24V MOD 0-10V F100	(800)356-8000
BV3W25UG8LAXXXX	BFV 3W 2.5" 24V MOD4-20MA A100	(800)356-8000
BV3W25UG8LBXXXX	BFV 3W 2.5" 24V MOD4-20MA B100	(800)356-8000
BV3W25UG8LCXXXX	BFV 3W 2.5" 24V MOD4-20MA C100	(800)356-8000
BV3W25UG8LDXXXX	BFV 3W 2.5" 24V MOD4-20MA D100	(800)356-8000
BV3W25UG8LEXXXX	BFV 3W 2.5" 24V MOD4-20MA E100	(800)356-8000
BV3W25UG8LFXXXX	BFV 3W 2.5" 24V MOD4-20MA F100	(800)356-8000
GBB151.1P	MOD(1) NSR,24V, MED.PLNM, ACT	(800)356-8000
GBB151.1U	MOD(1) NSR,24V, MED.	(800)356-8000
GBB156.1P	MOD(1) NSR,24V, MED/S PLNM.ACT	(800)356-8000
GBB156.1U	MOD(1) NSR,24V, MED/S,ACT.	(800)356-8000
GBB161.1P	MOD(V) NSR,24V, MED PLNM.ACT	(800)356-8000
GBB161.1U	MOD(V) NSR,24V, MED.ACT.	(800)356-8000
GBB163.1P	MOD(V) NSR,24V, MEDI/ADJ PLNM	(800)356-8000
GBB163.1U	MOD(V) NSR,24V, MED.ADJ,ACT.	(800)356-8000
GBB164.1P	MOD(V) NSR,24V, MEDI/ADJ/S PLNM	(800)356-8000
GBB164.1U	MOD(V) NSR,24V, MED.S/ADJ ACT	(800)356-8000
GBB166.1P	MOD(V) NSR,24V, MED/S PLNM	(800)356-8000
GBB166.1U	MOD(V) NSR,24V, MED.S ACT.	(800)356-8000
GBB171.1P	3PT NSR 24V MED/PLNM	(800)356-8000
GBB171.1U	3PT NSR 24V,MED	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
GBB175.1P	3P NSR 24V,MED/S/F/P	(800)356-8000
GBB175.1U	3PT NSR 24V,MED/S/F	(800)356-8000
GCA121.1P	2 PT SR,24V,MED.PLNM	(800)356-8000
GCA121.1U	2 PT SR,24V,MED	(800)356-8000
GCA126.1P	2 PT SR,24V,MED/S/PLNM.	(800)356-8000
GCA126.1U	2 PT SR,24V,MED/S	(800)356-8000
GCA131.1P	SR,24V,3P,MED-PLENUM	(800)356-8000
GCA131.1U	3PT, SR,24V,ACT.MED.	(800)356-8000
GCA132.1P	ACTUATOR 16 NM SR 3P ROTARY PL	(800)356-8000
GCA132.1U	ACTUATOR 16 NM SR 3P ROTARY 1K	(800)356-8000
GCA136.1P	ACTUATOR 16 NM SR 3P ROTARY PL	(800)356-8000
GCA136.1U	ACTUATOR 16 NM SR 3P ROTARY AU	(800)356-8000
GCA151.1P	MOD(1) SR,24V, MED.PLNM	(800)356-8000
GCA151.1U	MOD(1) SR,24V, MED.	(800)356-8000
GCA156.1P	MOD(1) SR,24V, MED/S PLNM	(800)356-8000
GCA156.1U	MOD(1) SR,24V, MED/S	(800)356-8000
GCA161.1P	MOD(V) SR,24V, MED. PLNM	(800)356-8000
GCA161.1P/B	ACT.MOD(V)SR,24V,PLNM,BULK8	(800)356-8000
GCA161.1P/MAS	MOD,SR,24V,142INLB-MASTER	(800)356-8000
GCA161.1P/SLA	MOD,SR,24V,142INLB-SLAVE	(800)356-8000
GCA161.1U	MOD(V) SR,24V, MED.	(800)356-8000
GCA163.1P	MOD(V) SR,24V, MED/ADJ PLNM	(800)356-8000
GCA163.1U	MOD(V) SR,24V, MED/ADJ	(800)356-8000
GCA164.1P	MOD(V) SR,24V,MED/S/ADJ PLNM	(800)356-8000
GCA164.1P/MAS	MOD,SR,24V,142INLB/S/ADJ-MASTR	(800)356-8000
GCA164.1U	MOD(V) SR,24V, MED/S/ADJ	(800)356-8000
GCA166.1P	MOD(V) SR,24V,MED/S PLNM	(800)356-8000
GCA166.1P/SI	ACT,SR,24V,10.0V,PLENUM	(800)356-8000
GCA166.1U	MOD(V) SR,24V, MED	(800)356-8000
GCA221.1U	2 PT SR,115V,MED	(800)356-8000
GCA221.1U/B	ACT.2PT,SR,115V,BULK8	(800)356-8000
GCA226.1U	2 PT SR,115V,MED/S	(800)356-8000
GDB181.1E/3	VAV NSR,24V, 44INLB,0-10	(800)356-8000
GDE131.1P	ACT NSR PLENUM 24/108L 5Nm	(800)356-8000
GDE131.1P/B	ACT.NSR,PLENUM 24/90L 3P /BULK	(800)356-8000
GDE131.1Q/B	ACT,NSR,3P,24/90L	(800)356-8000
GDE131.1T	NSR 3P 44 LB-IN TERMINAL STRIP	(800)356-8000
GDE131.1T/B	NSR 3P 44 LB-IN TERMINAL STRIP	(800)356-8000
GDE131.1U	ACT NSR 24/108L 5Nm,NO PLENUM	(800)356-8000
GDE131.1U/B	ACT.NSR,5Nm 24/90L 3P /BULK	(800)356-8000
GDE132.1P	ACT NSR PLENUM 24/108H 5Nm	(800)356-8000
GDE136.1P	ACT NSR PLENUM 24/108H 5Nm	(800)356-8000
GDE161.1P	ACT NSR PLENUM 24/108L 5Nm	(800)356-8000
GDE161.1P/B	ACT.NSR,PLENUM 24/90L 5Nm/BULK	(800)356-8000
GDE161.1T	NSR MOD 44 LB-IN TERMINAL STRI	(800)356-8000
GDE161.1T/B	NSR MOD 44 LB-IN TERMINAL STRI	(800)356-8000
GDE163.1P	ACT NSR PLENUM 24/108CL 5Nm	(800)356-8000
GDE164.1P	ACT NSR PLENUM 24/108CH 5Nm	(800)356-8000
GDE166.1P	ACT NSR PLENUM 24/108H 5Nm	(800)356-8000
GEB131.1P	3PT NSR,24V,132LBIN,PLM	(800)356-8000
GEB131.1U	3PT NSR,24V,132LBIN,PLM	(800)356-8000
GEB132.1U	3PT,NSR,24V,132LBIN/F	(800)356-8000
GEB136.1U	3PT,NSR,24V,132LBIN/S	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
GEB161.1P	MOD NSR,24V,132LBIN,PLM	(800)356-8000
GEB161.1U	MOD NSR,24V,132LBIN,PLM	(800)356-8000
GEB164.1U	MOD,NSR,24V,132LBIN/S/ADJ	(800)356-8000
GGD121.1U	F/S,2Pt,24V,142LB-IN,STSHAFT	(800)356-8000
GGD121.1U/B	ACT.F/S,2PT,24V ,142LB-BULK8	(800)356-8000
GGD121.1U/BR/B	ACT,F/S,SR,24V	(800)356-8000
GGD121.3U	F/S,2Pt,24V,142LB-IN,SPSHAFT	(800)356-8000
GGD221.1U	F/S,2Pt,115V,142lb-in,STSHAFT	(800)356-8000
GGD221.1U/B	ACT.F/S,2PT,115V,142LB-BULK8	(800)356-8000
GGD221.1U/BR	F/S,2PT,120V,142LB-IN,STSHAFT,	(800)356-8000
GGD221.1U/BR/B	ACT,F/S,SR,120V	(800)356-8000
GGD221.3U	F/S,2Pt,115V,142lb-in,SPSHAFT	(800)356-8000
GGD321.1U	F/S,2Pt,230V,142LBIN,ST SHAFT	(800)356-8000
GGD321.1U/B	230V 2PT F/S ACTUATOR 8 PACK	(800)356-8000
GIB151.1P	MOD(I) NSR 24V HT/PLNM	(800)356-8000
GIB151.1U	MOD(I) NSR 24V HT	(800)356-8000
GIB156.1P	MOD(I) NSR 24V HT/S/PLNM	(800)356-8000
GIB156.1U	MOD(I) NSR 24V HT/S	(800)356-8000
GIB161.1P	MOD(V) NSR 24V HT/PLNM	(800)356-8000
GIB161.1P/MAS	MOD NSR,24V,310INLB-MASTER	(800)356-8000
GIB161.1P/SLA	MOD NSR,24V,310INLB-SLAVE	(800)356-8000
GIB161.1U	MOD(V) NSR 24V HT	(800)356-8000
GIB163.1P	MOD(V) NSR 24V HT/ADJ/PLNM	(800)356-8000
GIB163.1U	MOD(V) NSR 24V HT/ADJ	(800)356-8000
GIB164.1P	MOD(V) NSR 24V HT/S/ADJ/PLNM	(800)356-8000
GIB164.1P/MAS	MOD NSR,24V,310LB/S/ADJ-MASTER	(800)356-8000
GIB164.1U	MOD(V) NSR 24V HT/S/ADJ	(800)356-8000
GIB166.1P	MOD(V) NSR 24V HT/S/PLNM	(800)356-8000
GIB166.1U	MOD(V) NSR 24V HT/S	(800)356-8000
GIB171.1P	3PT NSR 24V HT/PLNM	(800)356-8000
GIB171.1U	3PT NSR 24V HT	(800)356-8000
GIB175.1P	3PT NSR 24V HT/S/F/PLNM	(800)356-8000
GIB175.1U	3PT NSR 24V HT/S/F	(800)356-8000
GLB131.1P	ACT NSR PLENUM 24/150L 10Nm	(800)356-8000
GLB132.1P	ACT NSR PLENUM 24/150H 10Nm	(800)356-8000
GLB136.1P	ACT NSR PLENUM 24/150H 10Nm	(800)356-8000
GLB161.1P	ACT NSR PLENUM 24/150L 10Nm	(800)356-8000
GLB163.1P	ACT NSR PLENUM 24/150CL 10Nm	(800)356-8000
GLB164.1P	ACT NSR PLENUM 24/150CH 10Nm	(800)356-8000
GLB166.1P	ACT NSR PLENUM 24/150H 10Nm	(800)356-8000
GLB181.1E/3	VAV,NSR,24V,88INLB,0-10	(800)356-8000
GMA121.1P	2PT SR 24V,62LBIN,PLM	(800)356-8000
GMA121.1P/B	ACT.MOD SR,24V,62LBIN,PLM/BULK	(800)356-8000
GMA121.1U	2PT SR 24V,62LBIN,	(800)356-8000
GMA126.1P	ACT, 2P ,SR,PLENUM	(800)356-8000
GMA126.1U	2PT SR 24V,62LBIN/S/PLM	(800)356-8000
GMA131.1P	3PT SR 24V,62LBIN PLM	(800)356-8000
GMA131.1U	3PT SR 24V,62LBIN	(800)356-8000
GMA132.1U	3PT,SR 24V,62LBIN/F	(800)356-8000
GMA136.1U	3PT SR 24V,62LBIN/S	(800)356-8000
GMA151.1P	ACTUATOR, SR, 2-10V,62 LB-IN,P	(800)356-8000
GMA151.1U	ACTUATOR, SR, 2-10V,62 LB-IN	(800)356-8000
GMA156.1P	ACTUATOR,SR,2-10V,SWITCHES,62-	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
GMA156.1U	ACTUATOR,SR,2-10V,SWITCHES,62	(800)356-8000
GMA161.1P	MOD SR 24V,62LBIN,PLM	(800)356-8000
GMA161.1U	MOD SR 24V,62LBIN,	(800)356-8000
GMA163.1P	MOD SR 24V,62LBIN/ADJ PLM	(800)356-8000
GMA163.1U	MOD SR 24V,62LBIN/ADJ	(800)356-8000
GMA164.1U	MOD,SR 24V,62LBIN/S/F	(800)356-8000
GMA166.1P	ACT,0-10V,SR,PLENUM	(800)356-8000
GMA166.1U	MOD SR 24V,62LBIN/S	(800)356-8000
GMA221.1U	2PT SR,120V,62LBIN	(800)356-8000
GMA226.1U	2PT SR,120V,62LBIN/S	(800)356-8000
IP54	**(SP.PART) RUBBER SEAL FOR ZM	(800)356-8000
M2H15FY06N-2AN	VALVE KIT 1/2" CV07 W/2 NPT FL	(800)356-8000
M2H15FY15N-2AN	VALVE KIT 1/2" CV1.8 W/2 NPT F	(800)356-8000
M2H15FYN-2AN	VALVE KIT 1/2" CV3.5 W/2 NPT F	(800)356-8000
M2H20FYN-2AN	VALVE KIT 3/4" CV5.8 W/2 NPT F	(800)356-8000
M2H20FYN-2BN	VALVE KIT 3/4" CV5.8 W/2 WELD	(800)356-8000
M2H25FYN-2AN	VALVE KIT 1" CV9.3 W/2 NPT FLN	(800)356-8000
M2H25FYN-2BN	VALVE KIT 1" CV93 W/2 WELD FLN	(800)356-8000
M2H32FYN-2AN	VALVE KIT 101/4" CV14 W/2 NPT	(800)356-8000
M2H32FYN-2BN	VALVE KIT 1-1/4" CV14 W/2 WELD	(800)356-8000
M2H40FYN-2AN	VALVE KIT 1-1/2" CV23 W/2 NPT	(800)356-8000
M2H40FYN-2BN	VALVE KIT 1-1/2" CV23 W/2 WELD	(800)356-8000
M2H50FYN-2AN	VALVE KIT,2" CV58 W/2 NPT FLAN	(800)356-8000
M2H50FYN-2BN	VALVE KIT, 2" CV58 W/2 WELD FL	(800)356-8000
M3FB15LX/A	5/8" C.V. 3.50 HOT GAS BYPASS	(800)356-8000
M3FB15LX06/A	5/8" C.V. HOT GAS BYPASS VALVE	(800)356-8000
M3FB15LX15/A	5/8" C.V. 1.75 HOT GAS BYPASS	(800)356-8000
M3FB20LX/A	7/8" C.V. 5.80 HOT GAS BYPASS	(800)356-8000
M3FB25LX/A	1" HOT GAS BYPASS VALVE	(800)356-8000
M3FB32LX	VALVE 1-1/4" HOT GAS BYPASS CV	(800)356-8000
M3FK15LX	VALVE, 1/2" CV 3.50	(800)356-8000
M3FK15LX06	VALVE, 1/2" CV 0.70	(800)356-8000
M3FK15LX15	VALVE, 1/2" CV 1.75	(800)356-8000
M3FK20LX	VALVE, 3/4" CV 5.80	(800)356-8000
M3FK25LX	VALVE, 1" CV 9.30	(800)356-8000
M3FK50LX	VALVE, 2" CV 35.00	(800)356-8000
M3K15FX06-2AN	VALVE KIT, M3K15FX06 2NPT,1BLC	(800)356-8000
M3K15FX06-2BN	VALVE KIT M3K15FX06,2WLD FL 1B	(800)356-8000
M3K15FX06-3AN	VALVE KIT, M3K15FX06 3NPT FLNG	(800)356-8000
M3K15FX06-3BN	VALVE KIT, M3K15FX06 3WELD FLN	(800)356-8000
M3K15FX06N	VALVE,1/2"CV 0.7	(800)356-8000
M3K15FX15-2AN	VALVE KIT, M3K15FX15 2NPT 1BLK	(800)356-8000
M3K15FX15-2BN	VALVE KIT, M3K15FX15 2WLD FL 1	(800)356-8000
M3K15FX15-3AN	VALVE KIT, M3K15FX15 3NPT FLNG	(800)356-8000
M3K15FX15-3BN	VALVE KIT, M3K15FX15 3WELD FLN	(800)356-8000
M3K15FX15N	VALVE,1/2"CV 1.8	(800)356-8000
M3K15FX-2AN	VALVE KIT, M3K15FX 2NPT FL 1BL	(800)356-8000
M3K15FX-2BN	VALVE KIT, M3K15FX 2WLD 1BLCK	(800)356-8000
M3K15FX-3AN	VALVE KIT, M3K15FX 3NPT FLNG	(800)356-8000
M3K15FX-3BN	VALVE KIT, M3K15FX 3WELD FLNG	(800)356-8000
M3K15FXN	VALVE,1/2"CV 3.5	(800)356-8000
M3K20FX-2AN	VALVE KIT, M3K20FX 2NPT 1BLCK	(800)356-8000
M3K20FX-2BN	VALVE KIT, M3K20FX 2WLD FL 1BK	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
M3K20FX-3AN	VALVE KIT, M3K20FX 3NPT FLNG	(800)356-8000
M3K20FX-3BN	VALVE KIT, M3K20FX 3WELD FLNG	(800)356-8000
M3K20FXN	VALVE,3/4"CV 5.8	(800)356-8000
M3K25FX-2AN	VALVE KIT, M3K25FX 2NPT 1BLCK	(800)356-8000
M3K25FX-2BN	VALVE KIT, M3K25FX 2WLD FL 1BL	(800)356-8000
M3K25FX-3AN	VALVE KIT, M3K25FX 3NPT FLNG	(800)356-8000
M3K25FX-3BN	VALVE KIT, M3K25FX 3WELD FLNG	(800)356-8000
M3K25FXN	VALVE, 1" CV 9.3	(800)356-8000
M3K32FX-2AN	VALVE KIT,M3K32FX 2NPT 1BLCK P	(800)356-8000
M3K32FX-2BN	VALVE KIT, M3K32FX 2WLD FL 1BL	(800)356-8000
M3K32FX-3AN	VALVE KIT, M3K32FX 3NPT FLNG	(800)356-8000
M3K32FX-3BN	VALVE KIT, M3K32FX 3WELD FLNG	(800)356-8000
M3K32FXN	VALVE,1 1/4" CV 14	(800)356-8000
M3K40FX-2AN	VALVE KIT, M3K40FX 2NPT 1BLNK	(800)356-8000
M3K40FX-2BN	VALVE KIT, M3K40FX 2WLD FL 1BL	(800)356-8000
M3K40FX-3AN	VALVE KIT, M3K40FX 3NPT FLNG	(800)356-8000
M3K40FX-3BN	VALVE KIT, M3K40FX 3WELD FLNG	(800)356-8000
M3K40FXN	VALVE,1 1/2" CV 23	(800)356-8000
M3K50FX-2AN	VALVE KIT, M3K50FX 2NPT 1BLNK	(800)356-8000
M3K50FX-2BN	VALVE KIT, M3K50FX 2WLD FL 1BL	(800)356-8000
M3K50FX-3AN	VALVE KIT, M3K50FX 3NPT FLNG	(800)356-8000
M3K50FX-3BN	VALVE KIT, M3K50FX 3WELD FLNG	(800)356-8000
M3K50FXN	VALVE, 2" CV 23	(800)356-8000
M3P100FY	VALVE 4",CV152 W/PILOT POSITIO	(800)356-8000
M3P100FY/2BN	VALVE 4"2W W/FLG CV152 W/POSIT	(800)356-8000
M3P100FY/3BN	VALVE 4"3W W/FLG CV152 W/POSIT	(800)356-8000
M3P80FY	VALVE 3", CV93 W/PILOT POSITIO	(800)356-8000
M3P80FY/2BN	VALVE 3" 2W W/FLG CV93 W/POSIT	(800)356-8000
M3P80FY/3BN	VALVE 3"2W W/FLG CV93 W/POSITI	(800)356-8000
MXF461.65-50U	MAGNETIC VALVE,2 1/2",0-10V	(800)356-8000
MXG461.15-0.6U	MAGNETIC VALVE,1/2",0-10V	(800)356-8000
MXG461.15-1.5U	MAGNETIC VALVE, 1/2" ,0-10V	(800)356-8000
MXG461.15-3.0U	MAGNETIC VALVE, 1/2", 0-10V	(800)356-8000
MXG461.20-5.0U	MAGNETIC VALVE,3/4",0-10V	(800)356-8000
MXG461.25-8.0U	MAGNETIC VALVE, 1" ,0-10V	(800)356-8000
MXG461.32-12U	MAGNETIC VALVE,1 1/4",0-10V	(800)356-8000
MXG461.40-20U	MAGNETIC VALVE,1 1/2",0-10V	(800)356-8000
MXG461.50-30U	MAGNETIC VALVE, 2" ,0-10V	(800)356-8000
P142-308	PRES GAUGE,1-1/2",0/30PSI,PIPE	(800)356-8000
P142-373	MET PRES GAUGE,1-1/2",0/207	(800)356-8000
P192-252	T'STAT CVR,EXP/EXP/EXP,LOGO	(800)356-8000
P192-254	T'STAT CVR,CON/EXP/CON,LOGO	(800)356-8000
P192-256	T'STAT CVR,CON/CON/CON,LOGO	(800)356-8000
P192-266	T'STAT CVR,KEY/EXP/EXP,LOGO	(800)356-8000
QAA24	RM TEMP SNSR 32-122F (0-50 C)	(800)356-8000
QAA24U	RM SENSOR,1K OHM NI RTD	(800)356-8000
QAA25U	RM SENSOR,1K NI RTD W/SET PT	(800)356-8000
QAH11.1	CHANGEOVER SENSOR NTCRES	(800)356-8000
QAP21.3	TEMPERATURE DETECTOR	(800)356-8000
QAP22	CABLE TEMP.SENSOR	(800)356-8000
QFA65	RH ROOM SENSOR	(800)356-8000
QFM65	SENSOR DUCT REL HUM & TEMP	(800)356-8000
QFM66	DUCT SENSOR RH & TEMP	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
QPA61.1	AIR QUALITY SENS USE W/SER61.1	(800)356-8000
QPA63.1	IAQ SENSOR FOR CO2 & VOC	(800)356-8000
QPA63.2	IAQ CO2/VOC SENSOR W/LED DISPL	(800)356-8000
RAA10/C/NL	H OR C 2P CONC NL	(800)356-8000
RAA10/F/NL	H OR C 2P CONC DEG F NL	(800)356-8000
RAA10/U/NL	H OR C CONSEAL SP N L	(800)356-8000
RAA10C	H OR C 2P CONC DEG C	(800)356-8000
RAA10CW	H OR C 2P CONC DEG C WP	(800)356-8000
RAA20/F/NL	H OR C 2P DEG F NL	(800)356-8000
RAA20/U/NL	H OR C 2P EXPOSED SP N L	(800)356-8000
RAA20C	H OR C 2P DEG C	(800)356-8000
RAA20CW	H OR C 2P DEG C WP	(800)356-8000
RAA20U	H OR C 2P DEG F	(800)356-8000
RAA20UW	H OR C 2P DEG F WP	(800)356-8000
RAA30/F/NL	H OR C 2P DEG F NL	(800)356-8000
RAA30/U/NL	H OR C 2P EXPOSED SP,ON/OFF NL	(800)356-8000
RAA30C	H OR C 2P DEG C	(800)356-8000
RAA30CW	H OR C 2P DEG C WP	(800)356-8000
RAA30U	H OR C 2P DEG F	(800)356-8000
RAA30UW	H OR C 2P DEG F WP	(800)356-8000
RAA40/F/NL	H/C 2P DEG F NL	(800)356-8000
RAA40/U/NL	H OR C 2P EXP SP H/C/OFF NL	(800)356-8000
RAA40C	H AND C 2P DEG C	(800)356-8000
RAA40CW	H OR C 2P DEG C WP	(800)356-8000
RAA40U	H AND C 2P DEG F	(800)356-8000
RAA40UW	H OR C 2P DEG P WP	(800)356-8000
RAB10.1/F/NL	2P FNLN CL 2P MAN C/O DEG F NL	(800)356-8000
RAB10.1/U/NL	2PIPE FN,CL 2POS,MAN.C/O NO LO	(800)356-8000
RAB10.1C	2P FN CL 2P MAN C/O DEG C	(800)356-8000
RAB10.1CW	2P FN CL 2P MAN C/O DEG C WP	(800)356-8000
RAB10.1U	2P FN CL 2P MAN C/O DEG F	(800)356-8000
RAB10.1UW	2P FN CL 2P MAN C/O DEG F WP	(800)356-8000
RAB10/F/NL	2P FNLN CL 2P MAN C/O DEG F NL	(800)356-8000
RAB10/U/NL	2PIPE FN,CL 2POS,MAN.C/O NO LO	(800)356-8000
RAB10C	2P FN CL 2P MAN C/O DEG C	(800)356-8000
RAB10CW	2P FN CL 2P MAN C/O DEG C WP	(800)356-8000
RAB10U	2P FN CL 2P MAN C/O DEG F	(800)356-8000
RAB10UW	2P FN CL 2P MAN C/O DEG F WP	(800)356-8000
RAB20.1/F/NL	2P FNLN CL 2P AUTO C/O DEGF NL	(800)356-8000
RAB20.1/U/NL	2PIPE FN,CL 2POS,AUTO C/O NL	(800)356-8000
RAB20.1C	2P FN CL 2P AUTO C/O DEG C	(800)356-8000
RAB20.1CW	2P FN CL 2P AUTO C/O DEG C WP	(800)356-8000
RAB20.1U	2P FN CL 2P AUTO C/O DEG F	(800)356-8000
RAB20.1UW	2P FN CL 2P AUTO C/O DEG F WP	(800)356-8000
RAB20/F/NL	2P FNLN CL 2P AUTO C/O DG F NL	(800)356-8000
RAB20/U/NL	2PIPE FN,CL 2POS,AUTO C/O NL	(800)356-8000
RAB20C	2P FN CL 2P AUTO C/O DEG C	(800)356-8000
RAB20CW	2P FN CL 2P AUTO C/O DEG C WP	(800)356-8000
RAB20U	2P FN CL 2P AUTO C/O DEG F	(800)356-8000
RAB20UW	2P FN CL 2P AUTO C/O DEG F WP	(800)356-8000
RAB30.1/F/NL	4P FNLN CL 2P MAN C/O DEGF NL	(800)356-8000
RAB30.1/U/NL	4PIPE FN,CL 2POS,MAN C/O NL	(800)356-8000
RAB30.1C	4P FN CL 2P MAN C/O DEG C	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
RAB30.1CW	4P FN CL 2P MAN C/O DEG C WP	(800)356-8000
RAB30.1U	4P FN CL 2P MAN C/O DEG F	(800)356-8000
RAB30.1UW	4P FN CL 2P MAN C/O DEG F WP	(800)356-8000
RAB30/F/NL	4P FNLN CL 2P MAN C/O DEGF NL	(800)356-8000
RAB30/U/NL	4PIPE FN,CL 2POS,MAN C/O NL	(800)356-8000
RAB30C	4P FN CL 2P MAN C/O DEG C	(800)356-8000
RAB30CW	4P FN CL 2P MAN C/O DEG C WP	(800)356-8000
RAB30U	4P FN CL 2P MAN C/O DEG F	(800)356-8000
RAB30UW	4P FN CL 2P MAN C/O DEG F WP	(800)356-8000
RAB90.1U	REMOTE 3 SPEED FAN SWITCH	(800)356-8000
RAB90UW	3 SPEED FAN SWITCH	(800)356-8000
RCC10/U/NL	TSTAT FN CL 2P ON/OFF NL	(800)356-8000
RCC10U	2P FN CL PI 2P DEG.W/C	(800)356-8000
RCC20/U/NL	TSTAT FN CL HORC 2-P EL NL	(800)356-8000
RCC20U	TSTAT,FN CL HorC,2-P EL 120V	(800)356-8000
RCC30/U/NL	TSTAT,FN CL,H&C,2-P NL,120 VAC	(800)356-8000
RCC30U	TSTAT,FN CL H&C,2-P 120VAC	(800)356-8000
RCC50.1/U/NL	TSTAT FN CL HORC 0-10V NL	(800)356-8000
RCC50.1U	2P FN CL PI 0-10V DEG. W/C	(800)356-8000
RCU50.2/U/NL	TSTAT,H&C,MAN,0-10V,24V NL	(800)356-8000
RCU50.2U	TSTAT H&C MAN,0-10V,24V	(800)356-8000
RCU50/U/NL	TSTAT H&C AUTO,0-10V,24V,NL	(800)356-8000
RCU50U	VAV/CAV,P 0-10V DEG W/C	(800)356-8000
RCU61/U/NL	TSTAT H3-P& C0-10V/AUTO 24V NL	(800)356-8000
RCU61U	VAV/CAV,P 0-10V/3P DEG.W/C	(800)356-8000
RDU50.2/U/NL	RM CTRL 0-10V OUT MAN C/O NL	(800)356-8000
RDU50.2U	RM CTRL 0-10V OUT MAN C/O	(800)356-8000
RDU50/U/NL	RM CTRL 0-10V OUT AUTO C/O NL	(800)356-8000
RDU50U	RM CTRL 0-10V OUT AUTO C/O	(800)356-8000
RWC62	SINGLE LOOP CONTROLLER	(800)356-8000
RWC62CSH	RW2C62 W/SENSOR & HSNQ 2A0,C	(800)356-8000
RWC62U	SNGL LOOP CTRL 2AO DSPLY DEG F	(800)356-8000
RWC62USH	RW2C62 W/SENSOR & HSNQ 2A0,F	(800)356-8000
RWC82	SINGLE LOOP CONTROL 2AI/1DI/2D	(800)356-8000
RWC82CSH	RW2C82 W/SENSOR & HSNQ 2A0,C	(800)356-8000
RWC82U	SNGL LOOP CTRL 2DO DSPLY DEG F	(800)356-8000
RWC82USH	RW2C82 W/SENSOR & HSNQ 2D0,F	(800)356-8000
SB1-0813	0.5",2W,CV1.6,FXF,SS+GDE161.1P	(800)356-8000
SB1-0814	0.5",2W,CV2.5,FXF,SS+GDE161.1P	(800)356-8000
SB1-0815	.5",2W,CV10,FXF,SS+GDE161.1P	(800)356-8000
SB2-0728	ROOM SENSOR COVER ASSY-WHITE P	(800)356-8000
SEZ91.6	TRANSDUCER,0-20VPC TO 0-10VDC	(800)356-8000
SFA11U	ZONE VLV ACT.NC,120V,ON/OFF	(800)356-8000
SFA71U	ZONE VLV ACT.NC,24V, ON/OFF	(800)356-8000
SFP11U	ZONE VLV ACT.NO,120V,ON/OFF	(800)356-8000
SFP71U	ZONE VLV ACT.NO,24V, ON/OFF	(800)356-8000
SKB62U	E/H ACTUATOR 20MM 24VAC MOD SR	(800)356-8000
SKB62UA	E/H ACTUATOR 20MM 24VAC MOD SR	(800)356-8000
SKB82.50U	E/H ACTUATOR 20MM 24VAC 3P NSR	(800)356-8000
SKB82.51U	E/H ACTUATOR 20MM 24VAC 3P SR	(800)356-8000
SKC62U	E/H ACTUATOR 40MM 24VAC MOD SR	(800)356-8000
SKC62UA	E/H ACTUATOR 40MM 24VAC MOD SR	(800)356-8000
SKC82.60U	E/H ACTUATOR 40MM 24VAC 3P NSR	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
SKC82.61U	E/H ACTUATOR 40MM 24VAC 3P SR	(800)356-8000
SKD62U	ELEC/HYD ACT,24VAC,0-10VDC,SR	(800)356-8000
SKD62UA	ELEC/HYD ACT,24VAC,0-10VDC,SR,	(800)356-8000
SKD82.50U	ELEC/HYD ACT,24VAC,3-POS,NSR	(800)356-8000
SKD82.51U	ELEC/HYD ACT,24VAC,3-POS,SR	(800)356-8000
SQS65.5U	ELEC VLV ACTUATOR,SR	(800)356-8000
SQS65U	ELEC VLV ACTUATOR,NSR	(800)356-8000
SQS85.53U	ACTUATOR,24 VAC,3 POS,SR	(800)356-8000
SQX62U	ELEC/HYD ACT,24VAC,0-10 VDC	(800)356-8000
SQX82.00U	ELEC/HYD ACT,24VAC,3-POS,120S	(800)356-8000
SQX82.03U	ELEC/HYD ACT,24VAC,3-POS,30S	(800)356-8000
SSA61	VLV ACTUATOR,NSR,24V,0-10V	(800)356-8000
SSA81	VLV ACTUATOR,NSR,24V,3POS	(800)356-8000
SSB61U	ELEC-MECHANC VALVE ACTUATOR 24	(800)356-8000
SSB81U	ELEC-MECHANC VALVE ACTUATOR 24	(800)356-8000
SSC61.5U	ELEC-MECHANC VALVE ACTUATOR 24	(800)356-8000
SSC61U	ELEC-MECHANC VALVE ACTUATOR 24	(800)356-8000
SSC81.5U	ELEC-MECHANC VALVE ACTUATOR 24	(800)356-8000
SSC81U	ELEC-MECHANC VALVE ACTUATOR 24	(800)356-8000
STA71	24V THERMIC NC ZONE VALVE ACT	(800)356-8000
STP71	24V THERMIC NO ZONE VALVE ACT	(800)356-8000
VMP42.09(2)	2 WAY VALVE ASSEMBLY, .29 CV.	(800)356-8000
VMP42.10(2)	2 WAY VALVE ASSEMBLY, .47 CV	(800)356-8000
VMP42.11(2)	2-WAY VALVE ASSEMBLY, .74 CV	(800)356-8000
VMP42.12(2)	2-WAY VALVE ASSEMBLY, 1.17 CV	(800)356-8000
VMP42.13(2)	2 WAY VALVE ASSEMBLY, 1.87 CV	(800)356-8000
VMP42.14(2)	2 WAY VALVE ASSEMBLY, 2.92 CV	(800)356-8000
VVG41.11	1/2" 2W W/O UNION .73 CV	(800)356-8000
VVG41.12	1/2" 2W VLV W/O UNION 1.15 CV	(800)356-8000
VVG41.13	1/2" 2W VLV W/O UNION 1.85 CV	(800)356-8000
VVG41.14	1/2" 2W VLV W/O UNION 2.9 CV	(800)356-8000
VVG41.20	3/4" 2W VLV.W/O UNION 7.3 CV	(800)356-8000
VVG41.25	1" 2W VLV.W/O UNION 11.6 CV	(800)356-8000
VVG41.32	1 1/4" 2W W/O OBS/NR	(800)356-8000
VVG41.40	1 1/2" 2W W/O OBS/NR	(800)356-8000
VVG41.50	2" 2W VLV W/O UNION 46.2 CV	(800)356-8000
VVG44.15-0.25	1/2"2WAY .29 CV	(800)356-8000
VVG44.15-0.4	1/2"2WAY,.46CV	(800)356-8000
VVG44.15-0.63	1/2"2WAY .73 CV	(800)356-8000
VVG44.15-1	VVG44 1/2"2W 1.16CV	(800)356-8000
VVG44.15-1.6	1/2"2WAY 1.85 CV	(800)356-8000
VVG44.15-2.5	1/2"2WAY 2.9 CV	(800)356-8000
VVG44.15-4	VVG44 1/2"2W 4.6CV	(800)356-8000
VVG44.20-6.3	3/4"2WAY 7.3 CV	(800)356-8000
VVG44.25-10	VVG44-1"2W 11.6CV	(800)356-8000
VVG44.32-16	VVG44 1 1/4"2W 18.5CV	(800)356-8000
VVG44.40-25	VVG44 1 1/2"2W 29CV	(800)356-8000
VVI43.15-0.4	1/2"NO 2W,.47CV O/BY 59902047	(800)356-8000
VVI43.15-1	1/2"NO 2W 1.17CV O/BY 59902051	(800)356-8000
VVP45.10-.25-2D	2WAY VLV,3/8",Cv=0.29,SWT	(800)356-8000
VVP45.10-.63-2D	2WAY VLV,3/8",Cv=0.74,SWT	(800)356-8000
VVP45.10-0.25	VLV,2WAY 3/8",Cv=0.29	(800)356-8000
VVP45.10-0.4	VLV,2WAY 3/8",Cv=0.47	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
VVP45.10-0.4-2C	OBS/NR, 2WAY VLV,3/8",Cv=0.47,	(800)356-8000
VVP45.10-0.4-2D	2WAY VLV,3/8",Cv=0.47,SWT	(800)356-8000
VVP45.10-0.63	VLV,2WAY 3/8",Cv=0.74	(800)356-8000
VVP45.10-1	VLV,2WAY 3/8",Cv=1.17	(800)356-8000
VVP45.10-1.6	VLV,2WAY 3/8",Cv=1.87	(800)356-8000
VVP45.10-1.6-2D	2WAY VLV,3/8",Cv=1.87,SWT	(800)356-8000
VVP45.10-1-2D	2WAY VLV,3/8",Cv=1.17,SWT	(800)356-8000
VVP45.15-2.5	VLV,2WAY 1/2",Cv=2.9	(800)356-8000
VVP45.15-2.5-2D	2WAY VLV,1/2",Cv=2.9 ,SWT	(800)356-8000
VVP45.20-4	VLV,2WAY 3/4",Cv=4.68	(800)356-8000
VVP45.20-4-2C	2WAY VLV,3/4",Cv=4.68,NPT	(800)356-8000
VVP45.20-4-2D	2WAY VLV,3/4",Cv=4.68,SWT	(800)356-8000
VXG41.1301	1/2" 3W VLV W/O UNION 1.85 CV	(800)356-8000
VXG41.1401	1/2" 3W VLV W/O UNION 2.9 CV	(800)356-8000
VXG41.1501	1/2" 3W VLV W/O UNION 4.6 CV	(800)356-8000
VXG41.20	3/4" 3W VLV W/O UNION 7.3 CV	(800)356-8000
VXG41.2001	3/4" 3W VLV W/O UNION 7.3 CV	(800)356-8000
VXG41.25	1" 3W VLV W/O UNION 11.6 CV	(800)356-8000
VXG41.2501	1" 3W VLV W/O UNION 11.6 CV	(800)356-8000
VXG41.3201	1 1/4" 3W W/O UNION 18.5 CV	(800)356-8000
VXG41.40	1 1/2" 3W W/O UNION 28.9 CV	(800)356-8000
VXG41.4001	1 1/2" 3W W/O UNION 28.9 CV	(800)356-8000
VXG41.5001	2" 3W W/O UNION 46.2 CV	(800)356-8000
VXG44.15-0.25	1/2"3WAY ,29CV	(800)356-8000
VXG44.15-0.4	1/2"3WAY .46CV	(800)356-8000
VXG44.15-0.63	1/2"3WAY .73CV	(800)356-8000
VXG44.15-1	VXG44 1/2"3W 1.16CV	(800)356-8000
VXG44.15-1.6	1/2"3WAY 1.85CV	(800)356-8000
VXG44.15-2.5	1/2"3WAY 2.9CV	(800)356-8000
VXG44.15-4	1/2"3WAY 4.6CV	(800)356-8000
VXG44.20-6.3	3/4"3WAY 7.3CV	(800)356-8000
VXG44.25-10	VXG44 1"3W 11.6CV	(800)356-8000
VXG44.32-16	VXG44 1 1/4"3W 18.5 CV.	(800)356-8000
VXG44.40-25	VXG44 1 1/2"3W 29 CV	(800)356-8000
VXP45.10-.25-3D	3WAY VLV,3/8",Cv=0.29,SWT	(800)356-8000
VXP45.10-.63-3D	3WAY VLV,3/8",Cv=0.74,SWT	(800)356-8000
VXP45.10-0.25	VLV,3WAY 3/8",Cv=0.29	(800)356-8000
VXP45.10-0.4	VLV,3WAY 3/8",Cv=0.47	(800)356-8000
VXP45.10-0.4-3D	3WAY VLV,3/8",Cv=0.47,SWT	(800)356-8000
VXP45.10-0.63	VLV,3WAY 3/8",Cv=0.74	(800)356-8000
VXP45.10-1	VLV,3WAY 3/8",Cv=1.17	(800)356-8000
VXP45.10-1.6	VLV,3WAY 3/8",Cv=1.87	(800)356-8000
VXP45.10-1.6-3D	3WAY VLV,3/8",Cv=1.87,SWT	(800)356-8000
VXP45.10-1-3D	3WAY VLV,3/8",Cv=1.17,SWT	(800)356-8000
VXP45.15-2.5	VLV,3WAY 1/2",Cv=2.9	(800)356-8000
VXP45.15-2.5-3D	3WAY VLV,1/2",Cv=2.9 ,SWT	(800)356-8000
VXP45.20-4	VLV,3WAY 3/4",Cv=4.68	(800)356-8000
VXP45.20-4-3C	3WAY VLV,3/4",Cv=4.68,NPT	(800)356-8000
VXP45.20-4-3D	3WAY VLV,3/4",Cv=4.68,SWT	(800)356-8000
Z155/08-15	1/2" BLOCKING PLUG	(800)356-8000
Z155/100	4" BLANKING FLANGE	(800)356-8000
Z155/15F	1/2" BLANKING FLANGE	(800)356-8000
Z155/20	3/4" BLOCKING PLUG	(800)356-8000

SIEMENS - POWERS PART No.	DESCRIPTION	PHONE No.
Z155/20F	3/4" BLANKING FLANGE	(800)356-8000
Z155/25	1" BLOCKING PLUG	(800)356-8000
Z155/25F	1" BLANKING FLANGE	(800)356-8000
Z155/32	1-1/4" BLOCKING PLUG	(800)356-8000
Z155/32F	1-1/4" BLANKING FLANGE	(800)356-8000
Z155/40	1-1/2" BLANKING FLANGE	(800)356-8000
Z155/50	2" BLANKING FLANGE	(800)356-8000
Z155/65	2-1/2" BLANKING FLANGE	(800)356-8000
Z155/80	3" BLANKING FLANGE	(800)356-8000
Z205/100	4" 600 PSI WELD NECK FLANGE	(800)356-8000
Z205/15	1/2" 600 PSI WELD NECK FLANGE	(800)356-8000
Z205/20	3/4" 600 PSI WELD NECK FLANGE	(800)356-8000
Z205/25	1" 600 PSI WELD NECK FLANGE	(800)356-8000
Z205/32	1-1/4" 600 PSI WELD NECK FLANG	(800)356-8000
Z205/40	1-1/2" 600 PSI WELD NECK FLNG*	(800)356-8000
Z205/50	2" 600 PSI WELD NECK FLANGE	(800)356-8000
Z205/65	2-1/2" 600 PSI WELD NECK FLANG	(800)356-8000
Z205/80	3" 600 PSI WELD NECK FLANGE	(800)356-8000
Z206/15	1/2" NPT FLANGE	(800)356-8000
Z206/20	3/4" NPT FLANGE	(800)356-8000
Z206/25	1" NPT FLANGE	(800)356-8000
Z206/32	1-1/4" NPT FLANGE	(800)356-8000
Z206/40	1-1/2" NPT FLANGE	(800)356-8000
Z206/50	2" NPT FLANGE	(800)356-8000
Z366	HEATING RESISTOR	(800)356-8000
Z56/100	4" WELDING FLANGE	(800)356-8000
Z56/125	5" WELDING FLANGE	(800)356-8000
Z56/15	1/2" WELDING FLANGE	(800)356-8000
Z56/150	6" WELDING FLANGE	(800)356-8000
Z56/20	3/4" WELDING FLANGE	(800)356-8000
Z56/25	1" WELDING FLANGE	(800)356-8000
Z56/32	1-1/4" WELDING FLANGE	(800)356-8000
Z56/40	1-1/2" WELDING FLANGE	(800)356-8000
Z56/50	2" WELDING FLANGE	(800)356-8000
Z56/80	3" WELDING FLANGE	(800)356-8000
Z88/08-15G	** (SP.PART) STRAIN+GASKET 1/2"	(800)356-8000
Z88/20G	** (SP.PART) STRAINER-GSKT 3/4"	(800)356-8000
Z88/25G	** (SP.PART) STRAINER+GSKT 1"	(800)356-8000
Z88/32G	STRAINER & GSKT 1-1/4"	(800)356-8000
Z88/40G	** (SP.PART) STRAINER&GSKT 1-1/2"	(800)356-8000
Z88/50G	STRAINER & GSKT 2"	(800)356-8000
Z89/65F	** (SP.PART) STRAINER&GSKT 1-1/2"	(800)356-8000
ZM100/A	X-BODY I'FACE 0-10VDC, 0-20VPC	(800)356-8000
ZM101/A	X-BODY I'FACE 0-10VDC 40W IP54	(800)356-8000
ZM111	X-BODY I'FACE 0-20V PHCUT 40W	(800)356-8000
ZM120/A	X-BODY I'FACE 4-20MA 40W IP31	(800)356-8000
ZM121/A	X-BODY I'FACE 4-20MA 40W IP54	(800)356-8000
ZM150	CTRL SIGNAL MODULE W/FBK 0-2"	(800)356-8000
ZM200/A	X-BODY I'FACE 0-10VDC, 0-20VPC	(800)356-8000
ZM210	X-BODY I'FACE 020V PHCUT 120W	(800)356-8000
ZM220/A	X-BDY I'FACE 4-20MA 120W IP31	(800)356-8000
ZM250	CTRL SIGNAL MODULE W/FBK 3-4"	(800)356-8000